



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: DIAMOND HILL MINING CORPORATION

300 - 789 W. PENDER ST.
VANCOUVER, BC
V6C 1H2

Project:

Comments: ATTN: ALLAN YOUNG CC: J HAJEK

* Page No. : 1
Tot. Pages: 4
Date : 25-JUL-89
Invoice # : I-8915074
P.O. # : NONE

Manson Creek 800408

CERTIFICATE OF ANALYSIS A8915074

SAMPLE DESCRIPTION	PREP CODE	Au NAA	As NAA	Ba NAA	Br NAA	Ce NAA	Cs NAA	La NAA	Rb NAA	Sb NAA	Sc NAA	Ta NAA	Th NAA	U NAA	W NAA	Sm NAA	Eu NAA
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MA-01	210	< 2	< 1	73	9	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-02	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-03	210	< 2	< 1	73	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-04	210	< 2	< 1	52	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-05	210	< 2	< 1	117	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-06	210	< 2	< 1	51	< 1	< 1	< 2	< 1	11	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-7A	210	< 2	< 1	< 50	< 1	< 1	< 2	< 1	9	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-7B	210	< 2	< 1	56	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-8-1	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-8-2	210	< 2	< 1	< 50	1	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-20V	210	< 2	< 1	120	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-21	210	< 2	< 1	69	3	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-22	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-23	210	< 2	< 1	52	4	< 1	< 2	< 1	5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-24	210	< 2	< 1	69	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-25	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-26	210	< 2	< 1	< 50	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-27	210	< 2	< 1	< 50	< 1	< 1	< 2	< 1	6	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-28	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-29	210	< 2	< 1	83	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-30	210	< 2	< 1	51	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-30V	210	< 2	< 1	83	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-31	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-31V	210	< 2	< 1	68	< 1	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-32V	210	< 2	< 1	< 50	< 1	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-33V	210	< 2	< 1	184	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-34V	210	< 2	< 1	124	1	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-35B	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-35V-1	210	< 2	< 1	< 50	4	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-35V-2	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-36	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-37	210	< 2	< 1	< 50	1	< 1	< 2	< 1	9	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-38	210	< 2	< 1	119	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-39	210	< 2	< 1	76	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-40	210	< 2	< 1	< 50	11	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-41	210	< 2	< 1	< 50	10	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-42	210	< 2	< 1	< 50	7	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-43	210	< 2	< 1	115	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-44	210	< 2	< 1	73	4	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-45	210	< 2	< 1	51	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1

CERTIFICATION: *Donald D. Burgess*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: DIAMOND HILL MINING CORPORATION

300 - 789 W. PENDER ST.
VANCOUVER, BC
V6C 1H2

Project :

Comments: ATTN: ALLAN YOUNG CC: J. HAJEK

* Page No. : 4

Tot. Pages: 4

Date : 25-JUL-89

Invoice # : I-8915074

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8915074

SAMPLE DESCRIPTION	PREP CODE	Au	NAA	As	NAA	Ba	NAA	Br	NAA	Ce	NAA	Cs	NAA	La	NAA	Rb	NAA	Sb	NAA	Sc	NAA	Ta	NAA	Th	NAA	U	NAA	W	NAA	Sn	NAA	Eu	NAA
		ppb		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm		ppm	
MA-141	210	< 2		< 1		135		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-142	210	< 2		< 1		68		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		0.1		< 0.1	
MA-145	210	< 2		< 1		72		< 1		< 1		< 2		< 1		5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-146	210	< 2		< 1		82		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-147	210	< 2		< 1		155		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-148	210	< 2		< 1		< 50		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-149	210	< 2		< 1		129		4		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
MA-150	210	< 2		< 1		< 50		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
ST-162	210	< 2		< 1		< 50		2		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
ST-167	210	< 2		< 1		< 50		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
ST-204	210	< 2		< 1		< 50		6		< 1		< 2		< 1		8		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	
YP	210	< 2		< 1		< 50		1		< 1		< 2		< 1		< 5		< 1		< 1		< 2		< 0.5		< 1		< 1		< 0.1		< 0.1	

CERTIFICATION :

Donald D. Burgess



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: DIAMOND HILL MINING CORPORATION

300 - 789 W. PENDER ST.
VANCOUVER, BC
V6C 1H2

Project :


Comments: ATTN: ALLAN YOUNG CC: J. HAJEK

* Page No. : 3
Tot. Pages: 4
Date : 25-JUL-89
Invoice # : I-8915074
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8915074

SAMPLE DESCRIPTION	PREP CODE	Au	NAA	As	NAA	Ba	NAA	Br	NAA	Ce	NAA	Cs	NAA	La	NAA	Rb	NAA	Sb	NAA	Sc	NAA	Ta	NAA	Th	NAA	U	NAA	W	NAA	Sm	NAA	Eu	NAA
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MA-93	210	< 2	< 1	80	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-94	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-95	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-96	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-97	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-98	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-99	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-100	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-101	210	< 2	< 1	93	1	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-102	210	< 2	< 1	313	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-103	210	< 2	6	< 50	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-104	210	< 2	< 1	67	6	< 1	< 2	< 1	7	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-105	210	< 2	< 1	96	< 1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-106	210	< 2	< 1	< 50	8	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-107	210	< 2	< 1	69	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-110	210	< 2	< 1	111	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-111	210	< 2	< 1	174	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-112	210	< 2	< 1	59	1	< 1	< 2	< 1	5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-113	210	< 2	< 1	70	6	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-115	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-117	210	< 2	< 1	89	4	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-118	210	< 2	< 1	< 50	8	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-119	210	< 2	< 1	57	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-120	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-121	210	< 2	< 1	83	35	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-122-1	210	< 2	< 1	< 50	10	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-122-2	210	< 2	< 1	< 50	8	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-123	210	< 2	< 1	51	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-125	210	< 2	< 1	109	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-126	210	< 2	< 1	109	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-128	210	< 2	< 1	61	5	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-130	210	< 2	< 1	110	5	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	0.1	< 0.1																
MA-131	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-132	210	< 2	< 1	245	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-133	210	< 2	< 1	179	< 1	< 1	< 2	< 1	6	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-135	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-136	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-138	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-139	210	< 2	< 1	< 50	3	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																
MA-140	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1																

CERTIFICATION : *Donald S. Burgess*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: DIAMOND HILL MINING CORPORATION

300 - 789 W. PENDER ST.
VANCOUVER, BC
V6C 1H2

Project :

Comments: ATTN: ALLAN YOUNG CC: J. HAJEK

* Page No. : 2
Tot. Pages: 4
Date : 25-JUL-89
Invoice # : I-8915074
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8915074

SAMPLE DESCRIPTION	PREP CODE	Au NAA	As NAA	Ba NAA	Br NAA	Ce NAA	Cs NAA	La NAA	Rb NAA	Sb NAA	Sc NAA	Ta NAA	Th NAA	U NAA	W NAA	Sm NAA	Eu NAA
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MA-46	210	< 2	< 1	82	< 1	< 1	< 2	< 1	< 6	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-49	210	< 2	< 1	76	4	< 1	< 2	< 1	6	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-53	210	< 2	< 1	50	1	< 1	< 2	< 1	12	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-54	210	4	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-55	210	< 2	< 1	< 50	2	< 1	< 2	< 1	10	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-56	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-57-1	210	< 2	< 1	< 50	5	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-57-2	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-59	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-60	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-63	210	< 2	< 1	64	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-64	210	< 2	< 1	54	< 1	< 1	< 2	< 1	9	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-65	210	< 2	< 1	51	< 1	< 1	< 2	< 1	10	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-66	210	< 2	< 1	< 50	3	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-67	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-69	210	< 2	1	72	2	< 1	< 2	< 1	7	12	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-70	210	< 2	3	< 50	2	< 1	< 2	< 1	< 5	43	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-71	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	3	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-72	210	< 2	< 1	252	1	< 1	< 2	< 1	< 5	4	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-73	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-74	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-75	210	< 2	1	163	< 1	< 1	< 2	< 1	6	17	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-76	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	3	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-77	210	< 2	< 1	238	2	< 1	< 2	< 1	7	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-78	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	11	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-79	210	< 2	2	< 50	1	< 1	< 2	< 1	< 5	18	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-80	210	< 2	< 1	127	< 1	< 1	< 2	< 1	6	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-81	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-82	210	< 2	< 1	< 50	2	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-83	210	< 2	< 1	277	4	< 1	< 2	< 1	< 5	7	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-84	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-85	210	< 2	< 1	148	< 1	< 1	< 2	< 1	8	< 1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-86-1	210	6	< 1	2080	31	< 3	< 2	< 1	36	17	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.2
MA-86-2	210	< 2	< 1	197	10	< 1	< 2	< 1	9	7	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-87	210	< 2	< 1	90	2	< 1	< 2	< 1	7	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-88	210	< 2	< 1	< 50	3	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-89	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-90	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	2	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-91	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	1	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1
MA-92	210	< 2	< 1	< 50	1	< 1	< 2	< 1	< 5	4	< 1	< 2	< 0.5	< 1	< 1	< 0.1	< 0.1

CERTIFICATION : *Donald D. Burgess*