



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-G.4-64 14408

DATE October 23, 1964

To:

Granduc Mines,
604 - 744 W. Hastings Street,
Vancouver, B.C.
c.c. Box 69, Stewart, B.C.

Certificate of Assay
COAST ELDRIDGE
ENGINEERS & CHEMISTS LTD.
125 EAST 4TH AVE. VANCOUVER 10, CANADA

800814
Jodee

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	Copper (Cu)	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.					
28451 D.D.		\$		0.04 476-481					
28452				0.04 410-415					
28453				0.13 381.5-386.5			276-291	0.16	
28454				0.14 386.5-391.5					
28455				0.14 391.5-396			371-400	≈ 0.14	
28456				0.15 396-400					
28457				0.15 371.5-381.5					
28460				0.17 276-281					
28461				0.13 281-286					
28462				0.19 286-291					

Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Sherges

Provincial Assayer