

North zone O.P.

800936

TEL. BUS. 882-4144  
RES. 887-8220

1	20 - 70	$\frac{.06; .17}{30-70}$	*59	41-110	$\frac{.11; .01}{41-110}$ *
2	14 - 70		*60	30-80	$\frac{.183; .013}{50-80}$
3	18 - 70		61	14-70	$\frac{.07 < .01}{14-40}$
4	7 - 70		62	10-70	
5	10 - 70		63	10-70	$\frac{.01; .01}{10-30}$
6	18 - 90		64	10-80	
7	10 - 70		65	10-70	$\frac{.055; .10}{50-70}$
8	38 - 70		66	14-70	
9	39 - 80		(67?)	38-38'	no record (any)
10	30 - 80	$\frac{56-22'}{78-52}$	(68?)	22-22	" " (" )
11	38 - 80	$\frac{27.4}{37}$	69	32-80	
12	10 - 70		70	22-70	
13	13 - 80		71	10-90	$\frac{.07; .25}{30-70}$ *
14	14 - 100	$\frac{.06; .03}{80-100}$	72	30-80	
15	20 - 70		73	10-70	$\frac{.075; < .01}{10-30}$
16	14 - 70		74	20-100	$\frac{.11; < .01}{20-40}$
17	13 - 70	$\frac{.055; .025}{40-60}$	75	26-100	
18	34 - 70		76	20-120	
19	50 - 50 (O.B.)		77	30-120	$\frac{.06; < .01}{90-120}$
20	20 - 70		78	52-100	
21			79	30-100	
48	30 - 80		80	25-120	
49	20 - 80		81	15-120	
50	18 - 80		82	20-120	$\frac{.05; < .01}{20-30}$
51	40 - 100	$\frac{.01; .40}{70-100}$	83	18-100	$\frac{.04; < .01}{30-50}$
52	65 - 120		84	25-120	$\frac{.04; < .01}{30-120}$
53	80 - 120		85	22-120	$\frac{.065; < .01}{30-50}$
54	66 - 70	$\frac{.015; .05}{60-70}$	86	15-120	$\frac{.045; < .01}{15-70}$
55	14 - 80		28	621' 2530'	$\frac{.076; < .01}{70-120}$
56	22 - 80				
57	38 - 90				
58	68 - 110	$\frac{.08; .02}{68-90}$			
31.	897' 2480'				

Total = 897 2480  
 this page = 620 2530  
 = 1518 5010

} incl out. for 67+68

(No evident tendency to the ratio)

North zone O.D.

all Copper assays  
 average recoveries  
 well below  
 under assays  
 recoveries per d.d.

WILLIAM R. P. ENG.  
 CONSULTING GEOLOGICAL ENGINEER

987 - 15<sup>4</sup> - 100' { .05; .01  
 15-20  
 .066; .02  
 50-60

988 - 8 - 120' - .083; <.01  
 8-20

989 - 8 - 80' - -

90 - 30 - 80' - .07; .01  
 40-80'

91 - 10 - 120' { .05; .31\* ck Ag.  
 10-70'  
 .11; <.01  
 90-120'

92 - 14 - 120' - .04; <.01  
 50-120

93 - 7 - 120' - .05; <.01  
 60-120'

Summary all. O.D

94 - 50 - 120' - .013; .06  
 50-120

N. zone =  $\frac{6889}{75 \text{ holes } 9456} = 72.9\%$

95 - 10 - 120' - .05; .02  
 90-120

S. zone =  $\frac{1280}{15 \text{ } 9456} = 13.5\%$

96 - 60 - 120' - -

Inter H-S zone =  $\frac{1287}{12 \text{ holes } 9456} = 13.6\%$

97 - 10 - 120' - - Total - 9456' = 100%

98 - 30 - 70' - .05; .01  
 30-60

99 - 40 - 120' - .10; .10  
 70-80

100 - 30 - 120' - .04; <.01  
 40-120'

101 - 20 - 120' - -

Gross North zone  
 6780' per sample record  
 plus 109 = difference per m.w.  
 Gross 6889' -  
 Avg. O.B. depth N. zone  
 - 25'

102 - 20 - 120' - -

16. 362' 1770

Select Groups of O.D & O.O holes for comparisons of assays m.w. & Cu.

N-S. Intersect zone O.D

TEL: BUS 683-4144  
RES: 987-9520

WILLIAM M. SHARP, P. ENG.  
CONSULTING GEOLOGICAL ENGINEER

21			
30	--	95-120	
31	--	78-117	.04; .025
32	--	30-100	78-117
33	--	40-100	
34	--	56-110	
35	--	32-90	
36	--	30-90	
37	--	30-80	
38	--	72-120	
39	--	85-120	
40	--	103-120	.05; .01
41	--	69-120	103-120
12		<u>720' 1287'</u>	

60'  
12 | 720  
   | 72

Total Fly O.D. Intersect N-S zone = 1287'  
Avg depth O.S. part " " " = 60'

31.  
28  
16  
7.5

South zone O.D.

WILLIAM M. SHARP, P. ENG.  
 CONSULTING GEOLOGICAL ENGINEER

21	-	21-70	-	$\frac{.05; .03}{21-70'}$
22	-	14-110	-	$\frac{.115; .02}{20-50} \times$
23	-	20-80		
24	-	15-100		
25	-	8-100		
26	-	14-100		
27	-	10-100		
28	-	19-100		
29	-	14-80		
42	-	13-80		
43	-	14-70	-	$\frac{.23; .01}{40-60}$
44	-	13-80		
45	-	14-70	-	$\frac{.166; .01}{14-20}$
46	-	10-70	-	$\frac{.05; .01}{10-70}$
47	-	10-70	-	$\frac{.04; .01}{10-70}$
15	Sub.	209'-1280'		

14  
 15 | 209  
 15  
 59

Total Pkg 5. zone = 1280 l.f.  
 any depth O.D. 5 zone / N. Sect only -- 14'

O.D. holes/1967

rec'd + Aug 15/67

DRILL HOLE #	N/S	E/W	SAMPLE FOOTAGE		NUMBER OF ASSAYS
			START	END	
	3+50	0+50			
1	N	E	20	70	5
2	6N	5E	14	70	5
3	6N	4E	18	70	5
4	6N	3E	7	70	6
5	6N	2E	10	70	6
6	6N	1E	18	90	7
7	6N	0E/W	10	70	6
8	6N	1W	38	70	3
9	6N	2W	39	80	4
10	10N	3E	30	80	5
11	10N	2E	38	80	4
12	10N	4E	10	70	6
13	10N	5E	13	80	7
14	10N	6E	14	100	9
15	10N	7E	20	70	5
16	10N	8E	14	70	6
17	10N	10E	13	70	6
18	12N	5E	34	70	4
19	14N	5E			
20	12N	8E	26	70	5
21	20S	17W	21	70	5
22	20S	16W	14	110	10
23	20S	15W	20	80	6
24	20S	14W	14	100	9
25	20S	13W	8	100	10
26	20S	12W	14	100	9
27	18S	13W	10	100	9
28	18S	14W	19	100	8
29	18S	15W	14	80	7
30	6S	7W	95	120	3
31	8S	6W	78	117	5
32	10S	1W	30	100	7
33	10S	2W	40	100	6
34	8S	7W	56	110	5
35	8S	8W	32	90	6
36	8S	9W	20	90	7
37	8S	10W	30	80	5
38	6S	10W	72	120	5
39	6S	9W	85	120	4
40	6S	8W	103	120	2
41	6S	6W	69	120	5
42	22S	5W	13	80	7
43	22S	4W	14	70	6
44	22S	3W	13	80	7
45	22S	9W	14	70	6
46	22S	10W	10	80	7
47	22S	11W	10	70	6
48	2N	6W	31	80	5

50' overburden will give us 50' of hole at no extra cost

3837' (Av: 85')

4067' (11:00am Aug 14)

T

S

L

Plot, following receipt of locations.

Rec'd Sept 6/67

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

Manex Mining Ltd.

Note: Spectro-Cu's probably low - by comparison w. initial wet quant. analyses.

REPORT NO.  
T-08172  
B-1422

SAMPLE(S) OF


O.P.  
DRILL CORE SLUDGE

Note:  $\frac{Mo}{0.60} = MoS_2$  or  $Mo \times 1.666 = MoS_2$

### SEMIQUANTITATIVE ESTIMATES

Hole #	Sample No.	Copper (Cu)%	Molybdenum (Mo)%	MoS <sub>2</sub>	Cu		
Hole # 30 0-95' core	30-95-100	0.003	0.005	95-120 0.01	0.005 (.01)		
	30-100-110	0.005	0.005				
	30-110-120	0.008	0.008				
Hole # 40 0-103' core	40-103-110	0.005	0.04	103-120 0.05	.005 (.01)		
	40-110-120	0.005	0.02				
Hole # 41 0-69' core	41-69-80	0.005	0.006	69-120 0.01	0.005 (.01)		
	41-80-90	0.005	0.005				
	41-90-100	0.005	0.01				
	41-100-110	0.005	0.01				
	41-110-120	0.005	0.005				
Hole # 42 0-13' core	42-13-20	0.008	0.005	13-80 <.01	0.005 (.01)		
	42-20-30	0.005	0.003				
	42-30-40	0.006	0.003				
	42-40-50	0.008	0.004				
	42-50-60	0.003	0.003				
	42-60-70	0.004	0.003				
	42-70-80	0.008	0.007				
Hole # 43 0-14' core	43-14-20	0.008	0.002	14-40 <.01	(.01)		
	43-20-30	0.005	0.001				
	43-30-40	0.008	0.001				
	43-40-50	0.007	0.20			40-60 0.23	(.01)
	43-50-60	0.007	* 0.08				
	43-60-70	0.005	0.005				
Hole # 44 0-13' core	44-13-20	0.005	0.001				

DATE September 1, 1967

SIGNED 

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Ltd.**

REPORT NO.  
T-08172  
S-1422

SAMPLE(S) OF **DRILL CORE SLUDGE SAMPLES**

Sample No.	Copper (Cu)%	Molybdenum (Mo)%	X1.006 % MoS <sub>2</sub>	% Cu
<i>cont Hole # 44</i> 44-20-30	0.005	0.003		
44-30-40	0.005	0.01	13-80	< 0.01 (.01)
44-40-50	0.005	0.004		
44-50-60	0.003	0.002		
44-60-70	0.01	0.002		
44-70-80	0.005	0.001		
<i>Hole # 45</i> <i>0-14' cased</i> 45-14-20	0.01	0.1	14-20	0.166 .01
45-20-30	0.01	0.01		
45-30-40	0.008	0.02	20-50	0.02 (.01)
45-40-50	0.006	0.01		
45-50-60	0.004	0.007	50-70	0.01 .01
45-60-70	0.003	0.004		
<i>Hole # 46</i> <i>0-10' cased</i> 46-10-20	0.02	0.03		
46-20-30	0.01	0.04		
46-30-40	0.01	0.01	10-70	0.05 0.01
46-40-50	0.01	0.03		
46-50-60	0.01	0.05		
46-60-70	0.005	0.02		
<i>Hole # 47</i> <i>0-10' cased</i> 47-10-20	0.005	0.02		
47-20-30	0.005	0.01	10'-70'	0.04 .01
47-30-40	0.005	0.03		
47-40-50	0.005	0.02		
47-50-60	0.02	0.04		
47-60-70	0.005	0.03		

DATE September 1, 1967

SIGNED 

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Ltd.**

REPORT NO.  
T-08172  
S-1422

SAMPLE(S) OF **DRILL CORE SLUDGE**

<u>Sample No.</u>	<u>Copper (Cu)%</u>	<u>Molybdenum (Mo)%</u>	X 1:660 % 0.052	% Cu
<i>Hole # 48</i> <i>(0-30' core)</i> 48-30-40	0.005	0.005	} 30-80	<.01 (0.01)
48-40-50	0.005	0.008		
48-50-60	0.006	0.002		
48-60-70	0.003	0.003		
48-70-80	0.003	0.002		

Pulps are stored for 6 months, then discarded.

DATE September 1, 1967

SIGNED 



T  
S  
L

Holes 49-65  
 results conform w.s. advice for Rec'd Sept 12/67  
 Rec'd Y.M. to await receipt of  
 all results before add'ng  
 work.

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
 TELEPHONE 684-1374

ASSAYERS  
 CHEMISTS  
 GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Manex Mining Limited

REPORT NO.  
 T-08305  
 S-1428

SAMPLE(S) OF O.P. Drill Core Sludge

### SEMIQUANTITATIVE ESTIMATE

	<u>Sample No.</u>	<u>Copper (Cu) %</u>	<u>Total Molybdenum (Mo) %</u>	<u>MoS<sub>2</sub> %</u>	<u>Cu %</u>
<i>Hole #49 0-20 cased</i>	49-20-30	0.005	< 0.001		
	49-30-40	0.003	< 0.001		
	49-40-50	0.002	< 0.001	} 70 -80	<.01 <.01
	49-50-60	0.004	0.002		
	49-60-70	0.003	0.001		
	49-70-80	0.003	0.002		
<i>Hole #50 0-18 cased</i>	50-18-30	0.002	0.002		
	50-30-40	0.004	0.01		
	50-40-50	0.004	0.005	} 18 -80	<.01 <.01
	50-50-60	0.004	0.003		
	50-60-70	0.003	0.002		
	50-70-80	0.004	0.002		
<i>Hole #51 0-40 cased</i>	51-40-50	0.005	0.003	} 40 -60	<.01 <.01
	51-50-60	0.005	0.007		
	51-60-70	0.005	0.02	} 60 -70	.03 <.01
	51-70-80	0.4	0.008		
	51-80-90	0.8	0.008	} 70 -100	.01 <u>0.4</u> <u>Ag?</u>
51-90-100	0.1	0.01			
<i>Hole #52 0-65 cased</i>	52-65-70	0.005	0.01		
	52-70-80	0.003	0.02		

*x1.666 for MoS<sub>2</sub>*

Pulps are stored for 6 months, then discarded.

DATE September 11, 1967

SIGNED

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08305  
S-1428

SAMPLE(S) OF **Drill Core Sludge**

### SEMIQUANTITATIVE ESTIMATE

Sample No.	Copper (Cu)%	Total Molybdenum	<sup>Mo</sup> $\times 1.666$ <sup>the</sup> $\frac{Cu}{Ag.52}$	<sup>the</sup> $\frac{Cu}{Cu}$
<i>#52 cont'd</i> 52-80-90	0.1	✓ 0.02	65-90 .03	.03
52-90-100	0.005	0.007		
52-100-110	0.002	✓ 0.01	90-120 .01	<.01
52-110-120	0.003	0.005		
<i>#53</i> <i>0-80' core</i> 53-80-90	0.03	0.005		
53-90-100	0.03	✓ 0.01	80	.03
53-100-110	0.04	0.02	-120 .015	
53-110-120	0.02	0.01		
<i>#54; 0-66' core</i> <i>(to short)</i> 54-66-70	0.05	✓ 0.01	66-70 .015	.05
<i>#55;</i> <i>0-14' core</i> 55-14-20	0.002	0.003		
55-20-30	0.002	0.003		
55-30-40	0.003	0.01		
55-40-50	0.003	✓ 0.007	14 -80 <.01	<.01
55-50-60	0.002	0.004		
55-60-70	0.005	0.006		
55-70-80	0.005	0.003		
<i>#56</i> <i>0-22' core</i> 56-22-30	0.005	< 0.001		
56-30-40	0.008	< 0.001		
56-40-50	0.008	0.02		
56-50-60	0.008	✓ 0.003	22' -80 <.01	<.01
56-60-70	0.008	0.003		
56-70-80	0.008	0.001		

Pulps are stored for 6 months, then discarded.

DATE September 11, 1967

SIGNED 

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08305  
S-1428


SAMPLE(S) OF **Drill Core Sludge**

### SEMIQUANTITATIVE ESTIMATE

Sample No.	Copper (Cu)%	Total Molybdenum	<sup>No. of</sup> $\times 1.666\%$ $\frac{MoS_2}{Cu}$	% Cu
# 57 0-38' core	57-38-50 57-50-60 57-60-70 57-70-80 57-80-90	0.003 0.006 0.008 0.05 0.01	0.02 0.01 0.01 0.01 0.007	0.015
# 58 0'-68' core	58-68-70 58-70-80 58-80-90 58-90-100 58-100-110	0.008 0.01 0.04 0.01 0.01	* 0.05 * 0.08 0.02 0.02 0.02	0.02 0.01
# 59 0-41' core	59-41-50 59-50-60 59-60-70 59-70-80 59-80-90 59-90-100 59-100-110	0.03 0.02 0.01 0.005 0.008 0.008 0.008	* 0.08 * 0.1 * 0.08 * 0.05 * 0.08 * 0.05 + 0.03	0.01
# 60 0'-30' core	60-30-40 60-40-50 60-50-60 60-60-70 60-70-80	0.008 0.01 0.01 0.02 0.01	0.005 0.003 * 0.05 * 0.3 * 0.2	0.013

Pulps are stored for 6 months, then discarded.

DATE **September 11, 1967**

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08305  
S-1428


SAMPLE(S) OF **Drill Core Sludge**

### SEMIQUANTITATIVE ESTIMATE

Sample No.	Copper (Cu)%	Total Molybdenum (Mo) %	Mo x 1.666 = % Cu
#61 0-14' cased	61-14-20	0.007	leached 0.03
	61-20-30	0.01	✓ 0.05
	61-30-40	0.007	✓ 0.05
	61-40-50	0.01	0.02
	61-50-60	0.005	✓ 0.01
	61-60-70	0.005	0.02
#62 0-10' cased	62-10-20	0.005	leached 0.007
	62-20-30	0.008	0.02
	62-30-40	0.01	0.03
	62-40-50	0.007	✓ 0.01
	62-50-60	0.005	0.01
	62-60-70	0.005	0.005
#63 0-10' cased	63-10-20	0.008	leached 0.007
	63-20-30	0.007	0.02
	63-30-40	0.006	0.03
	63-40-50	0.007	✓ 0.02
	63-50-60	0.005	0.01
	63-60-70	0.005	0.02
#64 0-10' cased	64-10-20	* .1-.2	✓ 0.008
	64-20-30	* .1-.2	✓ 0.005

Pulps are stored for 6 months, then discarded.

DATE September 11, 1967

SIGNED 

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08305  
S-1428

SAMPLE(S) OF **Drill Core Sludge**

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	X1.000	
			% MoS <sub>2</sub>	% Cu
<u>#64</u> 0-10' Cased	* 0.1	0.01		
64-30-40	0.02	0.005		
64-40-50	0.02	0.01	30' -80'	.015 .03
64-50-60	0.01	0.01		
64-60-70	0.008	0.008		
64-70-80				
<u>#65</u> 0'-10' Cased	0.008	0.005		
65-10-20	0.008	0.01	10' -50'	.01 <.01
65-20-30	0.004	0.004		
65-30-40	* 0.1	0.008	50' -70'	.055 0.10
65-40-50	* 0.1	* 0.06		

Pulps are stored for 6 months, then discarded.

DATE September 11, 1967

SIGNED 

Rec'd Sept 19/67

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Manex Mining Limited

REPORT NO.  
T-08396  
B-1433

SAMPLE(S) OF O.D. Drill Sludge *Semi-Quantitative Estimates*

	Sample No.	Copper (Cu)%	Total Molybdenum	<sup>x1.666</sup> Mo	% MoS <sub>2</sub>	% Cu
<u>Hole # 66</u> 0'-14' Cased	66-14-20	0.003	0.01			
	66-20-30	0.04	0.007			
	66-30-40	0.02	0.03	✓	14 -70'	.02 .015
	66-40-50	0.02	0.01			
	66-50-60	0.003	0.01			
	66-60-70	0.003	0.007			
<u>Hole # 69</u> 0'-32' Cased	69-32-40	0.003	0.002			
	69-40-50	0.001	0.002	✓	32' -80'	.01* <.01
	69-50-60	0.001	0.008			
	69-60-70	0.003	0.02			
	69-70-80	0.002	0.008			
<u>Hole # 70</u> 0'-22' Cased	70-22-30	0.005	0.01			
	70-30-40	0.004	0.008	✓	22' -70'	.02 <.01
	70-40-50	0.004	0.03			
	70-50-60	0.004	0.008			
	70-60-70	0.004	0.006			
<u>Hole # 71</u> 0'-10' Cased	71-10-20	0.01	0.03	✓	10'-30'	.033 .03
	71-20-30	0.05	0.01			
	71-30-40	* 0.4	0.03	✓	3'-50'	.06 .7
	71-40-50	x 0.1-.2	x 0.04			

Pulps are stored for 6 months, then discarded.

DATE September 18, 1967

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08396  
S-1433

SAMPLE(S) OF **Drill Sludge**

Sample No.	Copper (Cu) %	Total Molybdenum (Mo) %	% MoS <sub>2</sub>	% Cu
#71 cont'd: 71-50-60	* 0.1-0.2	✓ * 0.05	30'-70' .07	0.25
71-60-70	* 0.3	* 0.05		
71-70-80	* 0.3	✓ 0.02	70-90' .033	0.15
71-80-90	* 0.08	0.02		
#72 0-30' cased 72-30-40	0.003	0.007	30'-80' .02	<.01
72-40-50	0.004	0.03		
72-50-60	0.02	✓ 0.01		
72-60-70	0.007	0.01		
72-70-80	0.002	0.003		
#73 0-10' cased 73-10-20	0.005	✓ 0.04	10'-30' .075	<.01
73-20-30	0.004	0.05		
73-30-40	0.004	0.003	30'-70' <.01	<.01
73-40-50	0.004	✓ 0.001		
73-50-60	0.004	0.003		
73-60-70	0.003	0.005		
#74 0-20' cased 74-20-30	0.006	✓ 0.08	20'-40' 0.11	<.01
74-30-40	0.003	0.05		
74-40-50	0.002	0.03		
74-50-60	0.003	0.02		
74-60-70	0.002	0.02		

Pulps are stored for 6 months, then discarded.

DATE September 18, 1967

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08396  
S-1433

SAMPLE(S) OF **Drill Sludge**

	Sample No.	Copper (Cu)%	Total Molybdenum	(Mo)%	% MoS <sub>2</sub>	% Cu
<i># 74 (cont'd)</i>	74-70-80	0.002	0.02	40-100	.03	<.01
	74-80-90	0.003	0.01			
	74-90-100	0.002	0.01			
<i># 75</i>	75-26-40	0.008	0.005	26-100	.015	<.01
<i>0-20' core</i>	75-40-50	0.006	0.01			
	75-50-60	0.007	0.01			
	75-60-70	0.005	0.006			
	75-70-80	0.002	0.007			
	75-80-90	0.004	0.02			
	75-90-100	0.005	0.006			
<i># 76</i>	76-20-30	<i>leach</i> 0.004	<i>leach</i> 0.008	20-30	.01	<.01
<i>0-20' core</i>	76-30-40	0.004	0.03			
	76-40-50	0.005	0.01	30-60	.035	<.01
	76-50-60	0.005	0.02			
	76-60-70	0.003	0.007			
	76-70-80	0.002	0.002	60-120	.01	<.01
	76-80-90	0.003	0.003			
	76-90-100	0.004	0.007			
	76-100-110	0.002	0.01			
	76-110-120	0.002	0.01			

Pulps are stored for 6 months, then discarded.

DATE September 18, 1967

SIGNED 



T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08396  
S-1433

SAMPLE(S) OF **Drill Sludge**

	Sample No.	Copper (Cu)%	Total Molybdenum (Mo) %	% MoS <sub>2</sub>	% Cu	
# 77 0-30' core	77-30-40	0.004	0.002			
	77-40-50	0.003	0.001			
	77-50-60	0.005	0.008			
	77-60-70	0.002	0.005	30'-90'	<.01	<.01
	77-70-80	0.002	0.004			
	77-80-90	0.002	0.006			
77-90-100	77-90-100	0.002	0.04	90'-120'	.06	<.01
	77-100-110	0.003	0.04			
	77-110-120	0.003	x 0.03			
# 78 0'-52' core	78-52-60	0.003	x 0.003	52-100	<.01	<.01
	78-60-70	0.004	0.002			
	78-70-80	0.004	0.003			
	78-80-90	0.003	0.003			
	78-90-100	0.004	0.003			

Pilps are stored for 6 months, then discarded.

DATE September 18, 1967

SIGNED 

T  
S  
L

*Mineral Hill*

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Manex Mining Limited

REPORT NO.  
T-08499  
S-1436

SAMPLE(S) OF Drill Core *O.P. Sludge*

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	<sup>x1,666</sup> Ft. % MoS <sub>2</sub>	% Cu	
<i># 79</i> 0-30' cased	79-30-40	0.003	0.002		
	79-40-50	0.003	0.002		
	79-50-60	0.001	0.002	30-100	<.01 <.01
	79-60-70	0.001	0.003		
	79-70-80	0.001	0.005		
	79-80-90	< 0.001	0.002		
	79-90-100	0.001	0.002		
<i># 80</i> 0-25' cased	80-25-30	< 0.001	0.002		
	80-30-40	0.003	0.002	25-80	<.01 <.01
	80-40-50	0.003	0.01		
	80-50-60	0.001	0.002		
	80-60-70	0.003	0.002		
	80-70-80	0.003	0.003		
	80-80-90	0.003	0.01	80-100	.015 <.01
	80-90-100	0.005	0.01		
	80-100-110	0.005	0.003	100-120	<.01 <.01
	80-110-120	0.002	0.002		
<i># 81</i> 0-15' cased	81-15-20	0.005	0.001		
	81-20-30	0.003	0.003		
	81-30-40	0.003	0.001		

Pulps are stored for 6 months, then discarded.

DATE September 25, 1967

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08499  
V-1436

SAMPLE(S) OF **Drill Core**

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo) %	% MoS <sub>2</sub>	% Cu
<i>cont'd # 81</i> 81-40-50	0.001	0.001		
81-50-60	0.005	0.001		
81-60-70	0.005	0.005		
81-70-80	0.01	0.005	15 -120	<.01 <.01
81-80-90	0.003	0.002		
81-90-100	0.002	0.002		
81-100-110	0.002	0.005		
81-110-120	0.002	0.002		
<i># 82</i> 0-20' case 82-20-30	0.002	0.03	20-30	.05 <.01
82-30-40	0.003	0.002		
82-40-50	0.003	0.002		
82-50-60	0.001	0.002	30' -100'	<.01 <.01
82-60-70	0.003	0.001		
82-70-80	0.001	0.001		
82-80-90	0.001	0.01		
82-90-100	0.002	0.001		
82-100-110	0.001	0.03	100' -120'	.033 <.01
82-110-120	0.002	0.01		
<i># 83</i> 0-18' case 83-18-30	0.001	0.002	18'-30'	<.01 <.01

Pulps are stored for 6 months, then discarded.

DATE September 25, 1967

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08499  
S-1436

SAMPLE(S) OF **Drill Core**

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	% MoS <sub>2</sub>	% Cu
<i>Cont'd # 83</i> 83-30-40	0.001	0.03	30' -50' .04	<.01
83-40-50	0.001	0.02		
83-50-60	0.001	0.005	50' -100' <.01 <.01	<.01
83-60-70	0.002	0.01		
83-70-80	0.001	0.005		
83-80-90	0.002	0.005		
83-90-100	0.002	0.002		
<i># 84</i> 84-25-30	0.002	0.003	25-30 <.01 <.01	
<i>0-25' core</i> 84-30-40	0.005	0.03	30' -120' .04 <.01	<.01
84-40-50	0.005	0.02		
84-50-60	0.001	0.01		
84-60-70	0.001	0.02		
84-70-80	0.001	0.02		
84-80-90	0.002	0.03		
84-90-100	0.002	0.03		
84-100-110	0.001	0.03		
84-110-120	0.001	0.03		
<i># 85</i> 85-22-30	0.003	0.01	22-30 .015 <.01	
<i>01-22' core</i> 85-30-40	0.005	*0.05	30' -50' .065 <.01	<.01
85-40-50	0.005	x 0.03		

Pulps are stored for 6 months, then discarded.

DATE September 25, 1967

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Manex Mining Limited

REPORT NO.  
T-08499  
S-1436

SAMPLE(S) OF Drill Core

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum	$\times 1.666$ % (Mo) % MoS <sub>2</sub>	% Cu		
<i>Cont'd #85</i> 85-50-60	0.01	0.01	50' -70' .025	.01		
85-60-70	0.01	0.02				
85-70-80	0.005	* 0.05	70' -120' .09	.01 <sup>+</sup>		
85-80-90	0.02	✓ 0.03				
85-90-100	0.02	* 0.05				
85-100-110	0.01	× 0.03				
85-110-120	0.005	* 0.1				
<i># 86</i> 86-15-20	0.002	0.02			15' -70' .045 -70' .007 70 -120 .076	<.01
<i>0-15' cased.</i> 86-20-30	0.001	× 0.05				
86-30-40	0.001	0.02				
86-40-50	0.001	✓ 0.02				
86-50-60	0.001	0.02				
86-60-70	0.001	0.03				
86-70-80	0.001	× 0.05				
86-80-90	0.001	0.03				
86-90-100	0.002	✓ × 0.05				
86-100-110	0.001	× 0.05				
86-110-120	0.001	× 0.05				

Pulps are stored for 6 months, then discarded.

DATE September 25, 1967

SIGNED 

T  
S  
L

*Mineral Hill O.P.*

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM **Manex Mining Limited**

REPORT NO.  
T-08571  
S-1444

cc/ **Manex Mining Smithers**  
**Mr. Bill Sharp**

SAMPLE(S) OF *O.P.* **Drill Core Sludge**

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	% MoS <sub>2</sub>	% Cu	
<i># 87</i> <i>0'-15' covered</i> 87-15-20	0.01	0.03 <i>x1.666</i>	15-20	.05	.01
87-20-30	0.003	0.001	20-50	<.01	<.01
87-30-40	0.003	0.005			
87-40-50	0.005	0.003	50-60	0.066	0.02
87-50-60	0.02	0.04			
87-60-70	0.01	0.007	60-100	0.015	<.01
87-70-80	0.003	0.005			
87-80-90	0.002	0.020			
87-90-100	0.005	0.007			
<i># 88</i> <i>0-8' covered</i> 88-8-20	0.002	0.05	8'-20'	0.083	<.01
88-20-30	0.001	0.01	20-40'	0.015	<.01
88-30-40	0.002	0.01			
88-40-50	0.002	0.002	40-100'	<.01	<.01
88-50-60	0.002	0.003			
88-60-70	0.001	0.002			
88-70-80	0.002	0.003			
88-80-90	0.007	0.002	100-120	.025	<.01
88-90-100	0.005	0.005			
88-100-110	0.005	0.02			
88-110-120	0.005	0.01			

Pulps are stored for 6 months, then discarded.

DATE **September 29, 1967**

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.  
T-08571  
S-1444


SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	Mo x 1.666 Ft. % MoS <sub>2</sub>	% Cu
# 89 0'-8 cased.	89-8-20	0.002	0.01	
	89-20-30	0.002	0.02	8'-40' .022 <.01
	89-30-40	0.002	0.01	
	89-40-50	0.004	0.001	8'-80' .015 <.01
	89-50-60	0.005	0.020	40'-80' .01 <.01
	89-60-70	0.003	0.003	
	89-70-80	0.003	0.002	
# 90 0'-30' cased	90-30-40	0.004	0.002	30'-40' <.01 <.01
	90-40-50	0.01	0.02	
	90-50-60	0.008	*0.05	40'-80' .07 .01
	90-60-70	0.008	*0.05	
	90-70-80	0.01	*0.05	
# 91 0'-10' cased. Split up	91-10-20	* 0.3	0.02	
	91-20-30	* 0.4	*0.05	
	91-30-40	* 0.2	*0.04	
	91-40-50	* 0.8	0.03	10'-70' .05 <u>0.31</u>
	91-50-60	0.08	0.03	check Ag.
	91-60-70	* 0.1	0.02	
	91-70-80	0.01	0.004	
	91-80-90	0.008	0.003	70-90 <.01 .01

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED 

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.  
T-08571  
S-1444

SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo) <sup>Mo x 1,000</sup> % MoS <sub>2</sub>	% MoS <sub>2</sub>	% Cu
<i>Cont'd # 91</i> 91-90-100	0.002	0.03		
91-100-110	0.01	* 0.1	90'-120' 0.11	<.01
91-110-120	0.01	x 0.07		
<i># 92</i> <i>0-14' core</i> 92-14-20	0.003	* 0.05	14'-50' .091	<.01
92-20-30	0.004	* 0.05		
92-30-40	0.004	0.02		
92-40-50	0.005	* 0.1		
92-50-60	0.003	0.03	50'-120' .04	<.01
92-60-70	0.01	x 0.04		
92-70-80	0.003	0.02		
92-80-90	0.005	0.02		
92-90-100	0.003	0.02		
92-100-110	0.002	0.02		
92-110-120	0.002	0.01		
<i># 93</i> <i>0'-7' core</i> 93-7-20	0.01	0.02	7'-20' .033	.01
93-20-30	0.003	0.003	20'-60' <.01	<.01
93-30-40	0.007	0.004		
93-40-50	0.004	0.004		
93-50-60	0.003	0.002		
93-60-70	0.002	* 0.03		

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED \_\_\_\_\_



T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.

T-08571

S-1444

SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu) %	Total Molybdenum (Mo) %	Mo x 1.6669 % MoS <sub>2</sub>	% Cu
<i>Cont'd # 93</i> 93-70-80	0.005	0.02		
<i>Sil. (Q<sub>2</sub>-Bp)</i> 93-80-90	0.003	* 0.05	60-90 .055	<.01
93-90-100	0.02	0.01	60-120 .05	<.01
93-100-110	0.008	0.01	90-120 .04	.012
93-110-120	0.008	* 0.05		
<i># 94</i> 94-50-60	0.004	0.002		
<i>01-50' cased</i> 94-60-70	0.01	0.01		
<i>(Sil - prob 92 - bx)</i> 94-70-80	0.01	0.008		
94-80-90	0.003	0.008	50-120 .013	.06
94-90-100	0.01	0.005		
94-100-110	* 0.20	0.006		
94-110-120	0.02	0.02		
<i># 95</i> 95-10-20	0.003	0.02		
<i>01-10' cased</i> 95-20-30	0.002	0.006		
<i>(Sil. (prob 92 - bx))</i> 95-30-40	0.01	0.03		
95-40-50	0.02	0.03		
95-50-60	0.01	0.007	10-90 .027	.012
95-60-70	0.005	0.02		
95-70-80	0.003	0.01		
95-80-90	0.005	0.01		

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED \_\_\_\_\_

T

S

L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.

T-08571

S-1444

SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu) %	Total Molybdenum (Mo) %	140x1.666 Ft.	% MoS <sub>2</sub>	% Cu
<i>Cont'd # 95</i> <i>(Siliceous part 95-100)</i>	95-90-100	0.02	* 0.03		
	95-100-110	0.01	0.01	90-120	.05
	95-110-120	0.02	* 0.05		
<i># 96</i> <i>01-60' cased</i>	96-60-70	0.008	0.004		
	96-70-80	0.02	0.01	60-120	<.01
	96-80-90	0.01	0.004		
	96-90-100	0.01	0.004		
	96-100-110	0.004	0.006		
	96-110-120	0.006	0.006		
<i># 97</i> <i>01-10' cased</i>	97-10-20	0.005	0.006	<i>leached.</i>	
	97-20-30	0.001	0.01		
	97-30-40	0.02	0.03	20-70'	.026
	97-40-50	0.005	0.01		
	97-50-60	0.01	0.01		
	97-60-70	0.005	0.02	70-120'	<.01
	97-70-80	0.04	0.004		
	97-80-90	0.03	0.02		
	97-90-100	0.01	0.006		
	97-100-110	0.03	0.007		
	97-110-120	0.01	0.003		.02

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED \_\_\_\_\_

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.  
T-08571  
S-1444


SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo) <sup>Mo x 1.666</sup>	% <sub>MoSe</sub>	% <sub>Cu</sub>
<i>Hole #98</i> 01-30' cased	98-30-40	0.01	* 0.05	
<i>abandoned @ 70'</i> <i>due to sand &amp;</i> <i>curving; 30' rods</i> <i>stuck in hole</i>	98-40-50	0.005	0.02	30'-60' .05 .01
	98-50-60	0.01	0.02	
	98-60-70	0.05	0.005	60-70 <.01 .05
<i>#99</i> 0-40' cased	99-40-50	0.02	0.01	
	99-50-60	* 0.3 <sup>.12</sup> 1.37	0.005	40'-70' <.01 .12
	99-60-70	0.05	0.003	
	99-70-80	* 0.1 .105	* 0.10	70-80 0.10 0.10
	99-80-90	0.005	0.01	
99-90-100	0.005	0.005	80-120 .01 .03	
99-100-110	0.05 <sup>.002 .03</sup>	0.02		
99-110-120	0.05 <sup>1.10</sup> 4.045	0.01		
<i>#100</i> 0-30 cased	100-30-40	0.003	0.005	leached.
	100-40-50	0.005	0.03	
	100-50-60	0.002	0.01	
	100-60-70	0.008	0.01	
	100-70-80	0.003	0.01	
	100-80-90	0.004	0.03	
	100-90-100	0.003	0.01	
	100-100-110	0.003	0.04	

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED 

T  
S  
L

# Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.  
TELEPHONE 684-1374

ASSAYERS  
CHEMISTS  
GEOCHEMISTS

## CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM

REPORT NO.  
T-08571  
S-1444

SAMPLE(S) OF

### SEMIQUANTITATIVE ESTIMATES

Sample No.	Copper (Cu)%	Total Molybdenum (Mo)%	Mo x 1.466	Mo <sup>52</sup>	do Cu
100-110-120	0.003	* 0.05	40'-120'	0.04	<.01
#101 0-20' core	101-20-30	0.005	0.01		
	101-30-40	0.003	0.007	20'-60'	0.013 <.01
	101-40-50	0.003	0.008		
	101-50-60	0.001	0.006		
	101-60-70	0.002	* 0.04		
	101-70-80	0.003	0.02		
	101-80-90	0.001	0.006	60'-120'	0.03 <.01
	101-90-100	0.001	0.008		
	101-100-110	0.002	0.02		
	101-110-120	0.004	0.01		
#102 0-20' core	102-20-30	0.004	0.01		
	102-30-40	0.004	0.02		
	102-40-50	0.002	0.008		
	102-50-60	0.002	0.02		
	102-60-70	0.001	0.02	20'-120'	0.026 <.01
	102-70-80	0.003	* 0.04		
	102-80-90	0.002	0.008		
	102-90-100	0.002	0.01		
	102-100-110	0.002	0.01		
	102-110-120	0.002	0.008		

Pulps are stored for 6 months, then discarded.

DATE \_\_\_\_\_

SIGNED \_\_\_\_\_



*Plotted/proofed by M.S. Set Feb/68.*



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

*Percussion  
O.D.*

To:

Manex Mining Ltd. (NPL)  
200 - 535 Thurlow Street  
Vancouver 5, B.C.  
cc:  
Manex Mining Ltd. (NPL)  
P.O. Box 56  
Smithers, B.C.

**Certificate of Assay**  
**COAST ELDRIDGE**  
ENGINEERS & CHEMISTS LTD.  
125 EAST 4TH AVE. VANCOUVER 10, CANADA

*Red - MoS<sub>2</sub>  
orange - Cu. } on graph  
plate.*

We Hereby Certify that the following are the results of assays made by us upon submitted *O.D.* Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
Hole #1 <i>O-20' Cassel</i>	20 - 30	\$	<i>each</i>	0.08	0.02				
	30 - 40			0.18	0.06	30-70' 40'	0.06	0.17	✓
	40 - 50			0.18	0.04				
	50 - 60			0.21	0.06				
	60 - 70			0.10	0.08				
Hole #2 <i>O-14 Cassel</i>	14 - 30			0.04	0.01	14-70' (56')	0.02	0.04	✓
	30 - 40			0.03	0.02				
	40 - 50			0.02	0.01				
	50 - 60			0.05	0.04				
	60 - 70			0.05	0.01				
Hole #3 <i>O-18 Cassel</i>	18 - 30			0.03	0.01	18-70	0.02	0.03	✓
	30 - 40			0.02	0.01				
	40 - 50			0.03	0.01				
	50 - 60			0.04	0.01				
	60 - 70			0.03	0.05				

/jp Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Sharpe*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Ltd. (2)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.		PER CENT.	PER CENT.	
		\$							
Hole #4 <i>0-7' core.</i>	7 - 20			0.05	0.01	7-70'	0.01	0.06 ✓	
	20 - 30			0.08	0.01				
	30 - 40			0.09	0.02				
	40 - 50			0.07	0.02				
	50 - 60			0.03	0.01				
	60 - 70			0.03	0.01				
Hole #5 <i>0-10 core.</i>	10 - 20			0.03	0.01	10'-70	0.01	0.025 ✓	
	20 - 30			0.02	0.01				
	30 - 40			0.03	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.02	0.01				
	60 - 70			0.02	0.01				
Hole #6 <i>0-18 core.</i>	18 - 30			0.09	0.01				
	30 - 40			* 0.11	0.02				
	40 - 50			* 0.10	0.01				

.30      .04

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Hayes*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Co. Ltd. (3)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**

125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.		PER CENT.	PER CENT.	
Hole #6 <i>(small)</i>	50 - 60			0.07	0.01	121-90	0.01	0.08	✓
	60 - 70			0.09	0.01				
	70 - 80			0.05	0.01				
	80 - 90			0.03	0.01				
Hole #7 <i>0-10 Case</i>	10 - 20			0.02	0.01	10'-70'	0.01	0.02	✓
	20 - 30			0.03	0.01				
	30 - 40			0.02	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.02	0.01				
	60 - 70			0.02	0.01				
Hole #8 <i>0-38 Case</i>	38 - 50			0.05	0.01	381-70'	0.01	0.03	✓
	50 - 60			0.02	0.01				
	60 - 70			0.02	0.01				
Hole #9 <i>0-39 Case</i>	39 - 50			0.01	0.02				
	50 - 60			0.01	0.03				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Ltd. (4)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.		PER CENT.	PER CENT.	
Hole #9 60 - 70		\$		0.01	0.01	39-80'	0.01	0.02	✓
70 - 80				0.01	0.02				
Hole #10 30 - 40				0.02	0.01	30-80'	0.01	0.02	✓
0-80 case 40 - 50				0.02	0.01				
50 - 60				0.02	0.01				
60 - 70				0.02	0.01				
70 - 80				0.02	0.01				
Hole #11 38 - 50				0.02	0.01	38-80'	0.01	0.015	✓
0-38 case 50 - 60				0.02	0.01				
60 - 70				0.01	0.01				
70 - 80				0.01	0.01				
Hole #12 10 - 20				0.01	0.01				
0-10 case 20 - 30				0.02	0.02				
30 - 40				0.02	0.01				
40 - 50				0.02	0.01				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer





PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Ltd. (5)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**

125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.		PER CENT.	PER CENT.	
Hole # 12 <i>Cont'd</i>	50 - 60	\$		0.02	0.01	10'-70'	0.01	0.02	✓
	60 - 70			0.02	0.01				
Hole # 13 <i>0-13 case</i>	13 - 20			0.03	0.01	13-80'	0.015	0.025	
	20 - 30			0.03	0.01				
	30 - 40			0.02	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.02	0.02				
	60 - 70			0.03	0.02				
Hole # 14 <i>0-14 case</i>	14 - 20			0.02	0.02				
	20 - 30			0.02	0.01				
	30 - 40			0.01	0.01				
	40 - 50			0.03	0.02				
	50 - 60			0.03	0.02				
	60 - 70 <i>Cont'd</i>			0.03	0.02				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Skayes*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Ltd. (6)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**

125 EAST 4TH AVE. VANCOUVER 10. CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
Hole #14	70 - 80	\$		0.03	0.02	14'-80	0.02	0.03	✓
	80 - 90			0.03	0.04				
	90 - 100			0.03	0.07				
Hole #15 <i>0-20 case</i>	20 - 30			0.02	0.01	80'-100'	0.06	0.03	✓*
	30 - 40			0.03	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.03	0.01				
	60 - 70			0.02	0.01				
	20'-70'			0.01	0.025				
Hole #16 <i>0-14 case</i>	14 - 20			0.02	0.01	14'-70'	0.01	0.02	✓
	20 - 30			0.01	0.01				
	30 - 40			0.02	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.02	0.01				
	60 - 70			0.02	0.01				
Hole #17 <i>0-13 case</i>	13 - 20			0.02	0.01				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

101  
101  
101

*H. Shyles*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35675

DATE August 18, 1967

To:

Manex Mining Ltd. (79)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.		PER CENT.	PER CENT.	
Hole #17	20 - 30			0.02	0.01	12-40	.01	.02	✓
	30 - 40			0.02	0.01				
	40 - 50			0.03	0.05	40'-60'	0.055	0.025	*✓
	50 - 60			0.02	0.06				
	60 - 70			0.02	0.02				
Hole #18	34 - 40			0.02	0.01	34'-70'	0.015	0.02	✓
	40 - 50			0.02	0.01				
	50 - 60			0.02	0.02				
	60 - 70			0.02	0.02				
Hole #20	26 - 30			0.02	0.01	26-70	0.01	0.02	✓
	30 - 40			0.02	0.01				
	40 - 50			0.02	0.01				
	50 - 60			0.01	0.01				
	60 - 70			0.02	0.01				

Hole # 19 in 0/18 to 50' (stopped)

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-N.1-67-35704

DATE August 14, 1967

To:

Manex Mining Co. Ltd.,  
808 - 900 West Hastings Street  
Vancouver B.C.

cc:  
Manex Mining Co. Ltd.,  
P.O. Box 56  
Smithers, B.C.

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
125 EAST 4TH AVE. VANCOUVER 10, CANADA

*ml*

We Hereby Certify that the following are the results of assays made by us upon submitted *0.2* Sludges samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
21		\$				1.666.			
21 - 30				0.05	0.04				
<i>0-21 case</i> 30 - 40				0.03	0.04		21-70'	0.05	0.03 ✓
40 - 50				0.03	0.02 <i>MO</i>				
50 - 60				0.02	0.03				
60 - 70				0.02	0.03				
				0.02	0.03				
22									
<i>0-14 case</i> 14 - 20			<i>leached</i>	0.03	0.04		20-50'	0.115	0.02 ✗ ✓
20 - 30				0.02	0.08				
30 - 40				0.02	0.06 <i>MO</i>				
40 - 50				0.03	0.07				
50 - 60				0.03	0.03				
60 - 70				0.03	0.02		50'-110'	0.035	0.025 ✓
70 - 80				0.02	0.05				
80 - 90				0.02	0.04 <i>MO</i>				
90 - 100				0.02	0.03				
100 - 110				0.03	0.04				

/jp Gold calculated at \$..... per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.1-67-35704

DATE August 14, 1967

To:

Manex Mining Co. Ltd. (2)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
23	20 - 30			0.02	0.02				
<i>0-20 case</i>	30 - 40			0.02	0.01				
	40 - 50			0.02	0.02	20-80'	0.033	0.02	✓
	50 - 60			0.02	0.02				
	60 - 70			0.02	0.02				
	70 - 80			0.03	0.02				
	80 - 90			0.02	0.02				
24	15 - 20			0.04	0.04	15'-100'	0.033	0.03	✓
<i>0-14 case</i>	20 - 30			0.05	0.02				
	30 - 40			0.03	0.02				
	40 - 50			0.02	0.02				
	50 - 60			0.03	0.03				
	60 - 70			0.02	0.02				
	70 - 80			0.02	0.01				
	80 - 90			0.02	0.01				
	90 - 100			0.02	0.01				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.1-67-35704

DATE August 14, 1967

To:

Manex Mining Co. Ltd. (3)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
125 EAST 4TH AVE. VANCOUVER 10. CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	PER CENT.	Mo S <sub>2</sub>	Car.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
25	8 - 20			0.03	0.02				
<i>0-8 case</i>	20 - 30			0.02	0.01				
	30 - 40			0.03	0.01 <i>Mo</i>				
	40 - 50			0.02	0.005				
	50 - 60			0.01	0.005	8-100	0.015	0.02	✓
	60 - 70			0.01	0.005				
	70 - 71			0.02	0.01				
	71 - 80			0.01	0.01 <i>Mo</i>				
	80 - 90			0.01	0.005				
	90 - 100			0.01	0.01				
26	14 - 20			0.06	0.07				
<i>0-14 case</i>	20 - 30			0.05	0.07 <i>Mo</i>	14-30	0.115	0.055	✓
	30 - 40			0.05	0.03				
	40 - 50			0.07	0.03				
	50 - 60			0.04	0.02 <i>Mo</i>				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.1-67-35704

DATE August 14, 1967

To:

Manex Mining Co. Ltd. (4)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10. CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Sludge samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)				
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
26 60 - 70 70 - 80 80 - 90 90 - 100		\$		0.05	0.01	x 1.666 30-100	Mo 52 0.0333	Cu 0.04	✓
				0.03	0.01				
				0.02	0.02				
				0.04	0.02				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Staples*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35855

DATE August 18, 1967

To:

Manex Mining Ltd. (NPL)  
200 - 535 Thurlow Street  
Vancouver, B.C.

cc:  
Manex Mining Ltd. (NPL)  
P.O. Box 56  
Smithers, B.C.

**Certificate of Assay**  
**COAST ELDRIDGE**  
ENGINEERS & CHEMISTS LTD.  
125 EAST 4TH AVE. VANCOUVER 10. CANADA

*net*

We Hereby Certify that the following are the results of assays made by us upon submitted ORE *ore pulp* samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)				
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
Hole #27 <i>0-10 case</i>	10 - 20	\$		0.03	0.01	11.666			
	20 - 30			0.02	0.02		} 0.015	0.02 ✓	
	30 - 40			0.02	0.01				
	40 - 50			0.02	0.005				
	50 - 60			0.02	0.01	10-100			
	60 - 70			0.02	0.01				
	70 - 80			0.01	0.005				
	80 - 90			0.02	0.01				
	90 - 100			0.03	0.03				
Hole #28 <i>0-19 case</i>	19 - 30			0.02	0.01				
	30 - 40			0.03	0.01				
	40 - 50			0.03	0.02				
	50 - 60			0.03	0.02				
	60 - 70			0.02	0.02				
	70 - 80			0.04	0.05				

/jp

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer





PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35855

DATE August 18, 1967

To:

Manex Mining Ltd. (2)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted ORE samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	PER CENT.	MoS <sub>2</sub>	Cu	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
Hole #28	80 - 90	\$		0.03	0.02	19'-100'	0.035	0.03 ✓	
	90 - 100			0.02	0.01				
Hole #29	14 - 20			0.02	0.01	14'-80'	0.025	0.025 ✓	
0-14' Cased	20 - 30			0.03	0.02				
	30 - 40			0.02	0.01				
	40 - 50			0.03	0.01				
	50 - 60			0.02	0.02				
	60 - 70			0.03	0.02				
	70 - 80			0.02	0.01				
Hole 30; cased to 95' stop pull @ 120' See 1st T.S.L. rept.									

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shayer*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35902

DATE August 21, 1967

To:

Manex Mining Co. Ltd.,  
200 - 535 Thurlow Street  
Vancouver, B.C.

cc:  
Manex Mining Co. Ltd.,  
P.O. Box 56  
Smithers, B.C.

# Certificate of Assay

## COAST ELDRIDGE

ENGINEERS & CHEMISTS LTD.  
125 EAST 4TH AVE. VANCOUVER 10, CANADA

*ml*

We Hereby Certify that the following are the results of assays made by us upon submitted *o.p.* **Pulps** samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
<i>0-78'</i> <i>Coast</i> 31 78 - 80 80 - 90 90 - 100 100 - 110 110 - 117		\$		0.02	0.005	<i>11.666</i>	<i>Mo 52</i>	<i>Cu</i>	<i>78-117</i> } 0.04 ✓
				0.03	0.02				
				0.03	0.05				
				0.02	0.03				
				5 0.02	0.02				
<i>0-30'</i> <i>Coast</i> 32 30 - 40 40 - 50 50 - 60 60 - 70 70 - 80  80 - 90 90 - 100				0.01	0.005	<i>Mo</i>	<i>30-100</i> } 0.01 ✓		
				0.02	0.01				
				0.02	0.005				
				0.02	0.005				
				0.02	0.005				
<i>0-40'</i> <i>Coast</i> 33 40 - 50 50 - 60 60 - 70 <i>cont'd.</i>				0.02	0.01	<i>Mo</i>			
				0.02	0.01				
				0.01	0.01				

/j/p

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.  
Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35902

DATE August 21, 1967

To:

Manex Mining Co. Ltd. (2)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Pulps samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)	1.666.	Mo S <sub>2</sub>	Cu.	
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
33 70 - 80		\$		0.01	0.005				
80 - 90				0.02	0.005	40'-100'	0.01	0.02 ✓	
90 - 100				0.02	0.01				
34 56 - 70				0.02	0.005				
0-56 assay 70 - 80				0.02	0.005	56'-110'	0.015	0.02 ✓	
80 - 90				0.02	0.01				
90 - 100				0.02	0.01				
100 - 110				0.02	0.02				
35 32 - 40				0.03	0.01	32'-90'	0.035	0.02! ✓	
0-32 assay 40 - 50				0.02	0.005				
50 - 60				0.02	0.01				
60 - 70				0.03	0.05*				
70 - 80				0.02	0.01				
80 - 90				0.02	0.01				
36 20 - 30				0.03	0.005				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35902

DATE August 21, 1967

To:

Manex Mining Co. Ltd. (3)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Pulps samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)				
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
36	30 - 40	\$		0.03	0.005	x1.066	Mo 52	Cu.	
	40 - 50			0.03	0.005				
	50 - 60			0.02	0.01				
	60 - 70			0.02	0.01				
	70 - 80			0.02	0.01				
37	80 - 90 ✓			0.02	0.005	Mo 20'-90'	0.025	0.025 ✓	
	30 - 40			0.02	0.005				
	40 - 50			0.02	0.005				
	50 - 60			0.02	0.005				
	60 - 70			0.02	0.005				
38	70 - 80 ✓			0.02	0.005	Mo 30'-80'	0.01	0.02 ✓	
	72 - 80			0.02	0.02				
	80 - 90			0.02	0.01				
	90 - 100			0.02	0.005				
	100 - 110			0.02	0.01				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.  
 Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.4-67-35902

DATE August 21, 1967

To:

Manex Mining Co. Ltd. (4)

# Certificate of Assay

## COAST ELDRIDGE

### ENGINEERS & CHEMISTS LTD.

125 EAST 4TH AVE. VANCOUVER 10, CANADA

Pulps

We Hereby Certify that the following are the results of assays made by us upon submitted \_\_\_\_\_ samples

MARKED	GOLD		SILVER	Copper (Cu)	Total Molybdenum (Mo)		Mo 52	Cu	
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
38 110 - 120 ✓		\$		0.03	0.01	72-120'	0.015	0.02 ✓	
39 85 - 90				0.03	0.01	85'-120'	0.025	0.02 ✓	
90 - 100				0.02	0.005				
100 - 110				0.02	0.02				
110 - 120 ✓				0.02	0.03				
					0.045				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stages*

Provincial Assayer