



CHEMEX LABS LTD.

SCARANTON.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648
AREA CODE: 604

801062

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

CERTIFICATE NO. 30140

TO: Mr. W. M. Sharp
3280 Chesterfield Ave.
North Vancouver, B. C.

*- Samples on 1970 & 1975
Stops backs. - Taken
w same instr. from art
Cassidy & Tom
98 5.117*

INVOICE NO. 14137
RECEIVED June 26/75
ANALYSED July 4/75

ATTN:

| SAMPLE NO. : | % 3 | % 2 | Oz/Ton | Oz/Ton | |
|---|------|------|--------|--------|--------|
| | Lead | Zinc | Silver | Gold | (F.A.) |
| 57-12 { 9526 - 4.3' 2.87 2.95 1.91 0.070 | | | | | |
| 9527 - 3.2 10.90 7.50 9.21 0.084 | | | | | |
| 9528 3.0 17.70 11.00 13.08 0.256 | | | | | |
| 9529 2.7 7.10 5.70 8.14 0.102 | | | | | |
| 9530 3.0 2.56 2.16 2.83 0.180 | | | | | |
| 57-14 { 9531 3.2 1.54 1.46 1.44 0.202 | | | | | |
| 9532 2.7 12.00 6.90 11.60 0.266 | | | | | |
| 9533 3.2 7.85 10.90 8.68 0.442 | | | | | |
| 9534 2.9 10.30 11.60 9.26 0.566 | | | | | |
| 9535 2.9 13.80 10.00 8.19 0.492 | | | | | |
| 9536 2.3 3.83 2.52 3.72 0.524 | | | | | |
| 9537 2.0 8.15 2.95 8.22 0.192 | | | | | |
| 59-8W { 9538 2.8 11.20 9.90 14.14 0.242 | | | | | |
| 9539 4.2 9.80 18.60 15.08 0.410 | | | | | |
| Check -> 9540 3.0 12.4 (13.6) 14.4 (15.2) 13.05 (12.91) 0.078 (0.074) | | | | | |
| 9541 3.0 3.62 2.64 2.80 0.288 | | | | | |
| 59-8 { 9542 3.8 4.00 6.90 4.26 0.280 | | | | | |
| 9543 1.8 11.40 10.80 5.80 0.264 | | | | | |
| 59-7 { 9544 1.8 17.20 9.80 10.88 0.258 | | | | | |
| 9545 2.5 13.00 26.80 23.56 0.025 | | | | | |

With, avg. of 20 = 2.91% Pb. 8.8% Zn. 8.79oz/t Ag. 0.261 oz/t Au. Summer Au - 0.261

*Plotted on 20 scale
July 7/75*

B. Swaites



MEMBER
CANADIAN TESTING
ASSOCIATION

REGISTERED ASSAYER, PROVINCE OF BRITISH COLUMBIA

