

HOPE SILVER
REC'D SEP 10/69

T
S
L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEX: 04-50613
CODE NAME: TSL-LABS-VCR

TELEPHONE 688-3504
AREA CODE 604

CERTIFICATE OF ANALYSIS

801375

ASSAYERS
CHEMISTS
GEOCHEMISTS

SAMPLE(S) FROM KLEANZA MININGS LTD N.P.L.

REPORT NO.
U5792-1

SAMPLE(S) OF SOIL


RESULTS IN PARTS PER MILLION

	SAMPLE No		Cu	Pb	Zn	Ag	Ni	Mo	Co
1	24W 19N					1			
2	20					.5			
3	21					4.5			
4	22					1.5			
5	23					.5			
6	24					1.5			
7	25					1.			
8	26					1			
9	27					2			
0	24W 28N					1			
1	24W 29N					1			
2	30					.5			
3	31					1			
4	32					4.5			
5	33					.5			
6	34					1			
7	35					1.5			
8	36					.5			
9	37					1.			
0	24W 38N	NO SAMPLE LEFT				—			

Aug 12, 1969

SIGNED RBFletcher





Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEX: 04-50613
CODE NAME: TSL-LABS-VCR

TELEPHONE 688-3504
AREA CODE 604

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM KLEANZA MINES LTD. N.P.L.

REPORT NO.
U5792-2

SAMPLE(S) OF SOIL

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	24w 39N				.5			
2	40N				.5			
3	41N				2			
4	42N				.5			
5	43N				4.5			
6	44N				.5			
7	45N				1.5			
8	24w 45.5N HOPE SILT				1.5			
9	24w 46N				1.5			
0	24w 47N				4.5			
1	24w 48N				1			
2	49N				.5			
3	49N HOPE SILT				4.5			
4	50N				1			
5	50N				1			
6	51N				1			
7	52N				.5			
8	53N				.5			
9	54N				.5			
0	24w 55N				1.5			

July 12 1969

SIGNED

[Signature]



Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEX 04 50613
CODE NAME TSL-LABS-VCR

TELEPHONE 688-3504
AREA CODE 604

CERTIFICATE OF ANALYSIS

ASSAYERS
CHEMISTS
GEOCHEMISTS

SAMPLE(S) FROM *KLEANZA MINES LTD. (N.P.L.)*

REPORT NO.

V 5792-3

SAMPLE(S) OF

Soil

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>24w 56N</i>				<i>1</i>			
2	<i>57N</i>				<i>1</i>			
3	<i>59N</i>				<i>.5</i>			
4	<i>60N</i>				<i>4.5</i>			
5	<i>61N</i>				<i>4.5</i>			
6	<i>62N</i>				<i>.5</i>			
7	<i>63N</i>				<i>1</i>			
8	<i>64N</i>				<i>1.5</i>			
9	<i>65N</i>				<i>.5</i>			
0	<i>24w 67N</i>				<i>.5</i>			
1	<i>24w 67N(b)</i>				<i>1</i>			
2	<i>68N</i>				<i>1</i>			
3	<i>69N</i>				<i>.5</i>			
4	<i>71N</i>				<i>1</i>			
5	<i>72N</i>				<i>.5</i>			
6	<i>74N</i>				<i>.5</i>			
7	<i>75N</i>				<i>4.5</i>			
8	<i>76N</i>				<i>.5</i>			
9	<i>77N</i>				<i>.5</i>			
0	<i>24w 78N</i>				<i>.5</i>			

TE

August 12, 1969

SIGNED

R.B. Ditchie



Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEX 04 50613
CODE NAME TSL LABS VCR

TELEPHONE 688-3504
AREA CODE 604

CERTIFICATE OF ANALYSIS

ASSAYERS
CHEMISTS
GEOCHEMISTS

SAMPLE(S) FROM *KLEANZA MINES LTD (N.P.L.)*

REPORT NO

V.5792-4

SAMPLE(S) OF

SOIL

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo
1	<i>24W 79N</i>				<i>1</i>		
2	<i>80N</i>				<i>.5</i>		
3	<i>24W 81N</i>				<i>1.5</i>		
4	<i>HOPE SILT ELEV. 1800</i>				<i>1.5</i>		
5	<i>SPLIT CR. SILT ELEV. 2200</i>				<i>1.5</i>		
6							
7							
8							
9							
0							
1							
2							
3							
4							
5							
6							
7							
8							
9							
0							

BY HOT HCL ACID EXTRACTION

DETERMINED BY A.A.

DATE *August 12, 1969.*

SIGNED *AB. Doble*

N.B. Samples discarded after 3 months unless otherwise requested.

