

801474

VICTOR DOLMAGE

RECORD OF SAMPLING AND ASSAYS - *MICVICAR*1954 Season

Hole No.	Sample No.	From	To	Assays					
				Oz. Au.	Oz. Ag.	% Cu.	% Pb.	% Zn.	
NORTH HARDING	54-1	12542	167	174 - 7'	-	1.2	<u>1.2</u>	0.4	0.1
		12543	174	180 - 6'	-	0.1	0.8	T.	T.
		12544	180	186 - 6'	-	0.2	0.9	T.	T.
		12545	186	190	-	0.2	0.3	T.	T.
		12546	190	195	-	0.4	0.6	T.	0.8
		12547	195	201	-	-	0.1	T.	T.
		12548	201	206	-	-	0.3	T.	T.
		12549	206	211	-	-	0.5	T.	1.9
		54-2	12541	259	274	-	0.1	0.3	0.4
WHISTLER	2-1	12538	207	209	-	0.2	0.6	0.3	0.8
	2-2	12537	243	248	T.	1.4	0.3	-	-
SOUTH HARDING	2-3	12539	97.5	99.5 - 2'	-	0.6	<u>1.6</u>	<u>7.9</u>	<u>14.1</u>
	2-4	1063	52	53	-	-	0.5	T.	T.
		1061	74	75 - 1'	-	-	0.7	<u>3.2</u>	<u>8.3</u>
		1062	89	90 - 1'	-	-	0.5	<u>1.5</u>	<u>2.4</u>
		1060	132	134 - 2'	-	T.	<u>3.1</u>	T.	2.4
		1064	149	150 - 1'	-	-	<u>5.5</u>	T.	<u>7.1</u>
NORTH HARDING	3-1	12534	121	123	T.	0.4	<u>1.6</u>	-	-
		12533	235	238	T.	0.6	<u>2.4</u>	<u>4.1</u>	<u>7.7</u>
	3-2	12531	186	196	T.	1.2	<u>2.8</u>	0.1	0.3
		12532	255	270	T.	1.1	<u>1.5</u>	0.2	<u>1.8</u>
		12535	312	320	T.	0.2	<u>0.6</u>	0.1	<u>0.6</u>
		12536	322	325	T.	T.	0.3	-	-
	3-3	1059	226	228	-	-	<u>1.1</u>	T.	<u>4.7</u>
	3-4	12540	137	142	-	0.8	<u>2.4</u>	T.	0.4
		1058	324	332	-	-	<u>1.8</u>	T.	<u>1.6</u>
	3-5	12550	174	175	-	-	0.5	T.	1.9
	1051	193	198	-	-	<u>1.4</u>	T.	T.	
	1052	198	204	-	-	<u>0.6</u>	T.	T.	
	1053	218	219	-	-	<u>4.5</u>	T.	T.	
	1054	247	251	-	-	<u>1.9</u>	T.	1.0	
	1055	251	255	-	-	<u>3.2</u>	<u>4.4</u>	<u>9.3</u>	
	1056	262	266	-	-	<u>1.3</u>	T.	T.	
	1057	266	269	-	-	<u>1.8</u>	T.	T.	

DIAMOND DRILLING RECORD - McVICAR

1954 Season

Hole No.	Bearing	Length	Dip	Elevation of Collar	Elevation at Bottom.
NORTH HARDING { 54 - 1	N60°E	396'	45°	3922'	3636'
54 - 2	N80°E	421'	-57°	3922'	3518'
WHISTLER { 2 - 1	S52°W	373'	-45°	4470'	4200'
2 - 2	S25°W	296'	-45°	4470'	4260'
SOUTH HARDING { 2 - 3	East	264'	-45°	4294'	4110'
2 - 4	N68°E	208'	-45°	4294'	4150'
2 - 5	N32°E	213'	-43°	4296'	4147'
NORTH HARDING { 3 - 1	N60°E	402'	-45°	4003'	3717'
3 - 2	N40°E	434'	-56°	4003'	3641'
3 - 3	East	455'	-57°	4003'	3621'
3 - 4	N53°E	400'	-45°	3986'	3700'
3 - 5	N33°E	394'	-56°	3986'	3656'
3 - 6	N60°E	455'	-60°	3855'	3460'
3 - 7	East	450'	-60°	3855'	3465'

VICTOR DOLMAGE

RECORD OF SAMPLING & ASSAYS - 1954 Season - Continued.

Hole No.	Sample No.	From	To	Assays				
				Oz. Au.	Oz. Ag.	% Cu.	% Pb.	% Zn.
NORTH HARDING { 3-6	1066	324	329	-	-	0.7	T.	T.
3-7	1067	311	313	-	-	0.4	0.1	0.1
	1068	313	318	-	-	1.2	0.1	0.2
	1069	318	323	-	-	0.2	-	-
	1070	323	328	-	-	0.1	-	-
	1071	328	334	0.02	0.3	0.5	0.1	0.2
	1072	334	340	T.	0.2	T.	0.1	0.2
	1073	340	346	T.	0.2	0.8	0.1	0.2
	1074	346	350	-	-	0.1	0.1	0.2

NOTE: A dash (-) indicates sample was not assayed for this metal.

DIAMOND DRILLING McVICAR PROPERTY

<u>Hole No.</u>	<u>Year</u>	<u>Dip</u>	<u>Depth</u>	<u>Location</u>	<u>Available</u>	
					<u>Log</u>	<u>Sec.</u>
A-1	1928	-25	335	Zone 2	No	No
A-2	"	-25	290	"	No	No
A-3	"	-25	260	"	No	No
C-1	"	-30	330	Zone 3	No	No
C-2	"	-35	260	"	No	No
C-3	"	-35	350	"	No	No
H36-1	1936	0	250	Canyon Cr.	No	No
H36-2	"	-30	465	"	No	No
H36-3	"	-45	100	"	No	No
R36-1	"	-30	380	Zone 5	No	No
R36-2	"	-43	383	"	No	No
R36-3	"	-30	370	"	No	No
R36-4	"	-35	300	"	No	No
X-1	1950	-25	197	"	Yes	Yes
X-2	"	-40	155	"	Yes	Yes
X-3	"	-30	170	"	Yes	Yes
X-4	"	-40	111	"	Yes	Yes
X-5	"	-30	125	"	Yes	Yes
X-6	"	-30	133	"	Yes	No
X-7	"	-32	120	"	Yes	No
X-8	"	-40	116	"	Yes	Yes
X-9	"	-40	140	"	Yes	No
X-10	"	-40	164	"	Yes	No
X-11	"	-25	160	"	Yes	No
X-12	"	-45	147	"	No	No
X-13	"	-30	174	"	No	No
X-14	"	-42	174	"	No	No
X-15	"	-30	162	"	No	No
X-16	"	-45	96	"	No	No
X-17	"	-45	154	"	No	No
5-1	1953	-45	345	"	No	Yes
5-2	"	-55	370	"	No	Yes
5-3	"	-62	405	"	No	No
5-4	"	-55	470	"	No	No
5-5	"	-62	555	"	No	No
5-6	"	-60	555	"	No	No
5-7	"	-45	350	"	No	Yes
5-8	"	-66	350	"	No	Yes
5-9	"	-50	387	"	No	Yes
5-10	"	-60	193	"	No	Yes
5-11	"	-45	550	"	No	Yes
5-12	"	-50	445	"	No	Yes
5-13	"	-56	400	"	No	Yes
5-14	"	-60	297	"	No	Yes
7-1	"	-5	416	Cabin	Yes	No
7-2	"	-15	574	Fraction	Yes	No
8-1	"	-30	200	Giant No.5	Yes	No

Available

<u>Hole No.</u>	<u>Year</u>	<u>Dip</u>	<u>Depth</u>	<u>Location</u>	<u>Log</u>	<u>Sec.</u>
8-2	1953	-10	213	Slide Cr.	Yes	No
54-1	1954	-45	396	Zone 3	Yes	Yes
54-2	"	-57	421	"	Yes	Yes
3-1	"	-45	402	"	Yes	Yes
3-2	"	-56	434	"	Yes	Yes
3-3	"	-57	455	"	Yes	Yes
3-4	"	-45	400	"	Yes	Yes
3-5	"	-56	394	"	Yes	Yes
3-6	"	-60	455	"	Yes	Yes
3-7	"	-60	450	"	Yes	Yes
2-1	"	-45	378	Zone 2	Assays	Yes
2-2	"	-45	296	"	Assays	Yes
2-3	"	-45	264	"	Assays	Yes
2-4	"	-45	208	"	Assays	Yes
3-8	1955	-40	292	Zone 3	Yes	Yes
3-9	"	-40	445	"	Yes	Yes
3-10	"	-60	307	"	Yes	Yes
2-5	1954	-43	213	Zone 2	Assays	Yes
2-6	"	-42	307	"	Yes	Yes
2-7	"	-42	200	"	Yes	Yes
2-8	"	-61	454	"	Yes	Yes
1-1	"	-10	99	Zone 1	Yes	Yes
1-2	"	-25	109	"	Yes	Yes
1-3	"	-10	108	"	Yes	Yes
1-4	"	-25	21	"	Yes	Yes

72 holes

21,194 - Total depth

3500 feet drilled prior to 1929