

LA ROCK MINING CORP.

1400 - 409 Granville Street
Vancouver, B.C.
V6C 1T2

Tel: (604) 687-4150
Fax: (604) 687-4155

BRIEF SUMMARY
MASSIVE SULPHIDE PROJECT
BRANDYWINE AREA
1992

SPRING 92

* April - May 30 km Pulse Electromagnetometer Survey.

* Prospecting, rock sampling and geological mapping.

SUMMER - FALL 92

* 10,000 Feet Drilling Mineral Reserve at Tedi Pit for lead, zinc, copper, gold and silver.

* Developed geological model that suggests a synform with excellent mineral potential.

* Geological investigation of model located mineralized float giving a high priority drill target.

1993 OBJECTIVES

WINTER - SPRING 93

* Commence diamond drilling on high priority mineral float target and high gold values at Main Showing.

SUMMER - FALL 93

* Drill Tedi Pit to prepare for a Feasibility Study.

* Systematically drill 6 high priority zones.


* Commence regional exploration on remainder 3/4 of claims to cover other high lead, zinc, copper, gold and silver assays.

DIAMOND DRILL IS ON SITE.



WIDTH 7 KM (4.35 MILES) E.- W.

LENGTH 8 KM (4.97 MILES)

OPEN PIT POTENTIAL
TEDI PIT AREA
Zinc, Lead, Copper
Silver, Gold
500' x 900'



Legend


-  - MINING AREA
-  - HIGH GRADE SHOWING

LA ROCK MINING CORP.

BRANDYWINE PROJECT

BRITISH COLUMBIA



KILOMETRES



BRANDYWINE PROJECT

TEDI PIT AREA

NORTHWEST PORTION OF PROPERTY



Legend

- - DIAMOND DRILL HOLES (1 - 42)
- * - MINERALIZED SHOWING



LA ROCK MINING CORP.

ASSAY RESULTS FROM THE TEDI PIT

HOLE NO.	INTERVAL FEET	WIDTH FEET	GOLD OZ/T	SILVER OZ/T	COPPER %	LEAD %	ZINC %	VALUE CND\$/T
NB-1	71.5-87.0	15.5	0.03	2.3	0.86	7.12	10.33	\$271.00
BV-1	72.0-92.0	20.0	.04	4.4	2.33	10.80	9.35	340.00
BV-2	78.0-88.0	10.0	.03	1.1	.80	3.45	4.95	138.50
BV-3	7.0-12.0	5.0	.01	.2	.12	.56	1.14	24.89
BV-3	77.0-87.0	10.0	.01	.3	.05	.55	.49	7.35
BV-3	92.0-107.0	15.0	.01	.2	.09	.64	.98	27.00
BV-4	49.0-64.0	15.0	.01	.5	.11	1.54	1.42	21.30
BV-4	69.0-79.0	10.0	.01	1.1	.05	2.68	1.00	46.10
BV-6	16.0-21.0	5.0	.01	.2	.08	.60	1.00	21.40
BV-6	31.0-61.0	30.0	.01	.5	.27	.82	2.80	61.65
BV-7	16.0-36.0	20.0	Trace	.3	.12	.83	1.10	27.25
BV-8	14.0-80.0	66.0	.01	.7	.14	1.86	1.06	41.10
BV-10	18.0-38.0	20.0	.02	.8	.17	2.78	1.12	54.40
BV-10	116.0-221.0	105.0	----	10.0	.04	.55	.33	60.10
BV-12	18.0-113.0	95.0	.01	2.4	.08	1.82	1.66	56.80
BV-12	143.0-193.0	50.0	Trace	3.9	.07	.34	.44	30.35
92-1	18.0-23.0	5.0	.004	.13	.17	.02	1.73	32.67
92-1	67.0-77.0	10.0	.016	.48	.35	.55	1.55	45.35
92-2	17.0-22.0	5.0	.004	.49	.153	.14	1.42	30.26
92-4	65.0-75.0	10.0	.018	.56	.679	.153	4.41	94.75
92-5	57.0-82.0	25.0	.01	.25	.12	.575	1.13	29.59
92-6	61.0-76.0	15.0	.006	.19	.16	.45	.84	28.67
92-7	67.0-72.0	5.0	.012	.48	.15	2.09	1.49	46.48
Holes 3, 8, 9, 11, 12, 14 and 15				minor values				
92-10	56.0-66.0	10.0	.004	.14	.13	.36	1.12	23.11
92-13	68.0-78.0	10.0	.011	.10	.05	.36	.84	21.73
92-16	27.0-42.0	15.0	.012	.85	.15	3.56	4.45	106.65
92-17	34.0-44.0	10.0	.01	.43	.11	2.01	1.31	43.20
92-18	38.0-89.0	30.0	.01	.62	.38	2.01	5.01	107.10
92-19	36.0-41.0	5.0	.01	.20	.02	.72	1.21	32.71
92-20	41.0-85.0	35.0	.01	.60	.23	2.61	3.05	78.35
92-21	30.0-55.0	25.0	.009	.29	.11	1.01	2.44	51.98
92-21	75.0-100.0	25.0	.005	.14	.05	.27	1.40	27.10
Holes 22, 23, 24, 25, 27, 28, 29, 30 and 31				minor values				
92-26	71.0-76.0	5.0	.043	.14	.098	.32	1.15	39.67
92-32	0.0-15.0	15.0	.010	.49	.66	.82	6.50	126.85
92-33	27.0-72.0	45.0	.005	.117	.03	.33	.41	13.30
92-34	50.0-115.0	65.0	.004	.14	.05	.39	.65	17.77
92-35	27.0-97.0	70.0	.011	.238	.10	.97	.99	33.50
92-36	20.0-25.0	5.0	.009	.68	.22	2.71	2.49	73.14
92-36	25.0-105.0	80.0	.003	.11	.04	.39	.47	13.00
92-37	32.0-92.0	60.0	.009	.37	.12	1.01	.72	27.06
92-39	69.0-79.0	10.0	.011	.60	.40	1.32	2.21	60.75
92-39	64.0-94.0	30.0	.013	.31	.20	.83	1.43	39.80
92-40	45.0-55.0	10.0	.017	.25	.08	1.37	1.26	39.65
92-41	60.0-75.0	15.0	.009	.393	.07	1.10	1.82	43.08
92-41	45.0-85.0	40.0	.012	.164	.04	.52	.97	25.35
92-42	60.0-85.0	25.0	.047	.296	.09	.79	1.37	50.10
92-42	50.0-110.0	60.0	.022	.179	.06	.52	.84	28.27
92-43	60.0-80.0	20.0	.028	.275	.20	1.85	2.78	73.85
92-43	50.0-85.0	35.0	.018	.21	.13	1.25	1.72	47.13
Holes 38 and 47				minor values				
92-44	80.0-85.0	5.0	.028	.35	.038	.73	1.00	35.10
92-45	77.0-82.0	5.0	.012	1.42	.319	3.42	1.70	71.32

ASSAYS FROM TEDI PIT.....cont'd

<u>HOLE NO.</u>	<u>INTERVAL FEET</u>	<u>WIDTH FEET</u>	<u>GOLD OZ/T</u>	<u>SILVER OZ/T</u>	<u>COPPER %</u>	<u>LEAD %</u>	<u>ZINC %</u>	<u>VALUE CND\$/T</u>
92-46	82.0-92.0	10.0	.025	1.08	.29	2.46	2.21	\$ 74.90
92-48	78.0-113.0	35.0	.015	1.15	.76	3.32	5.21	135.10
92-49	49.0-89.0	20.0	.034	3.36	1.10	9.55	5.60	215.93
92-50	52.0-72.0	20.0	.028	1.08	.47	3.26	3.35	103.86
92-51	77.0-107.0	30.0	.01	.451	.15	1.23	1.74	45.50
Holes 52, 53, 54 and 55			minor values					
92-56	15.0-35.0	20.0	.01	.53	.30	2.23	2.45	64.75
92-56	47.0-72.0	25.0	.01	.78	.21	2.39	1.56	53.25
92-57	65.0-90.0	25.0	.01	1.02	.18	3.21	3.54	86.30