



Vector Industries International Inc.

803475

R. V. KIRKHAM

1280 - 1055 West Hastings Street, Vancouver, British Columbia V6E 2E9 Telephone (604) 687-2557

Telecopier (604) 684-3178

Alberta Stock Exchange Trading Symbol - VII

P R E S S R E L E A S E

TEN FEET OF 0.88 OUNCES GOLD PER TON INTERSECTED ON GOSSAN PROPERTY

The 1990 exploration program conducted on the Gossan property 60% owned by Vector Industries International Inc. (VII - ASE) has confirmed the presence of gold and silver in the A Zone and Zinc Hill areas and has encountered gold values up to 0.88 ounces per ton over 10.5 feet west of Zinc Hill. Western Canadian Mining Corporation (WCD - VSE) owns 67% of the issued shares of Vector.

The Gossan property is located in the Iskut River area south of the Snip property and west of Eskay Creek. Exploration in 1990 included nine drill holes, induced polarization geophysical surveys and rock and soil sampling.

A Zone

Diamond drilling in the A Zone in 1985 and 1987 encountered numerous wide intersections of gold, silver, copper and zinc, within which were narrower intersections of higher grade gold. Hole 87-17 for example contained 4.3 feet of 0.30 oz Au/t and 5.56 oz Ag/t within an intersection of 134.5 feet of 0.07 oz Au/t and 0.69 oz Ag/t. Drilling in 1990 confirmed the mineralization with the best intersection being 9.8 feet of 0.236 oz Au/t and 0.23 oz Ag/t.

A-ZONE

| <u>HOLE</u> | <u>FROM</u> <u>(m)</u> | <u>TO</u> <u>(m)</u> | <u>WIDTH</u> <u>(m)</u> | <u>Au</u> <u>(oz/st)</u> | <u>Ag</u> <u>(oz/st)</u> | <u>Cu</u> <u>(%)</u> | <u>Zn</u> <u>(%)</u> | <u>WIDTH</u> <u>(ft)</u> |
|-------------|---------------------------|-------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------|-------------------------|-----------------------------|
| 85-3 | 3.3 | 78.0 | 74.7 | 0.064 | 0.96 | 0.24 | 0.60 | 245.0 |
| incl. | 11.2 | 14.3 | 3.1 | 0.148 | 8.75 | 2.46 | 3.61 | 10.2 |
| and | 25.9 | 28.0 | 2.1 | 0.129 | 0.15 | 0.04 | 0.16 | 6.9 |
| and | 39.0 | 44.2 | 5.2 | 0.155 | 2.44 | 0.90 | 0.14 | 17.1 |
| and | 54.5 | 60.1 | 5.6 | 0.155 | 1.78 | 0.06 | 0.02 | 18.4 |
| and | 66.0 | 69.0 | 3.0 | 0.277 | 1.54 | 0.05 | 0.01 | 9.8 |

85-4 No significant values

Kyber Pass

A-ZONE CONTINUED

| <u>HOLE</u> | <u>FROM</u> <u>(m)</u> | <u>TO</u> <u>(m)</u> | <u>WIDTH</u> <u>(m)</u> | <u>Au</u> <u>(oz/st)</u> | <u>Ag</u> <u>(oz/st)</u> | <u>Cu</u> <u>(%)</u> | <u>Zn</u> <u>(%)</u> | <u>WIDTH</u> <u>(ft)</u> |
|---------------------------|---------------------------|-------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------|-------------------------|-----------------------------|
| 87-1 | 3.0 | 32.3 | 29.3 | 0.062 | 1.00 | 0.42 | 0.44 | 96.1 |
| incl. | 17.7 | 20.4 | 2.7 | 0.121 | 2.09 | 1.28 | 0.77 | 8.9 |
| and | 27.6 | 32.3 | 4.7 | 0.139 | 1.08 | 0.54 | 0.06 | 15.4 |
| incl | 31.0 | 32.3 | 1.3 | 0.223 | 2.58 | 1.30 | 0.08 | 4.3 |
| 87-2 | 3.1 | 75.3 | 72.2 | 0.034 | 0.23 | 0.07 | 0.09 | 236.9 |
| incl. | 67.8 | 71.0 | 3.2 | 0.207 | 1.20 | 0.35 | 0.04 | 10.5 |
| 87-3 | 3.0 | 53.3 | 50.3 | 0.013 | 0.10 | 0.05 | 0.25 | 165.0 |
| 87-4 | 3.0 | 41.0 | 38.0 | 0.036 | 0.20 | 0.08 | 0.22 | 124.7 |
| incl. | 13.0 | 14.0 | 1.0 | 0.172 | 2.50 | 0.71 | 1.42 | 3.3 |
| and | 18.0 | 19.0 | 1.0 | 0.149 | 0.44 | 0.18 | 0.06 | 3.3 |
| and | 40.0 | 41.0 | 1.0 | 0.214 | 0.35 | 0.06 | 0.05 | 3.3 |
| 87-5 | 9.0 | 40.0 | 31.0 | 0.022 | 0.14 | 0.05 | 0.10 | 101.7 |
| | 63.5 | 65.0 | 1.5 | 0.120 | 0.25 | 0.18 | 0.01 | 4.9 |
| 87-6 | 3.0 | 28.0 | 25.0 | 0.012 | 0.09 | 0.13 | 0.02 | 82.0 |
| 87-7 | No significant values | | | | | | | |
| 87-8 | 4.6 | 35.2 | 30.6 | 0.016 | 0.17 | 0.05 | 0.06 | 100.4 |
| incl. | 34.5 | 35.2 | 0.7 | 0.371 | 0.98 | 0.77 | 0.04 | 2.3 |
| 87-9 | 3.0 | 41.5 | 38.5 | 0.021 | 0.14 | 0.06 | 0.10 | 126.3 |
| incl. | 17.5 | 19.0 | 1.5 | 0.155 | 0.18 | 0.07 | 0.04 | 4.9 |
| 87-10 | 58.5 | 59.2 | 0.7 | 0.163 | 1.14 | 0.56 | 0.03 | 2.3 |
| <i>near 85-3</i> 87-17 | 18.0 | 59.0 | 41.0 | 0.072 | 0.69 | 0.19 | 0.26 | 134.5 |
| incl. | 19.0 | 33.0 | 14.0 | 0.102 | 1.32 | 0.36 | 0.21 | 45.9 |
| incl. | 30.0 | 31.3 | 1.3 | 0.301 | 5.56 | 1.35 | 0.58 | 4.3 |
| 90-3 | 19.00 | 23.30 | 4.30 | 0.132 | 0.81 | 0.07 | 0.03 | 14.1 |
| 90-4 | 14.00 | 17.00 | 3.00 | 0.236 | 0.23 | 0.07 | 0.25 | 9.8 |
| 90-5 | No significant values | | | | | | | |
| 90-6 | 7.00 | 10.00 | 3.00 | 0.116 | 0.123 | 0.10 | 0.15 | 9.8 |
| | 31.00 | 33.00 | 2.00 | 0.103 | 0.70 | 0.30 | 0.69 | 6.6 |

Zinc Hill extension Kybur pass

Northeast of the A Zone is a geologically similar area referred to as Zinc Hill. Earlier Drilling (1985 and 1987) indicated numerous high zinc values, often associated with gold. Two drill holes drilled west of the main concentration of drilling have returned very high values. Holes 90-7 and 90-9 returned 13 feet of 0.22 oz Au/t, 1.13 oz Ag/t, 0.12% Cu and 1.81% Zn and 10.5 feet of 0.88 oz Au/t (0.38 oz Au/t when cut to 1 ounce), 0.25 oz Ag/t, 0.03% Cu and 0.3% Zn respectively.

ZINC HILL

| <u>HOLE</u> | <u>FROM</u> <u>(m)</u> | <u>TO</u> <u>(m)</u> | <u>WIDTH</u> <u>(m)</u> | <u>Au</u> <u>(oz/st)</u> | <u>Ag</u> <u>(oz/st)</u> | <u>Cu</u> <u>(%)</u> | <u>Zn</u> <u>(%)</u> | <u>WIDTH</u> <u>(ft)</u> |
|-------------|-------------------------------------------------------|-------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------|-------------------------|-----------------------------|
| 85-1* | No significant Au or Ag, Cu not assayed, zinc present | | | | | | | |
| 85-1A* | No significant Au or Ag, Cu not assayed, zinc present | | | | | | | |
| 85-2* | No significant Au or Ag, Cu and Zn not assayed | | | | | | | |
| 87-11* | 80.5 | 108.0 | 27.5 | 0.017 | 0.18 | 0.06 | 0.35 | 90.2 |
| | 116.2 | 118.5 | 2.3 | 0.121 | 0.84 | 0.08 | 0.52 | 7.5 |
| 87-12 | 137.0 | 142.0 | 5.0 | 0.068 | 0.35 | 0.04 | 1.34 | 16.4 |
| 87-13* | No significant values, zinc values present | | | | | | | |
| 87-14* | 17.2 | 21.3 | 4.1 | 0.013 | 0.09 | 0.04 | 1.58 | 13.4 |
| 87-15* | 75.1 | 81.2 | 6.1 | 0.056 | 0.74 | 0.18 | 0.26 | 20.0 |
| 87-16* | 21.7 | 26.9 | 5.2 | 0.059 | 0.30 | 0.07 | 0.88 | 17.1 |
| | 87.6 | 92.6 | 5.0 | 0.055 | 0.40 | 0.13 | 0.22 | 16.4 |
| 90-7 | 66.00 | 120.40 | 54.40 | 0.032 | 0.30 | 0.05 | 0.42 | 178.5 |
| incl. | 66.00 | 68.00 | 2.00 | 0.039 | 1.51 | 0.13 | 2.11 | 6.6 |
| and | 83.00 | 85.00 | 2.00 | 0.164 | 2.505 | 0.04 | 0.33 | 6.6 |
| and | 112.30 | 116.30 | 4.00 | 0.218 | 1.125 | 0.12 | 1.81 | 13.1 |
| 90-8 | 40.00 | 45.00 | 5.00 | 0.024 | 1.09 | 0.66 | 0.69 | 16.4 |
| 90-9 | 68.50 | 71.70 | 3.20 | 0.882 | 0.25 | 0.03 | 0.30 | 10.5 |
| | | | Cut to 1 ounce | 0.380 | | | | |

* Assays incomplete

West Zone

Rock chip sampling in the West Zone, located west of the A Zone, returned numerous anomalous values for each of gold, silver and copper. Individual samples range up to 3.3 feet of 0.33 oz Au/t and 0.65 oz Ag/t but areas of greater interest are 9.8 feet of 0.187 oz Au/t, 0.45 oz Ag/t and 0.12% Cu and 19.7 feet of 0.154 oz Au/t, 0.46 oz Ag/t and 0.85% Cu.

Pyramid Hill


Drilling centred on a skarn target 2 kilometres (6500 feet) southeast of the A Zone target intersected 491 feet of 0.14% copper and 306 feet of 0.16% copper in holes 90-1 and 90-2 respectively. These thick intersections with metal values suggest the presence of a large mineralizing system with low precious-metal values. The Pyramid Hill area requires further study.

Model of Mineralization



Mineralization at A Zone and Zinc Hill occur at a definite stratigraphic position near the base of an andesitic volcanoclastic package and in underlying interbedded tuff and siltstone. Mineralization at the West Zone is in an underlying felsic volcanic. The style of mineralization and alteration features exhibit hydrothermal zonation patterns. The 1990 work has expanded the target area to at least 500 by 1500 metres.

Management of Vector are encouraged by the results of the 1990 program and are confident that additional exploration will extend the mineralization and develop new targets. Additional diamond drilling is recommended for 1991.

VECTOR INDUSTRIES INTERNATIONAL INC.

per: 
R.S. Hewton, President

This release has been prepared by Mr. R.S. Hewton and has been neither approved or disapproved by the Alberta Stock Exchange.



SNIP
PROPERTY
COMINCO / PRIME

JOHNNY MOUNTAIN
PROPERTY
SKYLINE GOLD CORP.

BRONSON
PROPERTY
CATHEDRAL GOLD
/ GRAF

INEL PROPERTY
GULF RESOURCES / AVONDALE

AK ZONE
★

WEST
ZONE
★

★ ZINC HILL
★ A ZONE


★ PYRAMID
HILL

GOSSAN PROPERTY
VECTOR-60% INTEREST

**VECTOR INDUSTRIES
INTERNATIONAL INC.**

GOSSAN PROPERTY





0.33 oz. Au/t, 0.85 oz. Ag/t
 3.3 ft.
 0.187 oz. Au/t, 0.45 oz. Ag/t, 0.12% Cu
 9.8 ft.
 0.154 oz. Au/t, 0.46 oz. Ag/t, 0.85% Cu
 19.7 ft.

A-ZONE and ZINC HILL
 DRILL RESULTS
 1990

| Hole | From Metres | To Metres | Width Metres | Width Feet | Au oz/t | Ag oz/t | Cu % | Zn % |
|-------|-------------------------|-----------|--------------|------------|---------|---------|------|------|
| 90-1 | 6.40 | 156.00 | 149.60 | 490.8 | 0.001 | 0.02 | 0.14 | 0.01 |
| 90-2 | 3.66 | 97.00 | 93.34 | 306.2 | 0.002 | 0.02 | 0.16 | NIL |
| 90-3 | 19.00 | 23.30 | 4.30 | [4.] | 0.132 | 0.81 | 0.07 | 0.03 |
| 90-4 | 14.00 | 17.00 | 3.00 | 9.8 | 0.236 | 0.23 | 0.07 | 0.25 |
| 90-5 | No Significant Results. | | | | | | | |
| 90-6 | 7.00 | 10.00 | 3.00 | 9.8 | 0.236 | 0.123 | 0.10 | 0.15 |
| 90-7 | 66.00 | 120.40 | 54.40 | 178.5 | 0.032 | 0.30 | 0.05 | 0.42 |
| incl. | 66.00 | 68.00 | 2.00 | 6.6 | 0.039 | 1.51 | 0.13 | 2.11 |
| and | 83.00 | 85.00 | 2.00 | 6.6 | 0.164 | 2.505 | 0.04 | 0.33 |
| and | 112.30 | 116.30 | 4.00 | 13.1 | 0.218 | 1.125 | 0.12 | 1.81 |
| 90-8 | 40.00 | 45.00 | 5.00 | 16.4 | 0.024 | 1.09 | 0.06 | 0.69 |
| 90-9 | 68.50 | 71.70 | 3.20 | 10.5 | 0.882 | 0.25 | 0.03 | 0.30 |
| | Cut to 1 ounce | | | | 0.380 | | | |

SCALE 0 50 100 Metres

VECTOR INDUSTRIES
INTERNATIONAL INC.
GOSSAN PROPERTY
 Diamond Drill Hole Plan