

Sulphurets Samples PTS
Vancouver Petrographics

803811

Placer Dome Y-3

Newhawk Y-1

KQ-9B-48H?	95E?	KQ-93-56B? (more?)
54B	95F?	56C
54E	96B?	57A
55A	98B (vein) ⁵⁰⁰	61B (GSC)
55C	98C (101?)	75C (GSC)
58B	100B?	75E (GSC)
58C	100C	76C (GSC)
60D	101A (more?)	82B
60H	101B	83D
60I	101D?	84B?
60J	102C?	85A?
60L	103A?	85G?
64B?	103C?	85H?
64C?	105D ^{105A (void)}	89C?
65H?		90A?
66A? (GSC)		90C
67D (")		96B?
68E?		96D?
68H? ank?		97B?
69C?		97D
70A? ank?		98D?
71C?		98E
73C?		98F?
73E?		100B
73F?		100C
91A?		
91D (late ank? unc)		
92A (Alder zone)		
92C?		
92E?		

Placer Dome IPP P13
Change to Project 700059 - Y3

17 March 18/94
Newhawk
Project 700059 - Y1
KQ-87-87A - 2

KQ-93-48E

50F

60K

64D

65B

65E

65G

65I

65J

65K

68C

68D

68E

69A

69D

69E

70D

71D

71E (Xmas morph)

72A (fault)

74A

74C

95B

100A

101C

105A

105E

27

KQ-93-51D

51E

56B

57B - 2

57C

57E

57F

85D

85E

93C - 2

96A

98C

99A

99B

101A

19

R.V. Rukhin
Samples for polished
thin sections on
previous work
(old)

April 6/94

Polished thin sections

Placer Dome

KQ-93-54B

55A

58BC

60L

64C

65H

67A (GSE)

67C (GSC)

68E

68H

69C

71A (71A)

73C

73F

91D

92A

92C

92E

98B

98C

105D

21

Newhawk

KQ-93-61B (GSC)

62A

75C (GSC)

75E (GSC)

76C (GSC ^{"gysrite"} _{+py + quartz})

83D

85H

98E

98F

9

Polish slabs

KQ-93-60I

60A

60L

64D

65H

65I

65K

68D

68G

68H

69A

69C

69D

71A

73C

74B

~~75E~~

91D

101A

101C

105E

22

Polish slabs

KQ-93-51C

51D

57B

75C

81A

85G

95B

98C

~~101A~~

105E

8

April 11/94

Jim Montgomery,

As we discussed over the phone enclosed are 30 samples from Sutherland area, B/C for polished thin sections (list enclosed) and 30 samples for polished slabs (list enclosed). A previously-processed requisition for 43 polished thin sections is to cover the cost of this work. Only do the number of polished slabs covered by the additional 13 polished thin sections and return the remainder unfinished, (if necessary)

Thanks.

Rod Kirkham
GSC 666-0517