

810042

*Powell River
File*

ATLAS EXPLORATIONS LIMITED
(N.P.L.)

330 MARINE BUILDING
355 BURRARD STREET
VANCOUVER 1, B.C.

92F/15

December 15, 1966,

T.S.L.
325 Howe St,
Vancouver 1, B.C.

Dear Sirs:


Analyse the accompanying samples for copper and molbdenum contents, report in parts per million.

Powell River

*E. # 1-26
AP # 67-85
F# 1-25
G* 1-10
22-25*

Yours truly,

ATLAS EXPLORATIONS LIMITED.



B. McDonald,
Exploration.

December 8th, 1966.

Samples received from Powell River & sent to
T.S.L. LAB. 325 Howe St. for

Cu, Mo analysis.

C 1-18

D 1-30

AP 1-65

JRB

ATLAS EXPLORATIONS LIMITED
(N.P.L.)

330 MARINE BUILDING
355 BURRARD STREET
VANCOUVER 1, B.C.

December 5, 1966.

T.S.L. Lab,
325 Howe Street,
Vancouver 1, B.C.

Dear Sirs:

Analyze the accompanying samples for
copper and Molybdeum content. Report in
parts per Million.

Thankyou.

Yours Truly,

Mr. Joe Boateng.
Exploration.

PAUL RIVER
A# 1-46,
2-1
XA-5
B# 1-33.

ATLAS EXPLORATIONS LIMITED
(N. P. L.)

330 MARINE BUILDING
355 BURRARD STREET
VANCOUVER 1, B.C.

December 5, 1966.

T.S.L. Lab,
325 Howe Street,
Vancouver 1, B.C.

Dear Sirs:

Analyze the accompanying samples for
copper and Molybdeum content. Report in
parts per Million.

Thankyou.

Yours Truly,

Mr. Joe Boateng.
Exploration.

Results received on Dec. 14th

Powell
Paul River
G. A#1 - 46
Z - 1
X A-5
B# 1-33

T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684.1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Klbas Explorations Ltd*
330-355 Burrard Str.
Vancouver 1 B.C.

REPORT NO.

V1082-1

SAMPLE(S) OF


RESULTS IN PARTS PER MILLION

		SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	A	1	6					4.5	
2		2	3					4	
3		3	9					.5	
4		4	3					.5	
5		5	2					.5	
6		6	4					.5	
7		7	9					1	
8		8	5					1.5	
9		9	3					1	
10		10	2					1.5	
11	A	11	6					4.5	
12		12	10					4	
13		13	3					4	
14		14	13					.5	
15		15	12					.5	
16		16	8					.5	
17		17	17					4.5	
18		18	3					4	
19		19	3					3.5	
20		20	3					4.5	

DATE

Dec 12 '66

SIGNED



DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explo.*

REPORT NO.

V1089-2

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>A 21</i>	<i>1</i>					<i>2.5</i>	
2	<i>22</i>	<i>5</i>					<i>2</i>	
3	<i>23</i>	<i>10</i>					<i>3</i>	
4	<i>24</i>	<i>12</i>					<i>2</i>	
5	<i>25</i>	<i>7</i>					<i>3.5</i>	
6	<i>26</i>	<i>15</i>					<i>2</i>	
7	<i>27</i>	<i>14</i>					<i>5</i>	
8	<i>28</i>	<i>19</i>					<i>3</i>	
9	<i>29</i>	<i>4</i>					<i>.5</i>	
10	<i>30</i>	<i>3</i>					<i>1</i>	
11	<i>A 31</i>	<i>5</i>					<i>2.5</i>	
12	<i>32</i>	<i>4</i>					<i>2</i>	
13	<i>33</i>	<i>11</i>					<i>1</i>	
14	<i>34</i>	<i>8</i>					<i>.5</i>	
15	<i>35</i>	<i>5</i>					<i>2.5</i>	
16	<i>36</i>	<i>1</i>					<i>2</i>	
17	<i>37</i>	<i>2</i>					<i>.5</i>	
18	<i>38</i>	<i>2</i>					<i>.5</i>	
19	<i>39</i>	<i>2</i>					<i>.5</i>	
20	<i>40</i>	<i>5</i>					<i>.5</i>	

DATE *Dec. 12 '66*SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES



T S L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explo.*

REPORT NO.
V1082-3

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>A 41</i>	<i>9</i>					<i>2.5</i>	
2	<i>42</i>	<i>1</i>					<i>2</i>	
3	<i>43</i>	<i>2</i>					<i>.5</i>	
4	<i>44</i>	<i>2</i>					<i>2.5</i>	
5	<i>45</i>	<i>3</i>					<i>.5</i>	
6	<i>46</i>	<i>6</i>					<i>.5</i>	
7	<i>B 1</i>	<i>7</i>					<i>2</i>	
8	<i>2</i>	<i>5</i>					<i>1</i>	
9	<i>3</i>	<i>5</i>					<i>1</i>	
10	<i>4</i>	<i>5</i>					<i>1</i>	
11	<i>5</i>	<i>7</i>					<i>.5</i>	
12	<i>6</i>	<i>8</i>					<i>.5</i>	
13	<i>7</i>	<i>9</i>					<i>.5</i>	
14	<i>8</i>	<i>0</i>					<i>.5</i>	
15	<i>9</i>	<i>12</i>					<i>1.5</i>	
16	<i>10</i>	<i>8</i>					<i>1</i>	
17	<i>11</i>	<i>8</i>					<i>1</i>	
18	<i>12</i>	<i>7</i>					<i>1.5</i>	
19	<i>13</i>	<i>6</i>					<i>1.5</i>	
20	<i>14</i>	<i>5</i>					<i>1.5</i>	

DATE *Dec. 12 '66*

SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Atlas Explo.

REPORT NO.

V1082-4

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	B 15	12					1	
2	16	6					1	
3	17	6					.5	
4	18	8					2	
5	19	7					1	
6	20	8					1	
7	21	13					2.5	
8	22	5					2.5	
9	23	2					1	
10	24	2					1.5	
11	B 25	8					.5	
12	26	7					1	
13	27	9					2	
14	28	9					2	
15	29	7					3	
16	30	5					5.5	
17	31	2					4	
18	32	5					2.5	
19	33	5					2	
20	XA # 5	14					4.5	
	2 1	8					2	

DATE Dec. 12 '66

SIGNED 

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Atlas Explorations
Att. Mr. J. N. Boatang.

REPORT NO.

V1087-1

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	A.P # 1	7					.5	
2	2	10					1	
3	3	9					.5	
4	4	8					.5	
5	5	11					.5	
6	6	7					.5	
7	7	7					2.5	
8	8	7					.5	
9	9	10					.5	
10	10	2					.5	
11	11	8					.5	
12	12	12					.5	
13	13	2					.5	
14	14	10					1	
15	15	6					1	
16	16	7					.5	
17	17	6					.5	
18	18	7					.5	
19	19	8					1	
20	20	10					1	

DATE Dec. 16 '66

SIGNED 

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explorations*

REPORT NO.

V1087-2

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>H.P. # 21</i>	<i>7</i>					<i>.5</i>	
2	<i>22</i>	<i>9</i>					<i>.5</i>	
3	<i>24</i>	<i>2</i>					<i>.5</i>	
4	<i>25</i>	<i>6</i>					<i>4.5</i>	
5	<i>26</i>	<i>8</i>					<i>.5</i>	
6	<i>27</i>	<i>9</i>					<i>1</i>	
7	<i>28</i>	<i>7</i>					<i>1</i>	
8	<i>29</i>	<i>7</i>					<i>.5</i>	
9	<i>30</i>	<i>6</i>					<i>.5</i>	
10	<i>31</i>	<i>7</i>					<i>.5</i>	
11	<i>32</i>	<i>18</i>					<i>1</i>	
12	<i>33</i>	<i>13</i>					<i>.5</i>	
13	<i>34</i>	<i>10</i>					<i>.5</i>	
14	<i>35</i>	<i>13</i>					<i>.5</i>	
15	<i>36</i>	<i>11</i>					<i>.5</i>	
16	<i>37</i>	<i>15</i>					<i>1.5</i>	
17	<i>38</i>	<i>8</i>					<i>.5</i>	
18	<i>39</i>	<i>7</i>					<i>.5</i>	
19	<i>40</i>	<i>8</i>					<i>4.5</i>	
20	<i>41</i>	<i>10</i>					<i>1</i>	

DATE

Dec. 16 '66

SIGNED

[Signature]

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explorations*

REPORT NO.

V1087-3

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>A.P. # 42</i>	<i>19</i>					<i>.5</i>	
2	<i>43</i>	<i>28</i>					<i>1</i>	
3	<i>44</i>	<i>14</i>					<i>.5</i>	
4	<i>45</i>	<i>10</i>					<i><.5</i>	
5	<i>46</i>	<i>9</i>					<i><</i>	
6	<i>47</i>	<i>7</i>					<i>.5</i>	
7	<i>48</i>	<i>14</i>					<i>1.5</i>	
8	<i>49</i>	<i>20</i>					<i>1</i>	
9	<i>50</i>	<i>12</i>					<i><.5</i>	
10	<i>51</i>	<i>8</i>					<i><</i>	
11	<i>52</i>	<i>7</i>					<i><</i>	
12	<i>53</i>	<i>7</i>					<i><</i>	
13	<i>54</i>	<i>10</i>					<i><</i>	
14	<i>55</i>	<i>7</i>					<i><</i>	
15	<i>56</i>	<i>8</i>					<i><</i>	
16	<i>57</i>	<i>5</i>					<i><</i>	
17	<i>58</i>	<i>4</i>					<i><</i>	
18	<i>59</i>	<i>4</i>					<i><</i>	
19	<i>60</i>	<i>10</i>					<i><</i>	
20	<i>61</i>	<i>8</i>					<i><</i>	

DATE

Dec. 16 '66

SIGNED

[Signature]

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explorations.*

REPORT NO.

V1087-4

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>A.P. # 62</i>	<i>6</i>					<i>2.5</i>	
2	<i>63</i>	<i>5</i>					<i>2</i>	
3	<i>64</i>	<i>4</i>					<i>2</i>	
4	<i>65</i>	<i>4</i>					<i>2</i>	
5	<i>C # 1</i>	<i>9</i>					<i>2</i>	
6	<i>2</i>	<i>5</i>					<i>.5</i>	
7	<i>3</i>	<i>3</i>					<i>2.5</i>	
8	<i>4</i>	<i>17</i>					<i>.5</i>	
9	<i>5</i>	<i>8</i>					<i>.5</i>	
10	<i>6</i>	<i>7</i>					<i>1</i>	
11	<i>7</i>	<i>9</i>					<i>1.5</i>	
12	<i>8</i>	<i>8</i>					<i>.5</i>	
13	<i>9</i>	<i>7</i>					<i>.5</i>	
14	<i>10</i>	<i>6</i>					<i>2</i>	
15	<i>11</i>	<i>5</i>					<i>.5</i>	
16	<i>12</i>	<i>11</i>					<i>.5</i>	
17	<i>13</i>	<i>3</i>					<i>.5</i>	
18	<i>14</i>	<i>5</i>					<i>1.5</i>	
19	<i>15</i>	<i>5</i>					<i>2</i>	
20	<i>16</i>	<i>8</i>					<i>3</i>	

DATE

Dec. 16 '66

SIGNED

[Signature]

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explorations*

REPORT NO.

V1087-5

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	C # 17	10					2.5	
2	18	6					1.5	
3	D # 1	13					4.5	
4	2	5					<	
5	3	10					.5	
6	4	11					.5	
7	5	9					4.5	
8	6	14					<	
9	7	14					<	
10	8	15					<	
11	9	14					.5	
12	10	11					.5	
13	11	12					1	
14	12	13					1	
15	13	10					.5	
16	14	12					4.5	
17	15	16					<	
18	16	16					<	
19	17	19					<	
20	18	14					<	

DATE Dec. 16 '66

SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Explorations.*

REPORT NO.

V1087-6

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>D # 19</i>	17					.5	
2	<i>20</i>	10					2.5	
3	<i>21</i>	12					4	
4	<i>22</i>	10					4	
5	<i>23</i>	8					4	
6	<i>24</i>	9					.5	
7	<i>25</i>	10					2.5	
8	<i>26</i>	8					.5	
9	<i>27</i>	10					.5	
10	<i>28</i>	10					1	
11	<i>29</i>	10					2.5	
12	<i>30</i>	9					4	
13								
14								
15	<i>Hot HCl - acid extraction</i>							
16	<i>Cu - determined by A.A.</i>							
17	<i>Mo determined by distill method.</i>							
18								
19								
20								

DATE

Dec. 16 '66

SIGNED

[Signature]

DIVISION OF TECHNICAL SERVICE LABORATORIES



T
S
L

RECEIVED

DEC 23 1966

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.
TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Atlas Explorations Ltd.(N.P.L)
330-355 Burrard Str.
Vancouver, B.C.

REPORT NO.
V1091-1

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	A.P. # 66	3					2.5	
2	67	4					<	
3	68	3					1	
4	69	3					.5	
5	70	3					1.5	
6	71	3					2.5	
7	72	4					.5	
8	73	4					.5	
9	74	5					.5	
10	75	5					.5	
11	76	2					2.5	
12	77	2					<	
13	78	3					.5	
14	79	4					2.5	
15	80	4					2.5	
16	81	4					1	
17	82	2					2.5	
18	83	3					<	
19	84	4					<	
20	85	3					<	

DATE Dec. 21 '66

SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Atlas Explo.

REPORT NO.

V1091-3

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	ARG # 72	2					4.5	
2	73	2					1.5	
3	74	2					4.5	
4	75	2					<	
5	E # 1	8					1	
6	2	6					.5	
7	3	8					2.5	
8	4	6					1	
9	5	5					.5	
10	6	6					3.5	
11	7	12					3	
12	8	6					1.5	
13	9	6					.5	
14	10	6					4.5	
15	11	6					.5	
16	12	6					.5	
17	13	7					.5	
18	14	6					4.5	
19	15	5					1	
20	16	6					4.5	

DATE Dec. 21 '66

SIGNED

DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Atlas Explo.

REPORT NO.

V1091-4

SAMPLE(S) OF


RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	E # 17	7					2	
2	18	6					2.5	
3	19	5					2	
4	20	5					2	
5	21	5					.5	
6	22	5					.5	
7	23	5					.5	
8	24	5					.5	
9	25	6					1.5	
10	26	6					1.5	
11	F # 1	3					.5	
12	2	3					.5	
13	3	6					2.5	
14	4	4					.5	
15	5	6					2.5	
16	6	3					.5	
17	7	4					.5	
18	8	3					2.5	
19	9	4					.5	
20	10	4					2.5	

DATE

Dec 21 '66

SIGNED



DIVISION OF TECHNICAL SERVICE LABORATORIES



T

S

L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Expto.*

REPORT NO.

V1091-5

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>F # 11</i>	<i>6</i>					<i>.5</i>	
2	<i>12</i>	<i>4</i>					<i>.5</i>	
3	<i>13</i>	<i>3</i>					<i>2.5</i>	
4	<i>14</i>	<i>3</i>					<i><</i>	
5	<i>15</i>	<i>4</i>					<i>.5</i>	
6	<i>16</i>	<i>3</i>					<i>2.5</i>	
7	<i>17</i>	<i>4</i>					<i><</i>	
8	<i>18</i>	<i>4</i>					<i><</i>	
9	<i>19</i>	<i>3</i>					<i><</i>	
10	<i>20</i>	<i>7</i>					<i>2</i>	
11	<i>21</i>	<i>5</i>					<i>.5</i>	
12	<i>22</i>	<i>3</i>					<i>1</i>	
13	<i>23</i>	<i>3</i>					<i>1</i>	
14	<i>24</i>	<i>3</i>					<i>.5</i>	
15	<i>25</i>	<i>3</i>					<i>.5</i>	
16	<i>26</i>	<i>4</i>					<i>.5</i>	
17	<i>27</i>	<i>3</i>					<i>.5</i>	
18	<i>28</i>	<i>3</i>					<i>4.5</i>	
19	<i>29</i>	<i>2</i>					<i>1</i>	
20	<i>30</i>	<i>18</i>					<i>2.5</i>	

DATE *Dec. 21 '66*SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES



T S L

Laboratories Limited

325 HOWE STREET - VANCOUVER 1, B.C.

TELEPHONE 684-1374

ASSAYERS
CHEMISTS
GEOCHEMISTS

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM *Atlas Expl.*

REPORT NO.
V1091-6

SAMPLE(S) OF

RESULTS IN PARTS PER MILLION

	SAMPLE No	Cu	Pb	Zn	Ag	Ni	Mo	Co
1	<i>F # 31</i>	<i>6</i>					<i>2.5</i>	
2	<i>32</i>	<i>4</i>					<i>2</i>	
3	<i>33</i>	<i>4</i>					<i>.5</i>	
4	<i>34</i>	<i>5</i>					<i>2.5</i>	
5	<i>35</i>	<i>3</i>					<i>1.5</i>	
6	<i>G 1</i>	<i>4</i>					<i>1</i>	
7	<i>2</i>	<i>3</i>					<i>2.5</i>	
8	<i>3</i>	<i>3</i>					<i>2</i>	
9	<i>4</i>	<i>3</i>					<i>1</i>	
10	<i>5</i>	<i>3</i>					<i>.5</i>	
11	<i>6</i>	<i>2</i>					<i>2.5</i>	
12	<i>7</i>	<i>3</i>					<i>.5</i>	
13	<i>8</i>	<i>3</i>					<i>.5</i>	
14	<i>9</i>	<i>3</i>					<i>.5</i>	
15	<i>10</i>	<i>3</i>					<i>.5</i>	
16	<i>Z 2</i>	<i>3</i>					<i>1</i>	
17	<i>3</i>	<i>3</i>					<i>.5</i>	
18	<i>4</i>	<i>4</i>					<i>1</i>	
19	<i>5</i>	<i>3</i>					<i>.5</i>	
20	<i>ARG # 59</i>	<i>4</i>					<i>2</i>	

DATE *Dec. 21 '66*

SIGNED *[Signature]*

DIVISION OF TECHNICAL SERVICE LABORATORIES

