


CLIFF 6+83W  
 SMOILING  
 TACUS  
 TALLAS NO MEASURABLE CURRENT  
 CREEK  
 TINI CREEK & GULLEY

filter 3994 1014 633 1882 1994 2520 2522 2314 4004 3227 3179 3684 3680 4149 3149 3397 3018 2948 2937 1819 3104 3025 2009 3338 4460 2943 1440 3995 9979 3564 filter  
 928 1262 1098 914 919 990 1058 1239 1465 1672 1628 1883 2175 1876 1687 1642 1628 1259 1601 filter



filter 10 13 28 27 17 9 4.8 4 4 4.3 5.6 6.4 7.3 8 7.1 2.6 -4.3 -1.3 6.7 10 5.8 7.5 14 10 9.6 9 9.1 7.9 7 6.6 filter  
 8.1 7.7 8.4 8.2 8.6 9.3 10 11 8.2 7.3 5.3 4.7 3.5 3 2.7 2.1 2.8 2.3 1.8 filter




filter 5.9 17 54 28 19 5.4 1.8 1.8 1.3 1.5 1.8 1.8 2.1 2.3 1.7 .5 -1.7 -1.3 3.8 6.1 2.4 4 7.2 4.3 9.7 5.8 7.1 9.6 2.3 2 filter  
 8.7 6.4 8.3 9.3 9.7 9.5 10 8.6 5.8 4.8 2.9 2.5 1.7 1.6 1.8 1.3 1.8 2.1 1.1 filter



Line -1125 S

Dipole-Pole Array



Filtered Profiles

Resistivity --- filter  
 Polarization --- \*\*  
 Metal Factor --- \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M., I.F.

INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.  
 Fairly well defined moderate increase in polarization.  
 Poorly defined polarization increase.  
 Resistivity feature.

CURRAGH RESOURCES CORP.

INDUCED POLARIZATION SURVEY  
 CATFISH PROJECT  
 LIARD M.D., B.C.

Date: 89/10/26 N.T.S.: 104M/15  
 Interpretation by:  
 Scale: 1 : 2500

PETER E. WALCOTT & ASSOC. LTD.

810192

