




ADIT  $\approx$  10m EAST  
 MINERALIZED SHOWING  
 TOP OF MOUNTAIN



FILTERED PROFILES

TOPOGRAPHY

RESISTIVITY  
(ohm-m)


CHARGEABILITY  
(millivoltspervolt)

INTERPRETATION

METAL FACTOR  
(ip/res \* 1000)

Base Line 0

Dipole-Dipole Array



Filtered Profiles

Resistivity	-----	filter *
Polarization	=====	**
Metal Factor	-----	***
		****
Logarithmic Contours		1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M., I.F.

INTERPRETATION

- Well defined, strong increase in polarization with or without marked decrease in resistivity.
- Fairly well defined moderate increase in polarization.
- Poorly defined polarization increase.
- Resistivity feature.

CURRAGH RESOURCES CORP.

INDUCED POLARIZATION SURVEY  
 CATFISH PROJECT  
 LIARD M.D., B.C.

Date: 89/10/25 N.T.S.: 104M/15  
 Interpretation by:  
 Scale: 1 : 2500

PETER E. WALCOTT & ASSOC. LTD.

