

810300

*Shannon ck
moly Project.
Plotted
Sep 4/80* (3)

KAM LOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL
330 - 355 BURRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1980
ANALYST GB
FILE NO. G415

CUMULATIVE FREQUENCY PLOT FOR CU USING A LOGARITHMIC CONVERSION

| CLASS | FREQUENCY | % FREQUENCY | CUMULATIVE FREQUENCY % |
|---------|-----------|-------------|------------------------|
| 4.00-- | 4.68 | 1 | 0.4 |
| 4.68-- | 5.48 | 3 | 1.1 |
| 5.48-- | 6.41 | 5 | 1.8 |
| 6.41-- | 7.50 | 7 | 2.5 |
| 7.50-- | 8.78 | 6 | 2.2 |
| 8.78-- | 10.28 | 9 | 3.3 |
| 10.28-- | 12.03 | 12 | 4.4 |
| 12.03-- | 14.08 | 21 | 7.6 |
| 14.08-- | 16.48 | 20 | 7.3 |
| 16.48-- | 19.29 | 36 | 13.1 |
| 19.29-- | 22.57 | 29 | 10.5 |
| 22.57-- | 26.42 | 27 | 9.8 |
| 26.42-- | 30.92 | 22 | 8.0 |
| 30.92-- | 36.19 | 27 | 9.8 |
| 36.19-- | 42.35 | 19 | 6.9 |
| 42.35-- | 49.57 | 9 | 3.3 |
| 49.57-- | 58.01 | 18 | 6.5 |
| 58.01-- | 67.90 | 2 | 0.7 |
| 67.90-- | 79.46 | 1 | 0.4 |
| 79.46-- | 93.00 | 1 | 0.4 |

50
75

35

KAYLOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL
330 - 355 BARRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1980
ANALYST GB
FILE NO. G415

CUMULATIVE FREQUENCY PLOT FOR PB USING A LOGARITHMIC CONVERSION

| CLASS | FREQUENCY | % FREQUENCY | CUMULATIVE FREQUENCY % |
|----------|-----------|-------------|------------------------|
| 6.00-- | 7.09 1 | 0.4 | 100.0 |
| 7.09-- | 8.38 0 | 0.0 | 99.6 |
| 8.38-- | 9.91 3 | 1.1 | 99.6 |
| 9.91-- | 11.71 4 | 1.5 | 98.5 |
| 11.71-- | 13.84 8 | 2.9 | 97.1 |
| 13.84-- | 16.36 39 | 14.2 | 94.2 |
| 16.36-- | 19.34 52 | 18.9 | 80.0 > |
| 19.34-- | 22.86 54 | 19.6 | 61.1 |
| 22.86-- | 27.02 54 | 19.6 | 41.5 |
| 27.02-- | 31.94 26 | 9.5 | 21.8 |
| 31.94-- | 37.75 21 | 7.6 | 12.4 |
| 37.75-- | 44.62 4 | 1.5 | 4.7 |
| 44.62-- | 52.74 1 | 0.4 | 3.3 |
| 52.74-- | 62.34 3 | 1.1 | 2.9 |
| 62.34-- | 73.68 1 | 0.4 | 1.8 |
| 73.68-- | 87.09 1 | 0.4 | 1.5 |
| 87.09-- | 102.94 2 | 0.7 | 1.1 |
| 102.94-- | 121.68 0 | 0.0 | 0.4 |
| 121.68-- | 143.82 0 | 0.0 | 0.4 |
| 143.82-- | 170.00 1 | 0.4 | 0.4 |

KAMLOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL
330 - 355 BARRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1960
ANALYST GB
FILE NO. G415

CUMULATIVE FREQUENCY PLOT FOR ZN USING A LOGARITHMIC CONVERSION

| CLASS. | FREQUENCY | % FREQUENCY | CUMULATIVE FREQUENCY % |
|----------|-----------|-------------|------------------------|
| 52.00-- | 59.38 3 | 1.1 | 100.0 |
| 59.38-- | 67.80 0 | 0.0 | 98.9 |
| 67.80-- | 77.41 6 | 2.2 | 98.9 |
| 77.41-- | 88.39 6 | 2.2 | 96.7 |
| 88.39-- | 100.93 20 | 7.3 | 94.5 |
| 100.93-- | 115.24 24 | 8.7 | 87.3 |
| 115.24-- | 131.59 39 | 14.2 | 78.5 |
| 131.59-- | 150.25 42 | 15.3 | 64.4 |
| 150.25-- | 171.56 38 | 13.8 | 49.1 |
| 171.56-- | 195.90 33 | 12.0 | 35.3 |
| 195.90-- | 223.68 24 | 8.7 | 23.3 |
| 223.68-- | 255.41 14 | 5.1 | 14.5 |
| 255.41-- | 291.63 8 | 2.9 | 9.5 |
| 291.63-- | 333.00 6 | 2.2 | 6.5 |
| 333.00-- | 380.23 4 | 1.5 | 4.4 |
| 380.23-- | 434.16 2 | 0.7 | 2.9 |
| 434.16-- | 495.73 2 | 0.7 | 2.2 |
| 495.73-- | 566.05 2 | 0.7 | 1.5 |
| 566.05-- | 646.33 1 | 0.4 | 0.7 |
| 646.33-- | 730.00 1 | 0.4 | 0.4 |

250

45

450

650

KAMLOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL
330 - 355 BURRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1980
ANALYST GB
FILE NO. G415

CUMULATIVE FREQUENCY PLOT FOR MO USING A LOGARITHMIC CONVERSION

| CLASS | FREQUENCY | % FREQUENCY | CUMULATIVE FREQUENCY % |
|---------|-----------|-------------|------------------------|
| 1.00-- | 1.19 13 | 4.7 | 100.0 |
| 1.19-- | 1.42 0 | 0.0 | 95.3 |
| 1.42-- | 1.69 0 | 0.0 | 95.3 |
| 1.69-- | 2.01 48 | 17.5 | 95.3 |
| 2.01-- | 2.40 0 | 0.0 | 77.8 |
| 2.40-- | 2.85 0 | 0.0 | 77.8 |
| 2.85-- | 3.40 92 | 33.5 | 77.8 |
| 3.40-- | 4.05 51 | 18.5 | 44.4 |
| 4.05-- | 4.82 0 | 0.0 | 25.8 |
| 4.82-- | 5.74 28 | 10.2 | 25.8 |
| 5.74-- | 6.84 14 | 5.1 | 15.6 |
| 6.84-- | 8.15 18 | 6.5 | 10.5 |
| 8.15-- | 9.71 0 | 0.0 | 4.0 |
| 9.71-- | 11.56 3 | 1.1 | 4.0 |
| 11.56-- | 13.77 3 | 1.1 | 2.9 |
| 13.77-- | 16.40 1 | 0.4 | 1.8 |
| 16.40-- | 19.53 3 | 1.1 | 1.5 |
| 19.53-- | 23.26 0 | 0.0 | 0.4 |
| 23.26-- | 27.71 0 | 0.0 | 0.4 |
| 27.71-- | 33.00 1 | 0.4 | 0.4 |

KAMLOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL
330 - 355 BARRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1980
ANALYST GB
FILE NO. G415

CUMULATIVE FREQUENCY PLOT FOR AG USING A LOGARITHMIC CONVERSION

| CLASS | FREQUENCY | % FREQUENCY | CUMULATIVE FREQUENCY % |
|---------|-----------|-------------|------------------------|
| 1. 00-- | 1. 10 115 | 41. 8 | 100. 0 |
| 1. 10-- | 1. 22 26 | 9. 5 | 58. 2 |
| 1. 22-- | 1. 35 22 | 8. 0 | 48. 7 |
| 1. 35-- | 1. 49 17 | 6. 2 | 40. 7 |
| 1. 49-- | 1. 64 29 | 10. 5 | 34. 5 |
| 1. 64-- | 1. 82 23 | 8. 4 | 24. 0 |
| 1. 82-- | 2. 01 13 | 4. 7 | 15. 6 |
| 2. 01-- | 2. 21 7 | 2. 5 | 10. 9 |
| 2. 21-- | 2. 45 4 | 1. 5 | 8. 4 |
| 2. 45-- | 2. 70 8 | 2. 9 | 6. 9 |
| 2. 70-- | 2. 98 3 | 1. 1 | 4. 0 |
| 2. 98-- | 3. 30 5 | 1. 8 | 2. 9 |
| 3. 30-- | 3. 64 1 | 0. 4 | 1. 1 |
| 3. 64-- | 4. 02 0 | 0. 0 | 0. 7 |
| 4. 02-- | 4. 44 0 | 0. 0 | 0. 7 |
| 4. 44-- | 4. 91 0 | 0. 0 | 0. 7 |
| 4. 91-- | 5. 42 1 | 0. 4 | 0. 7 |
| 5. 42-- | 5. 98 0 | 0. 0 | 0. 4 |
| 5. 98-- | 6. 61 0 | 0. 0 | 0. 4 |
| 6. 61-- | 7. 30 1 | 0. 4 | 0. 4 |

KAMLOOPS RESEARCH
&
ASSAY LABORATORY
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY
PHONE 372-2784 - TELEX 048-8320

GEOCHEMICAL LAB REPORT

CYPRUS ANVIL
330 - 355 BARRARD ST.
VANCOUVER, B. C.
V6C 2G8

DATE JULY 23, 1980
ANALYST GB
FILE NO. G415

PAGE 1 / 7
AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|---------------------|--------|--------|---------|------|-----|
| 1 | SOIL PROFILE #1 | 19.0 | 42.0 | 130.0 | 3.0 | 1.1 |
| 2 | SOIL PROFILE #2 | 34.0 | 33.0 | 141.0 | 4.0 | 1.3 |
| 3 | SOIL PROFILE #3 | 36.0 | 30.0 | 136.0 | 3.0 | 1.4 |
| 4 | SOIL PROFILE #4 | 39.0 | 30.0 | 131.0 | 4.0 | 1.2 |
| 5 | SOIL PROFILE #5 | 39.0 | 32.0 | 125.0 | 3.0 | 1.2 |
| 6 | SOIL PROFILE #6 | 38.0 | 30.0 | 117.0 | 4.0 | 1.3 |
| 7 | SOIL PROFILE #7 | 36.0 | 34.0 | 136.0 | 4.0 | 1.4 |
| 8 | 00+00N | 32.0 ✓ | 24.0 ✓ | 75.0 ✓ | 3.0 | 2.8 |
| 9 | 00+50N | 43.0 ✓ | 24.0 ✓ | 130.0 ✓ | 3.0 | 1.3 |
| 10 | 00+100N | 42.0 ✓ | 25.0 ✓ | 116.0 ✓ | 4.0 | 1.4 |
| 11 | 00+150N | 44.0 ✓ | 19.0 ✓ | 112.0 ✓ | 3.0 | 1.7 |
| 12 | 00+200N | 48.0 ✓ | 20.0 ✓ | 115.0 ✓ | 3.0 | 1.6 |
| 13 | 00+250N | 51.0 ✓ | 14.0 ✓ | 124.0 ✓ | 3.0 | 1.4 |
| 14 | 00+300N | 43.0 ✓ | 17.0 ✓ | 174.0 ✓ | 2.0 | 1.7 |
| 15 | 00+350N | 54.0 ✓ | 16.0 ✓ | 128.0 ✓ | 3.0 | 1.3 |
| 16 | 00+400N | 45.0 ✓ | 24.0 ✓ | 182.0 ✓ | 3.0 | 1.8 |
| 17 | 00+450N | 44.0 ✓ | 20.0 ✓ | 216.0 ✓ | 4.0 | 1.8 |
| 18 | 00+500N | 56.0 ✓ | 20.0 ✓ | 252.0 ✓ | 4.0 | 1.9 |
| 19 | 00+550N | 53.0 ✓ | 29.0 ✓ | 738.0 ✓ | 15.0 | 2.4 |
| 20 | 00+600N | 55.0 ✓ | 23.0 ✓ | 413.0 ✓ | 3.0 | 2.2 |
| 21 | 00+650N | 27.0 ✓ | 22.0 ✓ | 175.0 ✓ | 2.0 | 3.1 |
| 22 | 00+700N | 17.0 ✓ | 18.0 ✓ | 151.0 ✓ | 3.0 | 1.6 |
| 23 | 200+00N | 22.0 ✓ | 30.0 ✓ | 162.0 ✓ | 3.0 | 1.3 |
| 24 | 200+100N | 21.0 ✓ | 32.0 ✓ | 182.0 ✓ | 3.0 | 1.1 |
| 25 | 200+150N | 42.0 ✓ | 25.0 ✓ | 114.0 ✓ | 3.0 | 1.6 |
| 26 | 200+200N | 22.0 ✓ | 27.0 ✓ | 96.0 ✓ | 3.0 | 1.2 |
| 27 | 200+250N | 40.0 ✓ | 26.0 ✓ | 118.0 ✓ | 3.0 | 1.5 |
| 28 | 200+300N | 54.0 ✓ | 21.0 ✓ | 161.0 ✓ | 2.0 | 1.4 |
| 29 | 200+350N | 51.0 ✓ | 22.0 ✓ | 198.0 ✓ | 3.0 | 2.0 |
| 30 | 200+400N | 77.0 ✓ | 28.0 ✓ | 174.0 ✓ | 3.0 | 1.8 |

Handwritten mark

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.
GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 2 / 7
AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|----------------|--------|--------|---------|------|-----|
| 31 | 200+450N | 37.0 ✓ | 18.0 ✓ | 185.0 ✓ | 4.0 | 2.6 |
| 32 | 200+500N | 34.0 ✓ | 14.0 ✓ | 143.0 ✓ | 2.0 | 2.3 |
| 33 | 200+550N | 24.0 ✓ | 19.0 ✓ | 211.0 ✓ | 3.0 | 2.0 |
| 34 | 200+600N | 28.0 ✓ | 22.0 ✓ | 145.0 ✓ | 3.0 | 1.7 |
| 35 | 200+650N | 27.0 ✓ | 26.0 ✓ | 149.0 ✓ | 10.0 | 1.6 |
| 36 | 200+700N | 25.0 ✓ | 18.0 ✓ | 169.0 ✓ | 3.0 | 3.2 |
| 37 | 400+250N | 38.0 ✓ | 32.0 ✓ | 143.0 ✓ | 7.0 | 1.5 |
| 38 | 400+300N | 31.0 ✓ | 21.0 ✓ | 244.0 ✓ | 5.0 | 1.5 |
| 39 | 400+350N | 29.0 ✓ | 24.0 ✓ | 175.0 ✓ | 6.0 | 0.9 |
| 40 | 400+400N | 16.0 ✓ | 18.0 ✓ | 300.0 ✓ | 4.0 | 1.8 |
| 41 | 400+450N | 18.0 ✓ | 19.0 ✓ | 244.0 ✓ | 5.0 | 2.0 |
| 42 | 400+500N | 34.0 ✓ | 18.0 ✓ | 190.0 ✓ | 7.0 | 1.5 |
| 43 | 400+550N | 16.0 ✓ | 31.0 ✓ | 126.0 ✓ | 7.0 | 1.7 |
| 44 | 400+600N | 24.0 ✓ | 14.0 ✓ | 241.0 ✓ | 3.0 | 3.6 |
| 45 | 600+00N | 17.0 ✓ | 20.0 ✓ | 214.0 ✓ | 6.0 | 0.8 |
| 46 | 600+50N | 14.0 ✓ | 25.0 ✓ | 272.0 ✓ | 6.0 | 1.0 |
| 47 | 600+100N | 28.0 ✓ | 22.0 ✓ | 142.0 ✓ | 4.0 | 1.1 |
| 48 | 600+150N | 14.0 ✓ | 22.0 ✓ | 151.0 ✓ | 4.0 | 0.8 |
| 49 | 600+200N | 14.0 ✓ | 26.0 ✓ | 128.0 ✓ | 4.0 | 1.0 |
| 50 | 600+250N | 20.0 ✓ | 31.0 ✓ | 117.0 ✓ | 5.0 | 1.0 |
| 51 | 600+300N | 19.0 ✓ | 26.0 ✓ | 188.0 ✓ | 7.0 | 1.1 |
| 52 | 600+350N | 19.0 ✓ | 44.0 ✓ | 115.0 ✓ | 17.0 | 0.9 |
| 53 | 600+500N | 26.0 ✓ | 14.0 ✓ | 197.0 ✓ | 8.0 | 1.5 |
| 54 | 600+550N | 21.0 ✓ | 12.0 ✓ | 192.0 ✓ | 7.0 | 1.5 |
| 55 | 800+00N | 17.0 ✓ | 20.0 ✓ | 221.0 ✓ | 7.0 | 0.9 |
| 56 | 800+50N | 14.0 ✓ | 16.0 ✓ | 151.0 ✓ | 8.0 | 0.9 |
| 57 | 800+100N | 14.0 ✓ | 41.0 ✓ | 145.0 ✓ | 4.0 | 1.0 |
| 58 | 800+150N | 10.0 ✓ | 25.0 ✓ | 109.0 ✓ | 4.0 | 0.8 |
| 59 | 800+200N | 4.0 ✓ | 25.0 ✓ | 124.0 ✓ | 5.0 | 0.9 |
| 60 | 800+250N | 22.0 ✓ | 17.0 ✓ | 147.0 ✓ | 5.0 | 1.2 |
| 61 | 800+300N | 18.0 ✓ | 26.0 ✓ | 126.0 ✓ | 5.0 | 1.0 |
| 62 | 800+350N | 7.0 ✓ | 17.0 ✓ | 139.0 ✓ | 6.0 | 1.0 |
| 63 | 800+400N | 22.0 ✓ | 20.0 ✓ | 182.0 ✓ | 6.0 | 2.0 |
| 64 | 800+450N | 16.0 ✓ | 21.0 ✓ | 129.0 ✓ | 6.0 | 1.5 |
| 65 | 800+500N | 7.0 ✓ | 17.0 ✓ | 166.0 ✓ | 5.0 | 2.0 |
| 66 | 800+550N | 26.0 ✓ | 18.0 ✓ | 165.0 ✓ | 6.0 | 2.5 |
| 67 | 800+600N | 21.0 ✓ | 21.0 ✓ | 151.0 ✓ | 6.0 | 2.1 |
| 68 | 800+650N | 17.0 ✓ | 9.0 ✓ | 78.0 ✓ | 6.0 | 1.3 |
| 69 | 800+700N | 33.0 ✓ | 15.0 ✓ | 183.0 ✓ | 5.0 | 2.4 |
| 70 | 1000+00N | 20.0 ✓ | 20.0 ✓ | 163.0 ✓ | 4.0 | 0.8 |
| 71 | 1000+50N | 17.0 ✓ | 13.0 ✓ | 136.0 ✓ | 4.0 | 0.8 |

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.
GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 3 / 7
AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|----------------|--------|--------|---------|-----|-----|
| 72 | 1000+100N | 16.0 ✓ | 18.0 ✓ | 176.0 ✓ | 4.0 | 0.7 |
| 73 | 1000+150N | 15.0 ✓ | 18.0 ✓ | 171.0 ✓ | 3.0 | 1.2 |
| 74 | 1000+200N | 22.0 ✓ | 10.0 ✓ | 92.0 ✓ | 3.0 | 0.9 |
| 75 | 1000+250N | 11.0 ✓ | 27.0 ✓ | 132.0 ✓ | 4.0 | 1.2 |
| 76 | 1000+300N | 15.0 ✓ | 25.0 ✓ | 142.0 ✓ | 3.0 | 1.4 |
| 77 | 1000+350N | 20.0 ✓ | 20.0 ✓ | 122.0 ✓ | 3.0 | 1.4 |
| 78 | 1000+400N | 12.0 ✓ | 29.0 ✓ | 115.0 ✓ | 3.0 | 1.1 |
| 79 | 1000+450N | 25.0 ✓ | 18.0 ✓ | 113.0 ✓ | 4.0 | 1.2 |
| 80 | 1000+500N | 21.0 ✓ | 21.0 ✓ | 138.0 ✓ | 3.0 | 1.2 |
| 81 | 1000+550N | 13.0 ✓ | 19.0 ✓ | 243.0 ✓ | 4.0 | 1.5 |
| 82 | 1000+600N | 22.0 ✓ | 20.0 ✓ | 163.0 ✓ | 2.0 | 2.2 |
| 83 | 1000+650N | 14.0 ✓ | 17.0 ✓ | 126.0 ✓ | 2.0 | 2.6 |
| 84 | 1000+700N | 12.0 ✓ | 21.0 ✓ | 248.0 ✓ | 3.0 | 3.1 |
| 85 | 1200+00N | 19.0 ✓ | 18.0 ✓ | 163.0 ✓ | 2.0 | 1.0 |
| 86 | 1200+50N | 18.0 ✓ | 18.0 ✓ | 152.0 ✓ | 4.0 | 0.9 |
| 87 | 1200+100N | 14.0 ✓ | 23.0 ✓ | 172.0 ✓ | 4.0 | 0.9 |
| 88 | 1200+150N | 13.0 ✓ | 22.0 ✓ | 178.0 ✓ | 4.0 | 1.0 |
| 89 | 1200+200N | 19.0 ✓ | 18.0 ✓ | 105.0 ✓ | 3.0 | 0.9 |
| 90 | 1200+250N | 19.0 ✓ | 19.0 ✓ | 142.0 ✓ | 4.0 | 1.1 |
| 91 | 1200+300N | 19.0 ✓ | 24.0 ✓ | 131.0 ✓ | 3.0 | 0.9 |
| 92 | 1200+350N | 34.0 ✓ | 20.0 ✓ | 264.0 ✓ | 3.0 | 1.6 |
| 93 | 1200+400N | 38.0 ✓ | 31.0 ✓ | 163.0 ✓ | 3.0 | 2.5 |
| 94 | 1200+450N | 31.0 ✓ | 27.0 ✓ | 201.0 ✓ | 3.0 | 1.2 |
| 95 | 1200+500N | 16.0 ✓ | 18.0 ✓ | 125.0 ✓ | 2.0 | 2.8 |
| 96 | 1200+550N | 16.0 ✓ | 19.0 ✓ | 158.0 ✓ | 2.0 | 3.0 |
| 97 | 1200+600N | 51.0 ✓ | 14.0 ✓ | 270.0 ✓ | 2.0 | 2.3 |
| 98 | 1200+650N | 23.0 ✓ | 21.0 ✓ | 538.0 ✓ | 2.0 | 3.2 |
| 99 | 1200+700N | 19.0 ✓ | 23.0 ✓ | 475.0 ✓ | 4.0 | 2.6 |
| 100 | 1400+00N | 14.0 ✓ | 22.0 ✓ | 229.0 ✓ | 3.0 | 1.1 |
| 101 | 1400+50N | 23.0 ✓ | 16.0 ✓ | 173.0 ✓ | 2.0 | 0.8 |
| 102 | 1400+150N | 18.0 ✓ | 22.0 ✓ | 143.0 ✓ | 3.0 | 1.1 |
| 103 | 1400+200N | 6.0 ✓ | 31.0 ✓ | 125.0 ✓ | 2.0 | 1.0 |
| 104 | 1400+250N | 22.0 ✓ | 22.0 ✓ | 155.0 ✓ | 3.0 | 1.4 |
| 105 | 1400+300N | 6.0 ✓ | 97.0 ✓ | 106.0 ✓ | 7.0 | 1.0 |
| 106 | 1400+350N | 6.0 ✓ | 20.0 ✓ | 76.0 ✓ | 4.0 | 1.0 |
| 107 | 1400+400N | 19.0 ✓ | 35.0 ✓ | 169.0 ✓ | 3.0 | 1.5 |
| 108 | 1400+450N | 22.0 ✓ | 22.0 ✓ | 186.0 ✓ | 3.0 | 1.7 |
| 109 | 1400+500N | 35.0 ✓ | 59.0 ✓ | 200.0 ✓ | 8.0 | 1.6 |
| 110 | 1400+550N | 10.0 ✓ | 33.0 ✓ | 138.0 ✓ | 4.0 | 1.5 |
| 111 | 1400+600N | 31.0 ✓ | 36.0 ✓ | 166.0 ✓ | 3.0 | 1.2 |
| 112 | 1400+650N | 32.0 ✓ | 16.0 ✓ | 143.0 ✓ | 2.0 | 1.7 |

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.
 GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 4 / 7
 AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|----------------|--------|--------|---------|------|-----|
| 113 | 1400+700N | 21.0 ✓ | 20.0 ✓ | 210.0 ✓ | 2.0 | 1.8 |
| 114 | 1400+750N | 17.0 ✓ | 18.0 ✓ | 196.0 ✓ | 1.0 | 1.3 |
| 115 | 1400+800N | 30.0 ✓ | 12.0 ✓ | 146.0 ✓ | 2.0 | 1.1 |
| 116 | 1400+850N | 28.0 ✓ | 22.0 ✓ | 317.0 ✓ | 3.0 | 1.9 |
| 117 | 1400+900N | 27.0 ✓ | 16.0 ✓ | 116.0 ✓ | 2.0 | 1.4 |
| 118 | 1400+950N | 15.0 ✓ | 23.0 ✓ | 167.0 ✓ | 1.0 | 2.0 |
| 119 | 1400+1000N | 40.0 ✓ | 17.0 ✓ | 205.0 ✓ | 2.0 | 1.7 |
| 120 | 1400+1050N | 54.0 ✓ | 19.0 ✓ | 186.0 ✓ | 2.0 | 2.7 |
| 121 | 1400+1100N | 52.0 ✓ | 34.0 ✓ | 178.0 ✓ | 12.0 | 2.8 |
| 122 | 1400+1150N | 23.0 ✓ | 20.0 ✓ | 148.0 ✓ | 4.0 | 1.2 |
| 123 | 1400+1200N | 29.0 ✓ | 24.0 ✓ | 375.0 ✓ | 3.0 | 1.4 |
| 124 | 1400+1250N | 51.0 ✓ | 27.0 ✓ | 94.0 ✓ | 33.0 | 2.0 |
| 125 | 1400+1300N | 38.0 ✓ | 17.0 ✓ | 142.0 ✓ | 3.0 | 1.2 |
| 126 | 1400+1350N | 65.0 ✓ | 22.0 ✓ | 236.0 ✓ | 3.0 | 1.6 |
| 127 | 1400+1400N | 13.0 ✓ | 17.0 ✓ | 147.0 ✓ | 3.0 | 0.7 |
| 128 | 1400+1450N | 35.0 ✓ | 15.0 ✓ | 153.0 ✓ | 4.0 | 0.9 |
| 129 | 1400+1500N | 16.0 ✓ | 18.0 ✓ | 147.0 ✓ | 5.0 | 2.7 |
| 130 | 1400+1550N | 26.0 ✓ | 14.0 ✓ | 153.0 ✓ | 3.0 | 0.8 |
| 131 | 1400+1600N | 28.0 ✓ | 18.0 ✓ | 157.0 ✓ | 3.0 | 1.1 |
| 132 | 1400+1650N | 55.0 ✓ | 19.0 ✓ | 216.0 ✓ | 5.0 | 1.0 |
| 133 | 1400+1700N | 30.0 ✓ | 18.0 ✓ | 249.0 ✓ | 4.0 | 1.3 |
| 134 | 1400+1750N | 24.0 ✓ | 17.0 ✓ | 186.0 ✓ | 4.0 | 1.1 |
| 135 | 1400+1850N | 20.0 ✓ | 25.0 ✓ | 110.0 ✓ | 4.0 | 1.2 |
| 136 | 1400+1900N | 16.0 ✓ | 27.0 ✓ | 156.0 ✓ | 4.0 | 0.7 |
| 137 | 1400+1950N | 26.0 ✓ | 12.0 ✓ | 88.0 ✓ | 4.0 | 1.2 |
| 138 | 1400+2000N | 27.0 ✓ | 15.0 ✓ | 96.0 ✓ | 3.0 | 0.9 |
| 139 | 1400+2050N | 25.0 ✓ | 12.0 ✓ | 82.0 ✓ | 3.0 | 0.7 |
| 140 | 1400+2100N | 20.0 ✓ | 10.0 ✓ | 138.0 ✓ | 3.0 | 0.7 |
| 141 | 1600+100N | 7.0 ✓ | 77.0 ✓ | 98.0 ✓ | 3.0 | 0.8 |
| 142 | 1600+150N | 8.0 ✓ | 30.0 ✓ | 144.0 ✓ | 4.0 | 1.1 |
| 143 | 1600+200N | 8.0 ✓ | 21.0 ✓ | 132.0 ✓ | 4.0 | 1.2 |
| 144 | 1600+250N | 11.0 ✓ | 13.0 ✓ | 129.0 ✓ | 3.0 | 1.3 |
| 145 | 1600+300N | 8.0 ✓ | 26.0 ✓ | 153.0 ✓ | 5.0 | 1.1 |
| 146 | 1600+350N | 20.0 ✓ | 20.0 ✓ | 177.0 ✓ | 5.0 | 1.1 |
| 147 | 1600+400N | 13.0 ✓ | 22.0 ✓ | 155.0 ✓ | 5.0 | 1.1 |
| 148 | 1600+450N | 11.0 ✓ | 28.0 ✓ | 160.0 ✓ | 5.0 | 0.9 |
| 149 | 1600+500N | 14.0 ✓ | 34.0 ✓ | 143.0 ✓ | 5.0 | 1.1 |
| 150 | 1600+550N | 16.0 ✓ | 19.0 ✓ | 158.0 ✓ | 5.0 | 1.8 |
| 151 | 1600+600N | 38.0 ✓ | 15.0 ✓ | 136.0 ✓ | 3.0 | 1.3 |
| 152 | 1600+650N | 20.0 ✓ | 20.0 ✓ | 201.0 ✓ | 3.0 | 1.5 |
| 153 | 1600+700N | 47.0 ✓ | 16.0 ✓ | 178.0 ✓ | 4.0 | 1.7 |

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.
GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 5 / 7
AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|----------------|--------|--------|---------|------|-----|
| 154 | 1600+750N | 22.0 ✓ | 17.0 ✓ | 141.0 ✓ | 3.0 | 1.2 |
| 155 | 1600+800N | 25.0 ✓ | 14.0 ✓ | 117.0 ✓ | 5.0 | 1.1 |
| 156 | 1600+850N | 32.0 ✓ | 9.0 ✓ | 72.0 ✓ | 4.0 | 0.9 |
| 157 | 1600+900N | 31.0 ✓ | 14.0 ✓ | 162.0 ✓ | 3.0 | 2.2 |
| 158 | 1600+950N | 37.0 ✓ | 31.0 ✓ | 151.0 ✓ | 5.0 | 1.7 |
| 159 | 1600+1050N | 32.0 ✓ | 19.0 ✓ | 188.0 ✓ | 5.0 | 1.2 |
| 160 | 1000+1100N | 38.0 ✓ | 18.0 ✓ | 206.0 ✓ | 4.0 | 1.3 |
| 161 | 1600+1150N | 22.0 ✓ | 14.0 ✓ | 166.0 ✓ | 3.0 | 1.4 |
| 162 | 1600+1200N | 30.0 ✓ | 21.0 ✓ | 220.0 ✓ | 2.0 | 1.3 |
| 163 | 1600+1250N | 15.0 ✓ | 15.0 ✓ | 116.0 ✓ | 2.0 | 1.2 |
| 164 | 1600+1300N | 15.0 ✓ | 17.0 ✓ | 168.0 ✓ | 2.0 | 1.3 |
| 165 | 1600+1350N | 27.0 ✓ | 25.0 ✓ | 102.0 ✓ | 17.0 | 1.0 |
| 166 | 1600+1400N | 18.0 ✓ | 24.0 ✓ | 135.0 ✓ | 4.0 | 1.7 |
| 167 | 1600+1450N | 21.0 ✓ | 16.0 ✓ | 147.0 ✓ | 3.0 | 1.2 |
| 168 | 1600+1500N | 35.0 ✓ | 14.0 ✓ | 98.0 ✓ | 3.0 | 0.9 |
| 169 | 1600+1550N | 27.0 ✓ | 22.0 ✓ | 113.0 ✓ | 4.0 | 1.8 |
| 170 | 1600+1600N | 24.0 ✓ | 16.0 ✓ | 82.0 ✓ | 4.0 | 1.2 |
| 171 | 1600+1650N | 26.0 ✓ | 25.0 ✓ | 142.0 ✓ | 4.0 | 1.1 |
| 172 | 1600+1700N | 18.0 ✓ | 18.0 ✓ | 174.0 ✓ | 3.0 | 1.6 |
| 173 | 1600+1750N | 41.0 ✓ | 21.0 ✓ | 85.0 ✓ | 3.0 | 1.6 |
| 174 | 1600+1800N | 37.0 ✓ | 14.0 ✓ | 131.0 ✓ | 3.0 | 0.9 |
| 175 | 1600+1850N | 11.0 ✓ | 20.0 ✓ | 146.0 ✓ | 3.0 | 1.1 |
| 176 | 1600+1900N | 19.0 ✓ | 11.0 ✓ | 125.0 ✓ | 3.0 | 1.1 |
| 177 | 1600+1950N | 13.0 ✓ | 9.0 ✓ | 95.0 ✓ | 3.0 | 0.9 |
| 178 | 1600+2000N | 19.0 ✓ | 6.0 ✓ | 85.0 ✓ | 3.0 | 0.8 |
| 179 | L18E 0+03N | 9.0 ✓ | 28.0 ✓ | 92.0 ✓ | 2.0 | 0.9 |
| 180 | L18E 0+50N | 6.0 ✓ | 23.0 ✓ | 97.0 ✓ | 3.0 | 0.9 |
| 181 | L18E 0+100N | 5.0 ✓ | 31.0 ✓ | 104.0 ✓ | 3.0 | 1.1 |
| 182 | L18E 0+150N | 5.0 ✓ | 25.0 ✓ | 71.0 ✓ | 2.0 | 0.8 |
| 183 | L18E 0+200N | 7.0 ✓ | 31.0 ✓ | 92.0 ✓ | 3.0 | 0.8 |
| 184 | L18E 0+250N | 9.0 ✓ | 55.0 ✓ | 108.0 ✓ | 3.0 | 0.9 |
| 185 | L18E 0+300N | 24.0 ✓ | 22.0 ✓ | 173.0 ✓ | 4.0 | 0.8 |
| 186 | L18E 0+350N | 17.0 ✓ | 18.0 ✓ | 180.0 ✓ | 3.0 | 1.0 |
| 187 | L18E 0+400N | 17.0 ✓ | 26.0 ✓ | 189.0 ✓ | 3.0 | 1.1 |
| 188 | L18E 0+450N | 28.0 ✓ | 22.0 ✓ | 103.0 ✓ | 3.0 | 1.1 |
| 189 | L18E 0+500N | 17.0 ✓ | 34.0 ✓ | 104.0 ✓ | 4.0 | 1.0 |
| 190 | L18E 0+550N | 19.0 ✓ | 35.0 ✓ | 220.0 ✓ | 3.0 | 1.3 |
| 191 | L18E 0+600N | 43.0 ✓ | 26.0 ✓ | 148.0 ✓ | 3.0 | 1.8 |
| 192 | L18E 0+650N | 24.0 ✓ | 15.0 ✓ | 186.0 ✓ | 1.0 | 1.4 |
| 193 | L18E 0+700N | 38.0 ✓ | 33.0 ✓ | 293.0 ✓ | 3.0 | 1.8 |
| 194 | L18E 0+750N | 21.0 ✓ | 27.0 ✓ | 229.0 ✓ | 2.0 | 1.1 |

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.
 GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 6 / 7
 AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | AG |
|----------|----------------|--------|---------|---------|------|-----|
| 195 | L18E 0+800N | 23.0 ✓ | 16.0 ✓ | 450.0 ✓ | 3.0 | 1.6 |
| 196 | L18E 0+850N | 11.0 ✓ | 16.0 ✓ | 166.0 ✓ | 3.0 | 1.3 |
| 197 | L18E 0+900N | 27.0 ✓ | 14.0 ✓ | 114.0 ✓ | 5.0 | 1.4 |
| 198 | L18E 0+950N | 33.0 ✓ | 14.0 ✓ | 113.0 ✓ | 6.0 | 1.7 |
| 199 | L18E 0+1000N | 59.0 ✓ | 17.0 ✓ | 52.0 ✓ | 7.0 | 2.2 |
| 200 | L18E 0+1050N | 18.0 ✓ | 34.0 ✓ | 160.0 ✓ | 5.0 | 0.8 |
| 201 | L18E 0+1100N | 26.0 ✓ | 20.0 ✓ | 100.0 ✓ | 7.0 | 0.7 |
| 202 | L18E 0+1150N | 27.0 ✓ | 24.0 ✓ | 116.0 ✓ | 7.0 | 0.6 |
| 203 | L18E 0+1200N | 35.0 ✓ | 64.0 ✓ | 184.0 ✓ | 11.0 | 1.3 |
| 204 | L18E 0+1250N | 12.0 ✓ | 170.0 ✓ | 90.0 ✓ | 12.0 | 0.5 |
| 205 | L18E 0+1300N | 28.0 ✓ | 95.0 ✓ | 146.0 ✓ | 17.0 | 1.1 |
| 206 | L18E 0+1350N | 18.0 ✓ | 23.0 ✓ | 237.0 ✓ | 6.0 | 1.2 |
| 207 | L18E 0+1400N | 14.0 ✓ | 28.0 ✓ | 137.0 ✓ | 4.0 | 0.8 |
| 208 | L18E 0+1450N | 11.0 ✓ | 16.0 ✓ | 59.0 ✓ | 3.0 | 0.9 |
| 209 | L18E 0+1500N | 11.0 ✓ | 22.0 ✓ | 122.0 ✓ | 2.0 | 0.7 |
| 210 | L18E 0+1550N | 17.0 ✓ | 15.0 ✓ | 124.0 ✓ | 3.0 | 0.7 |
| 211 | L18E 0+1600N | 16.0 ✓ | 12.0 ✓ | 143.0 ✓ | 4.0 | 0.7 |
| 212 | L18E 0+1650N | 14.0 ✓ | 62.0 ✓ | 178.0 ✓ | 2.0 | 1.0 |
| 213 | L18E 0+1700N | 9.0 ✓ | 22.0 ✓ | 101.0 ✓ | 2.0 | 1.3 |
| 214 | L18E 0+1750N | 21.0 ✓ | 19.0 ✓ | 97.0 ✓ | 2.0 | 1.0 |
| 215 | L18E 0+1800N | 10.0 ✓ | 15.0 ✓ | 129.0 ✓ | 2.0 | 1.1 |
| 216 | L18E 0+1850N | 18.0 ✓ | 14.0 ✓ | 125.0 ✓ | 2.0 | 1.4 |
| 217 | L18E 0+1900N | 7.0 ✓ | 18.0 ✓ | 94.0 ✓ | 2.0 | 1.1 |
| 218 | L18E 0+1950N | 15.0 ✓ | 17.0 ✓ | 224.0 ✓ | 1.0 | 1.1 |
| 219 | L18E 0+2000N | 16.0 ✓ | 18.0 ✓ | 89.0 ✓ | 1.0 | 1.0 |
| 220 | L20E 00N | 14.0 ✓ | 23.0 ✓ | 162.0 ✓ | 1.0 | 1.2 |
| 221 | L20E 50N | 9.0 ✓ | 22.0 ✓ | 98.0 ✓ | 2.0 | 1.0 |
| 222 | L20E 100N | 8.0 ✓ | 28.0 ✓ | 119.0 ✓ | 1.0 | 1.1 |
| 223 | L20E 150N | 8.0 ✓ | 28.0 ✓ | 128.0 ✓ | 2.0 | 0.9 |
| 224 | L20E 200N | 9.0 ✓ | 23.0 ✓ | 110.0 ✓ | 1.0 | 1.0 |
| 225 | L20E 250N | 6.0 ✓ | 32.0 ✓ | 105.0 ✓ | 2.0 | 0.9 |
| 226 | L20E 300N | 7.0 ✓ | 26.0 ✓ | 262.0 ✓ | 1.0 | 0.9 |
| 227 | L20E 350N | 11.0 ✓ | 24.0 ✓ | 209.0 ✓ | 3.0 | 1.0 |
| 228 | L20E 400N | 14.0 ✓ | 35.0 ✓ | 143.0 ✓ | 3.0 | 1.0 |
| 229 | L20E 450N | 30.0 ✓ | 19.0 ✓ | 203.0 ✓ | 2.0 | 1.2 |
| 230 | 2000+500N | 40.0 ✓ | 31.0 ✓ | 76.0 ✓ | 5.0 | 1.1 |
| 231 | 2000+550N | 33.0 ✓ | 23.0 ✓ | 123.0 ✓ | 3.0 | 1.5 |
| 232 | 2000+600N | 20.0 ✓ | 36.0 ✓ | 316.0 ✓ | 3.0 | 1.5 |
| 233 | 2000+650N | 23.0 ✓ | 18.0 ✓ | 206.0 ✓ | 2.0 | 1.6 |
| 234 | 2000+750N | 29.0 ✓ | 28.0 ✓ | 185.0 ✓ | 4.0 | 1.1 |
| 235 | 2000+800N | 41.0 ✓ | 21.0 ✓ | 600.0 ✓ | 2.0 | 1.9 |

KRMLOOPS RESEARCH & ASSAY LABORATORY LTD.
GEOCHEMICAL LAB REPORT

FILE NO G415

PAGE 7 / 7
AG

| KRAL NO. | IDENTIFICATION | CU | PB | ZN | MO | |
|----------|----------------|--------|--------|---------|------|-----|
| 236 | 2000+850N | 24.0 ✓ | 28.0 ✓ | 310.0 ✓ | 2.0 | 1.3 |
| 237 | 2000+900N | 18.0 ✓ | 15.0 ✓ | 115.0 ✓ | 2.0 | 0.9 |
| 238 | 2000+950N | 93.0 ✓ | 27.0 ✓ | 217.0 ✓ | 7.0 | 7.3 |
| 239 | 2000+1000N | 26.0 ✓ | 14.0 ✓ | 275.0 ✓ | 2.0 | 1.6 |
| 240 | 2000+1050N | 20.0 ✓ | 37.0 ✓ | 190.0 ✓ | 3.0 | 1.3 |
| 241 | 2000+1100N | 14.0 ✓ | 18.0 ✓ | 137.0 ✓ | 2.0 | 1.5 |
| 242 | 2000+1150N | 5.0 ✓ | 28.0 ✓ | 58.0 ✓ | 2.0 | 0.7 |
| 243 | 2000+1250N | 19.0 ✓ | 14.0 ✓ | 73.0 ✓ | 2.0 | 1.3 |
| 244 | 2000+1300N | 7.0 ✓ | 20.0 ✓ | 101.0 ✓ | 1.0 | 1.2 |
| 245 | 2000+1350N | 26.0 ✓ | 21.0 ✓ | 153.0 ✓ | 3.0 | 1.1 |
| 246 | 2000+1400N | 8.0 ✓ | 10.0 ✓ | 183.0 ✓ | 1.0 | 1.2 |
| 247 | 2000+1450N | 14.0 ✓ | 21.0 ✓ | 100.0 ✓ | 3.0 | 1.3 |
| 248 | 2000+1500N | 16.0 ✓ | 19.0 ✓ | 124.0 ✓ | 3.0 | 1.1 |
| 249 | 2000+1550N | 35.0 ✓ | 26.0 ✓ | 130.0 ✓ | 3.0 | 1.2 |
| 250 | 2000+1600N | 23.0 ✓ | 26.0 ✓ | 201.0 ✓ | 3.0 | 1.5 |
| 251 | 2000+1650N | 17.0 ✓ | 32.0 ✓ | 138.0 ✓ | 1.0 | 1.4 |
| 252 | 2000+1700N | 14.0 ✓ | 15.0 ✓ | 128.0 ✓ | 2.0 | 1.9 |
| 253 | 2000+1750N | 15.0 ✓ | 12.0 ✓ | 125.0 ✓ | 2.0 | 1.0 |
| 254 | 2000+1800N | 12.0 ✓ | 18.0 ✓ | 93.0 ✓ | 2.0 | 0.6 |
| 255 | 2000+1850N | 10.0 ✓ | 25.0 ✓ | 110.0 ✓ | 1.0 | 0.8 |
| 256 | 2000+1900N | 15.0 ✓ | 15.0 ✓ | 96.0 ✓ | 2.0 | 1.0 |
| 257 | 2000+1950N | 23.0 ✓ | 19.0 ✓ | 160.0 ✓ | 5.0 | 1.6 |
| 258 | 2000+2000N | 19.0 ✓ | 26.0 ✓ | 97.0 ✓ | 4.0 | 0.8 |
| 259 | 2000+500N | 22.0 ✓ | 22.0 ✓ | 249.0 ✓ | 6.0 | 5.1 |
| 260 | 200W+100N | 52.0 ✓ | 20.0 ✓ | 202.0 ✓ | 5.0 | 1.4 |
| 261 | 200W+150N | 35.0 ✓ | 24.0 ✓ | 285.0 ✓ | 6.0 | 2.0 |
| 262 | 200W+200N | 17.0 ✓ | 20.0 ✓ | 155.0 ✓ | 3.0 | 2.1 |
| 263 | 200W+250N | 52.0 ✓ | 20.0 ✓ | 298.0 ✓ | 5.0 | 0.9 |
| 264 | 200W+300N | 51.0 ✓ | 25.0 ✓ | 205.0 ✓ | 5.0 | 0.8 |
| 265 | 200W+350N | 33.0 ✓ | 33.0 ✓ | 222.0 ✓ | 5.0 | 2.7 |
| 266 | 200W+400N | 55.0 ✓ | 27.0 ✓ | 263.0 ✓ | 7.0 | 1.7 |
| 267 | 400W+0N | 27.0 ✓ | 23.0 ✓ | 122.0 ✓ | 4.0 | 0.9 |
| 268 | 400W+50N | 23.0 ✓ | 16.0 ✓ | 143.0 ✓ | 4.0 | 1.3 |
| 269 | 400W+100N | 43.0 ✓ | 27.0 ✓ | 375.0 ✓ | 5.0 | 1.4 |
| 270 | 400W+150N | 50.0 ✓ | 38.0 ✓ | 425.0 ✓ | 7.0 | 2.1 |
| 271 | 400W+200N | 36.0 ✓ | 31.0 ✓ | 262.0 ✓ | 6.0 | 1.1 |
| 272 | 400W+250N | 33.0 ✓ | 33.0 ✓ | 375.0 ✓ | 7.0 | 1.7 |
| 273 | 400W+300N | 53.0 ✓ | 30.0 ✓ | 525.0 ✓ | 12.0 | 1.9 |
| 274 | 400W+350N | 36.0 ✓ | 26.0 ✓ | 350.0 ✓ | 8.0 | 1.7 |
| 275 | 400W+400N | 20.0 ✓ | 52.0 ✓ | 238.0 ✓ | 10.0 | 1.6 |

mm

mm

4

3