

G415

1

810301

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
GEOCHEMICAL LAB REPORT  
-----

CYPRUS ANVIL MINING CORPORATION LTD  
330-355 BURRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 1, 1980  
ANALYST SN  
FILE NO. G426

**SHANNON CREEK.  
MOLY PROPERTY.**

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	PAGE 1	
						AG	
1	22E- 00N	5.0	19.0	110.0	2.0	8.5	
2	50N	8.0	24.0	119.0	2.0	0.7	
3	100N	3.0	28.0	60.0	2.0	0.6	
4	150N	6.0	58.0	100.0	2.0	0.8	
5	200N	7.0	22.0	218.0	3.0	1.0	
6	250N	20.0	24.0	127.0	4.0	0.8	
7	300N	12.0	19.0	120.0	3.0	0.7	
8	350N	15.0	72.0	112.0	5.0	0.9	
9	400N	9.0	28.0	98.0	4.0	1.0	
10	450N	68.0	23.0	127.0	5.0	0.9	
11	500N	69.0	17.0	109.0	6.0	1.1	
12	550N	32.0	19.0	171.0	3.0	0.9	
13	600N	47.0	23.0	141.0	5.0	0.9	
14	650N	21.0	23.0	278.0	4.0	1.0	
15	700N	59.0	20.0	245.0	2.0	1.0	
16	750N	34.0	18.0	181.0	3.0	0.9	
17	800N	21.0	19.0	116.0	3.0	1.2	
18	850N	9.0	16.0	78.0	2.0	0.8	
19	900N	25.0	14.0	86.0	3.0	0.6	
20	950N	39.0	31.0	110.0	5.0	1.3	
21	1000N	16.0	19.0	49.0	3.0	1.8	
22	1050N	23.0	40.0	97.0	3.0	0.9	
23	1100N	58.0	22.0	87.0	5.0	0.7	
24	1150N	20.0	18.0	127.0	3.0	1.2	
25	1200N	28.0	15.0	57.0	5.0	0.5	
26	1250N	58.0	15.0	144.0	3.0	1.1	
27	1300N	26.0	23.0	140.0	7.0	0.8	
28	1350N	21.0	20.0	128.0	4.0	1.0	
29	1400N	23.0	23.0	119.0	5.0	1.7	
30	1450N	19.0	30.0	108.0	3.0	1.0	

Curran

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G426

PAGE 2

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
31	1500N	65.0-	17.0-	95.0✓	4.0	1.3
32	1550N	24.0-	24.0-	85.0✓	5.0	1.3
33	1600N	35.0-	16.0-	62.0✓	4.0	0.8
34	1650N	17.0-	15.0-	81.0✓	5.0	1.2
35	1700N	13.0-	28.0-	60.0✓	4.0	1.0
36	1750N	42.0-	23.0-	61.0✓	2.0	1.0
37	1800N	15.0-	25.0-	88.0✓	2.0	0.8
38	1850N	8.0-	16.0-	78.0✓	2.0	0.8
39	1900N	19.0-	16.0-	140.0✓	2.0	1.1
40	1950N	17.0-	18.0-	107.0✓	2.0	0.9
41	2000N	14.0-	18.0-	84.0✓	2.0	0.7
42	24E- 00N	5.0-	14.0-	54.0✓	3.0	0.5
43	50N	13.0-	17.0-	96.0✓	2.0	0.7
44	100N	19.0-	15.0-	82.0✓	3.0	0.6
45	150N	12.0-	13.0-	147.0✓	2.0	1.1
46	200N	16.0-	17.0-	194.0✓	2.0	1.3
47	250N	20.0-	23.0-	81.0✓	4.0	0.8
48	300N	18.0-	29.0-	87.0✓	5.0	0.8
49	350N	30.0-	22.0-	102.0✓	8.0	1.1
50	400N	9.0-	18.0-	24.0✓	3.0	0.6
51	450N	16.0-	13.0-	74.0✓	3.0	0.7
52	500N	22.0-	13.0-	64.0✓	3.0	0.5
53	550N	14.0-	16.0-	122.0✓	2.0	1.4
54	600N	10.0-	18.0-	220.0✓	5.0	1.3
55	650N	21.0-	138.0-	124.0✓	7.0	0.9
56	700N	9.0-	15.0-	117.0✓	3.0	1.0
57	750N	12.0-	14.0-	175.0✓	3.0	1.9
58	800N	46.0-	17.0-	204.0✓	5.0	1.3
59	850N	18.0-	17.0-	101.0✓	4.0	1.7
60	900N	40.0-	17.0-	72.0✓	4.0	1.1
61	950N	34.0-	13.0-	87.0✓	3.0	0.6
62	1000N	30.0-	18.0-	88.0✓	4.0	1.2
63	1050N	73.0-	20.0-	200.0✓	5.0	1.4
64	1100N	63.0-	20.0-	144.0✓	3.0	0.9
65	1150N	48.0-	15.0-	76.0✓	3.0	0.8
66	1200N	24.0-	49.0-	67.0✓	4.0	0.6
67	1250N	21.0-	15.0-	118.0✓	2.0	1.6
68	1300N	24.0-	11.0-	64.0✓	2.0	0.5
69	1350N	15.0-	23.0-	113.0✓	3.0	1.1
70	1400N	37.0-	21.0-	84.0✓	3.0	0.7
71	1450N	14.0-	15.0-	96.0✓	2.0	0.8

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G426

PAGE 3

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
72	1500N	25.0	12.0	83.0	3.0	0.7
73	L24E-1550N	17.0	17.0	119.0	2.0	0.6
74	1600N	16.0	14.0	123.0	2.0	0.5
75	1650N	10.0	24.0	185.0	1.0	0.9
76	1700N	27.0	11.0	74.0	1.0	0.6
77	1750N	18.0	20.0	78.0	1.0	0.6
78	1800N	3.0	13.0	37.0	1.0	0.4
79	1850N	13.0	22.0	134.0	1.0	1.2
80	1900N	27.0	16.0	131.0	2.0	1.7
81	2600E 00N	31.0	16.0	130.0	1.0	0.8
82	50N	9.0	14.0	50.0	2.0	1.9
83	100N	32.0	10.0	64.0	2.0	0.5
84	150N	11.0	16.0	462.0	1.0	1.4
85	200N	28.0	16.0	203.0	2.0	1.0
86	250N	52.0	30.0	225.0	5.0	1.7
87	300N	17.0	26.0	247.0	4.0	0.9
88	350N	15.0	18.0	68.0	2.0	0.5
89	400N	11.0	19.0	86.0	2.0	1.3
90	450N	13.0	13.0	67.0	3.0	0.6
91	500N	27.0	14.0	111.0	3.0	0.9
92	550N	54.0	74.0	40.0	5.0	0.6
93	600N	44.0	34.0	97.0	21.0	1.3
94	650N	13.0	23.0	183.0	3.0	1.4
95	700N	11.0	20.0	193.0	3.0	1.5
96	750N	15.0	19.0	131.0	4.0	1.1
97	800N	35.0	23.0	253.0	4.0	0.9
98	850N	41.0	18.0	135.0	5.0	0.8
99	900N	23.0	34.0	83.0	3.0	0.9
100	950N	45.0	75.0	129.0	4.0	0.7
101	1000N	16.0	20.0	116.0	3.0	1.0
102	1050N	41.0	23.0	150.0	3.0	2.0
103	1100N	21.0	17.0	299.0	4.0	0.8
104	1150N	11.0	16.0	152.0	4.0	0.9
105	1200N	17.0	11.0	98.0	3.0	0.7
106	1250N	12.0	13.0	129.0	4.0	0.5
107	1300N	16.0	14.0	146.0	2.0	0.7
108	1350N	12.0	17.0	117.0	3.0	0.9
109	1400N	22.0	17.0	130.0	3.0	0.8
110	1450N	9.0	19.0	183.0	2.0	1.4
111	1500N	56.0	15.0	160.0	2.0	1.8
112	1550N	11.0	16.0	123.0	2.0	0.9

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G426

PAGE 4

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
113	1600N	28.0 ✓	13.0 ✓	110.0 ✓	2.0	1.0
114	1650N	19.0 ✓	14.0 ✓	150.0 ✓	2.0	0.7
115	1700N	26.0 ✓	12.0 ✓	94.0 ✓	1.0	0.8
116	1750N	33.0 ✓	20.0 ✓	151.0 ✓	1.0	0.6
117	1800N	7.0 ✓	17.0 ✓	91.0 ✓	2.0	0.9
118	1850N	32.0 ✓	23.0 ✓	196.0 ✓	3.0	0.5
119	1900N	22.0 ✓	16.0 ✓	151.0 ✓	2.0	1.0
120	1920N	12.0 ✓	13.0 ✓	93.0 ✓	2.0	0.9
121	L28E 00N	19.0 ✓	23.0 ✓	186.0 ✓	2.0	0.6
122	50N	13.0 ✓	19.0 ✓	146.0 ✓	3.0	0.9
123	100N	13.0 ✓	25.0 ✓	199.0 ✓	3.0	1.4
124	150N	24.0 ✓	18.0 ✓	140.0 ✓	2.0	1.5
125	200N	41.0 ✓	22.0 ✓	199.0 ✓	3.0	0.9
126	250N	41.0 ✓	20.0 ✓	215.0 ✓	3.0	0.9
127	300N	30.0 ✓	25.0 ✓	174.0 ✓	2.0	2.2
128	350N	34.0 ✓	30.0 ✓	763.0 ✓	17.0	1.6
129	400N	21.0 ✓	20.0 ✓	237.0 ✓	2.0	1.3
130	450N	28.0 ✓	17.0 ✓	238.0 ✓	2.0	2.3
131	500N	58.0 ✓	22.0 ✓	278.0 ✓	2.0	1.5
132	550N	27.0 ✓	19.0 ✓	100.0 ✓	1.0	1.2
133	600N	5.0 ✓	18.0 ✓	67.0 ✓	2.0	0.7
134	650N	27.0 ✓	26.0 ✓	105.0 ✓	2.0	0.7
135	700N	9.0 ✓	65.0 ✓	116.0 ✓	3.0	0.8
136	750N	11.0 ✓	27.0 ✓	103.0 ✓	2.0	0.7
137	800N	68.0 ✓	22.0 ✓	110.0 ✓	2.0	0.8
138	850N	8.0 ✓	17.0 ✓	76.0 ✓	2.0	1.0
139	900N	28.0 ✓	28.0 ✓	96.0 ✓	3.0	0.7
140	950N	19.0 ✓	31.0 ✓	96.0 ✓	2.0	0.8
141	1000N	7.0 ✓	32.0 ✓	53.0 ✓	2.0	1.0
142	1050N	11.0 ✓	18.0 ✓	90.0 ✓	2.0	0.8
143	1100	14.0 ✓	17.0 ✓	92.0 ✓	2.0	1.0
144	1150N	18.0 ✓	17.0 ✓	93.0 ✓	2.0	0.9
146	L28E 1200N	44.0 ✓	121.0 ✓	96.0 ✓	3.0	1.6
147	1250N	17.0 ✓	16.0 ✓	109.0 ✓	2.0	0.8
148	1300N	17.0 ✓	19.0 ✓	130.0 ✓	2.0	1.0
149	1350N	32.0 ✓	21.0 ✓	154.0 ✓	2.0	1.0
150	1400N	17.0 ✓	21.0 ✓	180.0 ✓	3.0	1.1
151	1450N	16.0 ✓	25.0 ✓	114.0 ✓	2.0	0.6
152	1500N	9.0 ✓	17.0 ✓	127.0 ✓	2.0	0.8
153	1550N	51.0 ✓	13.0 ✓	78.0 ✓	2.0	0.5

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G-426

PAGE 5

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
154	1600N	52.0 ✓	23.0 -	104.0 ✓	3.0	0.8
155	1650N	11.0 ✓	25.0 -	111.0 ✓	1.0	0.7
156	1700N	10.0 ✓	21.0 -	135.0 ✓	3.0	0.9
157	1750N	34.0 ✓	12.0 -	56.0 ✓	2.0	0.4
158	1800N	36.0 ✓	18.0 -	99.0 ✓	2.0	0.6
159	1850N	52.0 ✓	22.0 -	91.0 ✓	2.0	0.7
160	1900N	40.0 ✓	14.0 -	73.0 ✓	3.0	0.5
161	1950N	11.0 ✓	14.0 -	89.0 ✓	2.0	0.5
162	2000N	16.0 ✓	22.0 -	138.0 ✓	2.0	0.7
163	L30E 00N	47.0 ✓	19.0 -	260.0 ✓	3.0	0.7
164	50N	11.0 ✓	22.0 -	185.0 ✓	3.0	0.8
165	100N	13.0 ✓	22.0 -	155.0 ✓	3.0	0.7
166	150N	14.0 ✓	17.0 -	65.0 ✓	2.0	0.5
167	200N	12.0 ✓	21.0 -	96.0 ✓	2.0	0.8
168	250N	34.0 ✓	21.0 -	204.0 ✓	3.0	1.2
169	300N	16.0 ✓	19.0 -	264.0 ✓	2.0	1.3
170	350N	61.0 ✓	35.0 -	304.0 ✓	8.0	1.6
171	400N	13.0 ✓	23.0 -	178.0 ✓	2.0	1.2
172	450N	13.0 ✓	16.0 -	189.0 ✓	2.0	1.0
173	500N	41.0 ✓	35.0 -	900.0 ✓	12.0	2.1
174	550N	27.0 ✓	32.0 -	763.0 ✓	11.0	1.2
175	600N	38.0 ✓	19.0 -	90.0 ✓	2.0	0.7
176	650N	14.0 ✓	27.0 -	98.0 ✓	2.0	0.6
177	700N	35.0 ✓	15.0 -	89.0 ✓	4.0	0.6
178	750N	11.0 ✓	19.0 -	60.0 ✓	2.0	1.0
179	800N	21.0 ✓	51.0 -	92.0 ✓	3.0	0.6
180	850N	48.0 ✓	21.0 -	109.0 ✓	4.0	0.7
181	900N	78.0 ✓	20.0 -	154.0 ✓	3.0	0.6
182	1000N	10.0 ✓	38.0 -	83.0 ✓	3.0	0.6
183	1050N	5.0 ✓	18.0 -	28.0 ✓	1.0	0.6
184	1100N	9.0 ✓	118.0 -	51.0 ✓	2.0	0.8
185	1150N	4.0 ✓	55.0 -	14.0 ✓	2.0	0.4
186	1200N	61.0 ✓	111.0 -	100.0 ✓	6.0	2.5
187	1250N	6.0 ✓	24.0 -	44.0 ✓	3.0	0.7
188	1300N	8.0 ✓	30.0 -	35.0 ✓	4.0	0.4
189	1350N	4.0 ✓	9.0 -	12.0 ✓	3.0	0.4
190	1400N	10.0 ✓	14.0 -	44.0 ✓	3.0	0.4
191	1450N	15.0 ✓	18.0 -	76.0 ✓	3.0	0.9
192	1500N	32.0 ✓	27.0 -	101.0 ✓	3.0	1.4
193	1550N	13.0 ✓	14.0 -	50.0 ✓	3.0	0.5
194	1500N	6.0 ✓	45.0 -	32.0 ✓	3.0	0.4

160

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G-426

PAGE 6

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
195	1650N	4.0 ✓	22.0 ✓	8.0 ✓	2.0	0.2
196	1700N	14.0 ✓	25.0 ✓	86.0 ✓	2.0	0.7
197	1750N	10.0 ✓	21.0 ✓	127.0 ✓	3.0	1.0
198	1800N	10.0 ✓	18.0 ✓	113.0 ✓	2.0	0.7
199	1850N	9.0 ✓	17.0 ✓	109.0 ✓	2.0	0.8
200	1900N	10.0 ✓	30.0 ✓	89.0 ✓	2.0	0.6
201	L32E 00N	37.0 ✓	22.0 ✓	99.0 ✓	3.0	1.1
202	50N	15.0 ✓	19.0 ✓	202.0 ✓	4.0	1.0
203	100N	18.0 ✓	28.0 ✓	200.0 ✓	3.0	0.9
204	150N	78.0 ✓	24.0 ✓	638.0 ✓	3.0	2.0
205	200N	11.0 ✓	19.0 ✓	138.0 ✓	3.0	1.0
206	250N	50.0 ✓	20.0 ✓	218.0 ✓	4.0	1.0
207	300N	43.0 ✓	31.0 ✓	266.0 ✓	5.0	1.2
208	350N	22.0 ✓	18.0 ✓	203.0 ✓	4.0	0.8
209	400N	32.0 ✓	23.0 ✓	750.0 ✓	23.0	1.6
210	450N	9.0 ✓	44.0 ✓	56.0 ✓	6.0	0.6
211	500N	14.0 ✓	22.0 ✓	525.0 ✓	5.0	1.1
212	550N	20.0 ✓	18.0 ✓	127.0 ✓	4.0	0.9
213	600N	17.0 ✓	19.0 ✓	118.0 ✓	3.0	0.5
214	650N	20.0 ✓	18.0 ✓	126.0 ✓	4.0	0.6
215	700N	11.0 ✓	23.0 ✓	120.0 ✓	3.0	1.1
216	750N	23.0 ✓	20.0 ✓	119.0 ✓	4.0	0.8
217	800N	36.0 ✓	23.0 ✓	74.0 ✓	4.0	0.7
218	850N	27.0 ✓	19.0 ✓	179.0 ✓	3.0	0.9
219	90 950N	39.0 ✓	19.0 ✓	116.0 ✓	2.0	0.7
220	1000N	45.0 ✓	23.0 ✓	106.0 ✓	4.0	1.0
221	1050N	30.0 ✓	12.0 ✓	64.0 ✓	3.0	0.5
222	1100N	32.0 ✓	22.0 ✓	164.0 ✓	4.0	1.2
223	1150N	34.0 ✓	21.0 ✓	89.0 ✓	3.0	0.8
224	1200N	43.0 ✓	22.0 ✓	115.0 ✓	8.0	2.8
225	1250N	23.0 ✓	19.0 ✓	166.0 ✓	2.0	1.1
226	1300N	30.0 ✓	22.0 ✓	91.0 ✓	2.0	1.0
227	1350N	8.0 ✓	19.0 ✓	90.0 ✓	1.0	1.1
228	1400N	38.0 ✓	42.0 ✓	261.0 ✓	2.0	1.4
229	1450N	20.0 ✓	20.0 ✓	172.0 ✓	2.0	0.8
230	1500N	22.0 ✓	19.0 ✓	171.0 ✓	3.0	1.3
231	1550N	22.0 ✓	17.0 ✓	87.0 ✓	2.0	0.9
232	1600N	12.0 ✓	22.0 ✓	128.0 ✓	1.0	1.0
233	1650N	9.0 ✓	18.0 ✓	81.0 ✓	1.0	1.1
234	1700N	20.0 ✓	16.0 ✓	160.0 ✓	2.0	0.9
235	1750N	11.0 ✓	16.0 ✓	96.0 ✓	2.0	0.9

*David L. ...  
Kamloops 376 2784*

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G-426

PAGE 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
236	1800N	9.0 ✓	22.0 ✓	93.0 ✓	3.0	0.9
237	1850N	7.0 ✓	20.0 ✓	110.0 ✓	2.0	1.0
238	L34E 00N	17.0 ✓	26.0 ✓	164.0 ✓	2.0	1.1
239	50N	21.0 ✓	23.0 ✓	229.0 ✓	3.0	1.3
240	100N	13.0 ✓	25.0 ✓	91.0 ✓	3.0	0.8
241	150N	11.0 ✓	42.0 ✓	58.0 ✓	3.0	0.5
242	200N	9.0 ✓	37.0 ✓	133.0 ✓	3.0	1.2
243	250N	54.0 ✓	23.0 ✓	155.0 ✓	4.0	1.1
244	300N	59.0 ✓	33.0 ✓	1313.0 ✓	18.0	1.9
245	350N	25.0 ✓	46.0 ✓	208.0 ✓	11.0	1.1
246	400N	47.0 ✓	17.0 ✓	198.0 ✓	4.0	1.0
247	450N	31.0 ✓	18.0 ✓	105.0 ✓	5.0	0.7
248	500N	29.0 ✓	18.0 ✓	143.0 ✓	3.0	1.3
249	550N	17.0 ✓	17.0 ✓	141.0 ✓	4.0	1.6
250	600N	15.0 ✓	22.0 ✓	216.0 ✓	7.0	1.1
251	650N	28.0 ✓	17.0 ✓	124.0 ✓	4.0	0.7
252	700N	36.0 ✓	17.0 ✓	134.0 ✓	5.0	0.8
253	750N	22.0 ✓	29.0 ✓	136.0 ✓	5.0	0.8
254	800N	19.0 ✓	<del>19.0</del> 84.0 ✓	84.0 ✓	3.0	0.7
255	850N	42.0 ✓	<del>42.0</del> 90.0 ✓	90.0 ✓	3.0	1.0
256	90 * 950N	31.0 ✓	<del>31.0</del> 110.0 ✓	110.0 ✓	7.0	0.9
257	1000N	11.0 ✓	<del>11.0</del> 117.0 ✓	117.0 ✓	3.0	1.3
258	1050N	11.0 ✓	<del>11.0</del> 164.0 ✓	164.0 ✓	4.0	1.6
259	1100N	26.0 ✓	<del>26.0</del> 256.0 ✓	256.0 ✓	8.0	1.1
260	1150N	25.0 ✓	<del>25.0</del> 224.0 ✓	224.0 ✓	5.0	1.0
261	1200N	35.0 ✓	<del>35.0</del> 100.0 ✓	100.0 ✓	5.0	0.8
262	1250N	18.0 ✓	<del>18.0</del> 88.0 ✓	88.0 ✓	4.0	0.8
263	1300N	15.0 ✓	<del>15.0</del> 154.0 ✓	154.0 ✓	7.0	1.0
264	1350N	16.0 ✓	<del>16.0</del> 103.0 ✓	103.0 ✓	5.0	0.9
265	1400N	34.0 ✓	<del>34.0</del> 137.0 ✓	137.0 ✓	5.0	0.7
266	1450N	13.0 ✓	<del>13.0</del> 26.0 ✓	26.0 ✓	4.0	0.5
267	1500N	13.0 ✓	<del>13.0</del> 121.0 ✓	121.0 ✓	3.0	1.7
268	1550N	14.0 ✓	<del>14.0</del> 100.0 ✓	100.0 ✓	3.0	1.1
269	1600N	39.0 ✓	<del>39.0</del> 133.0 ✓	133.0 ✓	4.0	1.3
270	1650N	19.0 ✓	<del>19.0</del> 63.0 ✓	63.0 ✓	4.0	2.1
271	1700N	19.0 ✓	<del>19.0</del> 171.0 ✓	171.0 ✓	5.0	1.0
272	1750N	93.0 ✓	<del>93.0</del> 37.0 ✓	37.0 ✓	3.0	2.7
273	1800N	109.0 ✓	<del>109.0</del> 281.0 ✓	281.0 ✓	4.0	3.7
274	L00E 00S	21.0 ✓	30.0 ✓	184.0 ✓	3.0	0.8
275	50S	19.0 ✓	23.0 ✓	157.0 ✓	2.0	1.2
276	100S	31.0 ✓	18.0 ✓	115.0 ✓	3.0	1.6

*Received Ph. 11/20/00  
Aug 26/00  
R.L.*

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G-426

PAGE 8  
AG

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
277	1505	12.0 ✓	19.0 ✓	90.0 ✓	2.0	1.1
278	2005	6.0 ✓	17.0 ✓	45.0 ✓	1.0	0.7
279	2505	12.0 ✓	63.0 ✓	97.0 ✓	2.0	1.1
280	3005	9.0 ✓	23.0 ✓	51.0 ✓	2.0	0.4
281	3505	6.0 ✓	11.0 ✓	40.0 ✓	3.0	0.5
282	4005	6.0 ✓	20.0 ✓	71.0 ✓	1.0	0.3
283	4505	4.0 ✓	21.0 ✓	36.0 ✓	2.0	0.5
284	5005	7.0 ✓	20.0 ✓	61.0 ✓	2.0	0.7
285	5505	5.0 ✓	29.0 ✓	66.0 ✓	3.0	0.6
286	60 → 6505	8.0 ✓	45.0 ✓	101.0 ✓	2.0	0.8
287	7005	6.0 ✓	75.0 ✓	51.0 ✓	3.0	0.8
288	75 → 80 → 8505	2.0 ✓	23.0 ✓	24.0 ✓	1.0	0.4
289	9005	4.0 ✓	16.0 ✓	46.0 ✓	2.0	0.6
290	9505	5.0 ✓	20.0 ✓	35.0 ✓	3.0	0.7
291	10005	4.0 ✓	12.0 ✓	18.0 ✓	4.0	1.0
292	L400E 005	14.0 ✓	39.0 ✓	119.0 ✓	7.0	0.9
293	505	17.0 ✓	32.0 ✓	137.0 ✓	8.0	1.3
294	1005	28.0 ✓	31.0 ✓	99.0 ✓	5.0	1.6
295	15 → 2005	42.0 ✓	52.0 ✓	146.0 ✓	2.0	1.1
296	25 → 3005	13.0 ✓	27.0 ✓	87.0 ✓	2.0	1.0
297	3505	8.0 ✓	26.0 ✓	47.0 ✓	3.0	0.8
298	4005	11.0 ✓	24.0 ✓	89.0 ✓	2.0	0.8
299	4505	11.0 ✓	36.0 ✓	100.0 ✓	3.0	1.0
300	5005	3.0 ✓	10.0 ✓	13.0 ✓	2.0	0.9
301	5505	3.0 ✓	10.0 ✓	11.0 ✓	2.0	0.7
302	65 → 6005	4.0 ✓	12.0 ✓	18.0 ✓	3.0	0.5
303	7005	5.0 ✓	42.0 ✓	43.0 ✓	3.0	1.7
304	7505	4.0 ✓	15.0 ✓	36.0 ✓	3.0	1.1
305	8005	4.0 ✓	16.0 ✓	50.0 ✓	3.0	1.3
306	8505	3.0 ✓	14.0 ✓	27.0 ✓	2.0	2.1
307	9005	3.0 ✓	15.0 ✓	16.0 ✓	5.0	1.0
308	9505	2.0 ✓	15.0 ✓	15.0 ✓	4.0	2.7
309	10005	4.0 ✓	12.0 ✓	32.0 ✓	3.0	3.7

Lucy  
FINE  
GEOCHEM  
SHANNON CR.  
DISCARD  
DUPLICATES.

METHOD -80 MESH

HOT ACID EXTRACTION

ATOMIC ABSORPTION



(2)

Plotted  
Sept 3/80

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

GEOCHEMICAL LAB REPORT

CYPRUS ANVIL MINING CORPORATION  
330-355 BARRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

PAGE 1 / 7  
AG

KRAL NO.	IDENTIFICATION	CU	FE	ZN	MO	AG
1	L48E 00N	13.0 ✓	30.0 ✓	120.0 ✓	1.0	0.3
2	50N	13.0 ✓	12.0 ✓	84.0 ✓	2.0	0.2
3	100N	7.0 ✓	22.0 ✓	83.0 ✓	2.0	0.3
4	150	13.0 ✓	14.0 ✓	98.0 ✓	2.0	0.3
5	200N	10.0 ✓	18.0 ✓	111.0 ✓	1.0	0.6
6	250N	10.0 ✓	18.0 ✓	121.0 ✓	1.0	0.4
7	300N	4.0 ✓	21.0 ✓	72.0 ✓	1.0	0.2
8	350N	30.0 ✓	21.0 ✓	177.0 ✓	2.0	0.2
9	400N	8.0 ✓	13.0 ✓	47.0 ✓	1.0	1.1
10	450N	7.0 ✓	19.0 ✓	98.0 ✓	1.0	0.2
11	500N	8.0 ✓	18.0 ✓	133.0 ✓	2.0	0.4
12	550N	18.0 ✓	18.0 ✓	151.0 ✓	3.0	1.2
13	600N	7.0 ✓	20.0 ✓	100.0 ✓	2.0	0.4 ✓
14	L200E750N	40.0 ✓	22.0 ✓	155.0 ✓	3.0	3.2
15	800N	32.0 ✓	21.0 ✓	148.0 ✓	3.0	2.7
16	850N	27.0 ✓	17.0 ✓	131.0 ✓	3.0	1.4
17	900N	12.0 ✓	20.0 ✓	106.0 ✓	3.0	4.2
18	950N	20.0 ✓	18.0 ✓	145.0 ✓	3.0	2.8
19	1000N	42.0 ✓	22.0 ✓	218.0 ✓	7.0	1.4
20	L400E700N	33.0 ✓	20.0 ✓	213.0 ✓	4.0	4.2
21	750N	37.0 ✓	19.0 ✓	185.0 ✓	4.0	2.1
22	800N	31.0 ✓	24.0 ✓	114.0 ✓	4.0	1.6
23	850N	23.0 ✓	22.0 ✓	114.0 ✓	4.0	1.4
24	900N	26.0 ✓	24.0 ✓	140.0 ✓	3.0	2.5
25	950N	69.0 ✓	27.0 ✓	308.0 ✓	4.0	4.5
26	1000N	42.0 ✓	25.0 ✓	258.0 ✓	4.0	1.6
27	L600 650N	46.0 ✓	33.0 ✓	67.0 ✓	3.0	3.9
28	700N	40.0 ✓	19.0 ✓	235.0 ✓	4.0	1.8
29	750N	46.0 ✓	22.0 ✓	168.0 ✓	3.0	3.9
30	800N	23.0 ✓	17.0 ✓	120.0 ✓	3.0	5.9

*[Handwritten signature]*

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT  
 FILE NO G437

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
31	850N	27.0 ✓	15.0 ✓	107.0 ✓	4.0	3.8
32	900N	25.0 ✓	19.0 ✓	213.0 ✓	3.0	6.5
33	950N	26.0 ✓	23.0 ✓	193.0 ✓	3.0	2.6
34	1000N	31.0 ✓	18.0 ✓	258.0 ✓	3.0	2.6
35	L600E 005	15.0 ✓	23.0 ✓	178.0 ✓	3.0	0.7
36	505	13.0 ✓	15.0 ✓	138.0 ✓	3.0	0.3
37	1005	16.0 ✓	17.0 ✓	143.0 ✓	4.0	0.6
38	1505	47.0 ✓	16.0 ✓	107.0 ✓	4.0	0.7
39	2005	17.0 ✓	23.0 ✓	126.0 ✓	3.0	0.8
40	2505	47.0 ✓	14.0 ✓	136.0 ✓	2.0	1.4
41	3005	25.0 ✓	51.0 ✓	218.0 ✓	3.0	0.9
42	3505	10.0 ✓	25.0 ✓	100.0 ✓	2.0	0.4
43	4005	10.0 ✓	67.0 ✓	78.0 ✓	2.0	0.4
44	4505	13.0 ✓	18.0 ✓	70.0 ✓	3.0	1.1
45	5005	10.0 ✓	12.0 ✓	124.0 ✓	2.0	0.6
46	5505	8.0 ✓	12.0 ✓	98.0 ✓	2.0	0.3
47	6005	6.0 ✓	23.0 ✓	82.0 ✓	2.0	0.5
48	6505	5.0 ✓	20.0 ✓	52.0 ✓	2.0	0.2
49	7005	7.0 ✓	7.0 ✓	67.0 ✓	1.0	0.3
50	7505	10.0 ✓	18.0 ✓	129.0 ✓	3.0	1.0
51	8005	7.0 ✓	16.0 ✓	101.0 ✓	2.0	0.9
52	8505	4.0 ✓	19.0 ✓	52.0 ✓	2.0	0.7
53	9005	5.0 ✓	15.0 ✓	80.0 ✓	2.0	0.7
54	9505	9.0 ✓	19.0 ✓	86.0 ✓	2.0	0.7
55	10005	4.0 ✓	19.0 ✓	40.0 ✓	2.0	0.4
56	L800E 005 S	7.0 ✓	21.0 ✓	81.0 ✓	2.0	0.8
57	50N	12.0 ✓	17.0 ✓	65.0 ✓	2.0	0.8
58	100N	16.0 ✓	11.0 ✓	108.0 ✓	2.0	0.8
59	150N	6.0 ✓	16.0 ✓	65.0 ✓	3.0	0.8
60	200N	6.0 ✓	59.0 ✓	48.0 ✓	3.0	1.0
61	300N	8.0 ✓	32.0 ✓	105.0 ✓	3.0	0.9
62	350N	9.0 ✓	20.0 ✓	126.0 ✓	3.0	0.8
63	400N	6.0 ✓	21.0 ✓	88.0 ✓	2.0	0.7
64	450N	11.0 ✓	15.0 ✓	72.0 ✓	2.0	0.7
65	500N	21.0 ✓	11.0 ✓	73.0 ✓	2.0	0.8
66	550N	20.0 ✓	22.0 ✓	116.0 ✓	2.0	1.0
67	600N	15.0 ✓	15.0 ✓	105.0 ✓	2.0	0.8
68	650N	14.0 ✓	35.0 ✓	68.0 ✓	2.0	0.7
69	700N	38.0 ✓	37.0 ✓	103.0 ✓	6.0	1.9
70	750N S	12.0 ✓	13.0 ✓	45.0 ✓	2.0	0.8

*Mr. Co*

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 3 / 7  
 AG

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
71	800N -5	38.0 ✓	22.0 ✓	128.0 ✓	3.0	0.9
72	850N	17.0 ✓	30.0 ✓	196.0 ✓	2.0	0.9
73	900N	22.0 ✓	19.0 ✓	157.0 ✓	3.0	0.9
74	950N	24.0 ✓	24.0 ✓	143.0 ✓	3.0	1.0
75	1000N 5	23.0 ✓	23.0 ✓	124.0 ✓	3.0	0.9
76	L800 750N	35.0 ✓	20.0 ✓	376.0 ✓	3.0	5.0
77	800N	39.0 ✓	18.0 ✓	169.0 ✓	2.0	1.8
78	850N	19.0 ✓	20.0 ✓	252.0 ✓	3.0	1.9
79	900N	47.0 ✓	21.0 ✓	247.0 ✓	3.0	1.9
80	950N	27.0 ✓	29.0 ✓	165.0 ✓	3.0	1.8
81	1000N	38.0 ✓	26.0 ✓	150.0 ✓	3.0	3.9
82	L1000E 005	14.0 ✓	15.0 ✓	140.0 ✓	2.0	0.8
83	505	12.0 ✓	20.0 ✓	129.0 ✓	3.0	1.0
84	1005	18.0 ✓	15.0 ✓	138.0 ✓	4.0	0.7
85	1505	20.0 ✓	20.0 ✓	159.0 ✓	4.0	1.0
86	2005	17.0 ✓	26.0 ✓	146.0 ✓	5.0	0.9
87	2505	17.0 ✓	19.0 ✓	214.0 ✓	3.0	0.8
88	3005	21.0 ✓	20.0 ✓	162.0 ✓	6.0	1.6
89	3505	27.0 ✓	28.0 ✓	141.0 ✓	6.0	1.1
90	4005	12.0 ✓	16.0 ✓	78.0 ✓	2.0	1.4
91	4505	16.0 ✓	13.0 ✓	141.0 ✓	2.0	1.0
92	5005	6.0 ✓	11.0 ✓	51.0 ✓	1.0	0.7
93	5505	7.0 ✓	16.0 ✓	128.0 ✓	1.0	0.7
94	6005	6.0 ✓	13.0 ✓	121.0 ✓	3.0	0.6
95	6505	9.0 ✓	37.0 ✓	140.0 ✓	3.0	1.3
96	7005	9.0 ✓	35.0 ✓	107.0 ✓	2.0	0.7
97	7505	10.0 ✓	24.0 ✓	90.0 ✓	3.0	0.9
98	8005	7.0 ✓	20.0 ✓	88.0 ✓	3.0	0.8
99	8505	11.0 ✓	23.0 ✓	126.0 ✓	3.0	0.9
100	9005	12.0 ✓	17.0 ✓	87.0 ✓	2.0	0.7
101	9505	22.0 ✓	22.0 ✓	118.0 ✓	3.0	0.8
102	L1000 5	13.0 ✓	18.0 ✓	164.0 ✓	1.0	0.8
103	L1000 750N	22.0 ✓	19.0 ✓	199.0 ✓	2.0	1.5
104	800N	11.0 ✓	59.0 ✓	71.0 ✓	9.0	1.6
105	850N	21.0 ✓	19.0 ✓	137.0 ✓	4.0	1.0
106	900N	46.0 ✓	19.0 ✓	138.0 ✓	2.0	1.3
107	950N	22.0 ✓	21.0 ✓	200.0 ✓	2.0	1.6
108	1000N	22.0 ✓	14.0 ✓	161.0 ✓	2.0	2.3
109	L1200E 005	14.0 ✓	17.0 ✓	132.0 ✓	2.0	1.0
110	505	16.0 ✓	23.0 ✓	77.0 ✓	2.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 4 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
111	100S	29.0	12.0	124.0	2.0	1.0
112	150S	38.0	14.0	96.0	2.0	0.6
113	200S	20.0	18.0	167.0	3.0	0.8
114	250S	16.0	15.0	135.0	6.0	0.9
115	300S	8.0	19.0	126.0	2.0	0.7
116	350S	10.0	11.0	135.0	1.0	0.6
117	400S	40.0	28.0	128.0	5.0	0.7
118	450S	10.0	6.0	37.0	2.0	0.5
119	500S	9.0	12.0	85.0	2.0	0.7
120	550S	5.0	14.0	101.0	2.0	0.6
121	600S	8.0	16.0	108.0	2.0	0.6
122	650S	5.0	15.0	63.0	2.0	0.6
123	700S	8.0	18.0	116.0	2.0	1.1
124	750S	8.0	13.0	78.0	1.0	0.6
125	800S	6.0	34.0	54.0	2.0	0.6
126	850S	11.0	20.0	156.0	2.0	0.8
127	900S	14.0	17.0	83.0	1.0	0.7
128	950S	13.0	17.0	91.0	1.0	1.0
129	1400E 00S	21.0	15.0	163.0	3.0	1.2
130	50S	22.0	13.0	182.0	2.0	1.0
131	150S	20.0	16.0	172.0	3.0	1.2
132	200S	51.0	32.0	112.0	3.0	1.0
133	250S	24.0	14.0	100.0	4.0	1.0
134	300S	28.0	15.0	149.0	3.0	1.0
135	400S	9.0	14.0	81.0	2.0	0.7
136	450S	7.0	13.0	73.0	2.0	0.7
137	500S	11.0	25.0	82.0	2.0	0.8
138	550S	7.0	20.0	85.0	1.0	0.8
139	L1600E 00S	18.0	23.0	121.0	1.0	1.2
140	50S	11.0	20.0	207.0	1.0	1.3
141	100S	15.0	19.0	131.0	2.0	1.1
142	150S	12.0	24.0	215.0	2.0	1.1
143	200S	14.0	19.0	106.0	1.0	1.1
144	250S	10.0	20.0	83.0	1.0	1.0
145	300S	9.0	18.0	95.0	1.0	1.0
146	400S	12.0	24.0	224.0	1.0	0.9
147	450S	7.0	17.0	124.0	1.0	1.0
148	500S	10.0	11.0	82.0	1.0	0.8
149	550S	10.0	14.0	98.0	1.0	0.6
150	600S	10.0	18.0	123.0	1.0	0.9

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 5 / 7  
AG

KRAL NO.	IDENTIFICATION	CU	FB	ZN	MO	AG
151	L10W 150S	7.0	30.0	92.0	2.0	0.7
152	200S	37.0	28.0	111.0	3.0	1.2
153	250S	19.0	23.0	93.0	2.0	1.0
154	300S	42.0	30.0	96.0	1.0	0.8
155	350S	38.0	31.0	104.0	1.0	1.8
156	400S	47.0	20.0	188.0	3.0	1.2
157	450S	26.0	24.0	183.0	2.0	1.6
158	500S	31.0	17.0	160.0	2.0	1.8
159	550S	43.0	17.0	75.0	2.0	2.1
160	600S	56.0	26.0	148.0	2.0	1.5
161	650S	18.0	14.0	63.0	1.0	1.8
162	700S	22.0	17.0	64.0	2.0	1.0
163	750S	14.0	25.0	112.0	2.0	0.8
164	800S	8.0	30.0	68.0	2.0	1.4
165	850S	8.0	21.0	70.0	2.0	1.1
166	900S	7.0	19.0	117.0	2.0	1.0
167	950S	6.0	18.0	41.0	2.0	1.3
168	1000S	7.0	23.0	101.0	2.0	1.2
169	L12W 250S	59.0	21.0	268.0	5.0	1.4
170	350S	39.0	19.0	291.0	4.0	1.3
171	400S	21.0	23.0	491.0	3.0	1.1
172	450S	38.0	17.0	295.0	3.0	1.2
173	500S	25.0	21.0	1601.0	2.0	1.9
174	L12W 550S	62.0	13.0	413.0	5.0	1.2
175	600S	45.0	16.0	1137.0	8.0	1.7
176	650S	62.0	17.0	719.0	13.0	1.7
177	700S	29.0	16.0	195.0	10.0	1.9
178	800S	11.0	14.0	105.0	2.0	1.5
179	850S	46.0	19.0	107.0	3.0	1.5
180	900S	16.0	17.0	91.0	3.0	1.0
181	950S	25.0	14.0	76.0	3.0	1.8
182	1000S	15.0	21.0	99.0	4.0	1.0
183	L600W 00S	6.0	78.0	58.0	4.0	1.0
184	50S	48.0	16.0	138.0	10.0	1.1
185	100S	32.0	20.0	131.0	17.0	1.0
186	150S	13.0	12.0	56.0	3.0	0.9
187	200S	15.0	13.0	69.0	2.0	1.0
188	250S	29.0	16.0	112.0	1.0	1.2
189	300S	10.0	12.0	154.0	1.0	1.6
190	350S	11.0	15.0	94.0	4.0	1.3

*Handwritten mark*

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 6 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
191	400S	26.0 ✓	22.0 ✓	241.0 ✓	4.0	1.3
192	450S	5.0 ✓	19.0 ✓	19.0 ✓	1.0	2.3
193	500S	16.0 ✓	19.0 ✓	113.0 ✓	2.0	1.5
194	550S	9.0 ✓	11.0 ✓	21.0 ✓	2.0	1.2 ←
195	600S	5.0 ✓	20.0 ✓	18.0 ✓	2.0	0.7
196	650S	13.0 ✓	12.0 ✓	78.0 ✓	2.0	0.7
197	700S	2.0 ✓	8.0 ✓	13.0 ✓	1.0	0.4
198	750S	7.0 ✓	13.0 ✓	75.0 ✓	1.0	0.9
199	800S	4.0 ✓	16.0 ✓	65.0 ✓	2.0	0.8
200	850S	4.0 ✓	12.0 ✓	11.0 ✓	1.0	0.7
201	900S	7.0 ✓	10.0 ✓	35.0 ✓	2.0	0.9
202	950S	9.0 ✓	15.0 ✓	61.0 ✓	2.0	1.1
203	1000S	9.0 ✓	14.0 ✓	42.0 ✓	3.0	1.0
204		<del>10.0 ✓</del>	<del>10.0 ✓</del>	<del>101.0 ✓</del>	<del>3.0</del>	<del>1.3</del> ?
205	L800W 50N	44.0 ✓	64.0 ✓	180.0 ✓	3.0	1.4
206	100N	35.0 ✓	16.0 ✓	138.0 ✓	3.0	1.4
207	00	31.0 ✓	11.0 ✓	153.0 ✓	3.0	1.2
208	50S	65.0 ✓	12.0 ✓	135.0 ✓	3.0	1.4
209	100S	20.0 ✓	31.0 ✓	119.0 ✓	7.0	2.7
210	150S	37.0 ✓	44.0 ✓	211.0 ✓	6.0	1.5
211	200S	18.0 ✓	25.0 ✓	124.0 ✓	4.0	1.2
212	250S	15.0 ✓	24.0 ✓	66.0 ✓	6.0	1.4
213	300S	30.0 ✓	34.0 ✓	176.0 ✓	3.0	1.7
214	400S	13.0 ✓	40.0 ✓	154.0 ✓	3.0	2.0
215	450S	5.0 ✓	23.0 ✓	42.0 ✓	2.0	1.3
216	500S	9.0 ✓	80.0 ✓	140.0 ✓	3.0	4.7
217	550S	5.0 ✓	30.0 ✓	132.0 ✓	2.0	1.3
218	600S	9.0 ✓	29.0 ✓	83.0 ✓	3.0	1.2
219	650S	9.0 ✓	21.0 ✓	138.0 ✓	2.0	1.3
220	700S	8.0 ✓	35.0 ✓	105.0 ✓	2.0	1.3
221	750S	10.0 ✓	26.0 ✓	123.0 ✓	3.0	1.1
222	800S	9.0 ✓	19.0 ✓	118.0 ✓	2.0	1.4
223	850S	7.0 ✓	19.0 ✓	82.0 ✓	3.0	1.6
224	900S	6.0 ✓	18.0 ✓	83.0 ✓	2.0	1.3
225	950S	10.0 ✓	14.0 ✓	83.0 ✓	2.0	1.0
226	1000S	9.0 ✓	22.0 ✓	86.0 ✓	2.0	1.3
227	L1400W 00S	51.0 ✓	34.0 ✓	256.0 ✓	8.0	2.1
228	50S	49.0 ✓	23.0 ✓	206.0 ✓	6.0	1.4
229	100S	67.0 ✓	20.0 ✓	233.0 ✓	7.0	1.2
230	150S	37.0 ✓	16.0 ✓	163.0 ✓	4.0	1.7

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT  
 FILE NO G437

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
231	200S	32.0 ✓	19.0 ✓	223.0 ✓	6.0	1.6
232	150SB	94.0 ✓	18.0 ✓	415.0 ✓	10.0	1.4
233	200SB	7.0 ✓	17.0 ✓	70.0 ✓	3.0	1.5
234	250S	24.0 ✓	13.0 ✓	285.0 ✓	4.0	1.6
235	300S	63.0 ✓	24.0 ✓	136.0 ✓	6.0	1.9
236	350S	40.0 ✓	23.0 ✓	354.0 ✓	4.0	2.3
237	400S	45.0 ✓	21.0 ✓	262.0 ✓	6.0	1.9
238	450S	16.0 ✓	16.0 ✓	117.0 ✓	3.0	1.9
239	500S	38.0 ✓	18.0 ✓	297.0 ✓	6.0	1.4
240	550S	28.0 ✓	21.0 ✓	203.0 ✓	3.0	1.3
241	600S	14.0 ✓	18.0 ✓	125.0 ✓	2.0	0.9
242	650S	48.0 ✓	11.0 ✓	84.0 ✓	2.0	1.1
243	700S	28.0 ✓	19.0 ✓	80.0 ✓	3.0	1.1
244	750S	8.0 ✓	10.0 ✓	22.0 ✓	2.0	0.5
245	800S	47.0 ✓	18.0 ✓	35.0 ✓	3.0	1.5
246	850S	14.0 ✓	22.0 ✓	56.0 ✓	4.0	1.2
247	900S	6.0 ✓	10.0 ✓	16.0 ✓	3.0	0.5
248	950S	5.0 ✓	20.0 ✓	21.0 ✓	3.0	0.5
249	1000S	5.0 ✓	25.0 ✓	41.0 ✓	4.0	0.9
250	L1600W 00N	30.0 ✓	15.0 ✓	101.0 ✓	3.0	1.0
251	50N	19.0 ✓	20.0 ✓	98.0 ✓	3.0	1.9
252	100N	17.0 ✓	16.0 ✓	86.0 ✓	2.0	1.4
253	150N	11.0 ✓	26.0 ✓	70.0 ✓	2.0	1.3
254	200N	11.0 ✓	29.0 ✓	58.0 ✓	4.0	0.8
255	250N	50.0 ✓	40.0 ✓	148.0 ✓	3.0	1.4
256	L1800W100S	46.0 ✓	18.0 ✓	154.0 ✓	3.0	1.1
257	150S	29.0 ✓	22.0 ✓	168.0 ✓	3.0	1.2
258	00S	34.0 ✓	19.0 ✓	126.0 ✓	5.0	0.8
259	50S	15.0 ✓	18.0 ✓	66.0 ✓	5.0	0.7
260	100S	33.0 ✓	20.0 ✓	102.0 ✓	6.0	0.9
261	L2000 00N	35.0 ✓	22.0 ✓	202.0 ✓	4.0	1.9
262	50N	16.0 ✓	26.0 ✓	113.0 ✓	8.0	1.3
263	100N	17.0 ✓	21.0 ✓	110.0 ✓	4.0	1.4
264	150N	42.0 ✓	27.0 ✓	156.0 ✓	5.0	1.4
265	200N	29.0 ✓	31.0 ✓	71.0 ✓	5.0	1.4
266	L12W750S	11.0 ✓	14.0 ✓	105.0 ✓	2.0	1.5
267	L12W750SB	16.0 ✓	13.0 ✓	154.0 ✓	2.0	1.4
268	L00E-750N	23.0 ✓	20.0 ✓	104.0 ✓	2.0	3.6
269	800N	24.0 ✓	20.0 ✓	111.0 ✓	3.0	3.2
270	850N	28.0 ✓	20.0 ✓	124.0 ✓	2.0	4.9

256-258

?

MM

?

OMIT.

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 8 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
271	900N	10.0	19.0	60.0	2.0	3.0
272	950N	21.0	29.0	78.0	5.0	2.0
273	1000N	21.0	30.0	72.0	2.0	2.1
274	1050N	16.0	21.0	124.0	3.0	3.8
275	1100N	28.0	29.0	103.0	4.0	1.7
276	1150	18.0	31.0	94.0	2.0	2.5
277	1200N	18.0	35.0	126.0	3.0	1.6
278	1250N	21.0	67.0	82.0	2.0	1.6
279	1300N	14.0	22.0	75.0	3.0	2.0
280	1350N	13.0	15.0	92.0	2.0	2.5
281	1400N	16.0	33.0	100.0	2.0	1.1
282	1450N	28.0	20.0	119.0	3.0	1.3
283	1500N	22.0	25.0	136.0	3.0	1.2
284	1550N	15.0	14.0	67.0	2.0	0.7
285	1600N	17.0	20.0	78.0	3.0	1.0
286	1650N	26.0	127.0	109.0	4.0	1.3
287	1700N	36.0	28.0	118.0	3.0	0.9
288	1750N	41.0	20.0	157.0	4.0	1.2
289	1800N	45.0	138.0	109.0	4.0	1.1
290	1850N	30.0	22.0	115.0	3.0	1.1
291	1900N	15.0	26.0	127.0	3.0	1.6
292	1950N	11.0	33.0	135.0	3.0	1.3
293	2000N	36.0	21.0	123.0	3.0	0.9
294	L30E50SMB	17.0	39.0	237.0	2.0	1.5
295	100SMB	3.0	12.0	50.0	2.0	0.6
296	150SMB	1.0	18.0	14.0	2.0	0.6
297	200SMB	3.0	36.0	45.0	3.0	1.1
298	250SMB	5.0	34.0	76.0	1.0	0.8
299	300SMB	5.0	18.0	125.0	2.0	1.0
300	350SMB	7.0	32.0	77.0	1.0	0.9
301	400SMB	12.0	10.0	55.0	2.0	0.7
302	450SMB	9.0	71.0	404.0	1.0	0.9
303	500SMB	8.0	11.0	63.0	2.0	0.9
304	550SMB	26.0	25.0	353.0	3.0	1.0
305	600SMB	23.0	56.0	145.0	3.0	1.5
306	650SMB	17.0	15.0	112.0	3.0	0.9
307	700SMB	15.0	17.0	143.0	2.0	1.3
308	750SMB	10.0	17.0	220.0	3.0	1.5
309	800SMB	9.0	28.0	217.0	2.0	1.3
310	850SMB	4.0	18.0	89.0	3.0	1.0



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 9 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
311	900SMB	3.0 ✓	20.0 ✓	155.0 ✓	2.0	1.2
312	950SMB	3.0 ✓	21.0 ✓	112.0 ✓	3.0	1.0
313	1000SMB	4.0 ✓	20.0 ✓	128.0 ✓	3.0	0.8
314	L32E 50S	31.0 ✓	18.0 ✓	150.0 ✓	2.0	1.2
315	100SMB	28.0 ✓	19.0 ✓	138.0 ✓	5.0	2.0
316	150SMB	15.0 ✓	22.0 ✓	304.0 ✓	3.0	1.6
317	200SMB	6.0 ✓	21.0 ✓	98.0 ✓	3.0	1.0
318	250SMB	1.0 ✓	6.0 ✓	15.0 ✓	1.0	0.8
319	300SMB	5.0 ✓	21.0 ✓	76.0 ✓	3.0	1.0
320	350SMB	5.0 ✓	18.0 ✓	102.0 ✓	3.0	1.2
321	400SMB	8.0 ✓	30.0 ✓	98.0 ✓	3.0	1.2
322	450SMB	10.0 ✓	23.0 ✓	128.0 ✓	3.0	1.5
323	500SMB	16.0 ✓	18.0 ✓	190.0 ✓	3.0	1.7
324	550SMB	10.0 ✓	21.0 ✓	93.0 ✓	2.0	1.4
325	600SMB	13.0 ✓	20.0 ✓	133.0 ✓	2.0	1.2
326	650SMB	16.0 ✓	13.0 ✓	67.0 ✓	2.0	0.8
327	700SMB	10.0 ✓	20.0 ✓	161.0 ✓	1.0	1.1
328	750SMB	8.0 ✓	23.0 ✓	84.0 ✓	2.0	1.2
329	800SMB	6.0 ✓	15.0 ✓	80.0 ✓	1.0	1.0
330	850SMB	6.0 ✓	20.0 ✓	62.0 ✓	2.0	0.9
331	900SMB	6.0 ✓	30.0 ✓	86.0 ✓	1.0	0.9
332	950SMB	6.0 ✓	18.0 ✓	80.0 ✓	4.0	1.1
333	1000SMB	14.0 ✓	11.0 ✓	98.0 ✓	4.0	0.8
334	L36E 00N	12.0 ✓	21.0 ✓	83.0 ✓	3.0	1.8
335	50N	29.0 ✓	24.0 ✓	150.0 ✓	2.0	1.6
336	100N	23.0 ✓	18.0 ✓	196.0 ✓	1.0	1.5
337	150N	14.0 ✓	24.0 ✓	155.0 ✓	2.0	1.6
338	200N	12.0 ✓	30.0 ✓	130.0 ✓	1.0	1.3
339	250N	43.0 ✓	16.0 ✓	87.0 ✓	2.0	1.0
340	300N	16.0 ✓	26.0 ✓	132.0 ✓	3.0	1.4
341	350N	29.0 ✓	13.0 ✓	95.0 ✓	2.0	0.7
342	400N	30.0 ✓	15.0 ✓	96.0 ✓	3.0	0.9
343	450N	61.0 ✓	15.0 ✓	156.0 ✓	3.0	0.7
344	500N	17.0 ✓	28.0 ✓	278.0 ✓	4.0	1.0
345	550N	9.0 ✓	24.0 ✓	106.0 ✓	3.0	1.2
346	600N	21.0 ✓	13.0 ✓	64.0 ✓	2.0	0.7
347	650N	16.0 ✓	16.0 ✓	56.0 ✓	3.0	0.9
348	700N	12.0 ✓	13.0 ✓	80.0 ✓	2.0	0.9
349	750N	16.0 ✓	25.0 ✓	134.0 ✓	3.0	0.9
350	800N	13.0 ✓	24.0 ✓	140.0 ✓	3.0	1.1

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 10 / 7  
 AG

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
351	850N	11.0 ✓	20.0 ✓	196.0 ✓	3.0	1.2
352	900N	25.0 ✓	18.0 ✓	154.0 ✓	3.0	1.2
353	950N	13.0 ✓	23.0 ✓	160.0 ✓	3.0	1.6
354	1000N	26.0 ✓	17.0 ✓	235.0 ✓	1.0	1.0
355	1050N	9.0 ✓	29.0 ✓	157.0 ✓	1.0	0.9
356	1100N	11.0 ✓	18.0 ✓	112.0 ✓	2.0	1.5
357	1200N	29.0 ✓	16.0 ✓	125.0 ✓	1.0	0.8
358	1250N	45.0 ✓	13.0 ✓	110.0 ✓	1.0	0.8
359	1300N	17.0 ✓	18.0 ✓	112.0 ✓	1.0	1.5
360	1350N	16.0 ✓	29.0 ✓	155.0 ✓	3.0	1.2
361	1400N	16.0 ✓	21.0 ✓	153.0 ✓	2.0	1.2
362	1450N	38.0 ✓	17.0 ✓	145.0 ✓	3.0	0.9
363	1500N	13.0 ✓	22.0 ✓	151.0 ✓	3.0	1.0
364	1550N	30.0 ✓	19.0 ✓	159.0 ✓	3.0	1.0
365	1650N	36.0 ✓	19.0 ✓	39.0 ✓	2.0	2.2
366	1700N	16.0 ✓	18.0 ✓	177.0 ✓	3.0	1.3
367	1750N	52.0 ✓	19.0 ✓	169.0 ✓	4.0	1.6
368	1800N	15.0 ✓	18.0 ✓	119.0 ✓	3.0	1.6
369	L38E 00N	71.0 ✓	25.0 ✓	408.0 ✓	5.0	3.8
370	50N	30.0 ✓	23.0 ✓	104.0 ✓	3.0	1.0
371	100N	21.0 ✓	16.0 ✓	237.0 ✓	3.0	1.7
372	150N	12.0 ✓	19.0 ✓	170.0 ✓	3.0	± 4
373	200N	29.0 ✓	20.0 ✓	149.0 ✓	4.0	0.8
374	250N	11.0 ✓	22.0 ✓	165.0 ✓	3.0	1.0
375	300N	8.0 ✓	17.0 ✓	105.0 ✓	3.0	0.9
376	350N	12.0 ✓	23.0 ✓	192.0 ✓	3.0	1.2
377	400N	13.0 ✓	17.0 ✓	106.0 ✓	3.0	1.3
378	450	38.0 ✓	17.0 ✓	120.0 ✓	4.0	0.8
379	500N	29.0 ✓	11.0 ✓	56.0 ✓	3.0	0.5
380	550N	20.0 ✓	14.0 ✓	108.0 ✓	2.0	0.5
381	600N	14.0 ✓	16.0 ✓	130.0 ✓	4.0	0.9
382	650N	15.0 ✓	17.0 ✓	114.0 ✓	3.0	0.8
383	700N	14.0 ✓	28.0 ✓	84.0 ✓	5.0	1.6
384	750N	19.0 ✓	30.0 ✓	118.0 ✓	3.0	0.9
385	800N	49.0 ✓	20.0 ✓	221.0 ✓	4.0	1.0
386	850N	23.0 ✓	12.0 ✓	76.0 ✓	2.0	0.6
387	900N	10.0 ✓	15.0 ✓	144.0 ✓	3.0	1.4
388	950N	26.0 ✓	14.0 ✓	77.0 ✓	3.0	0.7
389	1000N	12.0 ✓	21.0 ✓	119.0 ✓	3.0	1.4
390	1050N	23.0 ✓	14.0 ✓	90.0 ✓	3.0	1.2

437

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 11 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
391	1100N	10.0 ✓	33.0 ✓	61.0 ✓	3.0	1.3
392	1150N	14.0 ✓	24.0 ✓	111.0 ✓	3.0	1.7
393	1200N	25.0 ✓	23.0 ✓	83.0 ✓	4.0	0.9
394	1250N	38.0 ✓	14.0 ✓	115.0 ✓	3.0	0.8
395	1300N	16.0 ✓	27.0 ✓	200.0 ✓	3.0	1.0
396	1400N	21.0 ✓	20.0 ✓	20.0 ✓	3.0	1.0
397	1450N	22.0 ✓	19.0 ✓	161.0 ✓	3.0	1.1
398	1500N	18.0 ✓	18.0 ✓	130.0 ✓	3.0	1.6
399	1550N	26.0 ✓	50.0 ✓	180.0 ✓	2.0	0.8
400	1600N	11.0 ✓	15.0 ✓	102.0 ✓	3.0	0.9
401	1650N	16.0 ✓	20.0 ✓	113.0 ✓	2.0	1.6
402	1700N	27.0 ✓	29.0 ✓	213.0 ✓	3.0	2.7
403	1750N	56.0 ✓	20.0 ✓	122.0 ✓	4.0	0.7
404	1800N	40.0 ✓	17.0 ✓	116.0 ✓	4.0	2.1
405	1850N	16.0 ✓	18.0 ✓	130.0 ✓	4.0	1.9
406	1900N	24.0 ✓	17.0 ✓	415.0 ✓	4.0	2.5
407	1950N	88.0 ✓	32.0 ✓	497.0 ✓	6.0	3.6
408	2000N	36.0 ✓	21.0 ✓	234.0 ✓	3.0	1.6
409	L40E 00N	41.0 ✓	17.0 ✓	184.0 ✓	3.0	1.3
410	50N	10.0 ✓	26.0 ✓	164.0 ✓	2.0	0.9
411	100N	34.0 ✓	12.0 ✓	202.0 ✓	1.0	1.0
412	150N	31.0 ✓	23.0 ✓	224.0 ✓	2.0	1.8
413	200N	39.0 ✓	23.0 ✓	441.0 ✓	1.0	5.0
414	250N	20.0 ✓	16.0 ✓	199.0 ✓	1.0	1.1
415	300N	13.0 ✓	24.0 ✓	73.0 ✓	1.0	0.6
416	350N	17.0 ✓	14.0 ✓	168.0 ✓	2.0	1.3
417	400N	12.0 ✓	14.0 ✓	142.0 ✓	2.0	1.5
418	450N	10.0 ✓	19.0 ✓	203.0 ✓	2.0	1.1
419	500N	23.0 ✓	36.0 ✓	218.0 ✓	10.0	1.4
420	550N	18.0 ✓	20.0 ✓	11.0 ✓	2.0	1.0
421	600N	12.0 ✓	14.0 ✓	151.0 ✓	2.0	1.0
422	650N	16.0 ✓	84.0 ✓	47.0 ✓	6.0	0.7
423	700N	7.0 ✓	24.0 ✓	63.0 ✓	2.0	0.9
424	750N	16.0 ✓	23.0 ✓	145.0 ✓	2.0	1.7
425	800N	22.0 ✓	22.0 ✓	171.0 ✓	2.0	1.3
426	850N	22.0 ✓	25.0 ✓	193.0 ✓	3.0	1.1
427	900N	28.0 ✓	14.0 ✓	88.0 ✓	2.0	0.8
428	950N	12.0 ✓	17.0 ✓	151.0 ✓	3.0	1.0
429	1000N	12.0 ✓	24.0 ✓	124.0 ✓	2.0	1.7
430	1050N	13.0 ✓	17.0 ✓	118.0 ✓	2.0	1.9

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT  
 FILE NO G437

PAGE 12 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
431	1100N	27.0 ✓	15.0 ✓	161.0 ✓	3.0	0.9
432	1150N	12.0 ✓	18.0 ✓	148.0 ✓	2.0	1.5
433	1200N	10.0 ✓	25.0 ✓	102.0 ✓	2.0	0.8
434	1250N	3.0 ✓	25.0 ✓	22.0 ✓	2.0	0.3
435	1300N	17.0 ✓	19.0 ✓	107.0 ✓	3.0	0.5
436	1350N	24.0 ✓	12.0 ✓	83.0 ✓	3.0	0.5
437	1400N	30.0 ✓	16.0 ✓	136.0 ✓	2.0	0.7
438	1450N	14.0 ✓	22.0 ✓	85.0 ✓	3.0	1.3
439	1500N	43.0 ✓	16.0 ✓	86.0 ✓	3.0	0.7
440	1550N	45.0 ✓	13.0 ✓	85.0 ✓	3.0	0.7
441	1600N	23.0 ✓	20.0 ✓	106.0 ✓	2.0	1.1
442	1650N	14.0 ✓	33.0 ✓	103.0 ✓	2.0	1.0
443	1700N	9.0 ✓	28.0 ✓	121.0 ✓	3.0	0.9
444	1750N	10.0 ✓	19.0 ✓	198.0 ✓	2.0	0.9
445	1800N	10.0 ✓	18.0 ✓	174.0 ✓	2.0	1.6
446	1850N	38.0 ✓	28.0 ✓	146.0 ✓	3.0	1.6
447	L42E 00N	83.0 ✓	14.0 ✓	213.0 ✓	5.0	1.3
448	50N	89.0 ✓	13.0 ✓	199.0 ✓	5.0	1.4
449	100N	64.0 ✓	20.0 ✓	177.0 ✓	4.0	1.0
450	150N	61.0 ✓	41.0 ✓	185.0 ✓	4.0	1.0
451	200N	86.0 ✓	13.0 ✓	205.0 ✓	5.0	1.4
452	250N	84.0 ✓	14.0 ✓	200.0 ✓	5.0	±4
453	300N	69.0 ✓	14.0 ✓	174.0 ✓	5.0	1.1
454	350N	64.0 ✓	32.0 ✓	177.0 ✓	5.0	1.0
455	400N	67.0 ✓	20.0 ✓	171.0 ✓	4.0	1.0
456	450N	76.0 ✓	15.0 ✓	191.0 ✓	5.0	1.2
457	500N	67.0 ✓	25.0 ✓	178.0 ✓	4.0	1.1
458	550N	63.0 ✓	27.0 ✓	173.0 ✓	4.0	1.0
459	600N	106.0 ✓	17.0 ✓	238.0 ✓	3.0	1.5
460	650N	88.0 ✓	13.0 ✓	194.0 ✓	5.0	1.3
461	700N	57.0 ✓	34.0 ✓	173.0 ✓	4.0	1.1
462	750N	46.0 ✓	28.0 ✓	158.0 ✓	3.0	1.0
463	800N	60.0 ✓	20.0 ✓	160.0 ✓	4.0	1.2
464	850N	32.0 ✓	21.0 ✓	133.0 ✓	3.0	0.9
465	900N	42.0 ✓	13.0 ✓	133.0 ✓	3.0	1.0
466	950N	67.0 ✓	16.0 ✓	165.0 ✓	3.0	1.2
467	1000N	107.0 ✓	12.0 ✓	148.0 ✓	5.0	1.4
468	1050N	30.0 ✓	52.0 ✓	126.0 ✓	2.0	1.2
469	1100N	82.0 ✓	15.0 ✓	195.0 ✓	4.0	1.5
470	1150N	69.0 ✓	13.0 ✓	208.0 ✓	4.0	1.4

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 13 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
471	1200N	80.0 ✓	13.0 ✓	190.0 ✓	4.0	1.4
472	1250NA	144.0 ✓	11.0 ✓	215.0 ✓	5.0	1.1
473	1250NB	30.0 ✓	59.0 ✓	114.0 ✓	2.0	1.0
474	1300N	55.0 ✓	11.0 ✓	169.0 ✓	4.0	1.3
475	1330N	135.0 ✓	12.0 ✓	214.0 ✓	6.0	1.0
476	1350N	78.0 ✓	17.0 ✓	184.0 ✓	5.0	1.5
477	1400N	71.0 ✓	16.0 ✓	204.0 ✓	3.0	1.4
478	1450N	77.0 ✓	13.0 ✓	200.0 ✓	4.0	1.5
479	1500N	140.0 ✓	11.0 ✓	223.0 ✓	6.0	1.2
480	1600N	69.0 ✓	14.0 ✓	194.0 ✓	0.0	1.6
481	1650N	58.0 ✓	12.0 ✓	173.0 ✓	4.0	1.3
482	1700N	71.0 ✓	15.0 ✓	209.0 ✓	4.0	1.6
483	1750N	30.0 ✓	17.0 ✓	101.0 ✓	3.0	1.0 ✓
484	1800N	35.0 ✓	43.0 ✓	134.0 ✓	3.0	0.9
485	L44E 00N	11.0 ✓	15.0 ✓	187.0 ✓	2.0	1.1
486	50N	17.0 ✓	20.0 ✓	180.0 ✓	3.0	1.0
487	100N	15.0 ✓	19.0 ✓	104.0 ✓	2.0	0.8
488	150N	21.0 ✓	15.0 ✓	118.0 ✓	3.0	0.7
489	200N	14.0 ✓	16.0 ✓	178.0 ✓	3.0	0.7
490	250N	16.0 ✓	23.0 ✓	69.0 ✓	2.0	0.7
491	300N	16.0 ✓	22.0 ✓	133.0 ✓	2.0	1.0
492	350N	21.0 ✓	23.0 ✓	91.0 ✓	2.0	1.0
493	400N	14.0 ✓	17.0 ✓	138.0 ✓	2.0	0.8
494	450N	16.0 ✓	26.0 ✓	91.0 ✓	2.0	1.4
495	500N	8.0 ✓	17.0 ✓	111.0 ✓	1.0	0.9
496	550N	10.0 ✓	2.0 ✓	120.0 ✓	1.0	1.1
497	600N	11.0 ✓	26.0 ✓	125.0 ✓	1.0	1.3
498	650N	14.0 ✓	24.0 ✓	167.0 ✓	1.0	1.3
499	700N	13.0 ✓	31.0 ✓	203.0 ✓	1.0	1.3
500	750N	8.0 ✓	19.0 ✓	88.0 ✓	1.0	1.0
501	800N	11.0 ✓	20.0 ✓	157.0 ✓	1.0	1.3
502	850N	22.0 ✓	22.0 ✓	87.0 ✓	1.0	1.1
503	900N	12.0 ✓	29.0 ✓	106.0 ✓	1.0	1.0
504	950N	15.0 ✓	30.0 ✓	175.0 ✓	2.0	1.2
505	1000N	13.0 ✓	28.0 ✓	84.0 ✓	2.0	1.3
506	1050N	34.0 ✓	36.0 ✓	116.0 ✓	2.0	1.1
507	1150N	19.0 ✓	33.0 ✓	88.0 ✓	2.0	0.9
508	L46E 00N	13.0 ✓	27.0 ✓	126.0 ✓	2.0	1.2
509	50N	17.0 ✓	21.0 ✓	143.0 ✓	2.0	1.2
510	100N	13.0 ✓	23.0 ✓	140.0 ✓	2.0	1.3

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G437

PAGE 14 / 7

KRAL NO.	IDENTIFICATION	CU	FB	ZN	MO	AG
511	150N	12.0 ✓	18.0 ✓	142.0 ✓	1.0	1.2
512	200N	16.0 ✓	25.0 ✓	140.0 ✓	2.0	1.2
513	250N	20.0 ✓	22.0 ✓	107.0 ✓	1.0	1.0
514	300N	16.0 ✓	16.0 ✓	178.0 ✓	1.0	0.7
515	350N	9.0 ✓	26.0 ✓	168.0 ✓	1.0	1.3
516	400N	15.0 ✓	18.0 ✓	95.0 ✓	1.0	0.9
517	450N	8.0 ✓	39.0 ✓	139.0 ✓	2.0	1.1
518	500N	10.0 ✓	33.0 ✓	180.0 ✓	2.0	1.3
519	550N	26.0 ✓	18.0 ✓	100.0 ✓	2.0	0.5
520	600N	11.0 ✓	17.0 ✓	238.0 ✓	2.0	0.4
521	650N	8.0 ✓	46.0 ✓	132.0 ✓	2.0	0.5
522	700N	16.0 ✓	41.0 ✓	151.0 ✓	2.0	0.6
523	750N	6.0 ✓	19.0 ✓	103.0 ✓	1.0	0.2
524	800N	10.0 ✓	15.0 ✓	93.0 ✓	2.0	0.2
525	850N	16.0 ✓	50.0 ✓	120.0 ✓	2.0	0.3

METHOD

-80 MESH

HOT ACID EXTRACTION

ATOMIC ABSORPTION

4

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
GEOCHEMICAL LAB REPORT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

PAGE 1 / 7  
AG

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
1	ROAD BASE L00W	75.0	18.0	168.0	2.0	1.6
2	ROAD BASE L100W	32.0	20.0	173.0	2.0	2.2
3	ROAD BASE L200W	78.0	28.0	204.0	5.0	1.6
4	ROAD BASE L300W	78.0	34.0	297.0	10.0	2.6
5	ROAD BASE L400W	69.0	31.0	178.0	6.0	3.6
6	ROAD BASE L500W	60.0	29.0	139.0	6.0	1.7
7	L02E 505	20.0 ✓	29.0 ✓	147.0 ✓	2.0 ✓	0.8
8	1005	15.0 ✓	24.0 ✓	143.0 ✓	2.0 ✓	1.2
9	1505	37.0 ✓	26.0 ✓	112.0 ✓	3.0 ✓	0.9
10	2005	24.0 ✓	20.0 ✓	106.0 ✓	4.0 ✓	0.9
11	2505	17.0 ✓	24.0 ✓	96.0 ✓	3.0 ✓	0.7
12	3005	13.0 ✓	28.0 ✓	56.0 ✓	5.0 ✓	1.1
13	3505	14.0 ✓	22.0 ✓	149.0 ✓	2.0 ✓	1.0
14	4005	12.0 ✓	24.0 ✓	115.0 ✓	3.0 ✓	1.2
15	4505	5.0 ✓	15.0 ✓	27.0 ✓	1.0 ✓	0.5
16	5005	9.0 ✓	23.0 ✓	120.0 ✓	2.0 ✓	0.7
17	5505	7.0 ✓	16.0 ✓	100.0 ✓	3.0 ✓	1.0
18	6005	3.0 ✓	21.0 ✓	30.0 ✓	2.0 ✓	0.6
19	6505	6.0 ✓	19.0 ✓	93.0 ✓	2.0 ✓	1.1
20	7005	6.0 ✓	16.0 ✓	133.0 ✓	2.0 ✓	1.0
21	7505	6.0 ✓	15.0 ✓	81.0 ✓	1.0 ✓	1.0
22	8005	6.0 ✓	15.0 ✓	63.0 ✓	1.0 ✓	0.8
23	8505	6.0 ✓	12.0 ✓	75.0 ✓	2.0 ✓	0.9
24	9005	5.0 ✓	15.0 ✓	68.0 ✓	2.0 ✓	0.9
25	9505	5.0 ✓	18.0 ✓	63.0 ✓	2.0 ✓	0.9
26	10005	4.0 ✓	16.0 ✓	41.0 ✓	1.0 ✓	0.6
27	L8E 1050N	21.0 ✓	21.0 ✓	145.0 ✓	8.0 ✓	2.4
28	1100N	18.0 ✓	17.0 ✓	114.0 ✓	3.0 ✓	1.7
29	1150N	28.0 ✓	16.0 ✓	80.0 ✓	3.0 ✓	1.1
30	1200N	24.0 ✓	14.0 ✓	112.0 ✓	3.0 ✓	2.2

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 2 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
31	1250N	14.0 ✓	24.0 ✓	102.0 ✓	2.0 ✓	1.0
32	1300N	28.0 ✓	26.0 ✓	136.0 ✓	3.0 ✓	1.8
33	1350N	26.0 ✓	18.0 ✓	146.0 ✓	3.0 ✓	1.6
34	1400N	37.0 ✓	22.0 ✓	163.0 ✓	3.0 ✓	1.1
35	1450N	36.0 ✓	22.0 ✓	134.0 ✓	3.0 ✓	1.0
36	1500N	30.0 ✓	22.0 ✓	165.0 ✓	3.0 ✓	1.2
37	1550N	14.0 ✓	22.0 ✓	150.0 ✓	3.0 ✓	0.7
38	1600N	28.0 ✓	17.0 ✓	109.0 ✓	4.0 ✓	0.5
39	1650N	26.0 ✓	22.0 ✓	103.0 ✓	5.0 ✓	0.9
40	1700N	16.0 ✓	28.0 ✓	77.0 ✓	3.0 ✓	1.2
41	1750N	23.0 ✓	20.0 ✓	121.0 ✓	3.0 ✓	1.5
42	1800N	26.0 ✓	48.0 ✓	155.0 ✓	4.0 ✓	2.0
43	1850N	56.0 ✓	16.0 ✓	116.0 ✓	3.0 ✓	0.7
44	1900N	26.0 ✓	18.0 ✓	116.0 ✓	3.0 ✓	0.8
45	1950N	18.0 ✓	24.0 ✓	146.0 ✓	3.0 ✓	1.1
46	L10E1050N	17.0 ✓	18.0 ✓	263.0 ✓	3.0 ✓	1.7
47	1100N	15.0 ✓	24.0 ✓	211.0 ✓	6.0 ✓	3.2
48	1150N	20.0 ✓	17.0 ✓	184.0 ✓	4.0 ✓	1.5
49	1200N	16.0 ✓	23.0 ✓	180.0 ✓	3.0 ✓	2.2
50	1250N	13.0 ✓	20.0 ✓	114.0 ✓	2.0 ✓	1.0
51	1300N	12.0 ✓	24.0 ✓	119.0 ✓	3.0 ✓	1.3
52	1350N	16.0 ✓	21.0 ✓	149.0 ✓	7.0 ✓	1.4
53	1400N	25.0 ✓	17.0 ✓	213.0 ✓	3.0 ✓	1.1
54	1450N	16.0 ✓	17.0 ✓	103.0 ✓	2.0 ✓	1.6
55	1500N	18.0 ✓	19.0 ✓	120.0 ✓	3.0 ✓	1.2
56	1525N	31.0 ✓	19.0 ✓	111.0 ✓	4.0 ✓	1.3
57	1550N	31.0 ✓	19.0 ✓	114.0 ✓	4.0 ✓	2.2
58	1575N	37.0 ✓	17.0 ✓	105.0 ✓	3.0 ✓	1.0
59	1600N	46.0 ✓	15.0 ✓	79.0 ✓	3.0 ✓	0.8
60	1625N	66.0 ✓	27.0 ✓	157.0 ✓	3.0 ✓	1.3
61	1650N	17.0 ✓	18.0 ✓	79.0 ✓	2.0 ✓	2.1
62	1675N	33.0 ✓	15.0 ✓	110.0 ✓	3.0 ✓	2.6
63	1700N	19.0 ✓	18.0 ✓	202.0 ✓	2.0 ✓	2.1
64	1725N	19.0 ✓	20.0 ✓	127.0 ✓	2.0 ✓	2.1
65	1750N	15.0 ✓	26.0 ✓	154.0 ✓	3.0 ✓	1.7
66	1775N	21.0 ✓	20.0 ✓	110.0 ✓	3.0 ✓	1.4
67	1800N	17.0 ✓	39.0 ✓	188.0 ✓	2.0 ✓	1.4
68	1825N	20.0 ✓	18.0 ✓	234.0 ✓	3.0 ✓	2.0
69	1850N	44.0 ✓	15.0 ✓	145.0 ✓	3.0 ✓	1.3
70	1875N	38.0 ✓	14.0 ✓	104.0 ✓	2.0 ✓	1.0

25

N



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 3 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
71	1900N	45.0 ✓	25.0 ✓	135.0 ✓	3.0 ✓	1.0
72	1925N	29.0 ✓	16.0 ✓	206.0 ✓	3.0 ✓	1.2
73	1950N	28.0 ✓	20.0 ✓	155.0 ✓	3.0 ✓	1.1
74	1975N	15.0 ✓	15.0 ✓	136.0 ✓	2.0 ✓	0.8
75	2000N	26.0 ✓	24.0 ✓	126.0 ✓	2.0 ✓	1.4
76	L11E1500N	19.0 ✓	24.0 ✓	142.0 ✓	7.0 ✓	1.3
77	1525N	18.0 ✓	20.0 ✓	57.0 ✓	4.0 ✓	1.9
78	1550N	15.0 ✓	23.0 ✓	97.0 ✓	4.0 ✓	1.2
79	1575N	41.0 ✓	23.0 ✓	80.0 ✓	5.0 ✓	1.1
80	1600N	32.0 ✓	22.0 ✓	98.0 ✓	3.0 ✓	1.2
81	1625N	35.0 ✓	24.0 ✓	66.0 ✓	7.0 ✓	1.3
82	1650N	33.0 ✓	47.0 ✓	160.0 ✓	4.0 ✓	0.7
83	1675N	22.0 ✓	19.0 ✓	126.0 ✓	2.0 ✓	1.0
84	1700N	24.0 ✓	20.0 ✓	119.0 ✓	2.0 ✓	0.9
85	1725N	22.0 ✓	19.0 ✓	118.0 ✓	2.0 ✓	1.0
86	1750N	10.0 ✓	22.0 ✓	93.0 ✓	2.0 ✓	1.4
87	1775N	20.0 ✓	23.0 ✓	235.0 ✓	2.0 ✓	1.2
88	1800N	39.0 ✓	16.0 ✓	134.0 ✓	1.0 ✓	0.8
89	1825N	13.0 ✓	24.0 ✓	126.0 ✓	1.0 ✓	1.4
90	1850N	15.0 ✓	30.0 ✓	132.0 ✓	2.0 ✓	0.9
91	1875N	21.0 ✓	68.0 ✓	159.0 ✓	1.0 ✓	1.0
92	1900N	16.0 ✓	34.0 ✓	69.0 ✓	2.0 ✓	0.9
93	1925N	28.0 ✓	28.0 ✓	93.0 ✓	8.0 ✓	1.1
94	1950N	20.0 ✓	26.0 ✓	108.0 ✓	5.0 ✓	1.3
95	1975N	71.0 ✓	23.0 ✓	117.0 ✓	3.0 ✓	0.6
96	2000N	21.0 ✓	24.0 ✓	109.0 ✓	3.0 ✓	1.6
97	L12E 700N	29.0 ✓	22.0 ✓	345.0 ✓	2.0 ✓	2.6
98	750N	26.0 ✓	20.0 ✓	247.0 ✓	2.0 ✓	1.4
99	800N	26.0 ✓	21.0 ✓	215.0 ✓	2.0 ✓	1.8
100	850N	24.0 ✓	20.0 ✓	190.0 ✓	2.0 ✓	4.3
101	900N	21.0 ✓	18.0 ✓	134.0 ✓	2.0 ✓	3.3
102	950N	35.0 ✓	20.0 ✓	149.0 ✓	3.0 ✓	1.5
103	1000N	20.0 ✓	17.0 ✓	180.0 ✓	3.0 ✓	1.5
104	1050N	15.0 ✓	42.0 ✓	103.0 ✓	7.0 ✓	0.7
105	1100N	26.0 ✓	18.0 ✓	282.0 ✓	2.0 ✓	1.9
106	1150N	21.0 ✓	20.0 ✓	257.0 ✓	2.0 ✓	1.0
107	1200N	40.0 ✓	21.0 ✓	175.0 ✓	2.0 ✓	2.8
108	1250N	25.0 ✓	17.0 ✓	135.0 ✓	1.0 ✓	1.7
109	1300N	25.0 ✓	18.0 ✓	121.0 ✓	2.0 ✓	1.3
110	1350N	12.0 ✓	23.0 ✓	157.0 ✓	3.0 ✓	0.9

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 4 / 7  
AG

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
111	1400N	50.0 ✓	25.0 ✓	138.0 ✓	4.0 ✓	1.2
112	1450N	19.0 ✓	24.0 ✓	216.0 ✓	3.0 ✓	1.0
113	1500N	32.0 ✓	40.0 ✓	126.0 ✓	4.0 ✓	1.1
114	1525N	25.0 ✓	15.0 ✓	77.0 ✓	4.0 ✓	1.2
115	1550N	27.0 ✓	17.0 ✓	59.0 ✓	5.0 ✓	1.1
116	1575N	36.0 ✓	23.0 ✓	108.0 ✓	8.0 ✓	1.5
117	1600N	35.0 ✓	30.0 ✓	130.0 ✓	9.0 ✓	1.3
118	1625N	28.0 ✓	24.0 ✓	115.0 ✓	7.0 ✓	1.3
119	1650N	45.0 ✓	26.0 ✓	41.0 ✓	8.0 ✓	1.5
120	1675N	61.0 ✓	54.0 ✓	121.0 ✓	6.0 ✓	1.7
121	1700N	30.0 ✓	50.0 ✓	366.0 ✓	4.0 ✓	1.1
122	1725N	20.0 ✓	28.0 ✓	140.0 ✓	2.0 ✓	1.2
123	1750N	15.0 ✓	22.0 ✓	120.0 ✓	4.0 ✓	1.5
124	1775N	29.0 ✓	20.0 ✓	349.0 ✓	4.0 ✓	1.7
125	1800N	40.0 ✓	35.0 ✓	142.0 ✓	4.0 ✓	1.5
126	1825N	14.0 ✓	26.0 ✓	104.0 ✓	6.0 ✓	0.9
127	1850N	32.0 ✓	20.0 ✓	178.0 ✓	3.0 ✓	1.9
128	1875N	29.0 ✓	25.0 ✓	165.0 ✓	3.0 ✓	1.0
129	1900N	29.0 ✓	24.0 ✓	168.0 ✓	4.0 ✓	1.4
130	1925N	22.0 ✓	19.0 ✓	137.0 ✓	3.0 ✓	1.1
131	1950N	46.0 ✓	12.0 ✓	97.0 ✓	3.0 ✓	0.9
132	1975N	15.0 ✓	20.0 ✓	180.0 ✓	3.0 ✓	1.1
133	2000N	24.0 ✓	20.0 ✓	111.0 ✓	3.0 ✓	0.9
134	L13E1500N	8.0 ✓	20.0 ✓	155.0 ✓	2.0 ✓	1.1
135	1525N	15.0 ✓	20.0 ✓	99.0 ✓	2.0 ✓	0.8
136	1550N	22.0 ✓	28.0 ✓	166.0 ✓	3.0 ✓	1.3
137	1575N	19.0 ✓	40.0 ✓	147.0 ✓	3.0 ✓	0.9
138	1600N	24.0 ✓	30.0 ✓	273.0 ✓	5.0 ✓	1.2
139	1625N	24.0 ✓	38.0 ✓	135.0 ✓	6.0 ✓	1.8
140	1650N	10.0 ✓	28.0 ✓	95.0 ✓	3.0 ✓	1.6
141	1675N	8.0 ✓	30.0 ✓	112.0 ✓	3.0 ✓	1.3
142	1700N	36.0 ✓	25.0 ✓	148.0 ✓	4.0 ✓	2.1
143	1725N	18.0 ✓	24.0 ✓	83.0 ✓	5.0 ✓	1.5
144	1750N	19.0 ✓	26.0 ✓	41.0 ✓	16.0 ✓	0.7
145	1775N	28.0 ✓	11.0 ✓	34.0 ✓	6.0 ✓	0.7
146	1800N	27.0 ✓	26.0 ✓	120.0 ✓	4.0 ✓	1.4
147	1825N	17.0 ✓	334.0 ✓	170.0 ✓	5.0 ✓	1.3
148	1850N	12.0 ✓	21.0 ✓	169.0 ✓	3.0 ✓	1.3
149	1875N	12.0 ✓	15.0 ✓	81.0 ✓	3.0 ✓	0.8
150	1900N	16.0 ✓	20.0 ✓	106.0 ✓	4.0 ✓	1.3

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 5 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
151	1925N	12.0 ✓	11.0 ✓	112.0 ✓	2.0	1.3
152	1950N	14.0 ✓	26.0 ✓	120.0 ✓	3.0	1.0
153	1975N	11.0 ✓	20.0 ✓	110.0 ✓	3.0	0.6
154	2000N	10.0 ✓	18.0 ✓	89.0 ✓	3.0	1.1
155	L14E1525N	17.0 ✓	22.0 ✓	62.0 ✓	3.0	1.1
156	1575N	43.0 ✓	19.0 ✓	93.0 ✓	4.0	1.0
157	1625N	42.0 ✓	18.0 ✓	91.0 ✓	3.0	0.7
158	1675N	30.0 ✓	36.0 ✓	150.0 ✓	3.0	0.9
159	1725N	13.0 ✓	33.0 ✓	76.0 ✓	4.0	0.6
160	1775N	10.0 ✓	32.0 ✓	75.0 ✓	2.0	0.4
161	1825N	24.0 ✓	10.0 ✓	95.0 ✓	3.0	0.6
162	1875N	5.0 ✓	31.0 ✓	33.0 ✓	2.0	0.4
163	1925N	21.0 ✓	23.0 ✓	83.0 ✓	2.0	0.7
164	1975N	6.0 ✓	21.0 ✓	111.0 ✓	2.0	0.8
165	L15E1500N	28.0 ✓	30.0 ✓	142.0 ✓	6.0	1.2
166	1525N	20.0 ✓	28.0 ✓	86.0 ✓	2.0	0.9
167	1550N	25.0 ✓	24.0 ✓	88.0 ✓	3.0	1.0
168	1575N	16.0 ✓	25.0 ✓	75.0 ✓	3.0	1.0
169	1600N	32.0 ✓	26.0 ✓	156.0 ✓	3.0	0.9
170	1625N	33.0 ✓	26.0 ✓	154.0 ✓	3.0	1.3
171	1650N	43.0 ✓	22.0 ✓	126.0 ✓	6.0	2.1
172	1675N	23.0 ✓	33.0 ✓	145.0 ✓	4.0	1.3
173	1700N	32.0 ✓	26.0 ✓	134.0 ✓	4.0	1.1
174	1725N	24.0 ✓	20.0 ✓	135.0 ✓	2.0	0.8
175	1750N	17.0 ✓	16.0 ✓	106.0 ✓	2.0	0.9
176	1775N	21.0 ✓	12.0 ✓	145.0 ✓	2.0	0.9
177	1800N	21.0 ✓	24.0 ✓	107.0 ✓	2.0	0.9
178	1825N	16.0 ✓	28.0 ✓	114.0 ✓	2.0	1.0
179	1850N	15.0 ✓	13.0 ✓	136.0 ✓	2.0	1.1
180	1875N	10.0 ✓	25.0 ✓	109.0 ✓	6.0	0.9
181	1900N	9.0 ✓	17.0 ✓	59.0 ✓	2.0	1.0
182	1950N	14.0 ✓	17.0 ✓	86.0 ✓	2.0	0.8
183	1950N	35.0 ✓	21.0 ✓	119.0 ✓	4.0	1.8
184	<del>L16E1325N</del>	10.0 ✓	17.0 ✓	145.0 ✓	2.0	1.1
185	1575N	8.0 ✓	34.0 ✓	93.0 ✓	3.0	0.8
186	1625N	14.0 ✓	24.0 ✓	65.0 ✓	2.0	0.8
187	1675N	22.0 ✓	19.0 ✓	131.0 ✓	2.0	0.8
188	1725N	52.0 ✓	37.0 ✓	150.0 ✓	7.0	4.0
189	1775N	18.0 ✓	13.0 ✓	78.0 ✓	2.0	0.8
190	1825N	8.0 ✓	19.0 ✓	65.0 ✓	2.0	0.6

425  
→

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 6 / 7

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
191	1875N	8.0 ✓	16.0 ✓	102.0 ✓	2.0	1.1
192	1925N	12.0 ✓	12.0 ✓	45.0 ✓	2.0	0.5
193	1975N	9.0 ✓	12.0 ✓	50.0 ✓	2.0	0.6
194	L17E1500N	19.0 ✓	20.0 ✓	119.0 ✓	3.0	1.0
195	1525N	42.0 ✓	19.0 ✓	95.0 ✓	4.0	1.7
196	1550N	26.0 ✓	15.0 ✓	110.0 ✓	3.0	0.8
197	1575N	11.0 ✓	22.0 ✓	86.0 ✓	3.0	2.0
198	1600N	33.0 ✓	18.0 ✓	127.0 ✓	3.0	1.1
199	1625N	14.0 ✓	20.0 ✓	210.0 ✓	3.0	1.1
200	1650N	21.0 ✓	15.0 ✓	162.0 ✓	3.0	0.3
201	<del>1700</del> 1675N	26.0 ✓	18.0 ✓	103.0 ✓	2.0	1.3
202	1725N	19.0 ✓	57.0 ✓	44.0 ✓	3.0	4.6
203	1750N	12.0 ✓	28.0 ✓	53.0 ✓	4.0	2.3
204	1775N	15.0 ✓	21.0 ✓	122.0 ✓	2.0	2.8
205	1800N	17.0 ✓	17.0 ✓	97.0 ✓	2.0	1.8
206	1825N	12.0 ✓	22.0 ✓	111.0 ✓	3.0	3.0
207	1850N	11.0 ✓	14.0 ✓	88.0 ✓	2.0	1.1
208	<del>1875N</del>	<del>32.0 ✓</del>	<del>13.0 ✓</del>	<del>131.0 ✓</del>	<del>2.0</del>	<del>0.6</del>
209	1925N	8.0 ✓	13.0 ✓	212.0 ✓	2.0	0.6
210	1950N	16.0 ✓	18.0 ✓	166.0 ✓	2.0	0.8
211	1975N	17.0 ✓	16.0 ✓	65.0 ✓	2.0	1.2
212	2000N	15.0 ✓	12.0 ✓	102.0 ✓	2.0	0.8
213	L18E1500N	16.0 ✓	19.0 ✓	211.0 ✓	3.0	1.3
214	1525N	26.0 ✓	13.0 ✓	84.0 ✓	2.0	0.6
215	1575N	28.0 ✓	12.0 ✓	80.0 ✓	2.0	0.7
216	1625N	43.0 ✓	18.0 ✓	141.0 ✓	3.0	1.5
217	1675N	48.0 ✓	14.0 ✓	140.0 ✓	3.0	0.8
218	1725N	22.0 ✓	14.0 ✓	102.0 ✓	2.0	0.7
219	1775N	33.0 ✓	14.0 ✓	125.0 ✓	2.0	0.6
220	1825N	23.0 ✓	13.0 ✓	71.0 ✓	2.0	0.3
221	1875N	34.0 ✓	12.0 ✓	87.0 ✓	2.0	0.3
222	1925N	28.0 ✓	8.0 ✓	75.0 ✓	2.0	0.1
223	0505	16.0 ✓	19.0 ✓	97.0 ✓	2.0	0.5
224	1005	14.0 ✓	20.0 ✓	109.0 ✓	2.0	0.4
225	1505	16.0 ✓	18.0 ✓	128.0 ✓	2.0	0.2
226	2005	18.0 ✓	15.0 ✓	113.0 ✓	1.0	0.2
227	2505	12.0 ✓	17.0 ✓	65.0 ✓	2.0	0.6
228	3005	13.0 ✓	19.0 ✓	121.0 ✓	2.0	0.2
229	3505	189.0 ✓	15.0 ✓	120.0 ✓	2.0	0.4
230	4005	16.0 ✓	14.0 ✓	104.0 ✓	2.0	0.3

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 7 / 7

MISS.

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
231	4505	7.0 ✓	14.0 ✓	88.0 ✓	1.0 ✓	0.3
232	5005	8.0 ✓	19.0 ✓	128.0 ✓	2.0 ✓	0.5
233	5505	7.0 ✓	19.0 ✓	101.0 ✓	2.0 ✓	0.3
234	6005	7.0 ✓	18.0 ✓	82.0 ✓	1.0 ✓	0.3
235	7005	9.0 ✓	20.0 ✓	101.0 ✓	2.0 ✓	0.4
236	7505	7.0 ✓	18.0 ✓	103.0 ✓	1.0 ✓	0.4
237	8005	4.0 ✓	20.0 ✓	42.0 ✓	2.0 ✓	0.2
238	8505	9.0 ✓	20.0 ✓	94.0 ✓	1.0 ✓	0.6
239	L19E1500N	37.0 ✓	14.0 ✓	68.0 ✓	2.0 ✓	0.5
240	1525N	20.0 ✓	13.0 ✓	156.0 ✓	2.0 ✓	0.9
241	1550N	33.0 ✓	17.0 ✓	193.0 ✓	3.0 ✓	1.1
242	1575N	28.0 ✓	21.0 ✓	167.0 ✓	3.0 ✓	1.3
243	1600N	49.0 ✓	16.0 ✓	107.0 ✓	4.0 ✓	0.6
244	1625N	31.0 ✓	14.0 ✓	116.0 ✓	2.0 ✓	0.6
245	1650N	32.0 ✓	20.0 ✓	127.0 ✓	2.0 ✓	0.9
246	1675N	28.0 ✓	31.0 ✓	168.0 ✓	4.0 ✓	0.9
247	1700N	24.0 ✓	13.0 ✓	141.0 ✓	3.0 ✓	0.8
248	1725N	19.0 ✓	16.0 ✓	203.0 ✓	3.0 ✓	1.5
249	1750N	23.0 ✓	12.0 ✓	140.0 ✓	3.0 ✓	0.8
250	1775N	66.0 ✓	22.0 ✓	306.0 ✓	3.0 ✓	1.6
251	1800N	14.0 ✓	13.0 ✓	171.0 ✓	2.0 ✓	1.1
252	1825N	21.0 ✓	20.0 ✓	150.0 ✓	3.0 ✓	0.6
253	1850N	28.0 ✓	13.0 ✓	107.0 ✓	2.0 ✓	0.6
254	1875N	17.0 ✓	17.0 ✓	162.0 ✓	2.0 ✓	1.2
255	1900N	27.0 ✓	12.0 ✓	95.0 ✓	2.0 ✓	0.8
256	1925N	14.0 ✓	18.0 ✓	235.0 ✓	2.0 ✓	1.1
257	1950N	22.0 ✓	11.0 ✓	112.0 ✓	1.0 ✓	0.7

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2035 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
GEOCHEMICAL LAB REPORT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355  
BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

PAGE 1 / 7

KRAL NO.		CU	PB	ZN	MO	AG
1	20E 1525N	38.0 ✓	20.0 ✓	192.0 ✓	2.0	2.1
2	1575N	40.0 ✓	18.0 ✓	134.0 ✓	1.0	1.2
3	1625N	33.0 ✓	20.0 ✓	109.0 ✓	2.0	1.4
4	1675N	58.0 ✓	20.0 ✓	151.0 ✓	2.0	1.3
5	1725N	39.0 ✓	14.0 ✓	130.0 ✓	2.0	1.3
6	1775N	29.0 ✓	13.0 ✓	124.0 ✓	2.0	1.1
7	1825N	24.0 ✓	17.0 ✓	129.0 ✓	2.0	1.5
8	1875N	24.0 ✓	21.0 ✓	185.0 ✓	2.0	1.1
9	1925N	17.0 ✓	16.0 ✓	142.0 ✓	3.0	1.1
10	50S	8.0 ✓	14.0 ✓	90.0 ✓	2.0	0.7
11	100S	11.0 ✓	20.0 ✓	114.0 ✓	1.0	0.3
12	150S	19.0 ✓	31.0 ✓	100.0 ✓	3.0	1.1
13	200S	6.0 ✓	13.0 ✓	163.0 ✓	2.0	0.6
14	250S	11.0 ✓	11.0 ✓	200.0 ✓	3.0	0.8
15	300S	32.0 ✓	16.0 ✓	170.0 ✓	3.0	0.9
16	350S	25.0 ✓	11.0 ✓	101.0 ✓	3.0	0.9
17	400S	11.0 ✓	16.0 ✓	165.0 ✓	2.0	0.8
18	450S	9.0 ✓	20.0 ✓	93.0 ✓	3.0	1.0
19	500S	7.0 ✓	16.0 ✓	84.0 ✓	2.0	0.7
20	550S	8.0 ✓	19.0 ✓	83.0 ✓	2.0	1.0
21	600S	10.0 ✓	17.0 ✓	77.0 ✓	2.0	0.8
22	650S	8.0 ✓	12.0 ✓	152.0 ✓	2.0	0.9
23	700S	10.0 ✓	12.0 ✓	92.0 ✓	2.0	1.0
24	750S	7.0 ✓	14.0 ✓	82.0 ✓	2.0	0.6
25	800S	11.0 ✓	20.0 ✓	140.0 ✓	3.0	1.3
26	850S	7.0 ✓	20.0 ✓	82.0 ✓	2.0	0.8
27	L22E 50S	31.0 ✓	24.0 ✓	113.0 ✓	2.0	1.0
28	100S	16.0 ✓	16.0 ✓	122.0 ✓	3.0	1.1
29	150S	28.0 ✓	12.0 ✓	120.0 ✓	3.0	0.8
30	200S	10.0 ✓	16.0 ✓	98.0 ✓	2.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 2 / 7

KRAL NO.		CU	PB	ZN	MO	AG
31	2505	9.0 ✓	19.0 ✓	127.0 ✓	1.0	1.0
32	3005	6.0 ✓	35.0 ✓	122.0 ✓	2.0	1.0
33	3505	13.0 ✓	18.0 ✓	88.0 ✓	2.0	0.6
34	4005	10.0 ✓	20.0 ✓	100.0 ✓	3.0	0.5
35	4505	13.0 ✓	18.0 ✓	111.0 ✓	2.0	0.6
36	5005	13.0 ✓	20.0 ✓	105.0 ✓	2.0	0.5
37	5505	8.0 ✓	25.0 ✓	85.0 ✓	3.0	0.7
38	6005	9.0 ✓	28.0 ✓	109.0 ✓	3.0	0.7
39	6505	9.0 ✓	20.0 ✓	98.0 ✓	1.0	0.2
40	7005	8.0 ✓	13.0 ✓	97.0 ✓	1.0	0.4
41	7505	11.0 ✓	12.0 ✓	55.0 ✓	2.0	0.2
42	8005	10.0 ✓	14.0 ✓	88.0 ✓	2.0	0.7
43	8505	18.0 ✓	12.0 ✓	95.0 ✓	2.0	0.6
44	9005	22.0 ✓	15.0 ✓	98.0 ✓	2.0	0.3
45	9505	19.0 ✓	10.0 ✓	76.0 ✓	2.0	0.3
46	10005	18.0 ✓	15.0 ✓	85.0 ✓	2.0	0.3
47	L24E 1005	13.0 ✓	18.0 ✓	105.0 ✓	3.0	0.9
48	1505	13.0 ✓	16.0 ✓	100.0 ✓	2.0	0.6
49	2005	30.0 ✓	11.0 ✓	94.0 ✓	2.0	0.3
50	2505	24.0 ✓	17.0 ✓	163.0 ✓	2.0	0.6
51	305	15.0 ✓	21.0 ✓	130.0 ✓	3.0	0.5
52	3505	26.0 ✓	13.0 ✓	123.0 ✓	2.0	0.4
53	4005	22.0 ✓	16.0 ✓	140.0 ✓	2.0	0.6
54	4505	37.0 ✓	14.0 ✓	113.0 ✓	2.0	0.6
55	5005	13.0 ✓	14.0 ✓	138.0 ✓	1.0	0.3
56	5505	18.0 ✓	10.0 ✓	67.0 ✓	1.0	0.2
57	6005	8.0 ✓	18.0 ✓	66.0 ✓	2.0	0.4
58	6505	7.0 ✓	10.0 ✓	123.0 ✓	1.0	0.2
59	7005	6.0 ✓	14.0 ✓	87.0 ✓	2.0	0.6
60	7505	10.0 ✓	16.0 ✓	126.0 ✓	2.0	0.7
61	8005	13.0 ✓	20.0 ✓	130.0 ✓	2.0	0.6
62	8505	7.0 ✓	14.0 ✓	177.0 ✓	2.0	0.7
63	9005	11.0 ✓	16.0 ✓	134.0 ✓	2.0	0.4
64	9505	14.0 ✓	10.0 ✓	80.0 ✓	2.0	0.8
65	10005	10.0 ✓	16.0 ✓	83.0 ✓	1.0	0.5
66	L26E 005	24.0 ✓	14.0 ✓	110.0 ✓	1.0	0.5
67	505	25.0 ✓	14.0 ✓	113.0 ✓	1.0	0.7
68	1005	9.0 ✓	13.0 ✓	92.0 ✓	2.0	0.8
69	1505	10.0 ✓	22.0 ✓	106.0 ✓	1.0	1.0
70	2005	10.0 ✓	15.0 ✓	114.0 ✓	2.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 3 / 7

KRAL NO.		CU	PB	ZN	MO	AG
71	250S	10.0 ✓	14.0 ✓	133.0 ✓	1.0	1.3
72	300S	14.0 ✓	17.0 ✓	124.0 ✓	1.0	0.6
73	350S	15.0 ✓	20.0 ✓	156.0 ✓	2.0	0.4
74	400S	4.0 ✓	14.0 ✓	60.0 ✓	1.0	0.7
75	450S	18.0 ✓	14.0 ✓	106.0 ✓	2.0	0.6
76	500S	9.0 ✓	18.0 ✓	93.0 ✓	1.0	0.9
77	550S	17.0 ✓	24.0 ✓	146.0 ✓	2.0	1.2
78	600S	11.0 ✓	18.0 ✓	119.0 ✓	2.0	0.9
79	650S	10.0 ✓	16.0 ✓	139.0 ✓	1.0	1.2
80	700S	14.0 ✓	19.0 ✓	124.0 ✓	1.0	0.6
81	750S	14.0 ✓	11.0 ✓	104.0 ✓	1.0	1.4
82	800S	14.0 ✓	17.0 ✓	148.0 ✓	1.0	0.9
83	850S	13.0 ✓	14.0 ✓	127.0 ✓	2.0	0.8
84	900S	11.0 ✓	14.0 ✓	193.0 ✓	2.0	0.8
85	950S	11.0 ✓	23.0 ✓	119.0 ✓	2.0	0.8
86	1000S	7.0 ✓	14.0 ✓	160.0 ✓	1.0	0.8
87	L28E 00S	5.0 ✓	23.0 ✓	60.0 ✓	1.0	0.6
88	50S	7.0 ✓	14.0 ✓	73.0 ✓	1.0	0.7
89	100S	8.0 ✓	22.0 ✓	130.0 ✓	2.0	0.8
90	150S	7.0 ✓	15.0 ✓	117.0 ✓	1.0	0.6
91	200S	7.0 ✓	14.0 ✓	100.0 ✓	1.0	0.5
92	250S	8.0 ✓	20.0 ✓	123.0 ✓	1.0	0.7
93	300S	7.0 ✓	16.0 ✓	72.0 ✓	1.0	0.6
94	350S	5.0 ✓	20.0 ✓	134.0 ✓	1.0	0.4
95	400S	8.0 ✓	17.0 ✓	190.0 ✓	1.0	0.6
96	450S	11.0 ✓	15.0 ✓	45.0 ✓	1.0	1.1
97	500S	8.0 ✓	18.0 ✓	68.0 ✓	3.0	0.6
98	550S	4.0 ✓	20.0 ✓	117.0 ✓	2.0	0.9
99	600S	8.0 ✓	15.0 ✓	139.0 ✓	1.0	0.9
100	650S	13.0 ✓	18.0 ✓	77.0 ✓	2.0	0.9
101	700S	11.0 ✓	14.0 ✓	110.0 ✓	2.0	1.0
102	750S	16.0 ✓	15.0 ✓	143.0 ✓	2.0	1.3
103	800S	25.0 ✓	16.0 ✓	197.0 ✓	2.0	1.0
104	850S	10.0 ✓	14.0 ✓	94.0 ✓	2.0	1.1
105	900S	15.0 ✓	12.0 ✓	170.0 ✓	2.0	0.6
106	950S	10.0 ✓	18.0 ✓	85.0 ✓	2.0	0.8
107	1000S	7.0 ✓	16.0 ✓	111.0 ✓	2.0	0.9
108	L34E 50S	15.0 ✓	18.0 ✓	51.0 ✓	3.0	2.1
109	100S	21.0 ✓	8.0 ✓	187.0 ✓	2.0	0.5
110	150S	33.0 ✓	4.0 ✓	145.0 ✓	3.0	1.4



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 4 / 7

KRAL NO.		CU	PB	ZN	MO	AG
111	200S	10.0 ✓	17.0 ✓	145.0 ✓	2.0 ✓	1.5 ✓
112	250S	5.0 ✓	15.0 ✓	88.0 ✓	2.0 ✓	0.9 ✓
113	300S	7.0 ✓	11.0 ✓	47.0 ✓	2.0 ✓	0.8 ✓
114	350S	16.0 ✓	14.0 ✓	246.0 ✓	2.0 ✓	1.0 ✓
115	400S	26.0 ✓	10.0 ✓	89.0 ✓	3.0 ✓	0.8 ✓
116	450S	21.0 ✓	15.0 ✓	148.0 ✓	2.0 ✓	1.0 ✓
117	500S	15.0 ✓	14.0 ✓	146.0 ✓	3.0 ✓	1.1 ✓
118	550S	18.0 ✓	15.0 ✓	170.0 ✓	3.0 ✓	0.8 ✓
119	600S	13.0 ✓	16.0 ✓	148.0 ✓	2.0 ✓	1.0 ✓
120	650S	15.0 ✓	16.0 ✓	92.0 ✓	2.0 ✓	0.9 ✓
121	700S	16.0 ✓	15.0 ✓	140.0 ✓	2.0 ✓	1.0 ✓
122	750S	10.0 ✓	22.0 ✓	145.0 ✓	2.0 ✓	1.0 ✓
123	800S	7.0 ✓	21.0 ✓	98.0 ✓	2.0 ✓	1.0 ✓
124	850S	7.0 ✓	26.0 ✓	94.0 ✓	2.0 ✓	0.6 ✓
125	900S	7.0 ✓	14.0 ✓	125.0 ✓	2.0 ✓	0.9 ✓
126	950S	9.0 ✓	18.0 ✓	75.0 ✓	2.0 ✓	1.3 ✓
127	1000S	16.0 ✓	12.0 ✓	94.0 ✓	2.0 ✓	0.8 ✓
128	L36E 50S	17.0 ✓	14.0 ✓	184.0 ✓	3.0 ✓	1.6 ✓
129	100S	21.0 ✓	14.0 ✓	193.0 ✓	2.0 ✓	1.3 ✓
130	150S	16.0 ✓	15.0 ✓	223.0 ✓	3.0 ✓	1.6 ✓
131	200S	13.0 ✓	14.0 ✓	180.0 ✓	3.0 ✓	1.3 ✓
132	250S	15.0 ✓	19.0 ✓	178.0 ✓	3.0 ✓	1.8 ✓
133	300S	29.0 ✓	15.0 ✓	141.0 ✓	2.0 ✓	1.3 ✓
134	350S	7.0 ✓	13.0 ✓	110.0 ✓	2.0 ✓	1.1 ✓
135	400S	8.0 ✓	14.0 ✓	78.0 ✓	3.0 ✓	1.2 ✓
136	450S	14.0 ✓	13.0 ✓	75.0 ✓	1.0 ✓	1.1 ✓
137	500S	11.0 ✓	15.0 ✓	123.0 ✓	2.0 ✓	1.2 ✓
138	550S	21.0 ✓	14.0 ✓	146.0 ✓	2.0 ✓	0.9 ✓
139	600S	13.0 ✓	14.0 ✓	114.0 ✓	2.0 ✓	1.0 ✓
140	650S	13.0 ✓	15.0 ✓	80.0 ✓	2.0 ✓	1.5 ✓
141	700S	17.0 ✓	16.0 ✓	94.0 ✓	3.0 ✓	1.0 ✓
142	750S	12.0 ✓	21.0 ✓	104.0 ✓	3.0 ✓	0.9 ✓
143	800S	11.0 ✓	15.0 ✓	36.0 ✓	2.0 ✓	1.1 ✓
144	850S	17.0 ✓	20.0 ✓	137.0 ✓	2.0 ✓	0.7 ✓
145	900S	12.0 ✓	27.0 ✓	216.0 ✓	2.0 ✓	0.9 ✓
146	950S	8.0 ✓	23.0 ✓	106.0 ✓	2.0 ✓	0.7 ✓
147	1000S	10.0 ✓	16.0 ✓	101.0 ✓	2.0 ✓	0.9 ✓
148	L38E 00S	60.0 ✓	27.0 ✓	332.0 ✓	4.0 ✓	3.5 ✓
149	50S	14.0 ✓	30.0 ✓	127.0 ✓	3.0 ✓	0.9 ✓
150	100S	62.0 ✓	27.0 ✓	90.0 ✓	26.0 ✓	3.4 ✓

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 5 / 7

KRAL NO.		CU	PB	ZN	MO	AG
151	1505	14.0 ✓	19.0 ✓	178.0 ✓	4.0	0.7
152	2005	14.0 ✓	19.0 ✓	155.0 ✓	4.0	1.5
153	2505	12.0 ✓	19.0 ✓	136.0 ✓	2.0	1.4
154	3005	14.0 ✓	22.0 ✓	139.0 ✓	12.0	1.0
155	3505	6.0 ✓	35.0 ✓	123.0 ✓	4.0	1.4
156	4005	4.0 ✓	13.0 ✓	65.0 ✓	2.0	0.8
157	4505	4.0 ✓	16.0 ✓	119.0 ✓	2.0	1.0
158	5005	15.0 ✓	19.0 ✓	220.0 ✓	2.0	1.1
159	5505	12.0 ✓	20.0 ✓	168.0 ✓	2.0	1.2
160	6005	23.0 ✓	16.0 ✓	122.0 ✓	2.0	0.8
161	6505	12.0 ✓	18.0 ✓	102.0 ✓	2.0	1.2
162	7005	12.0 ✓	20.0 ✓	106.0 ✓	2.0	1.0
163	7505	8.0 ✓	21.0 ✓	84.0 ✓	2.0	0.8
164	8005	10.0 ✓	18.0 ✓	131.0 ✓	2.0	0.7
165	8505	11.0 ✓	18.0 ✓	148.0 ✓	2.0	1.1
166	9005	15.0 ✓	18.0 ✓	170.0 ✓	2.0	0.8
167	9505	10.0 ✓	13.0 ✓	104.0 ✓	2.0	0.6
168	10005	11.0 ✓	20.0 ✓	128.0 ✓	2.0	1.1
169	L40E 005	39.0 ✓	17.0 ✓	192.0 ✓	2.0	1.0
170	505	25.0 ✓	75.0 ✓	185.0 ✓	3.0	1.0
171	1005	19.0 ✓	17.0 ✓	215.0 ✓	2.0	1.0
172	1505	21.0 ✓	25.0 ✓	161.0 ✓	3.0	1.0
173	2005	30.0 ✓	16.0 ✓	214.0 ✓	3.0	0.9
174	2505	6.0 ✓	16.0 ✓	44.0 ✓	2.0	0.6
175	3005	10.0 ✓	58.0 ✓	81.0 ✓	3.0	0.4
176	3505	17.0 ✓	20.0 ✓	116.0 ✓	3.0	0.9
177	4005	51.0 ✓	23.0 ✓	89.0 ✓	5.0	5.3
178	4505	22.0 ✓	16.0 ✓	141.0 ✓	3.0	0.8
179	5005	27.0 ✓	20.0 ✓	265.0 ✓	2.0	1.5
180	5505	14.0 ✓	17.0 ✓	200.0 ✓	2.0	1.3
181	6005	16.0 ✓	18.0 ✓	185.0 ✓	2.0	1.0
182	6505	12.0 ✓	18.0 ✓	126.0 ✓	2.0	0.5
183	7005	17.0 ✓	25.0 ✓	123.0 ✓	2.0	1.3
184	7505	10.0 ✓	20.0 ✓	171.0 ✓	1.0	0.8
185	8005	13.0 ✓	27.0 ✓	114.0 ✓	2.0	1.1
186	8505	9.0 ✓	18.0 ✓	123.0 ✓	2.0	1.6
187	9005	8.0 ✓	15.0 ✓	113.0 ✓	2.0	1.1
188	9505	13.0 ✓	16.0 ✓	112.0 ✓	2.0	0.7
189	10005	9.0 ✓	20.0 ✓	115.0 ✓	2.0	1.1
190	L42E 505	16.0 ✓	15.0 ✓	102.0 ✓	2.0	1.1

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 6 / 7

KRAL NO		CU	FB	ZN	MO	AG
191	1005	13.0 ✓	21.0 ✓	258.0 ✓	2.0	1.2
192	1505	18.0 ✓	17.0 ✓	191.0 ✓	2.0	1.7
193	2005	71.0 ✓	16.0 ✓	171.0 ✓	4.0	1.0
194	2505	6.0 ✓	11.0 ✓	59.0 ✓	1.0	0.3
195	3005	11.0 ✓	17.0 ✓	222.0 ✓	2.0	1.1
196	3505	12.0 ✓	23.0 ✓	208.0 ✓	2.0	1.5
197	4005	11.0 ✓	15.0 ✓	80.0 ✓	2.0	2.0
198	4505	4.0 ✓	17.0 ✓	98.0 ✓	1.0	0.6
199	5005	13.0 ✓	20.0 ✓	108.0 ✓	2.0	0.8
200	5505	19.0 ✓	14.0 ✓	124.0 ✓	2.0	0.8
201	6005	10.0 ✓	16.0 ✓	101.0 ✓	2.0	0.9
202	6505	6.0 ✓	13.0 ✓	108.0 ✓	1.0	0.8
203	7005	10.0 ✓	10.0 ✓	93.0 ✓	2.0	0.7
204	7505	10.0 ✓	16.0 ✓	113.0 ✓	2.0	1.1
205	8005	6.0 ✓	10.0 ✓	145.0 ✓	2.0	0.7
206	8505	4.0 ✓	14.0 ✓	104.0 ✓	2.0	0.5
207	9005	6.0 ✓	10.0 ✓	126.0 ✓	2.0	0.8
208	9505	5.0 ✓	11.0 ✓	134.0 ✓	3.0	0.9
209	10005	5.0 ✓	21.0 ✓	53.0 ✓	2.0	0.5
210	L44E 505	17.0 ✓	15.0 ✓	95.0 ✓	2.0	0.6
211	1005	18.0 ✓	22.0 ✓	177.0 ✓	3.0	1.1
212	1505	28.0 ✓	22.0 ✓	248.0 ✓	4.0	1.2
213	2005	23.0 ✓	22.0 ✓	233.0 ✓	3.0	1.3
214	2505	8.0 ✓	16.0 ✓	119.0 ✓	2.0	1.0
215	3005	8.0 ✓	11.0 ✓	91.0 ✓	2.0	1.0
216	3505	102.0 ✓	29.0 ✓	177.0 ✓	6.0	3.1
217	4005	32.0 ✓	18.0 ✓	206.0 ✓	4.0	1.3
218	4505	12.0 ✓	22.0 ✓	190.0 ✓	3.0	1.1
219	5005	13.0 ✓	19.0 ✓	122.0 ✓	2.0	0.7
220	5505	23.0 ✓	15.0 ✓	145.0 ✓	2.0	0.9
221	6005	13.0 ✓	15.0 ✓	118.0 ✓	2.0	1.2
222	6505	7.0 ✓	16.0 ✓	117.0 ✓	2.0	0.8
223	7005	12.0 ✓	13.0 ✓	143.0 ✓	1.0	0.6
224	7505	8.0 ✓	17.0 ✓	68.0 ✓	1.0	0.9
225	8005	5.0 ✓	15.0 ✓	69.0 ✓	2.0	0.8
226	8505	7.0 ✓	15.0 ✓	108.0 ✓	2.0	0.6
227	9005	10.0 ✓	16.0 ✓	95.0 ✓	4.0	1.3
228	9505	15.0 ✓	11.0 ✓	81.0 ✓	2.0	0.6
229	10005	10.0 ✓	14.0 ✓	98.0 ✓	2.0	0.9
230	L46E 505	12.0 ✓	17.0 ✓	108.0 ✓	2.0	1.0

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 7 / 7

KRAL NO.		CU	PB	ZN	MO	AG
231	1005	17.0 ✓	24.0 ✓	188.0 ✓	2.0	1.1
232	1505	25.0 ✓	18.0 ✓	158.0 ✓	2.0	1.0
233	2005	42.0 ✓	17.0 ✓	232.0 ✓	2.0	1.0
234	2505	10.0 ✓	21.0 ✓	228.0 ✓	2.0	1.8
235	3005	15.0 ✓	33.0 ✓	153.0 ✓	2.0	1.2
236	3505	21.0 ✓	19.0 ✓	166.0 ✓	2.0	1.0
237	4005	15.0 ✓	17.0 ✓	176.0 ✓	2.0	1.5
238	4505	18.0 ✓	44.0 ✓	152.0 ✓	2.0	1.2
239	5005	8.0 ✓	12.0 ✓	91.0 ✓	2.0	0.7
240	5505	11.0 ✓	20.0 ✓	101.0 ✓	2.0	0.7
241	6005	14.0 ✓	16.0 ✓	105.0 ✓	2.0	1.5
242	6505	11.0 ✓	30.0 ✓	119.0 ✓	1.0	1.3
243	7005	13.0 ✓	18.0 ✓	134.0 ✓	1.0	1.2
244	7505	8.0 ✓	16.0 ✓	122.0 ✓	1.0	0.8
245	8005	10.0 ✓	17.0 ✓	79.0 ✓	2.0	0.8
246	8505	10.0 ✓	16.0 ✓	118.0 ✓	2.0	0.9
247	9005	8.0 ✓	16.0 ✓	75.0 ✓	1.0	0.8
248	9505	16.0 ✓	16.0 ✓	104.0 ✓	1.0	1.8
249	10005	11.0 ✓	18.0 ✓	94.0 ✓	3.0	1.0
250	L48E 505	14.0 ✓	18.0 ✓	91.0 ✓	2.0	0.9
251	100W	22.0 ✓	12.0 ✓	89.0 ✓	2.0	0.6
252	1505	12.0 ✓	14.0 ✓	108.0 ✓	2.0	0.5
253	2005	6.0 ✓	27.0 ✓	60.0 ✓	2.0	0.3
254	2505	24.0 ✓	20.0 ✓	99.0 ✓	2.0	0.5
255	3005	21.0 ✓	19.0 ✓	194.0 ✓	2.0	0.8
256	3505	30.0 ✓	21.0 ✓	159.0 ✓	2.0	1.0
257	4005	7.0 ✓	21.0 ✓	54.0 ✓	2.0	0.8
258	4505	29.0 ✓	17.0 ✓	305.0 ✓	2.0	0.9
259	5005	8.0 ✓	35.0 ✓	88.0 ✓	3.0	0.5
260	5505	13.0 ✓	18.0 ✓	90.0 ✓	3.0	0.4
261	6005	10.0 ✓	24.0 ✓	186.0 ✓	3.0	1.1
262	6505	8.0 ✓	16.0 ✓	76.0 ✓	2.0	0.6
263	7005	8.0 ✓	19.0 ✓	79.0 ✓	2.0	0.4
264	7505	8.0 ✓	21.0 ✓	90.0 ✓	2.0	0.4
265	8005	6.0 ✓	20.0 ✓	78.0 ✓	2.0	0.5
266	8505	10.0 ✓	18.0 ✓	119.0 ✓	3.0	1.2
267	9005	14.0 ✓	20.0 ✓	157.0 ✓	3.0	1.1
268	9505	12.0 ✓	17.0 ✓	105.0 ✓	2.0	0.9
269	10005	16.0 ✓	19.0 ✓	122.0 ✓	2.0	0.8

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
GEOCHEMICAL LAB REPORT  
-----


CYPRUS ANVIL MINING CORPORATION  
330-355 BARRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

PAGE 1 / 5

KRAL NO.	IDENTIFICATION	CU	FE	ZN	MO	AG
1	L2W 050S	20.0 ✓	21.0 ✓	126.0 ✓	3.0	1.0
2	100S	31.0 ✓	20.0 ✓	130.0 ✓	3.0	1.1
3	150S	14.0 ✓	12.0 ✓	55.0 ✓	2.0	0.6
4	200S	18.0 ✓	30.0 ✓	60.0 ✓	2.0	0.5
5	250S	12.0 ✓	26.0 ✓	102.0 ✓	4.0	0.7
6	300S	7.0 ✓	16.0 ✓	61.0 ✓	2.0	0.5
7	350S	8.0 ✓	16.0 ✓	82.0 ✓	2.0	0.6
8	400S	8.0 ✓	18.0 ✓	138.0 ✓	3.0	0.9
9	450S	7.0 ✓	15.0 ✓	44.0 ✓	2.0	1.0
10	500S	6.0 ✓	13.0 ✓	89.0 ✓	2.0	0.5
11	600S	13.0 ✓	18.0 ✓	46.0 ✓	3.0	0.5
12	700S	5.0 ✓	14.0 ✓	79.0 ✓	3.0	0.5
13	750S	5.0 ✓	14.0 ✓	58.0 ✓	3.0	0.5
14	800S	5.0 ✓	15.0 ✓	63.0 ✓	2.0	0.7
15	850S	12.0 ✓	21.0 ✓	85.0 ✓	3.0	0.8
16	900S	6.0 ✓	15.0 ✓	753.0 ✓	2.0	0.8
17	00N	10.0 ✓	22.0 ✓	149.0 ✓	4.0	1.4
18	50N	57.0	22.0	156.0	3.0	1.1
19	100N	38.0	19.0	263.0	3.0	1.6
20	150N	42.0	23.0	339.0	3.0	1.4
21	200N	45.0	21.0	335.0	4.0	2.5
22	250N	34.0	22.0	385.0	4.0	2.5
23	300N	46.0	25.0	426.0	4.0	1.1
24	350N	42.0	23.0	430.0	5.0	2.7
25	400N	43.0	22.0	311.0	5.0	2.6
26	450N	88.0 ✓	32.0 ✓	492.0 ✓	14.0	1.9
27	500N	92.0 ✓	40.0 ✓	428.0 ✓	10.0	2.2
28	550N	50.0 ✓	37.0 ✓	408.0 ✓	2.0	1.5
29	600N	122.0 ✓	31.0 ✓	611.0 ✓	5.0	2.2
30	650N	83.0 ✓	32.0 ✓	273.0 ✓	6.0	2.8

50  
60



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 2 / 5

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
31	700N	74.0 ✓	20.0 ✓	185.0 ✓	3.0 ✓	1.7
32	750N	74.0 ✓	35.0 ✓	307.0 ✓	7.0 ✓	4.5
33	800N	24.0 ✓	21.0 ✓	208.0 ✓	5.0 ✓	1.3
34	850N	42.0 ✓	28.0 ✓	228.0 ✓	2.0 ✓	2.2
35	900N	28.0 ✓	18.0 ✓	169.0 ✓	4.0 ✓	2.4
36	950N	26.0 ✓	22.0 ✓	157.0 ✓	3.0 ✓	2.4
37	1000N	16.0 ✓	20.0 ✓	67.0 ✓	3.0 ✓	1.9
38	L04W 150N	52.0 ✓	26.0 ✓	233.0 ✓	5.0 ✓	1.5
39	200N	64.0 ✓	18.0 ✓	138.0 ✓	3.0 ✓	1.5
40	250N	43.0 ✓	18.0 ✓	188.0 ✓	2.0 ✓	1.5
41	300N	53.0 ✓	16.0 ✓	123.0 ✓	3.0 ✓	1.0
42	350N	65.0 ✓	37.0 ✓	95.0 ✓	7.0 ✓	2.2
43	400N	88.0 ✓	23.0 ✓	212.0 ✓	6.0 ✓	3.8
44	450N	51.0 ✓	40.0 ✓	264.0 ✓	4.0 ✓	1.2
45	500N	31.0 ✓	20.0 ✓	175.0 ✓	2.0 ✓	1.3
46	550N	86.0 ✓	31.0 ✓	274.0 ✓	5.0 ✓	2.2
47	600N	96.0 ✓	39.0 ✓	365.0 ✓	6.0 ✓	1.9
48	650N	75.0 ✓	50.0 ✓	530.0 ✓	18.0 ✓	1.9
49	700N	89.0 ✓	31.0 ✓	385.0 ✓	5.0 ✓	2.4
50	750N	68.0 ✓	30.0 ✓	228.0 ✓	7.0 ✓	1.6
51	800N	22.0 ✓	20.0 ✓	78.0 ✓	4.0 ✓	1.6
52	850N	35.0 ✓	19.0 ✓	188.0 ✓	5.0 ✓	3.6
53	900N	28.0 ✓	15.0 ✓	56.0 ✓	3.0 ✓	1.3
54	950N	31.0 ✓	18.0 ✓	114.0 ✓	4.0 ✓	1.7
55	1000N	28.0 ✓	18.0 ✓	86.0 ✓	2.0 ✓	1.5
56	005	25.0 ✓	12.0 ✓	48.0 ✓	4.0 ✓	2.1
57	505	17.0 ✓	20.0 ✓	60.0 ✓	4.0 ✓	1.5
58	1005	6.0 ✓	10.0 ✓	37.0 ✓	2.0 ✓	1.4
59	1505	11.0 ✓	20.0 ✓	96.0 ✓	3.0 ✓	1.1
60	2005	11.0 ✓	17.0 ✓	83.0 ✓	3.0 ✓	1.2
61	2505	10.0 ✓	15.0 ✓	41.0 ✓	2.0 ✓	0.9
62	3005	12.0 ✓	18.0 ✓	129.0 ✓	4.0 ✓	0.7
63	3505	14.0 ✓	20.0 ✓	82.0 ✓	4.0 ✓	1.2
64	4005	14.0 ✓	17.0 ✓	95.0 ✓	3.0 ✓	0.7
65	4505	8.0 ✓	15.0 ✓	103.0 ✓	2.0 ✓	0.7
66	5005	26.0 ✓	24.0 ✓	168.0 ✓	4.0 ✓	2.4
67	5505	12.0 ✓	18.0 ✓	95.0 ✓	2.0 ✓	0.8
68	6005	9.0 ✓	16.0 ✓	72.0 ✓	2.0 ✓	0.7
69	6505	13.0 ✓	19.0 ✓	84.0 ✓	3.0 ✓	0.7
70	L06W 00N	18.0 ✓	17.0 ✓	50.0 ✓	13.0 ✓	0.8

OMIT

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 3 / 5

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
71	100N	46.0 ✓	18.0 ✓	135.0 ✓	3.0	1.4
72	150N	34.0 ✓	16.0 ✓	50.0 ✓	2.0	3.3
73	200N	32.0 ✓	26.0 ✓	168.0 ✓	3.0	1.9
74	250N	31.0 ✓	24.0 ✓	153.0 ✓	3.0	1.7
75	300N	46.0 ✓	29.0 ✓	224.0 ✓	3.0	1.7
76	350N	24.0 ✓	24.0 ✓	195.0 ✓	3.0	1.6
77	400N	103.0 ✓	24.0 ✓	250.0 ✓	5.0	3.1
78	450N	90.0 ✓	30.0 ✓	210.0 ✓	6.0	3.2
79	500N	86.0 ✓	35.0 ✓	500.0 ✓	6.0	2.1
80	550N	106.0 ✓	25.0 ✓	335.0 ✓	6.0	2.2
81	<del>650N</del>	<del>63.0 ✓</del>	<del>20.0 ✓</del>	<del>179.0 ✓</del>	5.0	1.7
82	750N	32.0 ✓	30.0 ✓	285.0 ✓	4.0	1.1
83	800N	13.0 ✓	20.0 ✓	192.0 ✓	2.0	1.3
84	850N	12.0 ✓	22.0 ✓	112.0 ✓	2.0	0.9
85	900N	17.0 ✓	18.0 ✓	46.0 ✓	1.0	0.8
86	950N	30.0 ✓	22.0 ✓	152.0 ✓	2.0	0.8
87	1000N	21.0 ✓	17.0 ✓	100.0 ✓	4.0	1.0
88	L08W 200N	74.0 ✓	30.0 ✓	490.0 ✓	3.0	2.1
89	250N	31.0 ✓	24.0 ✓	266.0 ✓	6.0	0.8
90	300N	43.0 ✓	25.0 ✓	244.0 ✓	4.0	1.4
91	350N	40.0 ✓	21.0 ✓	220.0 ✓	3.0	1.3
92	400N	44.0 ✓	28.0 ✓	251.0 ✓	4.0	1.4
93	450N	170.0 ✓	44.0 ✓	425.0 ✓	7.0	3.7
94	500N	88.0 ✓	32.0 ✓	365.0 ✓	6.0	4.9
95	550N	93.0 ✓	20.0 ✓	330.0 ✓	5.0	2.1
96	<del>650N</del>	<del>88.0 ✓</del>	<del>30.0 ✓</del>	<del>340.0 ✓</del>	8.0	5.2
97	700N	59.0 ✓	26.0 ✓	375.0 ✓	12.0	2.9
98	750N	24.0 ✓	36.0 ✓	146.0 ✓	4.0	1.2
99	800N	19.0 ✓	24.0 ✓	109.0 ✓	3.0	0.8
100	850N	36.0 ✓	21.0 ✓	113.0 ✓	6.0	1.5
101	900N	15.0 ✓	15.0 ✓	93.0 ✓	3.0	1.3
102	950N	17.0 ✓	18.0 ✓	86.0 ✓	3.0	1.4
103	1000N	32.0 ✓	17.0 ✓	122.0 ✓	3.0	1.0
104	L16W200S	34.0 ✓	17.0 ✓	115.0 ✓	3.0	0.8
105	250S	44.0 ✓	15.0 ✓	105.0 ✓	4.0	1.0
106	300S	74.0 ✓	20.0 ✓	94.0 ✓	3.0	1.3
107	350S	30.0 ✓	15.0 ✓	100.0 ✓	3.0	1.4
108	400S	30.0 ✓	20.0 ✓	155.0 ✓	3.0	1.3
109	450S	22.0 ✓	18.0 ✓	108.0 ✓	3.0	1.1
110	500S	52.0 ✓	17.0 ✓	124.0 ✓	3.0	1.1

MISS

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
 GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 4 / 5

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
111	5505	18.0 ✓	18.0 ✓	134.0 ✓	3.0 ✓	2.0
112	6005	47.0 ✓	16.0 ✓	126.0 ✓	3.0 ✓	1.1
113	6505	44.0 ✓	17.0 ✓	130.0 ✓	3.0 ✓	1.1
114	7005	35.0 ✓	17.0 ✓	178.0 ✓	3.0 ✓	1.3
115	7505	22.0 ✓	17.0 ✓	185.0 ✓	3.0 ✓	1.3
116	8005	11.0 ✓	17.0 ✓	54.0 ✓	2.0 ✓	0.7
117	8505	10.0 ✓	27.0 ✓	63.0 ✓	2.0 ✓	0.6
118	9005	27.0 ✓	18.0 ✓	96.0 ✓	2.0 ✓	0.9
119	9505	11.0 ✓	13.0 ✓	72.0 ✓	2.0 ✓	1.0
120	10005	9.0 ✓	14.0 ✓	16.0 ✓	3.0 ✓	1.1
121	L18W2005	15.0 ✓	11.0 ✓	28.0 ✓	3.0 ✓	2.0
122	2505	21.0 ✓	16.0 ✓	190.0 ✓	3.0 ✓	1.2
123	3005	21.0 ✓	16.0 ✓	142.0 ✓	3.0 ✓	1.8
124	3505	18.0 ✓	13.0 ✓	278.0 ✓	4.0 ✓	1.2
125	4005	23.0 ✓	18.0 ✓	191.0 ✓	5.0 ✓	2.1
126	4505	22.0 ✓	15.0 ✓	115.0 ✓	3.0 ✓	2.0
127	5005	22.0 ✓	15.0 ✓	81.0 ✓	2.0 ✓	2.0
128	5505	22.0 ✓	17.0 ✓	200.0 ✓	3.0 ✓	1.3
129	6005	28.0 ✓	16.0 ✓	141.0 ✓	3.0 ✓	1.6
130	6505	39.0 ✓	14.0 ✓	134.0 ✓	3.0 ✓	2.0
131	7005	21.0 ✓	16.0 ✓	107.0 ✓	3.0 ✓	1.1
132	7505	14.0 ✓	15.0 ✓	139.0 ✓	3.0 ✓	1.6
133	8005	23.0 ✓	17.0 ✓	102.0 ✓	5.0 ✓	1.2
134	8505	18.0 ✓	23.0 ✓	38.0 ✓	9.0 ✓	0.9
135	9005	38.0 ✓	16.0 ✓	116.0 ✓	6.0 ✓	1.3
136	9505	40.0 ✓	15.0 ✓	119.0 ✓	6.0 ✓	1.2
137	10005	35.0 ✓	17.0 ✓	108.0 ✓	3.0 ✓	1.3
138	L20W3005	38.0 ✓	17.0 ✓	265.0 ✓	6.0 ✓	1.2
139	3505	50.0 ✓	17.0 ✓	394.0 ✓	8.0 ✓	1.2
140	4005	28.0 ✓	41.0 ✓	91.0 ✓	5.0 ✓	1.9
141	4505	6.0 ✓	7.0 ✓	17.0 ✓	2.0 ✓	0.8
142	5005	32.0 ✓	20.0 ✓	228.0 ✓	8.0 ✓	1.3
143	5505	34.0 ✓	15.0 ✓	80.0 ✓	4.0 ✓	1.4
<del>135</del>	<del>7.0</del>	<del>4.3</del>				
145	6505	39.0 ✓	20.0 ✓	123.0 ✓	4.0 ✓	1.6
146	7005	35.0 ✓	17.0 ✓	79.0 ✓	4.0 ✓	1.6
147	7505	40.0 ✓	20.0 ✓	171.0 ✓	5.0 ✓	2.2
148	8005	39.0 ✓	18.0 ✓	203.0 ✓	5.0 ✓	1.5
149	8505	39.0 ✓	24.0 ✓	142.0 ✓	3.0 ✓	1.5
150	9005	18.0 ✓	18.0 ✓	172.0 ✓	4.0 ✓	2.2



KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.  
GEOCHEMICAL LAB REPORT

FILE NO G445

PAGE 5 / 5

KRAL NO.	IDENTIFICATION	CU	PB	ZN	MO	AG
151	9505	45.0 /	23.0 /	212.0	6.0	0.9
152	10005	43.0 /	17.0 /	203.0	6.0	1.3

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

CUMULATIVE FREQUENCY PLOT FOR CU USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
3.00--	3.69 1	0.1	100.0
3.69--	4.54 8	1.2	99.9
4.54--	5.58 13	1.9	98.7
5.58--	6.87 21	3.1	96.8
6.87--	8.45 61	9.0	93.7
8.45--	10.40 55	8.1	84.7
10.40--	12.79 55	8.1	76.5
12.79--	15.73 85	12.5	68.4
15.73--	19.36 81	11.9	55.9
19.36--	23.81 58	8.6	44.0
23.81--	29.29 77	11.4	35.4
29.29--	36.04 57	8.4	24.0
36.04--	44.33 42	6.2	15.6
44.33--	54.53 20	2.9	9.4
54.53--	67.09 14	2.1	6.5
67.09--	82.53 12	1.8	4.4
82.53--	101.52 12	1.8	2.7
101.52--	124.89 4	0.6	0.9
124.89--	153.64 0	0.0	0.3
153.64--	189.00 2	0.3	0.3

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. - CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

CUMULATIVE FREQUENCY PLOT FOR PB USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
4.00--	4.99 1	0.1	100.0
4.99--	6.23 0	0.0	99.9
6.23--	7.77 1	0.1	99.9
7.77--	9.69 2	0.3	99.7
9.69--	12.09 44	6.5	99.4
12.09--	15.09 123	18.1	92.9
15.09--	18.82 179	26.4	74.8
18.82--	23.48 183	27.0	48.4
23.48--	29.30 83	12.2	21.4
29.30--	36.55 38	5.6	9.1
36.55--	45.60 14	2.1	3.5
45.60--	56.89 5	0.7	1.5
56.89--	70.98 3	0.4	0.7
70.98--	88.56 1	0.1	0.3
88.56--	110.49 0	0.0	0.1
110.49--	137.85 0	0.0	0.1
137.85--	171.99 0	0.0	0.1
171.99--	214.57 0	0.0	0.1
214.57--	267.71 0	0.0	0.1
267.71--	334.00 1	0.1	0.1

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

CUMULATIVE FREQUENCY PLOT FOR ZN USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
16.00--	19.40 2	0.3	100.0
19.40--	23.52 0	0.0	99.7
23.52--	28.51 2	0.3	99.7
28.51--	34.57 3	0.4	99.4
34.57--	41.91 7	1.0	99.0
41.91--	50.81 13	1.9	97.9
50.81--	61.60 20	2.9	96.0
61.60--	74.68 25	3.7	93.1
74.68--	90.54 77	11.4	89.4
90.54--	109.76 120	17.7	78.0
109.76--	133.07 133	19.6	60.3
133.07--	161.33 109	16.1	40.7
161.33--	195.60 74	10.9	24.6
195.60--	237.13 42	6.2	13.7
237.13--	287.49 20	2.9	7.5
287.49--	348.55 12	1.8	4.6
348.55--	422.57 9	1.3	2.8
422.57--	512.30 7	1.0	1.5
512.30--	621.10 2	0.3	0.4
621.10--	753.00 1	0.1	0.1

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL MINING CORPORATION  
330-355 BARRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

CUMULATIVE FREQUENCY PLOT FOR MO USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
1.00--	1.18 58	8.6	100.0
1.18--	1.39 0	0.0	91.4
1.39--	1.63 0	0.0	91.4
1.63--	1.92 0	0.0	91.4
1.92--	2.26 295	43.5	91.4
2.26--	2.66 0	0.0	47.9
2.66--	3.13 183	27.0	47.9
3.13--	3.68 0	0.0	20.9
3.68--	4.33 62	9.1	20.9
4.33--	5.10 26	3.8	11.8
5.10--	6.00 25	3.7	8.0
6.00--	7.06 11	1.6	4.3
7.06--	8.31 7	1.0	2.7
8.31--	9.78 2	0.3	1.6
9.78--	11.51 2	0.3	1.3
11.51--	13.55 3	0.4	1.0
13.55--	15.95 1	0.1	0.6
15.95--	18.77 2	0.3	0.4
18.77--	22.09 0	0.0	0.1
22.09--	26.00 1	0.1	0.1

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS

2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

CUMULATIVE FREQUENCY PLOT

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER B. C.  
V6C 2G8

DATE SEPT 15 80  
ANALYST CK  
FILE NO. G445

CUMULATIVE FREQUENCY PLOT FOR AG USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
1.00--	1.09 353	52.1	100.0
1.09--	1.18 63	9.3	47.9
1.18--	1.28 40	5.9	38.6
1.28--	1.40 52	7.7	32.7
1.40--	1.52 51	7.5	25.1
1.52--	1.65 18	2.7	17.6
1.65--	1.79 14	2.1	14.9
1.79--	1.95 18	2.7	12.8
1.95--	2.12 20	2.9	10.2
2.12--	2.30 13	1.9	7.2
2.30--	2.50 7	1.0	5.3
2.50--	2.72 5	0.7	4.3
2.72--	2.96 4	0.6	3.5
2.96--	3.21 5	0.7	2.9
3.21--	3.49 3	0.4	2.2
3.49--	3.80 4	0.6	1.8
3.80--	4.13 2	0.3	1.2
4.13--	4.49 1	0.1	0.9
4.49--	4.88 2	0.3	0.7
4.88--	5.30 3	0.4	0.4

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

CUMULATIVE FREQUENCY PLOT FOR CU USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
1.00--	1.28 2	0.4	100.0
1.28--	1.64 0	0.0	99.6
1.64--	2.11 1	0.2	99.6
2.11--	2.70 0	0.0	99.4
2.70--	3.46 5	1.0	99.4
3.46--	4.44 7	1.3	98.5
4.44--	5.69 14	2.7	97.1
5.69--	7.30 37	7.0	94.5
7.30--	9.36 41	7.8	87.4
9.36--	12.00 52	9.9	79.6
12.00--	15.39 79	15.0	69.7
15.39--	19.73 61	11.6	54.7
19.73--	25.29 56	10.7	43.0
25.29--	32.42 55	10.5	32.4
32.42--	41.57 38	7.2	21.9
41.57--	53.30 33	6.3	14.7
53.30--	68.33 20	3.8	8.4
68.33--	87.60 15	2.9	4.6
87.60--	112.32 6	1.1	1.7
112.32--	144.00 3	0.6	0.6

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

CUMULATIVE FREQUENCY PLOT FOR PB USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
2.00--	2.47 1	0.2	100.0
2.47--	3.05 0	0.0	99.8
3.05--	3.77 0	0.0	99.8
3.77--	4.66 0	0.0	99.8
4.66--	5.76 0	0.0	99.8
5.76--	7.12 3	0.6	99.8
7.12--	8.80 1	0.2	99.2
8.80--	10.88 5	1.0	99.0
10.88--	13.44 56	10.7	98.1
13.44--	16.61 83	15.8	87.4
16.61--	20.53 161	30.7	74.6
20.53--	25.37 109	20.8	41.0
25.37--	31.35 54	10.3	20.2
31.35--	38.75 26	5.0	9.9
38.75--	47.88 9	1.7	5.0
47.88--	59.17 8	1.5	3.2
59.17--	73.12 4	0.8	1.7
73.12--	90.36 3	0.6	1.0
90.36--	111.67 0	0.0	0.4
111.67--	138.00 2	0.4	0.4



KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

CUMULATIVE FREQUENCY PLOT FOR ZN USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
11.00--	14.11 4	0.8	100.0
14.11--	18.10 3	0.6	99.2
18.10--	23.22 6	1.1	98.7
23.22--	29.78 0	0.0	97.5
29.78--	38.21 3	0.6	97.5
38.21--	49.01 11	2.1	97.0
49.01--	62.87 16	3.0	94.9
62.87--	80.65 52	9.9	91.8
80.65--	103.45 86	16.4	81.9
103.45--	132.71 118	22.5	65.5
132.71--	170.23 108	20.6	43.0
170.23--	218.37 75	14.3	22.5
218.37--	280.12 23	4.4	8.2
280.12--	359.33 8	1.5	3.8
359.33--	460.94 7	1.3	2.3
460.94--	591.28 2	0.4	1.0
591.28--	758.48 1	0.2	0.6
758.48--	972.95 0	0.0	0.4
972.95--	1248.08 1	0.2	0.4
1248.08--	1601.00 1	0.2	0.2

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BARRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

CUMULATIVE FREQUENCY PLOT FOR AG USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
0.30--	0.35 15	2.9	100.0
0.35--	0.41 8	1.5	97.1
0.41--	0.48 0	0.0	95.6
0.48--	0.55 11	2.1	95.6
0.55--	0.65 17	3.2	93.5
0.65--	0.75 39	7.4	90.3
0.75--	0.88 40	7.6	82.9
0.88--	1.03 117	22.3	75.2
1.03--	1.20 36	6.9	53.0
1.20--	1.40 84	16.0	46.1
1.40--	1.63 84	16.0	30.1
1.63--	1.90 19	3.6	14.1
1.90--	2.22 22	4.2	10.5
2.22--	2.58 7	1.3	6.3
2.58--	3.01 7	1.3	5.0
3.01--	3.51 2	0.4	3.6
3.51--	4.10 8	1.5	3.2
4.10--	4.78 4	0.8	1.7
4.78--	5.57 3	0.6	1.0
5.57--	6.50 2	0.4	0.4

KAMLOOPS RESEARCH  
&  
ASSAY LABORATORY  
LTD

B. C. CERTIFIED ASSAYERS  
-----  
2095 WEST TRANS CANADA HIGHWAY  
PHONE 372-2784 - TELEX 048-8320

-----  
CUMULATIVE FREQUENCY PLOT  
-----

CYPRUS ANVIL MINING CORPORATION  
330-355 BURRARD ST.  
VANCOUVER, B. C.  
V6C 2G8

DATE AUGUST 27 1980  
ANALYST SN  
FILE NO. G437

CUMULATIVE FREQUENCY PLOT FOR MO USING A LOGARITHMIC CONVERSION

CLASS	FREQUENCY	% FREQUENCY	CUMULATIVE FREQUENCY %
1.00--	1.15 68	13.0	100.0
1.15--	1.33 0	0.0	87.0
1.33--	1.53 0	0.0	87.0
1.53--	1.76 0	0.0	87.0
1.76--	2.03 179	34.1	87.0
2.03--	2.34 0	0.0	53.0
2.34--	2.70 0	0.0	53.0
2.70--	3.11 167	31.8	53.0
3.11--	3.58 0	0.0	21.1
3.58--	4.12 59	11.2	21.1
4.12--	4.75 0	0.0	9.9
4.75--	5.47 23	4.4	9.9
5.47--	6.31 16	3.0	5.5
6.31--	7.27 3	0.6	2.5
7.27--	8.37 3	0.6	1.9
8.37--	9.65 1	0.2	1.3
9.65--	11.11 4	0.8	1.1
11.11--	12.81 0	0.0	0.4
12.81--	14.75 1	0.2	0.4
14.75--	17.00 1	0.2	0.2