

93L Mineral Hill

811859

PHONE: 876-4111

Member  
Canadian Testing  
Association

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.1-67-34253

DATE June 2, 1967



## Certificate of Assay

COAST ELDRIDGE

ENGINEERS &amp; CHEMISTS LTD.

125 EAST 4TH AVE. VANCOUVER 10, CANADA

To:

Manex Mining Co. Ltd.  
200 - 535 Thurlow Street  
Vancouver, B.C.

cc:

Manex Mining Co. Ltd.  
Box 56  
Smithers, B.C.We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	Copper(Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
H23 9479 118 - 128'		\$		0.03	0.09				
H23 9480 128 - 138'				0.02	0.06				
H21 9482 50 - 60'				0.02	0.03				
H21 9483 80 - 90'				0.02	0.02				
H21 9484 90 - 100'				0.02	0.06				
H21 9485 150 - 160'				0.03	0.14				
H21 9486 160 - 170'				0.02	0.07				
H25 9487 189 - 197'				0.06	0.04				
H25 9488 272 - 282'				0.02	0.02				
H25 9489 282 - 292'				0.03	0.01				
H25 9490 292 - 302'				0.03	0.01				
H25 9491 302 - 312'				0.05	0.01				
H25 9492 312 - 322'				0.02	0.01				
H25 9493 322 - 332'				0.03	0.01				
H25 9494 332 - 337'				0.03	0.01				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of  
one year by special arrangement.

Unless it is specifically stated otherwise, gold and  
silver values reported on these sheets have not been  
adjusted to compensate for losses and gains inher-  
ent in the fire assay process.

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO.

DATE

To:

Manex Mining Co. Ltd. 2

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted ..... samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
H25 9495	400 - 410'	\$		0.04	0.02				
H26 9496	30 - 40'			0.05	0.39				
H26 9497	40 - 50'			0.03	0.22				
H26 9498	50 - 60'			0.04	0.08				
H26 9499	60 - 70'			0.05	0.12				
H26 9500	70 - 80'			0.08	0.19				
H26 9627	80 - 90'			0.05	0.10				
H25 9628	445 - 455'			0.03	0.04				
H26 9629	90 - 100'			0.07	0.19				
H26 9630	100 - 110'			0.09	0.10				
H26 9631	110 - 120'			0.06	0.10				
H26 9632	130 - 140'			0.06	0.04				
H26 9633	140 - 150'			0.06	0.04				
H26 9634	150 - 160'			0.07	0.08				
H26 9635	160 - 170'			0.06	0.03				

Gold calculated at \$ ..... per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stanger*

Provincial Assayer





PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO.

DATE

To:

Manex Mining Co. Ltd. 3

## Certificate of Assay

COAST ELDRIDGE

ENGINEERS &amp; CHEMISTS LTD.

125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
H26 9636 180 - 190'		\$		0.06	0.08				
H26 9637 190 - 200'				0.05	0.06				
H26 9638 170 - 180'				0.06	0.02				
H26 9639 10 - 20'				0.03	0.02				
H26 9640 20 - 30'				0.06	0.10				
H26 9641 120 - 130'				0.08	0.09				
H25 9642 129 - 139'				0.03	0.05				
H22 9643 60 - 70'				0.02	0.03				
H22 9644 100 - 110'				0.03	0.03				
H22 9645 136 - 146'				0.04	0.02				
H24 9646 60 - 70'				0.02	0.05				
H24 9647 100 - 110'				0.02	0.04				
H24 9648 136 - 146'				0.02	0.02				
H23 9649 70 - 80'				0.02	0.11				
H23 9650 80 - 90'				0.02	0.05				

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Stanger

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO.

DATE

To:

Manex Mining Co. Ltd. 4

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted ..... samples

MARKED	GOLD		SILVER	Copper(Cu)	Molybdenite (MoS <sub>2</sub> )	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
H23 9651 60 - 70'		\$		0.02	0.05				
H23 9652 160 - 170'				0.03	0.05				
H23 9653 170 - 180'				0.03	0.04				
H22 9654 70 - 80'				0.02	0.01				
H22 9655 80 - 90'				0.03	0.01				
H22 9656				0.09	0.03				
H22 9657				0.03	0.03				

/bh

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Stayer*

Provincial Assayer



To:

Manex Mining Co. Ltd.,  
200 - 535 Thurlow Street  
Vancouver, B.C.

cc:  
Manex Mining Co. Ltd.,  
General Delivery  
Smithers, B.C.

*Molybdenite Hill*



**Certificate of Assay**  
**COAST ELDRIDGE**  
ENGINEERS & CHEMISTS LTD.  
125 EAST 4TH AVE. VANCOUVER 10, CANADA



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.1-67-34083

DATE May 15, 1967

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	Copper (Cu)	Molybdenite (MoS <sub>2</sub> )				
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
9476 DDH 21 220 - 230'		\$	0.02	0.04	0.12				
9477 DDH 22 202 - 208'			0.09	0.02	0.04				
9478 DDH 22 208 - 215'			0.09	0.05	0.02				

*Sample record form in DDH 21*

/jP

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.6-67-34253

DATE June 5, 1967

To:

Manex Mining Co. Ltd. (2)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**

125 EAST 4TH AVE. VANCOUVER 10. CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
H-25									
9494	332 - 337	\$	0.28						
9495	400 - 410		0.22						
9628	445 - 455		Trace						
9642	129 - 139		0.11						
H-22									
9643	60 - 70		Trace						
9644	100 - 110		Trace						
9645	136 - 146		Trace						
H-24									
9646	60 - 70		Trace						
9647	100 - 110		Trace						
9648	136 - 146		Trace						
H-23									
9649	70 - 80		0.04						
9650	80 - 90		0.11						
9651	60 - 70		0.02						
9652	160 - 170		Trace						
9653	170 - 180		Trace						

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer





PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.6-67-34253

DATE June 5, 1967

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

To: Manex Mining Co. Ltd.,  
 200 - 535 Thurlow Street  
 Vancouver, B.C.  
 cc: Manex Mining Co. Ltd.,  
 P.O. Box 56  
 Smithers, B.C.

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
H-23		\$							
9479 118 - 128			Trace						
9480 128 - 138			Trace						
H-21									
9482 50 - 60			0.82						
9483 80 - 90			Trace						
9484 90 - 100			Trace						
9485 150 - 160			0.07						
9486 160 - 170			0.08						
H-25									
9487 189 - 197			Trace						
9488 272 - 282			0.04						
9489 282 - 292			Trace						
H-25									
9490 292 - 302			0.05						
9491 302 - 312			Trace						
9492 312 - 322			Trace						
9493 322 - 332			Trace						

/jp Gold calculated at \$..... per ounce

Note. Rejects retained one week.  
 Pulps retained one month.  
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shayes*

Provincial Assayer



PHONE: 876-4111

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-M.6-67-34253

DATE June 5 1967

To:

Manex Mining Co. Ltd. (3)

**Certificate of Assay**  
**COAST ELDRIDGE**  
**ENGINEERS & CHEMISTS LTD.**  
 125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
H-22		\$							
9654 70 - 80			Trace						
9655 80 - 90			0.02						
9656			Trace						
9657			0.04						

Gold calculated at \$.....per ounce

Note. Rejects retained one week.  
Pulps retained one month.  
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

*H. Shaffer*

Provincial Assayer