



Refer to this map as: 104 J EDITION 2 MCE SERIES A 512



Tensuigan Snow Peak Property

TEN THOUSAND METRE UNIVERSAL TRANSVERSE MERCATOR GRID ZONE 9



EXAMPLE OF METHOD USED TO GIVE A REFERENCE TO NEAREST 1000 METRES AND 5000 FEET TO A POINT ON THIS MAP

1					
0	NU				
9	NT				

REFERENCE POINT: ROCKS (as above)

SQUARE: Read letters of 100,000 m. square NU

EASTING: Read number on grid line immediately to left of point. Estimate tenths of a square from this line eastward to point.


NORTHING: Read number on grid line immediately below point. Estimate tenths of a square from this line northward to point.

EXAMPLE MILITARY GRID REFERENCE: NU5404

Trapping beyond 10' in any direction. prefix Grid Zone Designation as: 15NVU5404

Tensuigan
Tanzilla Property
per 1:50,000 Sheet
104 J/8E

RELIABILITY DIAGRAM - CROQUIS D'EXACTITUDE



Produced, 1969, by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES. Printed 1971.

Magnetic declination 1969 varies from 29°22' easterly at centre of west edge to 29°20' easterly at centre of east edge. Mean annual change 4.3' westerly.


Roads: loose or stabilized surface, all weather. 2 lanes or more. less than 2 lanes. loose surface, dry weather.

FOR COMPLETE REFERENCE SEE REVERSE SIDE

DEASE LAKE

CASSIAR DISTRICT
BRITISH COLUMBIA

Scale 1:250,000 Echelle




CONTOUR INTERVAL 500 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection

COÛSTANTES DES COURBES 500 PIEDS
Élévations en pieds au-dessus du niveau moyen de la mer
système de référence géodésique nord-américain, 1927
Projection Transverse de Mercator

Copies may be obtained from the Map Distribution Office, Department of Energy, Mines and Resources, Ottawa.

Ces cartes sont en vente au Bureau de distribution des cartes, ministère de l'Énergie, des Mines et des Ressources, Ottawa.




Échelle en 1969 par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES. Imprimé en 1971.

La déclinaison magnétique pour 1969 varie de 29°22' est au centre de la limite Ouest à 29°20' est au centre de la limite Est. Variation moyenne annuelle 4.3' Ouest.

Roads: gravel aggloméré, toute saison. 2 voies ou plus. moins de 2 voies. de gravier période sèche.

POUR UNE LISTE COMPLÈTE DES SIGNES, VOIR AU VERSO



Index to adjoining Maps of National Topographic System
Tableau d'assemblage du Système National de Cartographie
DEASE LAKE
104 J
EDITION 2

811988