

Cascade Moly

812388

DIRECTION, 

<u>HOLE NO.</u>	<u>LENGTH</u>	<u>DIP</u>	<u>DIRECTION</u>
1	489 ²	90	
2	364	45	S 51 E
3	205	90	
4	104	30	N 63 E
5	286	58	N 61 E
6	200	90	
7	509	20	N 58 E
8	351	44	S 51 E
9	250	38	S 62 E
10	311	35	N 47 E
11	300	45	N 67 E
12	148	70	S 38 W
13	328	70	N
14	194	70	N 10 W
15	415	30	S 51 E
16	208	14	E
17	390	42	N 51 W
18	167	30	E
19	235	61	S 51 E
20	278	60	E
21	195	30	N 51 W
22	189	15	E
23	148	49	N 39 W
24	239	40	N 57 W
25	427	90	
26	232	15	S 84 E
27	409	30	S 51 E
28	180	25	E
29	339	80	S 51 E
30	585	20	E
31	585	75	N 51 W
32	not drilled		
33	285	45	N 10 E
34	not drilled		
35	186		

ALL "G" holes vertical, ~~no~~ ^{no} ~~every~~ except for
 9-12 (-20°) S 85 E

All holes vertical. save G + G12 - 20.

G 1	201	.07	75'
G 2	166	.58 over 10'	0.15 over 80'
G 3	307		
G 4	605		
G 5	140		
G 6	100		
G 7	231		
G 8	—		
G 9	262		
G 10	205		
G 11	100		
G 12	307		
G 13	231		
G 14	300		
G 15	307		
G 16	337		

No P_2 must be between

0.15 - 0.01.

Soil values are insignificant.

CASCADE MOLYBDENUM MINES LTD
C/O ROYDEN MORRIS & CO. LTD - STOCK BROKERS
617 WEST PENDER STREET
VANCOUVER 1, B.C.

CAPITALIZATION — 3,000,000
O/S — 1,375,000 JUNE 30/65 (PRESENTLY UNDERWRITING)
ESCROW — 575,000 ✓ ✓ ✓

1. HAS SPENT ACCORDING TO C. N. THODUS, PRESIDENT, APPROXIMATELY \$325,000 ON PROPERTY.
2. SOME 14,000 DIAMOND DRILLING TO DATE.
3. 300,000 SHARES CURRENTLY UNDER OPTION — 100,000 @ 1.00
100,000 @ 1.25 — 60 days
100,000 @ 1.50 — 60
4. CURRENT STOCK PRICE
5. PROPERTY HAS BEEN EXAMINED BY ~~CLIVE~~ CLIVE BALL FOR PLACER - CANEX.
6. UNCONFIRMED RUMOUR IS THAT FEDERAL MINING — SAN FRANCISCO OR LOS ANGELES

COXEY T.W.T. M.

NUVELTY

N

GIANT M.C.

Argillite

1" = 100'

Progress Report
May 1 - May 9

- + Proposed Holes
- o Holes Drilled or drilling

Sediment
Black Argillite
seam - T.P.F.

B-Zone

A-Zone

Proposed Holes

Glory Hole

Volcanic
Breccia

Basaltic
Dike

High

Dike

Low

G-4

G-5

G-6

G-7

G-8

Moss

G-13

G-15

G-10

G-9

Handwritten notes and symbols at the top of the map, including a red star and the number 15.

Basaltic Dike

Basaltic Dike


Handwritten arrow pointing left.

Handwritten arrow pointing down.

Handwritten arrow pointing down.

Handwritten arrow pointing up.

Handwritten arrow pointing right.



G-13

June-6-1966

0-10	.02	—	.26
10-15	.01	—	.05
15-20	.01	—	.11
20-25	.005	—	.12
25-30	.005	—	.29
30-35	.005	—	.15
35-40	.005	—	1.12
45-50	.01	—	2.07
50-54	.005	—	1.23
DYKE	.005	—	.50
58-63	.01	—	1.40
63-68	.02	—	.88
68-73	.02	—	.36
73-78	.02	—	.54
78-83	.02	—	.38
83-88	.02	—	.65
88-93	.01	—	.69
93-100	.01	—	.21

.55

to 125' in mineral zone 100'

ASSAYS:

Significant assays since the date of the last report are given below:

<u>Hole No.</u>	<u>Footage</u>	<u>Length</u>	<u>Gold oz/ton</u>	<u>Molybdenum % MoS₂</u>
17	122-132	10	0.08	0.19
	217-222	5	0.13	0.17
	237-252	15	Tr.	0.26
	329-367	38	Tr.	0.25
18	77-87	10	0.24	0.18
	130-145	15	Tr.	0.23
19	91-126	35	0.19	0.10
22	69-99	30	0.01	0.27
23	116-119	3	0.22	0.06
25	115-120	5	0.63	0.01
	145-150	5	0.45	0.05
	165-170	5	0.38	0.08
	205-220	15	0.27	0.28
	82-122	40	0.11	0.36
26	82-122	40	0.11	0.36
27	34-39	5	0.13	0.24 ✓
	44-53	9	Tr.	0.23 ✓
	63-78	15	0.02	0.23 ✓
	215-225	10	Tr.	0.21 ✓
28	95-105	10	0.30	0.12
29	25-114	89	0.02	0.27 ✓
	195-205	10	0.16	0.16 ✓
	210-260	50	Tr.	0.47 ✓
	53-57	4	0.11	0.80
31	5-20	15	Tr.	0.29 ✓
	75-85	10	0.01	0.40 ✓
33	0-40	40	Tr.	0.27 ✓
35	5-15	10	0.40	0.37 ✓
	47-52	5	0.99	0.23 ✓

Hill, Manning & Associates Ltd.

M. K. Lorimer, P. Eng.,