


092K103



TERRAMIN RESEARCH LABS LTD.

ANALYTICAL REPORT

Job # 84-019


Robertson Research

Date Feb.17, 1984

Client Project Quadra **TRENCH RESULTS**
T14-05

Page 1/1

Sample No.	Au ppb	Ag ppb	Cu ppm	As ppm	As %
Trench by Road T-14-05	6	340	660	23.3	
T-14-05-A	950	3400	1060	15.8	
Core T-14-05-A	88	280	175	22.5	
T-14-05-D	22	50	19	12.5	
-05-E	86	80	39	42.5	
-05-H	56	260	156	1900	
-05-K	336	100	39	13850	1.39
-05-L	10	140	84	162	
-05-V	656	330	195	21500	2.15
-05-X	260	1580	1500	210	
-05-Y	14	180	111	0.5	
-05-2A	74	1140	1140	2500	
-05-2E	202	220	142	6950	
-05-2F	8	230	158	65	
-05-2I	7280	1180	181	245000	24.5
-05-2J	1520	660	202	37000	3.70
-05-2K	74	330	320	2200	
-05-2L	686	500	178	108	
-05-2N	16	70	38	17.4	
-05-2P	2160	950	1240	60000	6.00
Unidentified Rock -05-F	726	220	74	36000	3.60



ANALYTICAL REPORT

Job # 81-305

Robertson Research

Date December 7, 1981

Client Project

Page 1 of 2

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm	Mo ppm
T.14-01-A	652	.090	320	0	55	0	14	0
-01-B	346	.440	1570	0	62	1	13	1
-01-C .09	3260	.410	1040	0	73	12	30	1
-02-A 0.30	10400	2.80	3500	0	197	3	35	3
-02-AT	< 2	.040	52	0	71	6	17	0
-04-AT-2	1900	4.60	1850	0	146	0	48	1
-02-B	1188	.720	730	0	50	0	14	1
-03-A	36	3.40	5200	118	78	127	410	0
-03-B	1174	8.90	11900	51	150	6	11	2
-03-C	4	.660	1470	28	11	6	6	2
-03-D	152	1.96	4600	7	58	7	6	8
-04-A 0.36	12500	23.0	6800	0	330	4	75	0
-05-A	238	.520	7100	0	57	5	12	1
2A .76	26200	17.0	5200	0	240	2	22	1
-05-2A-1 .137	4700	1.10	420	44	21	0	27	2
-05-F .009	2380	.420	230	0	16	1	8	1
-05-H	1068	.230	53	9	63	2	59	1
-05-2I	992	.320	250	8	46	0	17	0
-05-2J-1	1834	.580	320	0	3	0	7	0
-05-M	6	.020	52	6	68	65	26	0
-05-2N	384	.430	148	36	69	1	56	2
-05-2P	116	.280	270	53	42	0	7	3
-05-V .189	6480	1.27	165	0	16	0	21	1
05-2I-1 ??	2860	12.7	4600	0	136	0	78	2

TERRAMIN RESEARCH LABS LTD.

ANALYTICAL REPORT

Job # 81-305

Robertson Research

Date December 7, 1981

Client Project

Page 2 of 2

Sample No.	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm	Mo ppm
T.14-05-U	2	1.16	140	0	18	8	8	2
-05-X	1090	3.20	3500	0	18	7	13	1
-05-VT-1	4760	1.71	620	0	36	0	21	0
-05-VT-2	170	1.86	2300	0	32	4	12	1