






	400 S	300 S						200 S			100 S	0	100 N	200 N		300 N			
	468	445	597	553	601	611	633	782	822	894	885	988	767	1115	1218	1258	764	801	1104
	478	448	564	463	587	614	648	738	827	844	649	728	992	1175	869	1255	862	885	1076
	399	421	544	458	473	584	610	687	765	801	677	891	981	831	1127	955	1170	920	864
-100	460	423	554	541	499	580	589	646	646	751	735	785	839	888	981	994	1099	957	891
	507	495	560	594	606	610	716	633	671	660	656	662	683	727	774	862	823	868	936
	669	609	689	683	650	698	680	681	700	688	669	682	681	674	692	799	767	810	813
-200	848	805	824	824	815	806	774	757	732	737	725	688	705	709	711	789	793	829	845
	904	895	933	869	866	847	797	753	731	695	677	625	684	641	698	787	800	784	850
-300																			
	1064	864	848	798	797	950	860	825	787	797	692	681	635	595	750	796	834	768	952
-400																			
	400 S	300 S						200 S			100 S	0	100 N	200 N		300 N			



MINNOVA INC 0924/05
 MELIS EM SURVEY, SENECA PROJECT
 RESISTIVITY SECTION, L.88E
 posted values of resistivity
 June 1992
 DELTA GEOSCIENCE LTD



111



0 1 2
inches

0 1 2 3 4 5
centimetres

BRITISH COLUMBIA
GEOLOGICAL SURVEY

This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.