




|      | 300 S |     | 200 S |     | 100 S |      | 0    |      | 100 N |      | 200 N |      | 300 N |      | 400 N |       |
|------|-------|-----|-------|-----|-------|------|------|------|-------|------|-------|------|-------|------|-------|-------|
|      | 436   | 566 | 874   | 989 | 3390  | 4121 | 3230 | 3435 | 3674  | 4904 | 2217  | 1898 | 2355  | 1367 | 12640 |       |
|      | 442   | 800 | 975   | 907 | 3392  | 1248 | 2266 | 2293 | 2496  | 2728 | 1516  | 1415 | 974   | 1225 | 52460 |       |
|      | 352   | 411 | 604   | 874 | 1680  | 1712 | 1501 | 1494 | 1441  | 1075 | 737   | 934  | 875   | 1043 | 26010 |       |
| -100 | 250   | 289 | 458   | 608 | 952   | 857  | 874  | 761  | 704   | 722  | 556   | 576  | 663   | 741  | 16660 | --100 |
|      | 695   | 239 | 382   | 554 | 691   | 665  | 660  | 624  | 513   | 496  | 451   | 471  | 530   | 562  | 18270 |       |
|      | 234   | 313 | 432   | 598 | 682   | 632  | 610  | 600  | 511   | 482  | 486   | 519  | 562   | 551  | 27210 |       |
| -200 | 342   | 435 | 529   | 692 | 697   | 654  | 650  | 614  | 525   | 492  | 504   | 536  | 549   | 523  | 13280 | --200 |
|      | 483   | 557 | 586   | 683 | 669   | 634  | 618  | 600  | 487   | 454  | 449   | 473  | 464   | 446  | 872   | --300 |
|      | 539   | 620 | 600   | 678 | 659   | 620  | 654  | 615  | 491   | 455  | 455   | 468  | 483   | 457  | 816   |       |
| -400 | 300 S |     | 200 S |     | 100 S |      | 0    |      | 100 N |      | 200 N |      | 300 N |      | 400 N | --400 |



MINNOVA INC 0924/05  
MELIS EM SURVEY, SENECA PROJECT  
RESISTIVITY SECTION, L.0+00  
posted values of resistivity  
June 1992  
DELTA GEOSCIENCE LTD




This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.



MELIS EM SURVEY, 450 HZ RESISTIVITY, (ohm-m)

SENECA PROJECT, LINE 0+00



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.