

FRASERGOLD PROJECT 43A-7
SUMMARY - DRILL HOLE DATA
(Initial 13 holes - 1987 PROGRAMME)

DRILL HOLE	LOCATION	BEARING	ANGLE	INTERVAL (metres)	AU.OZ/T
R87-24	54+25E; 1+74S	045°	-50°	39.0-49.5m 60.0-64.5m	.023 (.046) .046 (.067)
R87-33	54+12E; 1+72S	045°	-50°	24.0-46.5m incl. 39.0-40.5m	.049 .249
R87-34	53+00E; 1+65S	045°	-50°	15.0-33.0m incl. 15.0-19.5m	.041 .106
R87-35	54+37E; 1+77S	045°	-50°	22.5-28.5m 40.5-48.0m 63.0-66.0m	.044 .055 .051
R87-36	54+75E; 1+80S*	045°	-50°	28.5-31.5m 49.5-63.0m	.142 .033
R87-37	56+50E; 1+90S*	045°	-50°	7.5-22.5m incl. 7.5-10.5m and 34.5-39.0m	.083 .355 .024
R87-38	57+50E; 2+10S*	045°	-60°	27.0-43.5m incl. 28.5-31.5m and 63.0-72.0m	.110 .472 .025
R87-39	57+50E; 2+10S*	045°	-50°	6.0-9.0m 39.0-48.0m	.030 .021
R87-40	59+50E; 2+40S*	045°	-50°	12.0-31.5m incl. 30.0-31.5m and 49.5-54.0m and 63.0-72.0m	.049 .365 .063 .031
R87-41	60+50E; 2+50S*	045°	-55°	37.5-60.0 60.0-70.5	anomalous .029
R87-42	52+00E; 1.75S*	045°	-50°	84.0-93.0	anomalous
R87-43	51+00E; 1+25S*	045°	-50°	15.0-27.0 55.5-58.5	anomalous .026
R87-44	50+00E; 1+50S*	045°	-50°	31.5-37.5m 61.5-70.5m incl. 63.0-64.5m	.022 .040 .204

*Drill hole location approximate only.

Bracketed gold content based on total metallics assay.

FRASERGOLD PROJECT
SUMMARY - DRILL HOLE DATA
(Holes R87-45 to R87-51 - 1987 PROGRAMME)

DRILL HOLE	INTERVAL (metres)	WIDTH	AU.OZ/T
R87-45	12.0-21.0m	9.0m (29.5 ft.)	.063
	and 46.5-64.5m	18.0m (59.0 ft.)	.021
	and 76.5-81.0m	4.5m (14.8 ft.)	.027
R87-46	46.5-69.0m	22.5m (73.8 ft.)	.029
	incl. 46.5-54.0m	7.5m (24.6 ft.)	.056
R87-47	Abandoned at 15 metres		
R87-47A	Abandoned at 27 metres		
R87-48	48.0-51.0m	3.0m (9.9 ft.)	.041
	and 64.5-78.0m	13.5m (44.3 ft.)	.048
	and 97.5-103.5m	6.0m (19.7 ft.)	.056
R87-49	22.5-46.5m	24.0m (78.7 ft.)	.063
	incl. 34.5-40.5m	6.0m (19.7 ft.)	.157
	and 72.0-76.5m	4.5m (14.8 ft.)	.027
R87-50	33.0-55.5m	22.5m (73.8 ft.)	.165
	incl. 33.0-36.0m	3.0m (9.9 ft.)	.253
	and incl. 43.5-48.0m	4.5m (14.8 ft.)	.559
	(incl. 46.5-48.0m	1.5m (5.0 ft.)	1.085)
	and 67.5-103.5m	36.0m (118.1 ft.)	.044
	incl. 67.5-76.5m	9.0m (29.5 ft.)	.120
R87-51	75.0-90.0m	15.0m (49.2 ft.)	.053
	incl. 81.0-82.5m	1.5m (5.0 ft.)	.438