

To: G.S. Wells


821362

IDP  
93L/14  
Reece Program

cc: I. D. Pirie, file

Subject: Hazelton Reconnaissance, Smither Area - Assay Results

	Cu %	Pb %	Zn %	Au ppb	Ag ppm	SiO2 %	TiO2 %	Na2O %	CaO %	Sb ppm	As ppm	Hg ppb	Ba ppm
<u>Del Santo</u>													
9101 mafic fragmental	0.005	.002	.004	5	.10	61.84	0.70	1.13	4.22	1	16		
9102 Rep. min. sample	2.51	0.11	0.48	60	1994.20					14700	1720		
9103 H.G. min. sample	14.30	0.17	2.18	405	7946.10					67680	6825		
9104 arg. close to min. veins	0.17	0.04	0.07	2	230.80					1514	174		
<u>Ascot</u>													
9105 diss. & vein Pb, Zn	0.07	0.16	0.45	1	12.40					446	74		
<u>Wilson Lake</u>													
9106 structural H.W.	0.001	0.001	0.01	5	0.10	71.09	0.33	3.97	1.13	1	10		
9107 diorite plug	0.006	0.004	0.02	5	2.10	51.57	1.10	4.38	6.83	1	14		
9108 structural F.W.	0.001	0.001	0.02	5	1.60	73.40	0.40	3.49	0.01	1	28		
9109 H.W. contact zone	0.02	0.004	0.72	1	5.10					93	25		
9110 massive spec. hem.	0.003	0.000	0.02	20	6.40					17	1		
9111 semi-massive spec. hem. and mag.	0.033	0.04	11.59	10	10.50								
9112 semi-massive spec. hem. and mag.	0.171	0.02	3.99	20	5.00								
9113 massive spec. hem.	0.78	0.02	0.41	20	4.80								
<u>Mount Harry Davis</u>													
9114	0.080	0.00	0.02	2	1.40					26	18		
9115	0.000	0.050	0.02	10	0.90	67.04	0.41	5.52	2.11	2	20		
9116 Switchback zone	0.004	0.004	0.31	1	1.80					22	16		
9117 Switchback zone	0.002	0.002	0.04	1	1.00					10	12		
9118 Switchback zone	0.004	0.008	0.67	5	0.50	74.48	0.24	4.35	1.76	2	15		
9119 Wave Zone	0.080	1.100	1.88	3720	4.20					32	58		
9120 Wave Zone	0.080	0.303	0.43	60	2.20	72.73	0.38	0.03	0.05	7	48		
9121 Wave zone	0.002	0.004	0.01	5	0.60	70.92	0.25	0.78	2.11	1	16		
<u>White</u>													
9122	20	89	205	56	0.70					57	365	855	69
9123	21	42	83	19	0.80					44	118	1400	43
9124	16	17	37	2	0.80					45	118	6000	408
9125	11	17	43	5	0.70					53	337	2500	235
9126	6	10	29	6	0.60					102	93	3100	63
9127	6	11	52	1	0.40					11	48	570	60



**MINERAL  
• ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

*Assay Certificate*

1V-1006-RA1

Company: MINNOVA INC.  
Project: 669  
Attn: JOHN KAPUSTA

Date: SEP-17-91

Copy 1. MINNOVA INC., VANCOUVER, B.C.

SEP 19 1991

*We hereby certify* the following Assay of 10 ROCK samples submitted SEP-11-91 by JOHN KAPUSTA.

Sample Number	AU-FIRE g/tonne	AU-FIRE oz/ton	AG g/tonne	AG oz/ton	CU %	PB %	ZN %
9102			*1994.2	58.16			
9103			*7946.1	231.76	14.300		
9104			*230.8	6.73	.171		
9105			12.4	.36		.16	.45
9110	.02	.001	6.4	.19	.003		.02
9111	.01	.001	10.5	.31	.033	.04	11.59
9112	.02	.001	5.0	.15	.171	.02	3.99
9113	.02	.001	4.8	.14	.778	.02	.41
9119						1.23	
9120						.29	.42

\*AG - FIRE ASSAY.

Certified by

*[Signature]*

MIN-EN LABORATORIES







**MINERAL  
• ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

Assay Certificate

1V-1006-RA2

Company: **MINNOVA INC.**  
Project: 669  
Attn: JOHN KAPUSTA

Date: SEP-17-91  
Copy 1. MINNOVA INC., VANCOUVER, B.C.


*We hereby certify* the following Assay of 8 ROCK samples  
submitted SEP-11-91 by JOHN KAPUSTA.

Sample . Number	LOI %
9101	5.60
9106	2.70
9107	3.80
9108	.80
9115	2.20
9118	3.40
9121	3.50
9120	1.40

Certified by \_\_\_\_\_

MIN-EN LABORATORIES





**MINERAL  
• ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

*Assay Certificate*

1V-1006-RA3

Company: MINNOVA INC.  
Project: 669  
Attn: JOHN KAPUSTA

Date: SEP-17-91  
Copy 1. MINNOVA INC., VANCOUVER, B.C.

*We hereby certify* the following Assay of 1 ROCK samples  
submitted SEP-11-91 by JOHN KAPUSTA.

Sample Number	AU g/tonne	AU oz/ton
9119	3.64	.106

Certified by \_\_\_\_\_

MIN-EN LABORATORIES

cc: I. D. Pirie, file

Subject: Hazelton Reconnaissance, Smither Area - Assay Results

	Cu %	Pb %	Zn %	Au ppb	Ag ppm	SiO <sub>2</sub> %	TiO <sub>2</sub> %	Na <sub>2</sub> O %	CaO %	Sb ppm	As ppm	Hg ppb	Ba ppm
<u>Del Santo</u>													
9101 mafic fragmental	0.005	.002	.004	5	.10	61.84	0.70	1.13	4.22	1	16		
9102 Rep. min. sample	2.51	0.11	0.48	60	1994.20					14700	1720		
9103 H.G. min. sample	14.30	0.17	2.18	405	7946.10					67680	6825		
9104 arg. close to min. veins	0.17	0.04	0.07	2	230.80					1514	174		
<u>Ascot</u>													
9105 diss. & vein Pb, Zn	0.07	0.16	0.45	1	12.40					446	74		
<u>Wilson Lake</u>													
9106 structural H.W.	0.001	0.001	0.01	5	0.10	71.09	0.33	3.97	1.13	1	10		
9107 diorite plug	0.006	0.004	0.02	5	2.10	51.57	1.10	4.38	6.83	1	14		
9108 structural F.W.	0.001	0.001	0.02	5	1.60	73.40	0.40	3.49	0.01	1	28		
9109 H.W. contact zone	0.02	0.004	0.72	1	5.10					93	25		
9110 massive spec. hem.	0.003	0.000	0.02	20	6.40					17	1		
9111 semi-massive spec. hem. and mag.	0.033	0.04	11.59	10	10.50								
9112 semi-massive spec. hem. and mag.	0.171	0.02	3.99	20	5.00								
9113 massive spec. hem.	0.78	0.02	0.41	20	4.80								
<u>Mount Harry Davis</u>													
9114	0.080	0.00	0.02	2	1.40					26	18		
9115	0.000	0.050	0.02	10	0.90	67.04	0.41	5.52	2.11	2	20		
9116 Switchback zone	0.004	0.004	0.31	1	1.80					22	16		
9117 Switchback zone	0.002	0.002	0.04	1	1.00					10	12		
9118 Switchback zone	0.004	0.008	0.67	5	0.50	74.48	0.24	4.35	1.76	2	15		
9119 Wave Zone	0.080	1.100	1.88	3720	4.20					32	58		
9120 Wave Zone	0.080	0.303	0.43	60	2.20	72.73	0.38	0.03	0.05	7	48		
9121 Wave zone	0.002	0.004	0.01	5	0.60	70.92	0.25	0.78	2.11	1	16		
<u>White</u>													
9122	20	89	205	56	0.70					57	365	855	69
9123	21	42	83	19	0.80					44	118	1400	43
9124	16	17	37	2	0.80					45	118	6000	408
9125	11	17	43	5	0.70					53	337	2500	235
9126	6	10	29	6	0.60					102	93	3100	63
9127	6	11	52	1	0.40					11	48	570	60



Assay Certificate

1V-1006-RA1

Company: MINNOVA INC.  
Project: 669  
Attn: JOHN KAPUSTA

SEP 19 1991


Date: SEP-17-91  
Copy 1. MINNOVA INC., VANCOUVER, B.C.

We hereby certify the following Assay of 10 ROCK samples submitted SEP-11-91 by JOHN KAPUSTA.

Sample Number	AU-FIRE g/tonne	AU-FIRE oz/ton	AG g/tonne	AG oz/ton	CU %	PB %	ZN %
9102			*1994.2	58.16			
9103			*7946.1	231.76	14.300		
9104			*230.8	6.73	.171		
9105			12.4	.36		.16	.45
9110	.02	.001	6.4	.19	.003		.02
9111	.01	.001	10.5	.31	.033	.04	11.59
9112	.02	.001	5.0	.15	.171	.02	3.99
9113	.02	.001	4.8	.14	.778	.02	.41
9119						1.23	
9120						.29	.42

\*AG - FIRE ASSAY.

Certified by



MIN-EN LABORATORIES





Assay Certificate

1V-1006-RA2

Company: MINNOVA INC.  
Project: 669  
Attn: JOHN KAPUSTA

Date: SEP-17-91  
Copy 1. MINNOVA INC., VANCOUVER, B.C.

*We hereby certify* the following Assay of 8 ROCK samples  
submitted SEP-11-91 by JOHN KAPUSTA.

Sample Number	LOI %
9101	5.60
9106	2.70
9107	3.80
9108	.80
9115	2.20
9118	3.40
9121	3.50
9120	1.40

Certified by \_\_\_\_\_



MIN-EN LABORATORIES



Assay Certificate

1V-1006-RA3

Company: MINNOVA INC.  
Project: 669  
Attn: JOHN KAPUSTA

Date: SEP-17-91  
Copy 1. MINNOVA INC., VANCOUVER, B.C.

We hereby certify the following Assay of 1 ROCK samples  
submitted SEP-11-91 by JOHN KAPUSTA.

Sample Number	AU g/tonne	AU oz/ton
9119	3.64	.106

Certified by \_\_\_\_\_



MIN-EN LABORATORIES