936/8 Property Submission
GABRIEL RESOURCES

AHBAM COFFER
821951

GABRIEL RESOURCES INC. AHBAU CREEK PROPERTY SUMMARY NTS 93G/8

Gabriel Resource's Ahbau Creek property Is comprised of 13 Modified Grid claims consisting of 260 units in the Carlboo Mining Division (FIGURE 1). The mineral claims are centered 30 kilometres north of Quesnel, in central British Columbia. Access is by logging roads originating along Highway 97.


The Ahbau Creek property is situated within the Quesnel Trough. The area is underlain by Late Triassic-Early Jurassic Takla Group andesite-basait flows, pyroclastic breccia flows and some intercalated cherts and arglilaceous rocks. These units are cut by Early Cretaceous and Triassic intrusives. Mineralization commonly occurs as massive sulphide and sulphide bearing quartz and carbonate veins, stockworks and breccia infillings. The sulphide-bearing zones are associated primarily with regionally trending fault structures.

Initial work in the Hixon Creek area during the late 1800's and early 1900's concentrated on placer operations and limited development on quartz veins. More recently, exploration by several companies in the late 1960's and early 1970's centered on porphyry copper and molybdenum potential.

In 1981, the present property was optioned from A.T. Syndicate by Gabriel Resources Inc. Since then, Gabriel initiated several field programmes, conducting geological, ground geophysical and geochemical surveys, and trenching. In 1986, work included an airborne magnetometer, electromagnetic, and VLF-EM survey, an induced polarization geophysical survey and 43 diamond-drill holes totalling 4,704 metres (15,433 feet). This delineated a mineralized zone with a possible 50,000 tons of ore grading 0.3 oz/ton gold. In 1987, a further 6,210 metres (20,375 feet) was percussion drilled. This resulted in seven holes with values greater than 0.1 oz/ton gold, extending the mineralized belt an additional 1,000 metres (3,300 feet) along strike.

l n 1988, prospecting and heavy mineral concentrate geochemical sampling was carried out over adjacent sections of the property. Many of these samples asssayed very high gold, suggesting that other mineralized zones remain to be discovered.

In view of the encouraging results obtained from the 1986 and 1987 drill programmes, pattern drilling around the seven mineralized zones is necessary. Also, further sampling is necessary to determine the source of the placer gold detected by the 1988 heavy mineral survey.





Gahriel Resources Inc.

April 6, 1987 Ticker Symbol - GBI Suite 1900, Daon Building 999 West Hastings Street Vancouver, B.C. V6C 2W2 Telephone: (604) 687-6600 Telecopier: (604) 687-3932

Gabriel Resources Inc. has completed its winter diamond drill program on the Ahbau Creek and Yardley Lake properties. In total, 12,000 feet of NQ diamond drilling was completed in 27 holes. On the Yardley property, drilling was temporarily suspended due to flood conditions caused by an early spring break-up. Work will resume during the upcoming exploration season.

Very encouraging assay results were received from the Ahbau Creek property which hosts Gabriel's "discovery zone". This zone has been exposed on surface for 230 feet by trenching and has been drill tested to a vertical depth of 237 feet. The zone consists of massive sulphide veining and stockwork hosted within a sequence of intermediate volcanics (see reverse side).

Significant results to date from the "discovery zone" are as follows:

	Au	Ag	Cu			
Hole No.	From	To	Length (ft) oz/t	oz/t	(%)
G87- 9	147.0	149.6	2.6	0.30	0.67	0.54
G87-10	57.5	60.1	2.6	0.09	0.62	0.41
G87-26	288.0	293.0	5.0	0.23	0.12	0.35
G87- 1	27.0	34.8	* 7.8	0.29	0.66	0.30
(includ.)	29.8	32.1	* 2.3	0.83	1.94	0.65
G87- 6	128.0	131.6	* 3.6	0.39	2.50	1.00
G87- 7	64.4	65.4	* 1.0	0.10	0.30	0.02
G87- 8	115.5	118.8	* 3.3	0.13	2.90	1.00

^{*} released previously

On surface, the "discovery zone" has an average width of 4-5 feet. Channel samples taken across the vein at intervals of approximately 17 feet gave the following assays:


	Sample Width (feet)	Au (oz/t)	Ag (oz/t)	Cu (Z)		Sample Width (feet)	Au (oz/t)	Ag (oz/t)	
A	3.3	0.22	1.53	0.86	E	6.6	0.13	1.20	0.29
В	3.3	0.31	1.32	0.91	F	0.2	0.19	1.92	0.82
C	6.6	0.12	1.10	0.77	G	3.3	0.27	0.54	0.49
D	6.6	0.34	1.00	0.35	H	1.7	0.005	0.003	0.15

Computer modelling techniques are currently being used to assess the encouraging results received from the Ahbau Creek property. The results from these studies will be used to direct a detailed exploration program expected to commence early in May, 1987.

Mapping and airborne geophysical surveys completed previously suggest that the volcanic unit hosting the "discovery zone" may extend for several kilometres to the southeast. This area will be explored in 1987.

F.A. LANG, Director

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.





Gahriel Resources Inc.

Suite 1900, Daon Building ' 999 West Hastings Street Vancouver, B.C. V6C 2W2 Telephone: (604) 687-6600 Telecopier: (604) 687-3932 Telex: 04-508326 (Angela VCR)

NEWS RELEASE:

Ticker Symbol - GBI April 5, 1988

Exploration Update - Ahbau Creek property

In 1987 Gabriel completed a 20,000 foot percussion drill program on its Ahbau Creek property in the historic Cariboo gold camp. The program tested a number of geological, geochemical and geophysical targets within a two square kilometer area.

During the course of drilling, 126 five foot sections carrying significant gold, silver or other base metal values were encountered. The deepest hole, P-41, bottomed in 15 feet of 0.22 oz/t gold at a depth of 310 feet. Sections assaying greater than 0.1 oz/ton gold are given below:

HOLE NO.	DEPTH	ΑU	AG	CŪ	ZN
	(feet)	(oz/t)	(oz/t)	(%)	(%)
P87-16	60-65	0.151	0.367	0.2	
	70-75	0.108	0.198	0.1	
	75 - 80	0.088	0.140	0.1	
P87-22	85-90	0.098	1.131	0.1	2.1
P87-29	7-10	1.220	0.297	0.3	
P87-36	240-245	0.131	0.204	0.1	
P87-39	180-185	0.104	0.274	0.2	0.3
P87-41	295-310	0.220	0.149		1.1
includ.	295-300	0.348	0.198	0.1	2.4
P87-62	10-15	0.113	0.225	0.1	0.1

Trench sample results from two of these zones assayed the follows:

Trench No:	Width (feet)	Au (oz/t)	Ag (oz/t)	Cu (%)	Zn (%)
TR-P-29	2.9	0.428			
	2.9	0.337			
*TR-SS	3.3	0.112	0.9	0.25	3.4
	3.3	0.137	0.9	0.27	1.7
	3.3	0.100	0.5	0.11	4.7

^{*(}released previously) - see map for locations.

Drill results show the highest gold concentrations to occur in veins located along a major northwest trending shear zone (see map). The drill results also show four additional structures which host gold bearing massive sulphide veins in the vicinity of the main shear zone.

Significant gold mineralization has been found over a horizontal distance of 3200 feet along the major shear. This structure has an inferred length of 6,000 feet and is open to the northwest.

Previous drill results received from the Discovery zone, located at the southeast end of the major shear, showed economic gold values as listed below:

	Dep	Au	Ag	Cu		
Hole No.	from	to	Length	oz/t	oz/t	(%)
G87-9	147.0	149.6	2.6 ft	0.30	0.67	0.54
G87-10	57.5	60.1	2.6 ft	0.09	0.62	0.41
G87-26	288.0	293.0	5.0 ft	0.23	0.12	0.35
G87-1	27.0	34.8	7.8 ft	0.29	0.66	0.30
includ.	29.8	32.1	2.3 ft	0.83	1.94	0.65
G87-6	128.0	131.6	3.6 ft	0.39	2.50	1.00
G87-7	64.4	65.4	1.0 ft	0.10	0.30	0.02
G87-8	115.5	118.8	3.3 ft	0.13	2.90	1.00

To date, 50,000 tons averaging 0.3 oz/ton gold has been indicated for the Discovery zone (see accompanying map).

The 1988 exploration program will test the tonnage and economic potential of the newly identified zones. Stepout drilling will be done on the Discovery zone to prove additional tonnage.

R.W. Hughes, President

The Vancouver Stock Exchange has neither approved nor disapproved the information contained herein.

