

Stoney 82G/4
822863

COMP: MINNOVA INC.
PROJ: 623
ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ1+2
DATE: 90/10/26
* SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST523	1.0	10	148	.1	9	20	1	87	5
ST524	1.5	1	96	.1	17	25	1	152	5
ST525	.5	1	101	.1	14	17	1	93	5
ST526	.7	1	105	.1	11	26	1	96	5
ST527	.9	1	137	.1	12	14	1	81	5
ST528	.6	2	98	.1	8	29	1	91	5
ST529	.8	32	79	.1	12	22	1	64	5
ST530	.3	19	114	.1	8	23	1	58	5
ST531	.9	1	127	.1	12	18	1	83	5
ST532	.9	4	134	.1	9	22	1	88	5
ST533	.6	1	112	.1	10	29	1	106	5
ST534	1.6	1	78	.1	17	15	1	93	5
ST535	1.7	4	92	.1	16	12	1	95	5
ST536	1.3	1	77	.1	12	23	1	100	10
ST537	.7	28	72	.1	11	27	1	55	5
ST538	.7	30	58	.1	11	32	1	72	5
ST539	.7	21	92	.1	11	31	1	81	5
ST540	.6	12	78	.1	21	34	1	62	5
ST541	1.4	1	147	.1	15	34	1	248	5
ST542	NO SAMPLE								
ST543	.9	1	212	.1	22	32	1	323	5
ST544	1.5	1	137	.1	32	45	1	229	10
ST545	1.0	4	109	.1	41	69	1	223	5
ST546	1.3	11	110	.1	18	57	1	263	5
ST547	1.2	1	104	.1	23	91	1	196	5
ST548	1.3	1	105	.1	15	41	1	175	5
ST549	1.0	4	96	.1	14	29	1	138	5
ST550	1.0	16	97	.1	12	19	1	113	5
ST551	.7	30	75	.1	19	28	1	59	5
ST552	.7	25	59	.1	9	22	1	61	5
ST553	.5	12	70	.1	10	18	1	73	5
ST554	2.4	1	168	.7	20	15	1	323	5
ST555	.6	1	156	.1	13	21	1	278	5
ST556	.8	5	97	.1	10	15	1	117	5
ST557	.6	8	115	.1	9	23	1	195	5
ST558	.4	21	83	.1	7	22	1	68	5
ST559	.8	1	125	.1	10	16	1	139	5
ST560	.4	4	101	.1	8	19	1	95	5
ST561	.6	1	91	.1	11	20	1	104	5
ST562	.7	1	112	.1	19	33	1	126	5
ST563	.9	1	181	.1	12	24	1	201	5
ST564	.8	3	116	.1	13	29	1	191	10
ST565	1.1	1	138	.1	17	34	1	192	5
ST566	.9	1	123	.1	13	31	1	166	5
ST567	.7	16	126	.1	10	19	1	173	5
ST568	.7	2	106	.1	13	16	1	237	5
ST569	1.0	1	114	.1	13	16	1	122	5
ST570	.8	1	111	.1	15	12	1	83	5
ST571	.8	1	121	.1	12	7	1	67	5
ST572	.5	31	108	.1	9	12	1	67	10
ST573	.6	1	124	.1	10	17	1	107	5
ST574	.7	1	195	.1	10	15	1	141	5
ST575	.6	20	91	.1	12	20	1	69	5
ST576	.6	28	140	.1	16	22	1	109	10
ST577	.7	1	122	.1	16	22	1	206	5
ST578	NO SAMPLE								
ST579	NO SAMPLE								
ST580	NO SAMPLE								
ST581	NO SAMPLE								
ST582	NO SAMPLE								

OCT 29 1990

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ5+6
 DATE: 90/10/26
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST643	.5	1	123	.1	11	19	1	91	10
ST644	.5	5	186	.1	8	8	1	89	5
ST645	.7	1	122	.1	10	12	1	85	5
ST646	1.0	1	217	.1	24	6	1	81	5
ST647	.8	1	130	.1	13	14	1	78	5
ST648	.7	1	139	.1	12	13	1	92	5
ST649	.9	1	116	.1	12	4	1	63	10
ST650	1.1	1	186	.1	28	9	1	123	10
ST651	1.1	1	207	.1	37	29	1	134	5
ST652	1.0	1	186	.1	33	20	1	93	10
ST653	.6	12	89	.1	13	16	1	72	5
ST654	1.2	1	280	.1	34	13	1	102	5
ST655	.8	1	133	.1	16	18	1	103	5
ST656	1.1	1	193	.1	34	22	1	135	5
ST657	1.0	1	226	.1	20	12	1	131	5
ST658	1.0	1	226	.1	18	13	1	165	5
ST659	1.0	1	225	.1	29	15	1	150	5
ST660	.7	1	154	.1	19	21	1	130	10
ST661	.8	1	134	.1	20	13	1	101	5
ST662	.8	1	132	.1	19	15	1	120	5
ST663	.9	1	194	.1	32	26	1	139	5
ST664	.6	15	89	.1	14	15	1	59	5
ST665	1.1	1	134	.1	15	15	1	135	5
ST666	.7	4	83	.1	12	8	1	101	10
ST667	.8	1	140	.1	18	10	1	113	5
ST668	.7	15	94	.1	10	9	1	97	5
ST669	1.0	1	125	.1	16	12	1	141	5
ST670	.7	23	100	.1	16	17	1	74	5
ST671	.5	1	176	.1	11	13	1	110	10
ST672	.6	1	162	.1	13	15	1	189	5
ST673	.3	1	140	.1	15	24	1	198	5
ST674	1.1	1	141	.1	15	7	1	98	5
ST675	1.2	5	179	.1	24	15	1	139	10
ST676	.8	19	104	.1	20	21	1	90	5
ST677	.7	9	252	.1	11	26	1	159	5
ST678	.9	5	205	.1	13	16	1	162	5
ST679	1.0	1	262	.1	36	11	1	196	5
ST680	.8	1	207	.1	25	16	1	217	5
ST681	.6	19	115	.1	33	21	1	129	10
ST682	.9	1	141	.1	28	11	1	172	5
ST683	.3	31	223	.1	11	24	1	123	5
ST684	NO SAMPLE								
ST685	.5	1	412	.1	13	15	1	345	5
ST686	NO SAMPLE								
ST687	NO SAMPLE								
ST688	NO SAMPLE								
ST689	.6	1	275	.1	11	20	1	302	5
ST690	.7	1	237	.1	18	29	1	229	5
ST691	.9	36	243	.1	19	23	1	258	5
ST692	NO SAMPLE								
ST693	NO SAMPLE								
ST694	.6	10	219	.1	13	17	1	343	5
ST695	.7	7	127	.1	35	21	1	152	10
ST696	.6	1	195	.1	25	13	1	186	10
ST697	.6	1	314	.1	22	22	1	190	10
ST698	.5	27	230	.1	14	25	1	189	5
ST699	.7	1	269	.1	15	15	1	169	5
ST700	NO SAMPLE								
ST701	.9	5	183	.1	17	20	1	128	10
ST702	.6	26	179	.1	12	15	1	83	10

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ7+8
 DATE: 90/10/26
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST703	.8	10	175	.1	38	44	1	156	10
ST704	NO SAMPLE								
ST705	.6	21	124	.1	24	27	1	107	5
ST706	.5	1	147	.1	23	16	1	100	5
ST707	.5	7	216	.1	19	15	1	113	5
ST708	NO SAMPLE								
ST709	1.0	1	161	.1	19	15	1	142	5
ST710	.7	25	287	.1	37	55	1	212	10
ST711	.7	26	135	.1	82	49	1	184	5
ST712	.8	15	532	.1	53	59	1	235	5
ST713	.4	1	560	.1	30	54	1	255	5
ST714	.9	30	167	.1	53	29	1	137	10
ST715	.6	12	381	.1	16	29	1	231	5
ST716	.6	17	107	.1	28	13	1	74	5
ST717	.5	26	123	.1	20	25	1	82	5
ST718	.5	7	153	.1	13	16	1	174	5
ST719	.6	21	134	.1	10	18	1	110	5
ST720	.7	5	145	.1	23	20	1	106	5
ST721	.8	10	251	.1	71	101	1	175	10
ST722	1.0	15	119	.1	53	18	1	113	5
ST723	.4	1	286	.1	115	40	1	150	5
ST724	.4	1	320	.1	25	26	1	178	10
ST725	.3	21	234	.1	12	20	1	160	5
ST726	.4	36	138	.1	18	26	1	102	5
ST727	NO SAMPLE								
ST728	.4	12	185	.1	10	33	1	102	5
ST729	.5	7	109	.1	14	12	1	106	5
ST730	1.0	1	158	.1	17	9	1	132	5
ST800	.8	1	74	.1	18	6	1	68	5
ST801	.7	9	49	.1	8	12	1	47	10
ST802	.6	1	47	.1	9	14	1	32	5
ST803	.8	1	55	.1	14	11	1	57	5
ST804	.8	1	50	.1	16	8	1	44	10
ST805	1.1	1	45	.1	15	3	1	45	5
ST806	.8	1	38	.1	13	4	1	35	5
ST807	1.1	21	101	.1	58	40	1	69	5
ST808	.9	24	55	.1	18	15	1	57	5
ST809	.5	28	54	.1	10	12	1	46	10
ST810	.8	13	68	.1	18	25	1	72	5
ST811	.7	27	59	.1	15	22	1	31	5
ST812	.7	11	77	.1	24	22	1	71	5
ST813	.4	9	95	.1	41	37	1	82	5
ST814	.7	21	63	.1	22	25	1	69	5
ST815	.7	24	61	.1	28	24	1	71	5
ST816	1.0	19	71	.1	33	20	1	56	10
ST817	NO SAMPLE								
ST818	.6	22	50	.1	17	19	1	41	5
ST819	.6	17	53	.1	17	19	1	59	5
ST820	.9	26	63	.1	22	17	1	58	5
ST821	.9	37	52	.1	11	15	1	45	5
ST822	1.0	23	45	.1	13	17	1	54	10
ST823	.7	25	39	.1	9	21	1	40	5
ST824	NO SAMPLE								
ST825	.9	16	81	.1	13	11	1	115	5
ST826	.6	24	60	.1	9	16	1	44	5
ST827	.8	26	54	.1	6	23	1	41	5
ST828	.8	17	41	.1	11	17	1	41	5
ST829	1.3	19	105	.1	15	30	1	74	10
ST830	.7	26	52	.1	11	22	1	38	5
ST831	.8	30	51	.1	11	19	1	42	5

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ9+10
 DATE: 90/10/26
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST832	.8	13	50	.1	12	19	1	53	10
ST833	.9	25	79	.1	16	19	1	81	5
ST834	1.1	12	69	.1	15	7	1	76	5
ST835	1.0	5	137	.1	15	15	1	84	10
ST836	.8	5	65	.1	18	10	1	81	5
ST837	1.2	5	91	.1	42	20	1	87	5
ST838	.6	15	88	.1	20	15	1	71	5
ST839	.6	7	77	.1	11	24	1	64	5
ST840	.6	13	87	.1	19	23	1	91	5
ST841	.6	1	106	.1	21	22	1	95	5
ST842	.4	7	85	.1	16	16	1	126	10
ST843	1.3	8	160	.1	34	30	1	127	5
ST844	.9	9	93	.1	25	32	1	78	5
ST845	.7	1	98	.1	15	14	1	93	10
ST846	1.1	1	75	.1	16	13	1	64	5
ST847	1.0	15	70	.1	14	17	1	52	5
ST848	.8	19	78	.1	17	32	1	65	5
ST849	.9	4	110	.1	21	43	1	100	5
ST850	.8	4	82	.1	12	6	1	56	5
ST851	.7	17	78	.1	8	19	1	53	5
ST852	.7	1	64	.1	10	7	1	50	5
ST853	.6	16	94	.1	11	23	1	82	5
ST854	1.0	4	76	.1	16	13	1	65	5
ST855	.6	28	67	.1	14	22	1	54	10
ST856	.5	14	86	.1	19	26	1	66	5
ST857	1.1	14	111	.1	20	16	1	84	5
ST858	1.4	8	114	.1	18	29	1	141	5
ST859	1.2	3	106	.1	21	26	1	191	5
ST860	.9	19	68	.1	17	26	1	78	5
ST861	.9	6	95	.1	15	21	1	58	5
ST862	.4	1	73	.1	18	32	1	72	5
ST863	1.2	1	64	.1	24	29	1	96	5
ST864	.7	3	113	.1	11	29	1	119	5
ST865	.9	4	71	.1	31	31	1	137	5
ST866	.8	19	52	.2	21	31	1	69	5
ST867	.9	24	81	.1	24	34	1	100	5
ST868	.6	2	95	.1	15	30	1	75	5
ST869	.4	1	59	.1	9	19	1	61	5
ST870	.9	1	88	.1	19	35	1	88	5
ST871	1.1	1	89	.1	20	38	1	105	5
ST872	.8	1	109	.1	10	14	1	152	10
ST873	1.1	1	92	.1	14	32	1	106	5
ST874	1.2	5	79	.1	22	36	1	110	5
ST875	1.0	22	69	.1	19	34	1	110	5
ST876	.8	1	66	.1	13	26	1	79	5
ST877	.6	10	88	.1	11	33	1	127	5
ST878	.8	13	98	.1	23	28	1	98	5
ST879	.8	4	84	.1	16	33	1	106	5
ST880	.8	1	117	.1	17	46	1	191	5
ST881	.7	3	75	.1	13	35	1	95	5
ST882	.7	5	72	.1	17	34	1	122	5
ST883	.7	1	109	.1	48	28	1	78	5
ST884	.9	1	66	.1	27	16	1	59	5
ST885	1.1	17	78	.1	18	22	1	70	5
ST886	1.1	12	63	.1	13	24	1	75	5
ST887	1.3	5	133	.1	36	56	1	197	5
ST888	.6	15	54	.1	20	24	1	50	5
ST889	.3	16	33	.1	8	20	1	26	5
ST890	.4	23	34	.1	7	20	1	26	5
ST891	6.0	246	82	5.1	53	779	35	274	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1602-SJ1+2
 DATE: 90/10/22
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
BL 0+00W	.8	13	80	.1	23	25	1	72	5
BL 0+50W	.7	4	88	.1	18	14	1	72	5
BL 1+00W	.9	1	107	.1	24	28	1	91	5
BL 1+50W	.7	1	111	.1	30	23	1	155	10
BL 2+00W	1.2	1	124	.1	35	36	1	346	5
BL 2+50W	1.3	1	124	.1	20	27	1	213	5
BL 3+00W	.9	10	142	.1	15	21	1	80	5
BL 3+50W	.6	15	124	.1	14	22	1	73	10
BL 4+00W	1.1	3	91	.1	20	10	1	102	5
BL 4+50W	.8	30	53	.1	33	18	1	42	5
BL 5+00W	.6	26	82	.1	21	12	1	54	10
BL 5+50W	.9	23	81	.1	23	41	1	81	5
BL 6+00W	.8	20	126	.1	13	32	1	110	5
BL 6+50W	1.1	21	106	.1	19	57	1	119	5
BL 7+00W	1.0	14	88	.1	22	36	1	107	10
L-0W 0+50N	1.4	1	98	.1	20	62	1	202	5
L-0W 1+00N	.9	9	68	.1	32	37	1	101	5
L-0W 1+50N	1.0	1	160	.1	21	12	1	84	5
L-0W 2+00N	.8	10	153	.1	37	31	1	91	5
L-0W 2+50N	.5	9	47	.1	22	16	1	38	10
L-0W 3+00N	.7	35	61	.1	21	27	1	47	5
L-0W 3+50N	.6	25	60	.1	18	21	1	36	5
L-0W 4+00N	.6	42	134	.1	18	23	1	34	5
L-0W 4+50N	.7	15	106	.1	18	18	1	33	10
L-0W 5+00N	.6	32	43	.1	9	15	1	25	10
L-0W 5+50N	1.0	3	73	.1	23	12	1	36	5
L-0W 6+00N	1.3	1	160	.1	44	16	1	69	5
L-0W 0+50S	1.0	10	55	.1	27	37	1	136	5
L-0W 1+00S	.9	8	86	.1	22	27	1	116	10
L-0W 1+50S	.9	14	85	.1	31	22	1	114	5
L-0W 2+00S	1.1	11	65	.1	21	35	1	75	5
L-0W 2+50S	1.0	1	126	.1	24	18	1	95	5
L-0W 3+00S	1.2	9	91	.1	24	28	1	58	10
L-0W 3+50S	1.0	8	139	.1	22	30	1	74	5
L-1W 0+50N	.7	1	59	.1	19	21	1	111	5
L-1W 1+00N	.8	28	96	.1	32	20	1	141	5
L-1W 1+50N	1.2	8	61	.1	18	34	1	71	5
L-1W 2+00N	.9	1	75	.1	37	17	1	71	5
L-1W 2+50N	.7	30	44	.1	24	16	1	38	5
L-1W 3+00N	.5	23	39	.1	18	26	1	30	5
L-1W 3+50N	.5	8	39	.1	17	12	1	32	5
L-1W 4+00N	.8	1	71	.1	17	22	1	40	5
L-1W 4+50N	1.1	1	181	.1	113	20	1	62	5
L-1W 5+00N	1.0	1	86	.1	20	15	1	58	5
L-1W 5+50N	1.1	1	207	.1	44	10	1	65	5
L-1W 6+00N	1.2	1	147	.1	28	23	1	68	10
L-1W 0+50S	1.3	11	62	.1	33	29	1	170	5
L-1W 1+00S	1.3	11	47	.1	31	20	1	99	5
L-1W 1+50S	1.3	1	79	.1	18	27	1	94	5
L-1W 2+00S	1.1	1	90	.1	27	18	1	95	10
L-1W 2+50S	1.4	1	155	.1	34	46	1	129	10
L-1W 3+00S	.9	15	89	.1	23	38	1	68	5
L-1W 3+50S	1.0	1	110	.1	22	39	1	126	5
L-1W 4+00S	.6	16	63	.1	18	22	1	50	5
L-2W 0+50N	1.2	1	99	.1	27	47	1	301	10
L-2W 1+00N	1.0	23	77	.1	22	25	1	110	5
L-2W 1+50N	.7	22	75	.1	21	48	1	70	5
L-2W 2+00N	.6	7	60	.1	22	26	1	51	5
L-2W 2+50N	.5	19	53	.1	19	17	1	41	5
L-2W 3+00N	.8	15	96	.1	17	17	1	44	5

JCT 26 170

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1602-SJ3+4
 DATE: 90/10/22
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
L-2W 3+50N	.7	31	85	.1	13	18	1	42	5
L-2W 4+00N	.8	6	101	.1	26	26	1	53	5
L-2W 4+50N	.5	22	68	.1	14	20	1	48	5
L-2W 5+00N	1.0	1	96	.1	17	26	1	49	5
L-2W 5+50N	.5	9	60	.1	12	28	1	35	5
L-2W 6+00N	.9	2	197	.1	29	28	1	90	5
L-2W 0+50S	.6	1	94	.1	33	29	1	101	10
L-2W 1+00S	.4	19	58	.1	18	31	1	105	5
L-2W 1+50S	.9	1	82	.1	24	44	1	171	5
L-2W 2+00S	1.0	2	90	.1	27	25	1	200	5
L-2W 2+50S	1.0	10	113	.1	27	43	1	143	10
L-2W 3+00S	1.0	1	112	.1	19	37	1	147	5
L-2W 3+50S	1.0	6	150	.1	19	38	1	141	5
L-2W 4+00S	.2	26	78	.1	16	30	1	52	5
L-3W 0+50N	.8	35	72	.1	19	27	1	163	5
L-3W 1+00N	.9	18	106	.1	20	18	1	58	5
L-3W 1+50N	.8	23	100	.1	24	23	1	70	10
L-3W 2+00N	.8	5	75	.1	21	33	1	70	5
L-3W 2+50N	.3	26	45	.1	13	21	1	36	5
L-3W 3+00N	.8	7	117	.1	16	27	1	44	5
L-3W 3+50N	.3	35	63	.1	12	17	1	39	5
L-3W 4+00N	.4	18	63	.1	15	18	1	46	5
L-3W 4+50N	.5	16	84	.5	16	17	1	64	10
L-3W 5+00N	.6	3	99	.1	16	21	1	42	5
L-3W 5+50N	.4	6	125	.1	18	24	1	60	5
L-3W 6+00N	.7	15	56	.1	22	26	1	96	5
L-3W 0+50S	.7	9	67	.1	9	31	1	64	10
L-3W 1+00S	.5	14	102	.1	15	23	1	133	5
L-3W 1+50S	.7	4	78	.1	21	25	1	145	5
L-3W 2+00S	.8	10	83	.1	11	37	1	116	5
L-3W 2+50S	1.0	20	82	.1	33	48	1	182	5
L-3W 3+00S	1.1	4	90	.1	15	41	1	102	5
L-3W 3+50S	.6	8	102	.1	16	28	1	99	10
L-3W 4+00S	1.1	4	121	.1	50	39	1	82	10
L-4W 0+50N	1.3	1	101	.1	54	57	1	188	5
L-4W 1+00N	.6	18	45	.1	20	27	1	55	5
L-4W 1+50N	.6	15	48	.1	18	22	1	57	5
L-4W 2+00N	.4	10	61	.1	12	16	1	95	10
L-4W 2+50N	.5	10	55	.1	12	23	1	81	5
L-4W 3+00N	.5	15	57	.1	14	23	1	92	5
L-4W 3+50N	.6	10	67	.1	12	28	1	97	5
L-4W 4+00N	.4	15	72	.1	13	23	1	97	5
L-4W 4+50N	.6	7	65	.1	12	13	1	97	10
L-4W 5+00N	.8	25	62	.1	12	29	1	93	5
L-4W 5+50N	1.2	1	84	.1	21	14	1	129	5
L-4W 6+00N	1.1	14	78	.1	19	18	1	121	5
L-4W 1+00S	1.0	3	95	.1	21	21	1	98	5
L-4W 1+50S	.9	10	96	.1	38	43	1	114	10
L-4W 2+00S	.8	6	85	.1	35	30	1	86	5
L-4W 2+50S	.6	15	95	.1	20	33	1	68	5
L-4W 3+00S	.6	17	101	.1	14	26	1	78	5
L-4W 3+50S	.9	14	122	.1	29	31	1	100	10
L-4W 4+00S	.7	16	119	.1	15	30	1	77	10
L-5W 0+50N	.8	29	107	.1	40	23	1	81	5
L-5W 1+00N	.5	20	46	.1	25	18	1	44	5
L-5W 1+50N	.8	6	72	.1	14	16	1	58	5
L-5W 2+00N	.5	26	51	.1	18	17	1	48	5
L-5W 2+50N	.5	25	43	.1	14	14	1	49	5
L-5W 3+00N	.3	22	36	.1	15	29	1	38	10
L-5W 3+50N	.4	24	37	.1	17	16	1	40	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: 0V-1602-SJ5+6
 DATE: 90/10/22
 * SOIL * (ACT:F31)


SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
L-5W 4+00N	.5	12	36	.1	13	28	1	39	5
L-5W 4+50N	1.0	12	84	.1	24	17	1	67	5
L-5W 5+00N	.9	14	78	.1	21	22	1	57	5
L-5W 5+50N	.6	9	50	.1	26	24	1	58	5
L-5W 6+00N	.6	1	51	.1	27	30	1	54	5
L-5W 0+50S	.8	13	59	.1	21	35	1	54	5
L-5W 1+00S	.6	16	83	.1	20	28	1	53	5
L-5W 1+50S	.7	24	53	.1	24	25	1	47	10
L-5W 2+00S	.6	9	64	.1	32	21	1	46	5
L-5W 2+50S	.5	21	41	.1	17	17	1	32	5
L-5W 3+00S	.3	20	48	.1	24	23	1	46	5
L-5W 3+50S	.7	4	77	.1	21	22	1	44	5
L-5W 4+00S	.8	1	110	.1	36	24	1	71	5
L-5W 4+50S	.7	8	97	.1	21	25	1	65	5
L-5W 5+00S	.6	20	55	.1	16	18	1	45	5
L-5W 5+50S	.7	15	62	.1	22	26	1	50	5
L-5W 6+00S	1.2	17	70	.1	35	36	1	55	5
L-6W 0+50N	1.0	1	74	.1	24	19	1	80	5
L-6W 1+00N	.6	7	58	.1	20	23	1	53	5
L-6W 1+50N	.5	15	66	.1	12	15	1	59	5
L-6W 2+00N	.6	18	113	.1	19	13	1	79	5
L-6W 2+50N	.8	5	115	.1	20	11	1	87	5
L-6W 3+00N	1.0	11	111	.1	20	21	1	83	5
L-6W 3+50N	1.0	7	120	.1	21	13	1	83	5
L-6W 4+00N	.7	2	67	.1	10	16	1	56	5
L-6W 4+50N	.8	7	70	.1	10	21	1	59	5
L-6W 5+00N	.7	14	68	.1	9	20	1	54	5
L-6W 5+50N	.4	19	47	.1	19	11	1	49	10
L-6W 6+00N	.7	15	47	.1	19	14	1	49	5
L-6W 0+50S	1.4	1	117	.1	38	125	1	200	5
L-6W 1+00S	1.5	1	144	.1	21	43	1	128	5
L-6W 1+50S	1.0	1	103	.1	16	36	1	148	10
L-6W 2+00S	1.7	1	218	.1	35	38	1	111	5
L-6W 2+50S	.9	1	102	.1	19	22	1	103	5
L-6W 3+00S	.9	22	82	.1	17	25	1	65	5
L-6W 3+50S	1.2	1	88	.1	16	21	1	68	5
L-6W 4+00S	1.2	1	118	.1	15	24	1	92	5
L-6W 4+50S	.5	1	70	.1	19	19	1	51	5
L-6W 5+00S	.8	1	64	.1	16	11	1	52	5
L-6W 5+50S	.9	1	100	.1	20	26	1	71	5
L-6W 6+00S	1.0	1	51	.1	14	10	1	51	5
L-6W 6+50S	.9	4	57	.1	18	11	1	52	5
L-6W 7+00S	1.0	1	73	.1	30	16	1	53	5
L-6W 7+50S	1.0	1	48	.1	17	11	1	47	5
L-7W 0+50S	.6	26	57	.1	11	31	1	104	10
L-7W 1+00S	1.1	4	88	.1	16	24	1	73	5
L-7W 1+50S	1.0	11	121	.1	21	22	1	73	5
L-7W 2+00S	1.9	1	167	.1	33	24	1	122	5
L-7W 2+50S	.9	1	96	.1	22	29	1	77	5
L-7W 3+00S	.8	7	97	.1	20	27	1	76	10
L-7W 3+50S	1.2	1	122	.1	35	28	1	78	5
L-7W 4+00S	.9	5	100	.1	23	32	1	73	5
BL 0+50E	1.0	7	71	.1	16	28	1	94	5
BL 1+00E	.7	25	84	.1	24	23	1	133	5
BL 1+50E	1.0	1	97	.1	23	33	1	95	5
BL 2+00E	1.1	1	89	.1	27	28	1	76	5
L-1E 0+50N	.4	23	52	.1	21	19	1	107	5
L-1E 1+00N	.5	1	90	.1	26	32	1	135	5
L-1E 1+50N	.6	8	54	.1	14	17	1	58	10
L-1E 2+00N	.7	3	58	.1	15	24	1	50	5

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ1+2
 DATE: 90/09/21
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST 523	1.0	1	148	.1	9	20	1	87	5
ST 524	1.5	1	96	.1	17	25	1	152	5
ST 525	.5	1	101	.1	14	17	1	93	5
ST 526	.7	1	105	.1	11	26	1	96	5
ST 527	.9	1	137	.1	12	14	1	81	5
ST 528	.6	1	98	.1	8	29	1	91	5
ST 529	.8	1	79	.1	12	22	1	64	5
ST 530	.3	1	114	.1	8	23	1	58	5
ST 531	.9	1	127	.1	12	18	1	83	5
ST 532	.9	1	134	.1	9	22	1	88	5
ST 533	.6	1	112	.1	10	29	1	106	5
ST 534	1.6	1	78	.1	17	15	1	93	5
ST 535	1.7	1	92	.1	16	12	1	95	5
ST 536	1.3	1	77	.1	12	23	1	100	10
ST 537	.7	1	72	.1	11	27	1	55	5
ST 538	.7	1	58	.1	11	32	1	72	5
ST 539	.7	1	92	.1	11	31	1	81	5
ST 540	.6	1	78	.1	21	34	1	62	5
ST 541	1.4	1	147	.1	15	34	1	248	5
ST 542	NO SAMPLE								
ST 543	.9	1	212	.1	22	32	1	323	5
ST 544	1.5	1	137	.1	32	45	1	229	10
ST 545	1.0	1	109	.1	41	69	1	223	5
ST 546	1.3	1	110	.1	18	57	1	263	5
ST 547	1.2	1	104	.1	23	91	1	196	5
ST 548	1.3	1	105	.1	15	41	1	175	5
ST 549	1.0	1	96	.1	14	29	1	138	5
ST 550	1.0	1	97	.1	12	19	1	113	5
ST 551	.7	1	75	.1	19	28	1	59	5
ST 552	.7	1	59	.1	9	22	1	61	5
ST 553	.5	1	70	.1	10	18	1	73	5
ST 554	2.4	1	168	1.0	20	15	1	323	10
ST 555	.6	1	156	.1	13	21	1	278	5
ST 556	.8	1	97	.1	10	15	1	117	5
ST 557	.6	1	115	.1	9	23	1	195	5
ST 558	.4	1	83	.1	7	22	1	68	5
ST 559	.8	1	125	.1	10	16	1	139	5
ST 560	.4	1	101	.1	8	19	1	95	5
ST 561	.6	1	91	.1	11	20	1	104	5
ST 562	.7	1	112	.1	19	33	1	126	5
ST 563	.9	1	181	.1	12	24	1	201	5
ST 564	.8	1	116	.1	13	29	1	191	10
ST 565	1.1	1	138	.1	17	34	1	192	5
ST 566	.9	1	123	.1	13	31	1	166	5
ST 567	.7	1	126	.1	10	19	1	173	5
ST 568	.7	1	106	.1	13	16	1	237	5
ST 569	1.0	1	114	.1	13	16	1	122	5
ST 570	.8	1	111	.1	15	12	1	83	5
ST 571	.8	1	121	.1	12	7	1	67	5
ST 572	.5	1	108	.1	9	12	1	67	10
ST 573	.6	1	124	.1	10	17	1	107	5
ST 574	.7	1	195	.1	10	15	1	141	5
ST 575	.6	1	91	.1	12	20	1	69	5
ST 576	.6	1	140	.1	16	22	1	109	10
ST 577	.7	1	122	.1	16	22	1	206	5
ST 578	NO SAMPLE								
ST 579	NO SAMPLE								
ST 580	NO SAMPLE								
ST 581	NO SAMPLE								
ST 582	NO SAMPLE								



COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ5+6
 DATE: 90/09/21
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST 643	.5	1	123	.1	11	19	1	91	10
ST 644	.5	1	186	.1	8	8	1	89	5
ST 645	.7	1	122	.1	10	12	1	85	5
ST 646	1.0	1	217	.1	24	6	1	81	5
ST 647	.8	1	130	.1	13	14	1	78	5
ST 648	.7	1	139	.1	12	13	1	92	5
ST 649	.9	1	116	.1	12	4	1	63	10
ST 650	1.1	1	186	.1	28	9	1	123	10
ST 651	1.1	1	207	.1	37	29	1	134	5
ST 652	1.0	1	186	.1	33	20	1	93	10
ST 653	.6	1	89	.1	13	16	1	72	5
ST 654	1.2	1	280	.1	34	13	1	102	5
ST 655	.8	1	133	.1	16	18	1	103	5
ST 656	1.1	1	193	.1	34	22	1	135	5
ST 657	1.0	1	226	.1	20	12	1	131	5
ST 658	1.0	1	226	.1	18	13	1	165	5
ST 659	1.0	1	225	.1	29	15	1	150	5
ST 660	.7	1	154	.1	19	21	1	130	10
ST 661	.8	1	134	.1	20	13	1	101	5
ST 662	.8	1	132	.1	19	15	1	120	5
ST 663	.9	1	194	.1	32	26	1	139	5
ST 664	.6	1	89	.1	14	15	1	59	5
ST 665	1.1	1	134	.1	15	15	1	135	5
ST 666	.7	1	83	.1	12	8	1	101	10
ST 667	.8	1	140	.1	18	10	1	113	5
ST 668	.7	1	94	.1	10	9	1	97	5
ST 669	1.0	1	125	.1	16	12	1	141	5
ST 670	.7	1	100	.1	16	17	1	74	5
ST 671	.5	1	176	.1	11	13	1	110	10
ST 672	.6	1	162	.1	13	15	1	189	5
ST 673	.3	1	140	.1	15	24	1	198	5
ST 674	1.1	1	141	.1	15	7	1	98	5
ST 675	1.2	1	179	.1	24	15	1	139	10
ST 676	.8	1	104	.1	20	21	1	90	5
ST 677	.7	1	252	.1	11	26	1	159	5
ST 678	.9	1	205	.1	13	16	1	162	5
ST 679	1.0	1	262	.1	36	11	1	196	5
ST 680	.8	1	207	.1	25	16	1	217	5
ST 681	.6	1	115	.1	33	21	1	129	10
ST 682	.9	1	141	.1	28	11	1	172	5
ST 683	.3	1	223	.1	11	24	1	123	5
ST 684 N/S	NO SAMPLE								
ST 685	.5	1	412	.1	13	15	1	345	5
ST 686 N/S	NO SAMPLE								
ST 687 N/S	NO SAMPLE								
ST 688 N/S	NO SAMPLE								
ST 689	.6	1	275	.1	11	20	1	302	5
ST 690	.7	1	237	.1	18	29	1	229	5
ST 691	.9	1	243	.1	19	23	1	258	5
ST 692 N/S	NO SAMPLE								
ST 693 N/S	NO SAMPLE								
ST 694	.6	1	219	.1	13	17	1	343	5
ST 695	.7	1	127	.1	35	21	1	152	10
ST 696	.6	1	195	.1	25	13	1	186	10
ST 697	.6	1	314	.1	22	22	1	190	10
ST 698	.5	1	230	.1	14	25	1	189	5
ST 699	.7	1	269	.1	15	15	1	169	5
ST 700 N/S	NO SAMPLE								
ST 701	.9	1	183	.1	17	20	1	128	10
ST 702	.6	1	179	.1	12	15	1	83	10

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1379-SJ7+8
 DATE: 90/09/21
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPM
ST 703	.8	1	175	.1	38	44	1	156	10
ST 704	NO SAMPLE								
ST 705	.6	1	124	.1	24	27	1	107	5
ST 706	.5	1	147	.1	23	16	1	100	5
ST 707	.5	1	216	.1	19	15	1	113	5
ST 708	NO SAMPLE								
ST 709	1.0	1	161	.1	19	15	1	142	5
ST 710	.7	1	287	.1	37	55	1	212	10
ST 711	.7	1	135	.1	82	49	1	184	5
ST 712	.8	1	532	.3	53	59	1	235	5
ST 713	.4	1	560	.2	30	54	1	255	5
ST 714	.9	1	167	.1	53	29	1	137	10
ST 715	.6	1	381	.1	16	29	1	231	5
ST 716	.6	1	107	.1	28	13	1	74	5
ST 717	.5	1	123	.1	20	25	1	82	5
ST 718	.5	1	153	.1	13	16	1	174	5
ST 719	.6	1	134	.1	10	18	1	110	5
ST 720	.7	1	145	.3	23	20	1	106	5
ST 721	.8	1	251	.3	71	101	1	175	10
ST 722	1.0	1	119	.1	53	18	1	113	5
ST 723	.4	1	286	.1	115	40	1	150	5
ST 724	.4	1	320	.1	25	26	1	178	10
ST 725	.3	1	234	.1	12	20	1	160	5
ST 726	.4	1	138	.1	18	26	1	102	5
ST 727	NO SAMPLE								
ST 728	.4	1	185	.1	10	33	1	102	5
ST 729	.5	1	109	.1	14	12	1	106	5
ST 730	1.0	1	158	.1	17	9	1	132	5
ST 800	.8	1	74	.1	18	6	1	68	5
ST 801	.7	1	49	.1	8	12	1	47	10
ST 802	.6	1	47	.1	9	14	1	32	5
ST 803	.8	1	55	.1	14	11	1	57	5
ST 804	.8	1	50	.1	16	8	1	44	10
ST 805	1.1	1	45	.1	15	3	1	45	5
ST 806	.8	1	38	.1	13	4	1	35	5
ST 807	1.1	1	101	.1	58	40	1	69	5
ST 808	.9	1	55	.1	18	15	1	57	5
ST 809	.5	1	54	.3	10	12	1	46	10
ST 810	.8	1	68	.1	18	25	1	72	5
ST 811	.7	1	59	.1	15	22	1	31	5
ST 812	.7	1	77	.1	24	22	1	71	5
ST 813	.4	1	95	.1	41	37	1	82	5
ST 814	.7	1	63	.1	22	25	1	69	5
ST 815	.7	1	61	.1	28	24	1	71	5
ST 816	1.0	1	71	.1	33	20	1	56	10
ST 817 N/S	NO SAMPLE								
ST 818	.6	1	50	.1	17	19	1	41	5
ST 819	.6	1	53	.1	17	19	1	59	5
ST 820	.9	1	63	.1	22	17	1	58	5
ST 821	.9	1	52	.1	11	15	1	45	5
ST 822	1.0	1	45	.1	13	17	1	54	10
ST 823	.7	1	39	.1	9	21	1	40	5
ST 824 N/S	NO SAMPLE								
ST 825	.9	1	81	.1	13	11	1	115	5
ST 826	.6	1	60	.1	9	16	1	44	5
ST 827	.8	1	54	.1	6	23	1	41	5
ST 828	.8	1	41	.1	11	17	1	41	5
ST 829	1.3	1	105	.1	15	30	1	74	10
ST 830	.7	1	52	.1	11	22	1	38	5
ST 831	.8	1	51	.1	11	19	1	42	5

COMP: MINNOVA INC.
 PROJ: 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: DV-1379-SJ9+10
 DATE: 90/09/21
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST 832	.8	1	50	.1	12	19	1	53	10
ST 833	.9	1	79	.1	16	19	1	81	5
ST 834	1.1	1	69	.1	15	7	1	76	5
ST 835	1.0	1	137	.1	15	15	1	84	10
ST 836	.8	1	65	.1	18	10	1	81	5
ST 837	1.2	1	91	.1	42	20	1	87	5
ST 838	.6	1	88	.1	20	15	1	71	5
ST 839	.6	1	77	.1	11	24	1	64	5
ST 840	.6	1	87	.1	19	23	1	91	5
ST 841	.6	1	106	.1	21	22	1	95	5
ST 842	.4	1	85	.1	16	16	1	126	10
ST 843	1.3	1	160	.1	34	30	1	127	5
ST 844	.9	1	93	.1	25	32	1	78	5
ST 845	.7	1	98	.1	15	14	1	93	10
ST 846	1.1	1	75	.1	16	13	1	64	5
ST 847	1.0	1	70	.1	14	17	1	52	5
ST 848	.8	1	78	.1	17	32	1	65	5
ST 849	.9	1	110	.1	21	43	1	100	5
ST 850	.8	1	82	.1	12	6	1	56	5
ST 851	.7	1	78	.1	8	19	1	53	5
ST 852	.7	1	64	.1	10	7	1	50	5
ST 853	.6	1	94	.1	11	23	1	82	5
ST 854	1.0	1	76	.1	16	13	1	65	5
ST 855	.6	1	67	.1	14	22	1	54	10
ST 856	.5	1	86	.1	19	26	1	66	5
ST 857	1.1	1	111	.1	20	16	1	84	5
ST 858	1.4	1	114	.1	18	29	1	141	5
ST 859	1.2	1	106	.1	21	26	1	191	5
ST 860	.9	1	68	.1	17	26	1	78	5
ST 861	.9	1	95	.1	15	21	1	58	5
ST 862	.4	1	73	.1	18	32	1	72	5
ST 863	1.2	1	64	.1	24	29	1	96	5
ST 864	.7	1	113	.1	11	29	1	119	5
ST 865	.9	1	71	.1	31	31	1	137	5
ST 866	.8	1	52	.8	21	31	1	69	5
ST 867	.9	1	81	.1	24	34	1	100	5
ST 868	.6	1	95	.1	15	30	1	75	5
ST 869	.4	1	59	.1	9	19	1	61	5
ST 870	.9	1	88	.1	19	35	1	88	5
ST 871	1.1	1	89	.1	20	38	1	105	5
ST 872	.8	1	109	.1	10	14	1	152	10
ST 873	1.1	1	92	.1	14	32	1	106	5
ST 874	1.2	1	79	.1	22	36	1	110	5
ST 875	1.0	1	69	.1	19	34	1	110	5
ST 876	.8	1	66	.1	13	26	1	79	5
ST 877	.6	1	88	.1	11	33	1	127	5
ST 878	.8	1	98	.1	23	28	1	98	5
ST 879	.8	1	84	.1	16	33	1	106	5
ST 880	.8	1	117	.1	17	46	1	191	5
ST 881	.7	1	75	.1	13	35	1	95	5
ST 882	.7	1	72	.1	17	34	1	122	5
ST 883	.7	1	109	.1	48	28	1	78	5
ST 884	.9	1	66	.1	27	16	1	59	5
ST 885	1.1	1	78	.1	18	22	1	70	5
ST 886	1.1	1	63	.1	13	24	1	75	5
ST 887	1.3	1	133	.1	36	56	1	197	5
ST 888	.6	1	54	.1	20	24	1	50	5
ST 889	.3	1	33	.1	8	20	1	26	5
ST 890	.4	1	34	.1	7	20	1	26	5
ST 891	6.0	242	82	5.7	53	779	35	274	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: I.CHANDLER

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1328-SJ1+2
 DATE: 90/09/13
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST- 278	.6	1	46	.1	13	14	1	43	5
ST- 279	.5	1	44	.1	16	11	1	60	10
ST- 280	.5	12	60	.1	17	13	1	67	5
ST- 281	.7	7	47	.1	20	15	1	56	5
ST- 282	.3	1	48	.1	11	19	1	41	5
ST- 283	.8	16	40	.1	21	15	1	38	5
ST- 284	.6	13	70	.1	18	20	1	58	10
ST- 285	.7	1	56	.1	11	6	1	45	15
ST- 286	.7	5	89	.1	17	20	1	50	5
ST- 287	.5	1	74	.1	9	17	1	59	5
ST- 288	.7	13	91	.1	14	15	1	50	5
ST- 289	.7	7	89	.1	16	18	1	72	10
ST- 290	.7	2	71	.1	12	15	1	43	5
ST- 291	1.0	12	63	.1	15	5	1	74	5
ST- 292	.9	3	97	.1	17	14	1	59	5
ST- 293	.4	1	66	.1	14	22	1	62	5
ST- 294	.5	1	94	.1	15	22	1	70	5
ST- 295	.5	9	87	.1	24	18	1	68	5
ST- 296	.6	1	90	.1	13	20	1	66	5
ST- 297	1.1	11	93	.1	23	19	1	94	5
ST- 298	.7	5	95	.1	16	16	1	66	5
ST- 299	.5	1	70	.1	13	15	1	74	10
ST- 300	1.0	1	79	.1	13	16	1	86	5
ST- 301	1.1	25	124	.1	31	31	1	68	5
ST- 302	.7	23	71	.1	12	16	1	70	5
ST- 303	.7	10	92	.1	22	14	1	79	5
ST- 304	.5	1	93	.1	31	17	1	97	10
ST- 305	.7	1	86	.1	37	32	1	122	5
ST- 306	1.0	1	101	.1	48	17	1	75	5
ST- 307	1.0	11	84	.1	23	19	1	79	5
ST- 308	1.6	15	83	.1	36	24	1	79	5
ST- 309	1.4	19	74	.1	46	18	1	56	10
ST- 310	1.0	1	68	.1	19	25	1	71	5
ST- 311	1.0	21	72	.1	17	12	1	72	5
ST- 312	.9	9	86	.1	17	24	1	94	5
ST- 313	.8	1	86	.1	21	25	1	86	5
ST- 314	.4	1	80	.1	19	24	1	61	5
ST- 315	1.1	1	53	.1	25	19	1	60	5
ST- 316	.6	9	72	.1	16	15	1	69	5
ST- 317	.9	29	80	.1	28	16	1	68	5
ST- 318	1.1	1	85	.1	45	21	1	74	5
ST- 319	1.3	15	116	.1	38	21	1	88	10
ST- 320	1.4	17	88	.1	39	22	1	82	5
ST- 321	1.5	26	120	.1	41	22	1	138	5
ST- 322	1.7	1	122	.1	37	25	1	109	5
ST- 323	1.3	22	135	.1	25	28	1	142	5
ST- 324	1.0	34	104	.1	21	22	1	154	5
ST- 325	.7	6	105	.1	13	16	1	71	5
ST- 326	.7	1	84	.1	14	18	1	92	5
ST- 327	NO SAMPLE								
ST- 328	.3	9	66	.1	10	18	1	54	10
ST- 330	.5	1	58	.1	15	12	1	64	5
ST- 331	.9	12	107	.1	27	22	1	151	5
ST- 332	.7	19	36	.1	14	20	1	46	10
ST- 333	1.5	22	103	.1	26	23	1	142	5
ST- 334	1.3	24	90	.1	28	23	1	115	5
ST- 335	1.7	12	82	.1	33	19	1	157	5
ST- 336	.4	3	44	.5	10	12	1	33	5
ST- 337	1.2	15	157	.1	45	51	1	136	5
ST- 338	.8	16	112	.1	14	23	1	62	10

RECEIVED
 SEP 18 1990

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: I.CHANDLER

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1328-SJ3+4
 DATE: 90/09/13
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST- 339	.6	16	69	.2	12	24	1	52	5
ST- 340	.7	15	79	.1	11	17	1	120	5
ST- 341	.8	18	84	.1	33	31	1	132	5
ST- 342	.7	2	102	.1	13	19	1	71	5
ST- 343	.7	32	73	.1	15	20	1	76	5
ST- 344	.9	10	63	.1	27	24	1	85	5
ST- 345	.7	5	75	.1	15	32	1	113	5
ST- 346	.5	21	111	.1	17	23	1	117	5
ST- 347	.3	1	81	.1	10	22	1	91	5
ST- 348	.4	22	85	.1	13	27	1	109	5
ST- 349	.5	13	79	.1	17	21	1	122	5
ST- 350	.4	9	74	.1	11	19	1	74	5
ST- 351	.9	19	59	.1	20	23	1	73	5
ST- 352	1.1	11	70	.1	20	22	1	92	5
ST- 353	1.1	21	67	.1	16	26	1	73	5
ST- 354	1.1	5	77	.1	15	21	1	77	5
ST- 355	.9	11	87	.1	14	19	1	101	5
ST- 356	1.2	24	88	.1	26	27	1	155	5
ST- 357	.8	16	89	.1	20	27	1	118	5
ST- 358	.6	16	71	.1	17	21	1	84	5
ST- 359	.8	13	69	.1	15	22	1	90	5
ST- 360	.8	10	85	.1	28	38	1	82	5
ST- 361	.4	20	50	.1	12	28	1	57	5
ST- 362	1.1	16	74	.1	20	24	1	91	5
ST- 363	1.4	15	72	.1	21	18	1	76	5
ST- 364	1.2	16	71	.1	16	21	1	67	5
ST- 365	1.3	15	80	.1	18	27	1	71	5
ST- 366	1.3	28	89	.1	18	31	1	77	5
ST- 367	.1	1	36	.1	9	13	1	31	5
ST- 368	.8	3	32	.1	7	27	2	35	5
ST- 369	.7	1	67	.1	16	25	1	55	5
ST- 370	.5	1	60	.1	11	17	1	63	5
ST- 371	.6	1	57	.1	13	28	1	76	5
ST- 372	.8	4	67	.1	16	30	1	82	5
ST- 373	.7	1	72	.1	15	15	1	71	10
ST- 374	1.2	1	76	.1	18	15	1	83	5
ST- 375	1.3	12	56	.1	15	19	1	54	5
ST- 376	.8	1	49	.1	10	23	1	51	5
ST- 377	.8	9	55	.1	12	22	1	50	5
ST- 378	.7	1	64	.1	13	20	1	66	5
ST- 379	.8	2	53	.1	12	23	1	59	5
ST- 380	.7	1	61	.1	13	19	1	57	5
ST- 400	.8	10	95	.5	19	24	1	83	10
ST- 401	.9	19	162	.1	22	35	1	98	5
ST- 402	.5	1	134	.1	9	22	1	52	5
ST- 403	.5	1	97	.7	12	14	1	56	5
ST- 404	.7	5	106	.1	10	16	1	61	5
ST- 405	1.2	9	131	.1	23	30	1	79	5
ST- 406	1.4	22	135	.1	24	31	1	78	5
ST- 407	1.4	1	119	.1	19	18	1	80	5
ST- 408	1.1	5	139	.1	17	22	1	76	10
ST- 409	.9	1	122	.1	15	20	2	68	5
ST- 410	.7	1	98	.2	10	18	1	58	5
ST- 411	.8	1	158	.1	18	19	1	79	5
ST- 412	.6	1	136	.3	13	21	2	98	5
ST- 413	.7	1	185	.1	19	29	1	125	5
ST- 414	1.2	1	175	.1	26	28	1	74	5
ST- 415	1.4	11	147	.1	24	22	1	104	5
ST- 416	1.5	22	236	.1	31	27	1	89	5
ST- 417	1.1	14	102	.1	16	16	1	66	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: I.CHANDLER

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1328-SJ5+6
 DATE: 90/09/13
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPD
ST- 418	1.0	5	168	.1	22	29	1	111	5
ST- 419	1.1	15	229	.1	24	31	1	168	10
ST- 420	.7	1	165	.1	13	24	1	128	5
ST- 421	.7	17	296	.1	17	28	1	196	5
ST- 422	1.0	4	129	.1	22	26	1	79	5
ST- 423	.5	1	98	.1	13	22	1	80	5
ST- 424	1.0	1	100	.1	14	20	1	63	10
ST- 425	1.1	1	100	.1	12	18	1	66	5
ST- 426	1.3	9	123	.1	23	26	1	78	5
ST- 427	1.5	28	161	.1	51	28	1	93	5
ST- 428	1.4	10	163	.1	32	27	1	93	5
ST- 429	1.3	16	150	.1	29	23	1	95	5
ST- 430	.7	1	85	.1	8	17	1	43	10
ST- 431	1.0	8	171	.1	12	30	1	104	5
ST- 432	.7	1	70	.1	11	16	1	45	5
ST- 433	.6	1	101	.1	11	24	1	68	5
ST- 434	.7	2	117	.1	19	23	1	71	5
ST- 435	1.5	19	163	.1	32	30	1	95	5
ST- 436	1.1	14	105	.1	15	26	1	73	5
ST- 437	1.2	27	101	.1	15	22	1	76	10
ST- 438	2.0	31	244	.1	69	42	1	122	5
ST- 439	1.5	16	185	.1	34	30	1	97	5
ST- 440	1.6	7	273	.1	33	40	1	130	5
ST- 441	.6	1	98	.1	18	23	1	64	5
ST- 442	.9	5	156	.1	21	27	1	92	10
ST- 443	.9	13	162	.1	27	22	1	102	5
ST- 444	.7	1	68	.1	11	20	1	66	5
ST- 445	1.2	6	123	.1	17	26	1	80	5
ST- 446	1.4	18	152	.1	26	28	2	98	5
ST- 447	1.4	14	134	.1	22	27	1	103	5
ST- 448	1.2	10	108	.1	17	27	1	96	5
ST- 449	1.4	34	163	.1	34	44	1	138	5
ST- 450	1.2	34	156	.1	17	20	1	135	5
ST- 451	.6	2	99	.1	14	18	1	71	5
ST- 452	1.2	9	73	.1	19	21	1	66	5
ST- 453	.8	20	91	.1	10	21	1	126	5
ST- 454	.7	25	91	.1	11	17	1	87	5
ST- 455	.8	1	78	.1	11	14	1	65	5
ST- 456	.7	19	94	.1	18	22	1	103	5
ST- 457	.8	12	71	.1	14	20	1	78	5
ST- 458	1.1	21	88	.1	13	16	1	91	5
ST- 459	1.1	12	83	.1	14	23	1	107	5
ST- 460	1.4	14	85	.1	11	10	1	101	5
ST- 461	1.2	10	105	.1	11	28	1	139	5
ST- 462	1.3	1	108	.1	12	22	1	150	5
ST- 463	.9	17	81	.1	13	20	1	81	5
ST- 464	1.2	6	72	.1	13	11	1	98	5
ST- 465	1.2	14	110	.1	58	35	1	121	5
ST- 466	.7	6	70	.1	8	21	1	58	5
ST- 467	.4	1	35	.1	5	9	1	24	5
ST- 468	.5	1	45	.1	5	11	1	23	5
ST- 469	1.0	25	74	.1	9	17	1	70	5
ST- 470	1.6	20	78	.1	17	19	1	62	5
ST- 471	1.3	20	121	.1	18	19	1	82	5
ST- 472	1.8	23	166	.1	23	21	1	93	5
ST- 473	1.3	14	96	.1	18	19	1	93	5
ST- 474	1.2	19	125	.1	17	30	1	122	5
ST- 475	.9	17	138	.1	18	31	1	179	5
ST- 476	.7	10	110	.1	8	20	1	84	5
ST- 477	1.0	13	128	.1	12	14	1	110	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1254-SJ1+2

DATE: 90/09/10

SEP 13 1990 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST-01	1.3	3	119	.1	31	47	2	85	5
ST-02	1.0	18	149	.1	22	31	1	76	5
ST-03	.8	1	243	.1	11	27	1	98	5
ST-04	.9	1	146	.1	12	24	1	135	5
ST-05	.8	1	168	.1	11	29	1	147	5
ST-06	.4	8	138	.1	14	26	1	77	5
ST-07	.5	1	185	.1	11	25	1	79	5
ST-08	.7	1	127	.1	9	19	1	73	5
ST-09	.5	5	102	.1	12	24	1	59	5
ST-10	.7	8	87	.1	11	22	1	46	5
ST-11	.9	1	262	.1	10	22	1	90	5
ST-12	.7	13	141	.1	8	25	1	107	5
ST-13	.3	1	94	.1	7	20	1	48	10
ST-14	.6	4	169	.1	15	19	1	69	5
ST-15	.5	3	138	.1	14	19	1	60	5
ST-16	.3	1	96	.1	10	21	1	48	5
ST-17	.9	7	165	.1	15	21	1	96	5
ST-18	1.0	12	218	.1	14	12	1	72	5
ST-19	1.1	13	209	.1	10	18	1	89	5
ST-20	1.0	30	154	.1	13	22	1	92	5
ST-21	1.3	11	250	.1	29	28	1	277	10
ST-22	.6	23	126	.1	12	18	1	70	10
ST-23	.4	8	74	.1	9	23	1	43	5
ST-24	.1	1	63	.1	6	22	1	45	5
ST-25	.6	1	151	.1	10	17	1	86	5
ST-26	.7	15	151	.1	11	11	1	73	5
ST-27	.9	13	168	.1	9	19	1	149	5
ST-28	1.0	1	151	.1	11	16	1	120	5
ST-29	1.0	18	123	.1	9	22	1	98	5
ST-30	.9	7	193	.1	12	18	1	107	5
ST-31	1.2	1	217	.1	12	30	1	109	5
ST-32	.6	6	132	.1	9	19	1	57	5
ST-33	1.2	19	202	.1	11	19	1	89	5
ST-34	1.3	13	319	.1	14	25	1	99	5
ST-35	1.3	6	195	.1	9	19	1	54	5
ST-36	.9	14	247	.1	10	18	1	71	5
ST-37	1.0	1	209	.1	16	19	1	77	5
ST-38	.6	8	115	.1	11	16	1	43	5
ST-41	.5	1	175	.1	11	23	1	76	5
ST-42	.6	1	202	.1	16	16	1	95	10
ST-43 A	1.2	12	175	.1	20	21	1	107	5
ST-43 B	1.1	11	268	.1	21	23	1	111	5
ST-44	1.0	1	177	.1	15	22	1	110	5
ST-45	.8	1	155	.1	13	21	1	68	10
ST-46	.5	5	97	.1	13	17	1	65	10
ST-47	.6	1	179	.1	13	18	1	103	5
ST-48	.8	1	184	.1	12	12	1	118	5
ST-49	.8	17	127	.1	15	18	1	112	5
ST-50	.6	14	135	.1	20	18	1	75	5
ST-51	.9	1	123	.1	17	25	1	70	5
ST-52	.8	20	104	.1	10	18	1	60	10
ST-53	1.2	8	194	.1	24	18	1	68	5
ST-54	1.2	24	130	.1	14	17	1	54	5
ST-55	1.3	16	140	.1	20	15	1	76	5
ST-56	.7	23	112	.1	17	24	1	70	5
ST-57	1.0	29	233	.1	38	25	1	252	5
ST-58	.8	6	169	.1	26	24	1	121	5
ST-59	.8	14	152	.1	17	23	1	121	5
ST-60	1.1	12	172	.1	20	23	1	113	5
ST-61	1.3	13	165	.1	27	30	1	135	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: 0V-1254-SJ3+4
 DATE: 90/09/10
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST-62	.7	4	139	.1	31	27	1	147	5
ST-63	.7	1	129	.1	28	19	1	144	10
ST-64	.6	12	68	.1	49	21	1	162	5
ST-65	.9	1	169	.1	19	26	1	123	5
ST-66	1.0	1	191	.1	16	28	1	167	5
ST-67	1.0	16	164	.1	17	22	1	123	5
ST-68	.8	13	178	.1	13	24	1	192	10
ST-69	1.1	1	196	.1	15	17	1	196	20
ST-70	.6	3	173	.1	18	21	1	82	5
ST-71	.7	12	164	.1	15	17	1	119	5
ST-72	.5	1	126	.1	13	15	1	92	5
ST-73	.4	1	171	.1	14	21	1	111	5
ST-74	.9	1	225	.1	16	15	1	152	5
ST-75	1.1	1	210	.1	24	22	1	161	5
ST-76	1.6	1	177	.1	24	17	1	211	5
ST-77	.9	1	256	.1	15	22	1	134	5
ST-78	.9	2	129	.1	12	24	1	132	10
ST-79	.4	7	84	.1	13	25	1	66	5
ST-80	.4	6	66	.1	14	35	1	74	5
ST-81	.4	6	105	.1	13	21	1	67	5
ST-82	.4	1	79	.1	10	18	1	50	5
ST-83	.3	1	126	.1	8	20	1	103	5
ST-84	.3	4	59	.1	8	19	1	37	5
ST-85	.7	16	65	.1	10	22	1	42	5
ST-86	.8	1	123	.1	11	16	1	65	5
ST-87	.8	1	141	.1	13	18	1	68	5
ST-88	.7	1	186	.1	9	20	1	86	5
ST-89	.4	7	114	.1	12	34	1	79	5
ST-90	.3	1	73	.1	13	20	1	62	5
ST-91	.5	5	134	.1	11	18	1	75	5
ST-92	1.1	1	134	.1	13	35	1	84	5
ST-93	.6	1	102	.1	14	19	1	65	5
ST-94	.9	1	117	.1	10	22	1	103	5
ST-95	1.0	1	160	.1	13	16	1	95	5
ST-96	.4	1	85	.1	16	24	1	65	5
ST-97	.7	1	154	.1	9	30	1	82	5
ST-98	.8	6	130	.1	11	27	1	66	5
ST-99	.8	5	99	.1	9	21	1	75	5
ST-100	1.2	1	124	.1	13	31	1	123	5
ST-101	1.0	1	137	.1	12	18	1	95	5
ST-102	.7	17	92	.1	10	22	1	59	5
ST-103	1.1	1	158	.1	14	21	1	69	5
ST-104	1.0	1	173	.1	18	26	1	95	5
ST-105	.7	10	96	.1	19	28	1	57	5
ST-106	.8	1	161	.1	14	17	1	99	5
ST-107	.8	1	131	.1	12	22	1	88	5
ST-108	.9	1	121	.1	11	19	1	101	5
ST-109	.9	1	145	.1	13	22	1	106	5
ST-110	1.0	9	126	.1	14	18	1	58	5
ST-111	1.2	1	125	.1	14	19	1	68	5
ST-112	1.0	1	141	.1	13	18	1	77	5
ST-113	1.2	1	175	.1	6	20	1	63	10
ST-114	.9	5	135	.1	28	23	1	93	15
ST-115	1.0	1	126	.1	12	22	1	73	5
ST-116	1.1	1	162	.1	13	28	1	89	5
ST-117	.9	1	233	.1	11	23	1	102	5
ST-118	.7	1	141	.1	13	19	1	72	5
ST-119	.9	15	158	.1	14	17	1	70	5
ST-120	.9	1	112	.1	12	22	1	62	5
ST-121	1.5	1	120	.1	15	23	1	85	5

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1254-SJ5+6
 DATE: 90/09/10
 * SOIL * (ACT:F31)


SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST-122	1.0	6	125	.4	11	28	2	66	5
ST-123	.8	1	116	.1	13	19	1	70	10
ST-124	1.8	1	199	.1	11	78	1	50	5
ST-125	.5	1	73	.1	17	29	1	69	5
ST-126	1.1	15	114	.1	14	24	1	108	5
ST-127	1.3	11	131	.1	13	19	1	76	5
ST-128	1.1	10	143	.1	14	16	1	68	5
ST-129	1.1	33	130	.1	13	28	1	76	10
ST-130	1.5	8	181	.1	14	13	1	78	5
ST-131	1.1	9	199	.1	12	24	1	85	5
ST-132	.6	6	168	.1	12	18	1	80	5
ST-133	.8	1	147	.1	10	25	1	81	10
ST-134	.6	1	81	.1	11	17	1	44	5
ST-135	.3	1	126	.1	12	24	1	80	5
ST-136	.7	1	191	.1	11	23	1	119	5
ST-137	1.2	20	206	.1	17	22	1	99	5
ST-138	1.0	30	313	.1	16	46	1	161	10
ST-139	1.7	31	206	.1	21	30	1	99	5
ST-140	1.7	11	331	.1	23	27	1	127	5
ST-141	1.3	15	201	.1	22	39	1	141	5
ST-142	.9	10	155	.1	13	28	1	75	10
ST-143	.6	6	117	.1	6	25	1	53	5
ST-144	.6	1	226	.1	10	27	1	95	5
ST-145	.5	1	148	.1	8	17	1	72	5
ST-146	.5	1	138	.1	8	21	1	76	10
ST-147	.7	10	178	.1	13	29	1	169	5
ST-148	1.0	8	171	.1	13	28	1	117	5
ST-149	1.6	1	228	.1	17	24	1	112	5
ST-150	1.1	28	141	.1	11	48	1	67	10
ST-151	.8	18	78	.1	16	28	1	55	5
ST-152	.7	11	74	.1	11	24	1	44	5
ST-153	.6	10	177	.1	12	23	1	76	5
ST-154	1.1	27	236	.1	22	28	1	119	10
ST-155	.5	1	384	.1	9	246	1	67	10
ST-156	.7	3	135	.1	15	26	1	143	5
ST-157	.5	1	119	.1	11	26	1	68	5
ST-158	.3	1	152	.1	7	24	1	81	5
ST-159	.5	8	168	.1	8	21	1	104	5
ST-160	.9	1	185	.1	13	22	1	143	5
ST-161	1.1	8	228	.1	14	29	1	143	10
ST-162	.7	16	65	.1	9	26	1	40	10
ST-163	.9	31	170	.1	11	27	1	114	5
ST-164	.9	21	194	.1	9	25	1	85	5
ST-165	1.0	17	120	.1	12	27	1	64	5
ST-166	.9	26	133	.1	12	22	1	82	5
ST-167	.7	6	110	.1	9	24	1	58	5
ST-168	.6	1	61	.1	9	17	1	37	5
ST-169	.7	12	207	.1	17	16	1	88	5
ST-170	.5	1	177	.1	15	18	1	170	5
ST-171	.7	9	158	.1	13	24	1	147	10
ST-172	.8	16	165	.1	8	23	1	374	5
ST-173	1.1	20	149	.1	10	20	1	296	5
ST-174	1.5	29	173	.1	31	186	1	456	5
ST-175	1.3	16	221	.1	11	22	1	218	5
ST-176	1.2	19	158	.1	12	28	1	190	10
ST-177	.7	4	126	.1	10	28	1	219	5
ST-178	.7	22	167	.1	11	31	1	120	5
ST-179	.5	1	143	.1	11	21	1	156	5
ST-180	.7	2	161	.1	13	25	1	103	5
ST-181	.9	30	120	.1	13	24	1	108	10

COMP: MINNOVA INC.
 PROJ: STONEY 623
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1254-SJ7+8
 DATE: 90/09/10
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	CD PPM	CU PPM	PB PPM	SB PPM	ZN PPM	AU PPB
ST-182	.3	9	106	.1	13	21	1	79	5
ST-183	.2	10	106	.1	12	23	1	110	5
ST-184	.5	11	114	.1	9	23	1	93	5
ST-185	.7	6	134	.1	12	13	1	107	5
ST-186	1.0	14	126	.1	15	22	1	100	10
ST-187	1.2	14	116	.1	35	21	1	109	5
ST-188	1.3	31	119	.1	21	19	1	117	5
ST-189	.6	5	124	.1	20	13	1	303	10
ST-190	.6	5	145	.1	12	20	1	141	5
ST-191	.8	5	140	.1	16	18	1	129	5
ST-192	.9	27	116	.1	48	19	1	175	10
ST-193	1.3	22	166	.1	27	18	1	121	10
ST-194	.8	22	137	.1	12	21	1	98	5
ST-195	.5	30	51	.1	8	17	1	44	5
ST-196	.3	11	116	.1	18	22	1	110	10
ST-197	.3	14	77	.1	13	20	1	62	5
ST-198	.6	26	129	.1	11	21	1	73	5
ST-199	.6	34	169	.1	12	14	1	93	5
ST-200	.9	31	129	.1	13	23	1	88	10
ST-201	1.0	14	170	.1	15	21	1	155	5
ST-202	1.1	36	133	.1	12	22	1	149	5
ST-203	.9	30	107	.1	13	16	1	55	5
ST-204	.7	22	104	.1	9	20	1	53	10
ST-205	1.1	32	119	.1	16	18	1	73	5
ST-206	.6	15	166	.1	14	27	1	111	5
ST-207	.5	15	130	.1	15	24	1	99	5
ST-208	.5	6	177	.1	10	19	1	92	10
ST-209	.8	22	167	.1	20	23	1	129	10
ST-210	1.0	22	118	.1	13	22	1	65	5
ST-211	.6	15	141	.1	9	27	1	67	5
ST-212	1.2	27	118	.3	11	34	1	64	5
ST-213	1.0	23	146	.1	12	29	1	106	5
ST-214	1.3	12	194	.1	15	25	1	86	5
ST-215	.4	1	113	.1	10	23	1	60	5
ST-216	.5	12	119	.1	7	20	1	59	10
ST-217	.8	29	128	.1	13	18	1	109	5
ST-218	.1	1	49	.4	8	21	1	40	5
ST-219	.7	2	109	.1	10	24	1	78	5
ST-220	.8	4	160	.1	14	21	1	94	10
ST-221	1.0	1	110	.1	11	31	1	69	20
ST-222	1.0	36	63	.1	15	35	1	60	5
ST-223	.8	24	57	.1	10	27	1	38	5
ST-224	.9	22	77	.1	12	26	1	51	5
ST-225	.7	31	76	.1	9	24	1	42	5
ST-226	.6	16	58	.2	12	26	1	40	40
ST-227	.8	17	147	.1	23	35	1	83	5
ST-228	.7	14	146	.1	13	21	1	115	5
ST-229	.3	1	103	.5	12	22	1	56	5
ST-230	.9	28	171	.1	21	36	1	87	5
ST-231	1.1	23	118	.1	13	29	1	76	5
ST-232	1.6	17	125	.1	12	29	1	110	20
ST-233	.9	25	117	.1	14	29	1	72	5
ST-234	1.6	29	112	.1	12	19	1	74	5
ST-235	1.8	20	151	.1	14	21	1	113	5
ST-236	.9	21	141	.1	11	23	1	118	5
ST-237	.7	1	353	.1	13	38	1	294	5
ST-238	.6	17	137	.1	10	28	1	97	5
ST-239	.7	5	122	.1	11	23	1	99	5
ST-240	.6	23	86	.1	11	21	1	57	5
ST-241	1.6	22	115	.1	14	21	1	76	5



MINERAL ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

THUNDER BAY LAB.:
TELEPHONE (807) 622-8958
FAX (807) 623-5931

SMITHERS LAB.:
TELEPHONE/FAX (604) 847-3004

Assay Certificate

OV-0995-RA1

Company: MINNOVA INC.
Project: P.N.623
Attn: COLIN BURGE

Date: AUG-07-90
VANCOUVER, B.C.

RECEIVED
AUG 16 1990
Copy 1. MINNOVA INC.
Ans'd

He hereby certify the following Assay of 29 ROCK samples submitted JUL-24-90 by COLIN BURGE.

Sample Number	LOI %	B PPM	F PPM
4785	1.50	36	300
4786	2.50	51	385
4787	.35	36	335
4788	.90	17	310
4789	2.50	95	665
4790	4.00	70	475
4791	3.50	76	480
4792	2.30	104	660
4793	2.70	92	850
4794	2.80	333	480
4795	1.70	5	125
4796	3.20	65	560
4797	3.40	11	145
4798	3.90	95	790
4799	3.10	95	700
4800	1.65	27	555
4801	1.70	73	1065
4802	2.80	100	525
4803	1.50	41	385
4804	.85	27	390
4805	2.10	85	605
4806	1.90	96	660
4807	1.50	63	695
4808	.70	40	360
4809	2.10	65	700
4810	1.30	47	350
4811	1.15	50	480
4812	.45	27	290
4813	1.30	52	515

Certified by _____

Colin Burge

MIN-EN LABORATORIES

