

COMP: MINNOVA INC.
 PROJ: STEWART 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

Stewart
 82F/6W
 822979

FILE NO: OV-1538-RJ1
 DATE: 90/10/09
 * ROCK * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
STC-90-001	1.5	10630	1	18	17	.5	3	11070	.1	24	158	45230	1500	23	7140	233	213	340	1	1930	48	1	6	4	1	152.8	29	5	10	7	79	1
STC-90-002	.3	3210	23	10	117	.1	2	190	.1	2	6	15330	3300	5	190	3	34	270	1	570	32	2	18	2	1	11.3	13	1	2	2	51	1
STC-90-003	4.8	6920	41	18	38	.8	3	33260	.1	30	276	59670	3630	9	15510	1202	7	80	1	1800	51	13	179	1	1	51.2	90	6	17	2	12	40
STC-90-004	.9	5480	23	4	46	.1	6	5170	.1	4	5	16650	950	8	2260	687	4	1180	1	410	23	1	21	3	1	30.0	44	1	1	8	178	1
STC-90-005	.6	4990	33	4	95	.2	3	5010	.1	3	4	12040	2000	6	1660	571	2	630	1	320	24	1	15	5	1	19.7	37	2	2	6	154	3
STC-90-006	2.1	4398	30	3	23	.1	6	9140	.1	12	35	21790	1730	5	3240	192	5	660	19	1040	63	1	11	3	1	46.8	70	2	1	7	128	5
STC-90-007	1.7	9140	18	3	28	.1	6	12860	.1	15	69	27420	1350	3	6100	371	2	1220	1	1540	23	1	35	1	1	66.5	33	3	4	6	88	31
STC-90-008	1.7	9280	1	3	28	.1	6	11540	.1	7	25	21450	1050	3	4440	292	2	800	1	1280	18	1	46	1	1	58.0	23	4	3	5	80	40
STC-90-009	1.7	14870	1	4	26	.1	8	10510	.1	11	79	38050	2710	9	11140	437	6	640	1	1640	17	1	35	1	1	90.7	25	4	10	4	38	82
STC-90-010	2.0	14940	33	3	191	.1	6	16000	.1	20	124	36140	1170	5	6540	374	3	1000	1	1890	104	1	63	1	1	77.3	133	4	6	6	73	159
STC-90-011	2.3	12490	5	7	128	.1	7	17360	.1	18	128	32450	3200	10	8210	454	12	670	2	1550	79	1	38	1	1	81.1	109	3	8	6	78	72
STC-90-012	.8	8330	18	5	158	.6	1	18100	.1	16	44	34640	3190	13	5020	946	4	580	8	1410	39	1	19	1	1	45.3	55	4	14	4	51	20
STC-90-013	1.5	11420	1	3	51	.1	7	14810	.1	19	105	33910	1340	8	9990	508	1	530	2	1470	26	1	28	1	1	71.2	36	4	9	4	61	58
STC-90-014	1.8	12770	14	3	23	.1	4	17720	.1	17	109	39600	2450	9	13090	610	1	380	1	1390	21	1	18	1	1	105.6	28	6	9	5	48	122
STC-90-015	2.7	19160	1	4	27	.1	9	21970	.1	24	210	49220	1250	15	21590	822	1	790	16	1680	19	1	22	1	1	155.3	45	6	14	7	53	91
STC-90-016	1.7	8640	1	4	17	.1	6	16590	.1	17	151	38980	460	8	4530	964	306	800	7	1540	23	1	15	1	1	87.3	57	3	11	6	64	1
STC-90-017	2.1	8900	14	2	40	.1	7	10860	.1	10	129	33180	1270	9	6740	290	12	800	1	1670	16	1	18	1	1	87.4	24	4	7	5	50	1
STC-90-018	1.6	6220	19	2	58	.1	7	7300	.1	11	67	27820	1040	7	5400	221	27	700	21	1430	18	1	9	3	1	133.7	24	3	2	9	145	5
STC-90-019	1.9	7320	3	2	19	.1	9	17280	.1	15	108	28180	120	5	760	442	34	880	26	1230	8	1	9	1	1	136.8	20	1	2	9	140	7
STC-90-020	2.6	11040	1	2	45	.1	11	11840	.1	23	156	42120	2850	7	8290	343	3	1410	1	1860	20	1	32	1	1	107.6	60	3	8	5	40	1
STC-90-021	1.9	11340	1	3	51	.1	8	12970	.1	51	337	44230	2680	4	4940	108	19	1170	59	1290	34	1	39	1	1	59.6	40	2	10	4	65	23
STC-90-022	1.1	11140	20	3	100	.1	3	17110	.1	9	24	28420	5440	6	6490	864	1	340	1	1270	25	1	33	1	1	40.6	29	3	2	1	20	30
STC-90-023	2.7	26380	1	2	54	.1	11	16920	.1	30	145	46830	11370	13	20320	365	10	1870	25	1210	9	1	54	1	1	115.8	27	6	11	8	96	60
STC-90-024	1.6	6370	1	2	50	.1	5	11170	.1	33	274	37120	2020	3	3700	124	64	390	83	1670	26	1	24	1	1	59.8	22	2	8	5	87	62
STC-90-025	1.5	6140	27	1	30	.1	7	9960	.1	11	15	16080	1350	3	8520	237	3	1070	10	1090	13	1	16	2	1	37.9	19	4	6	6	113	75
STC-90-026	1.9	7620	1	4	49	.1	10	5110	.1	29	64	50280	4770	3	910	10	1	490	1	1880	8	1	29	1	1	44.0	1	1	3	2	1	58
STC-90-027	2.0	11450	6	4	43	.1	8	13930	.1	30	202	48270	5220	7	9330	290	2	430	1	1860	15	1	25	1	1	93.6	24	6	10	5	38	170
STC-90-028	2.4	13040	1	3	50	.1	9	11710	.1	30	124	42150	3890	7	10350	303	3	610	4	1640	15	1	29	1	1	85.4	18	5	6	5	42	21

OCT 11 1990

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

OCT 4 1990

FILE NO: OV-1453-SJ1+2
 DATE: 90/10/01
 * SOIL * (ACT:F01)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L2N-1+75W	.1	21150	1	1	169	1.8	3	2530	.1	19	64	40650	1010	16	8930	2340	1	530	19	1550	66	1	16	1	1	79.9	138	1	1	1	4	68
SS L2N-2+00W	.6	24310	1	1	164	1.6	3	2300	.1	18	102	41420	1790	16	9440	1937	1	400	12	2240	56	1	17	1	1	69.0	139	1	1	1	1	16
SS L2N-2+25W	.7	29510	1	1	212	1.6	2	4770	.4	23	109	43090	1430	15	10210	1998	1	540	21	2580	70	1	26	1	1	90.9	151	1	1	1	7	72
SS L2N-2+50W	.3	29870	1	1	108	1.7	3	2620	.1	21	83	42090	1320	15	9900	1349	1	590	20	1570	53	1	14	1	1	88.3	120	1	1	1	11	76
SS L2N-2+75W	.1	25760	1	1	155	1.8	3	3680	.8	18	61	39340	1190	14	9100	1571	1	100	18	2130	42	1	21	1	1	80.5	124	1	2	1	10	35
SS L2N-3+00W	.1	23800	1	1	172	1.8	3	2940	.1	17	55	36690	1110	15	7790	1468	1	550	15	1660	35	1	17	1	1	71.9	126	1	1	1	6	47
SS L2N-3+25W	.4	25940	1	1	131	2.0	3	2130	.1	18	80	36760	1170	13	8110	882	1	590	16	2290	46	1	14	1	1	73.4	110	1	1	1	4	32
SS L2N-3+50W	.2	25030	1	1	234	1.7	3	4620	.1	18	77	37900	1110	14	8370	1377	1	100	19	3130	32	1	26	1	1	70.9	143	1	1	1	6	61
SS L2N-3+75W	.3	24120	1	1	195	1.7	3	3720	.1	19	103	40310	1260	12	10230	1529	1	500	21	1510	49	1	21	1	1	81.8	132	1	2	1	8	8
SS L2N-4+00W	.4	21080	1	1	142	1.1	3	2960	.7	19	71	33470	1270	15	8450	1581	1	590	18	1340	32	1	14	1	1	67.2	124	1	1	1	11	1
SS L2N-4+25W	.8	27100	1	1	149	1.5	3	3550	.1	19	97	37320	1190	20	8880	859	1	650	21	2030	36	1	16	1	1	74.3	141	1	1	1	12	1
SS L2N-4+50W	.8	22290	1	1	110	1.3	3	3290	.1	18	85	39480	1000	19	9880	1252	1	370	12	1210	23	1	14	1	1	88.2	119	1	4	1	11	1
SS L2N-4+75W	1.1	27410	1	1	140	1.4	5	3800	.1	20	109	44000	1260	28	11810	644	1	730	15	2220	27	1	18	1	1	99.2	149	1	1	1	17	12
SS L2N-5+00W	1.1	29190	1	1	117	1.3	4	2320	.1	16	76	30130	830	17	5930	1325	1	400	12	2690	31	1	13	1	1	61.3	108	1	1	1	5	19
SS L3N-1+75W	.1	23520	1	1	150	1.5	3	2810	1.5	19	46	37580	900	15	8990	2144	1	680	21	2500	42	1	19	1	1	76.5	196	1	1	1	9	31
SS L3N-2+00W	.3	25400	1	1	154	1.5	3	4060	.1	18	50	37810	1340	16	9380	1798	1	590	23	1490	50	1	22	1	1	86.7	154	1	1	1	14	70
SS L3N-2+25W	.3	27510	1	1	162	1.5	4	4460	.1	20	62	41550	1440	17	10510	1643	1	510	19	2050	48	1	24	1	1	90.6	170	1	1	1	12	27
SS L3N-2+50W	.3	26390	1	1	144	1.5	4	3610	.1	18	56	35860	1120	16	7780	1260	1	140	18	2370	33	1	18	1	1	76.1	155	1	1	1	17	27
SS L3N-2+75W	.3	26620	1	1	139	1.4	4	3610	.1	18	31	34670	940	16	5740	2111	1	170	20	2840	25	1	16	1	1	71.0	183	1	1	1	24	1
SS L3N-3+00W	.6	26630	1	1	122	1.5	3	2900	.1	17	43	35710	860	19	6180	974	1	520	19	2490	37	1	14	1	1	70.2	152	1	1	1	21	1
SS L3N-3+25W	.4	21810	1	1	108	1.1	4	2660	.1	15	36	32530	700	15	5590	1787	1	380	20	1560	35	1	9	1	1	66.3	120	1	1	2	26	1
SS L3N-3+50W	.7	21530	1	1	141	1.3	4	3050	.1	16	35	36680	860	19	6290	1284	1	540	13	1750	39	1	13	1	1	77.6	112	1	1	1	20	1
SS L3N-3+75W	.7	22180	1	1	150	1.3	4	2510	.1	15	39	38210	1020	15	6170	1125	1	120	14	1500	46	1	15	1	1	80.7	98	1	1	1	6	25
SS L3N-4+00W	.8	25720	1	1	160	1.0	4	3530	.1	15	76	33280	860	15	7250	1769	1	590	17	1780	43	1	13	1	1	70.2	106	1	1	1	10	13
SS L3N-4+25W	.9	21780	1	1	105	1.1	3	2370	.1	14	52	32470	700	17	6930	698	1	130	16	1880	15	1	11	1	1	70.9	87	1	1	1	16	1
SS L3N-4+50W	1.0	25780	1	1	114	1.3	4	3660	.1	17	99	38500	890	17	9100	1035	1	540	15	2070	36	1	15	1	1	84.0	110	1	1	2	16	1
SS L3N-4+75W	.7	23800	1	1	76	1.0	3	2520	.1	16	111	33430	860	12	6850	779	1	610	10	2600	33	1	17	1	1	70.5	86	1	1	1	5	60
SS L3N-5+00W	1.0	28880	1	1	76	.8	3	2860	.1	17	108	35600	980	12	9400	702	1	350	22	3220	22	1	18	1	1	78.0	105	1	1	1	16	22
SS L4N-1+25W	.1	26080	1	1	87	1.5	3	1940	.1	18	43	37310	690	16	7560	1491	1	640	16	2870	34	1	14	1	1	78.3	145	1	1	1	13	18
SS L4N-1+50W	.2	25640	1	1	113	1.0	3	4500	.1	16	49	33320	780	14	6810	1701	1	520	21	2660	40	1	20	1	1	66.6	178	1	1	1	18	12
SS L4N-1+75W	.7	30330	1	1	117	1.6	3	3730	.1	21	80	42420	1040	17	10230	1686	1	110	23	2460	42	1	17	1	1	88.2	158	1	1	1	12	14
SS L4N-2+00W	.9	26810	1	1	142	1.4	3	2640	.1	18	54	40550	1020	16	7480	1464	1	130	15	3440	42	1	19	1	1	84.3	133	1	1	1	12	42
SS L4N-2+25W	.8	24120	1	1	155	1.4	5	3920	.7	19	47	44000	1370	19	7250	1261	1	140	14	3030	31	1	25	1	1	79.1	144	1	1	1	11	18
SS L4N-2+50W	1.0	28200	1	1	188	1.5	4	3860	.1	20	57	42020	1200	17	8580	1914	1	150	17	2620	48	1	23	1	1	86.1	145	1	1	1	9	42
SS L4N-2+75W	1.1	32380	1	1	130	1.3	4	3220	.1	19	62	41360	1090	17	8550	1167	1	160	14	2630	36	1	18	1	1	87.0	144	1	1	1	7	1
SS L4N-3+00W	1.0	34200	1	1	127	1.4	5	2570	.1	19	72	41140	1030	16	8320	1143	1	140	19	1890	28	1	14	1	1	87.1	109	1	1	1	7	19
SS L4N-3+25W	.8	26940	1	1	133	1.2	3	2730	.1	17	116	40090	970	15	7800	2208	1	120	12	1950	31	1	14	1	1	89.3	105	1	1	1	9	1
SS L4N-3+50W	1.1	38600	1	1	82	1.0	4	1640	.1	14	80	32850	830	16	5330	1070	1	130	15	2450	11	1	11	1	1	66.4	86	1	1	1	8	9
SS L4N-3+75W	1.1	24760	1	1	113	1.0	4	1900	.1	13	39	31760	730	11	3820	1661	1	130	9	1420	27	1	10	1	1	67.9	88	1	1	1	10	26
SS L4N-4+00W	1.1	30260	1	1	99	.7	4	3180	.1	16	55	36130	880	18	6490	914	1	190	15	1620	20	1	13	1	1	80.5	82	1	1	1	21	1
SS L4N-4+25W	1.1	26750	1	1	65	.8	4	1820	.1	12	24	31960	610	12	2860	895	1	170	7	2190	18	1	9	1	1	69.5	66	1	1	1	11	1
SS L4N-4+50W	1.5	27360	1	1	80	.5	5	2660	.1	17	74	37890	740	20	6670	855	1	180	15	1250	17	1	11	1	1	84.2	115	1	1	1	12	1
SS L4N-4+75W	1.4	28810	1	1	75	.5	6	2420	.1	16	61	37540	780	14	7480	1103	1	160	10	1260	17	1	11	1	1	92.4	78	1	1	1	11	41
SS L4N-5+00W	1.1	25830	1	1	84	.8	4	3710	.1	15	33	33260	810	12	4720	1675	1	190	8	1800	16	1	14	1	1	76.5	63	1	1	1	6	1
SS L4N-3+25E	1.8	38580	1	3	195	1.9	5	4320	1.8	24	102	47080	1440	21	9530	1598	1	230	31	2990	33	1	18	1	1	113.7	503	1	1	1	17	1
SS L4N-3+50E	1.3	32320	1	2	248	.8	4	3990	.1	23	126	48500	1530	23	11700	2345	1	170	26	2420	41	1	16	1	1	113.7	357	1	1	1	18	1
SS L4N-3+75E	1.6	30140	1	2	260	1.7	3	3280	.1	24	278	54690																				

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ3+4
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L5N-2+25W	.4	27950	1	1	97	1.0	4	1910	.1	15	30	33500	790	17	4740	2000	1	130	16	2670	38	1	12	1	1	65.9	123	1	1	1	9	1
SS L5N-2+50W	2.7	46060	1	1	81	1.1	4	1500	.1	17	91	32760	650	14	4330	838	1	170	11	2910	20	1	8	1	1	59.2	99	1	1	1	2	1
SS L5N-2+75W	1.4	37110	1	1	87	1.0	4	1510	.1	13	40	29460	630	15	4500	989	1	400	16	1470	17	1	7	1	1	57.6	101	1	1	1	8	10
SS L5N-3+00W	.8	28820	1	1	72	1.0	4	2200	.1	12	47	29600	660	11	3690	1454	1	160	9	1760	29	1	12	1	1	70.0	65	1	1	1	5	3
SS L5N-3+25W	.9	31950	1	1	79	.8	4	2140	.1	14	57	35000	920	17	6340	732	1	100	14	1590	17	1	13	1	1	75.9	81	1	1	1	3	38
SS L5N-3+50W	.8	31300	1	1	84	1.0	4	1450	.1	11	37	33110	670	16	4560	540	1	130	8	1200	22	1	8	1	1	72.6	82	1	1	1	3	1
SS L5N-3+75W	.8	36090	1	1	65	.9	4	1770	.8	14	31	34270	630	16	4950	977	1	300	8	2260	24	1	9	1	1	67.4	102	1	1	1	5	1
SS L5N-4+00W	.6	21510	1	1	79	.8	4	3010	.1	12	27	35170	640	12	4150	1407	1	460	5	3320	27	1	16	1	1	73.3	101	1	1	1	7	1
SS L5N-4+25W	1.5	25840	1	1	79	1.1	4	1730	.1	12	26	38010	560	15	4350	719	1	130	5	1230	26	1	9	1	1	68.9	75	2	1	1	2	1
SS L5N-4+50W	1.5	25090	1	1	82	1.4	3	4680	.1	15	56	36640	830	20	7960	1251	1	170	12	1590	33	1	20	1	1	84.9	108	1	1	1	16	40
SS L5N-4+75W	.7	19350	1	1	74	.8	3	1870	.1	13	47	30820	760	9	4150	974	1	710	6	2900	58	1	15	1	1	57.4	92	1	1	1	1	1
SS L5N-5+00W	.8	21200	1	1	121	.7	3	2190	.1	12	21	30630	820	13	3770	1228	1	160	8	3190	25	1	16	1	1	58.1	102	1	1	1	1	32
SS L5N-3+25E	1.7	30380	1	2	107	1.7	3	3980	.1	24	256	50330	1480	17	13640	1386	1	110	21	1540	39	1	17	1	1	130.7	187	1	1	1	11	172
SS L5N-3+50E	.7	32890	1	2	194	1.9	3	3070	.1	23	121	49020	1330	20	10830	1882	1	170	20	2450	40	1	15	1	1	121.1	248	1	1	1	4	110
SS L5N-3+75E	.8	31830	5	2	199	1.5	3	4730	.1	25	279	53960	2330	19	14860	1343	1	120	36	2340	38	1	22	1	1	149.8	491	1	1	1	17	120
SS L5N-4+00E	.5	25040	1	1	172	1.6	3	3510	.1	22	381	50400	1910	23	13430	1492	1	70	13	1340	30	1	16	1	1	144.0	314	1	1	2	13	62
SS L5N-4+25E	1.1	32370	8	2	165	1.8	3	2370	2.7	25	170	50580	1260	18	11970	1708	1	100	42	1670	42	1	10	1	1	115.0	510	1	1	1	17	88
SS L5N-4+50E	.8	31600	1	3	173	1.0	4	4070	.1	25	98	46840	1380	21	12000	2022	1	170	29	2460	33	1	16	1	1	104.2	321	1	1	1	19	76
SS L5N-4+75E	1.2	30330	1	1	189	1.4	3	5530	.1	26	102	51730	1390	24	14680	1528	1	160	33	2110	42	1	19	1	1	121.9	332	1	1	2	33	10
SS L5N-5+00E	1.0	28990	1	1	214	.9	4	3430	1.4	24	48	42440	1220	23	10040	2651	1	180	34	2130	38	1	15	1	1	90.1	364	1	1	1	28	1
SS L5N-5+25E	.9	32730	1	1	195	.9	4	4000	.1	25	73	47530	1380	24	11430	2243	1	160	34	3230	37	1	17	1	1	101.0	341	1	1	1	24	1
SS L5N-5+50E	.9	28020	1	1	144	1.1	3	4100	.3	22	81	44920	1590	20	12510	1358	2	130	35	1590	37	1	16	1	1	101.2	271	1	1	1	23	1
SS L5N-5+75E	.9	29940	1	1	162	1.1	4	5110	1.4	23	52	45250	1090	22	9910	945	1	170	27	3640	26	1	21	1	1	95.0	352	1	1	1	29	3
SS L5N-6+00E	.8	28790	1	1	204	1.2	4	3250	5.0	25	45	43610	1120	24	11000	1864	3	140	33	3130	31	1	15	1	1	93.9	400	1	1	1	34	4
SS L6N-1+25W	1.0	42260	1	1	80	1.3	4	1380	.1	16	37	35480	770	15	3460	708	1	210	11	2430	24	1	9	1	1	67.1	122	1	1	1	1	5
SS L6N-1+50W	.6	33390	1	1	90	1.3	3	1790	.1	14	52	35180	830	15	5760	1127	1	140	11	2110	23	1	11	1	1	70.2	101	1	1	1	4	1
SS L6N-1+75W	.7	39410	1	1	48	.7	4	870	.1	11	25	34420	640	15	2910	462	1	140	2	2320	16	1	7	1	1	58.9	68	1	1	1	5	1
SS L6N-2+00W	.8	48100	1	1	59	1.4	4	990	.1	10	20	27560	620	9	2180	839	1	540	6	4100	47	1	9	1	1	39.1	79	1	1	1	2	1
SS L6N-2+25W	1.4	41160	1	1	289	1.8	4	4280	.1	22	87	45820	1690	18	15120	667	1	220	31	3160	32	1	23	1	1	100.5	135	1	1	1	21	1
SS L6N-2+50W	1.2	30460	1	1	112	1.2	3	1840	.1	15	46	36530	790	15	5840	1515	1	180	13	1910	25	1	11	1	1	76.6	88	1	1	1	10	1
SS L6N-2+75W	1.1	33620	1	2	82	1.2	5	3050	.1	17	49	39310	1100	18	6610	1093	1	180	14	2650	32	1	20	1	1	86.2	114	1	1	1	11	60
SS L6N-3+00W	1.3	45920	1	1	78	.9	4	2660	.1	16	62	34940	1120	16	5740	548	1	260	15	1460	17	1	14	1	1	76.3	99	1	1	1	6	31
SS L6N-3+25W	.9	33620	1	1	71	1.3	3	2370	.1	16	97	38740	1080	16	7080	502	1	400	17	1700	20	1	14	1	1	81.1	109	1	1	1	11	26
SS L6N-3+50W	1.0	42800	1	1	67	.8	5	1620	.1	12	23	30250	710	14	2970	442	1	500	9	1920	12	1	7	1	1	54.3	84	1	1	1	5	13
SS L6N-3+75W	1.0	35570	1	1	99	.7	4	3550	.1	14	35	36310	1120	16	5440	821	1	770	14	2430	23	1	15	1	1	76.9	126	1	1	1	9	14
SS L6N-4+00W	1.3	36450	1	1	71	1.2	4	3790	.1	15	46	39830	970	16	6500	569	1	520	13	3030	25	1	18	1	1	79.0	139	1	1	1	5	10
SS L6N-4+25W	1.7	34040	1	1	105	1.3	3	5600	.1	16	54	40100	1320	16	8690	706	1	500	23	2190	23	1	23	1	1	90.1	155	1	1	1	6	1
SS L6N-4+50W	1.2	26180	1	1	90	.4	4	4100	.1	13	26	39390	1130	14	5040	516	1	690	5	1560	23	1	19	1	1	89.0	101	2	1	1	3	1
SS L6N-4+75W	1.5	31210	1	1	82	.5	4	3660	.1	13	28	38510	1020	15	5030	460	1	620	7	1300	22	1	16	1	1	85.3	95	2	1	1	2	1
SS L6N-5+00W	1.6	9210	1	1	117	.1	4	4920	.1	7	15	16700	1510	2	1790	609	1	610	5	520	74	1	18	1	1	50.8	65	1	1	1	3	1
SS L6N-3+25E	.5	32920	1	4	120	1.5	3	3390	.1	27	94	57640	2140	19	11360	1634	1	510	21	1950	47	1	17	1	1	127.1	225	1	1	1	1	47
SS L6N-3+50E	.6	32700	1	5	155	1.6	4	3880	.1	26	95	56230	1960	18	10650	2046	1	170	20	1950	39	1	19	1	1	123.7	221	1	1	1	1	44
SS L6N-3+75E	1.0	29560	5	6	126	2.0	4	6130	.1	23	349	58880	2720	16	11010	1022	1	140	17	2290	44	1	31	1	1	126.2	200	1	1	1	1	94
SS L6N-4+00E	1.3	34130	1	3	182	1.4	3	4820	.1	26	230	57840	2260	17	11510	2090	1	490	22	2060	36	1	22	1	1	128.6	298	1	1	1	1	159
SS L6N-4+25E	.9	32380	1	3	158	1.7	4	4880	.1	25	118	51060	1840	18	11040	1893	1	610	25	1470	39	1	21	1	1	113.2	237	1	1	1	7	89
SS L6N-4+50E	.3	27820	1	3	260	1.3	4	5300	2.1	24	66	52430	1840	22	9600	3774	1	630	26	2450	67	1	21	1	1	115.7	460	1	1	1	11	132
SS L6N-4+75E	.9	28130	1	2	187	.6	4	3830	.1	28	80	50610	1760	18	9000	1970	1	670	16	2270	37	1										

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ5+6
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L7N-3+25W	1.5	32600	1	1	69	1.1	4	3110	.1	12	39	31990	800	15	4090	555	1	230	11	1570	17	1	11	1	1	64.2	92	1	1	1	10	1
SS L7N-3+50W	1.4	18480	1	1	68	.6	4	4660	.1	14	27	36820	820	9	5420	549	1	390	6	910	27	1	23	1	1	98.8	73	1	1	1	12	1
SS L7N-3+75W	1.3	34200	1	1	78	.8	4	2830	.1	12	43	34440	850	16	4740	546	1	410	5	1810	20	1	16	1	1	70.4	101	1	1	1	3	1
SS L7N-4+00W	1.2	17800	1	1	125	.5	4	5180	.1	16	34	36650	1190	10	4690	2922	1	240	9	1080	36	1	23	1	1	89.9	92	1	1	1	6	1
SS L7N-4+25W	1.7	15530	1	1	113	.3	5	5650	.1	14	37	40220	1410	6	4770	548	1	190	7	1330	24	1	29	1	1	117.6	83	2	1	1	1	68
SS L7N-4+50W	1.5	29940	1	1	68	.5	4	3700	.1	13	35	38260	930	14	5140	793	1	190	8	2600	12	1	20	1	1	75.0	119	1	1	1	1	3
SS L7N-4+75W	1.7	22420	1	1	233	.3	5	4130	.1	17	37	38660	1060	10	4580	2959	1	250	8	1820	44	1	22	1	1	92.1	119	1	1	1	4	1
SS L7N-5+00W	1.8	21750	1	1	172	.5	5	8390	.1	18	32	46550	1260	12	7010	2059	1	390	6	2500	32	1	37	1	1	117.8	114	2	1	1	4	19
SS L7N-3+25E	.4	24240	30	3	233	1.4	3	2580	.1	25	91	57900	2120	12	5650	3382	1	600	20	1890	84	1	13	1	1	84.2	213	1	1	1	1	1
SS L7N-3+50E	.2	21640	1	2	206	1.5	1	2550	1.1	23	87	53540	1860	10	5420	2800	1	130	10	2060	62	1	11	1	1	74.0	195	1	3	1	1	31
SS L7N-3+75E	.5	24610	1	3	118	1.6	3	2900	.1	24	105	55890	1800	15	8740	1860	1	120	10	2090	41	1	15	1	1	100.3	176	1	2	1	1	40
SS L7N-4+00E	.9	31670	24	8	132	2.0	3	1880	.1	29	121	77270	2280	14	8490	1162	1	100	36	2500	46	1	15	1	1	100.5	224	1	1	1	1	81
SS L7N-4+25E	.1	24000	4	5	244	1.5	3	3490	1.9	32	76	67080	2200	12	6100	4759	2	420	32	2050	137	2	19	1	1	84.2	237	1	1	1	1	35
SS L7N-4+50E	.5	33840	1	7	200	1.6	4	3040	.9	33	140	70180	2540	19	10400	2510	1	150	22	3720	55	1	21	1	1	113.6	235	1	2	1	1	94
SS L7N-4+75E	.7	31990	31	3	129	1.2	3	3830	.6	28	133	59710	1730	20	11910	1568	1	140	15	2580	49	1	17	1	1	110.9	201	1	1	1	1	106
SS L7N-5+00E	.9	30310	1	3	191	.6	4	4440	.1	24	75	51000	1660	20	9110	2832	1	200	17	3470	46	1	21	1	1	101.1	210	1	1	1	6	89
SS L7N-5+25E	1.8	33840	1	2	130	1.4	4	5190	.1	25	88	49310	1580	20	11160	1663	1	260	27	2000	24	1	19	1	1	112.5	247	1	2	1	25	72
SS L7N-5+25E DUP	.8	33320	1	2	127	1.0	5	4680	.1	24	86	46870	1510	19	10230	1556	1	410	32	1940	36	1	16	1	1	106.9	240	1	1	1	21	80
SS L7N-5+50E	1.0	30340	1	2	140	.7	4	4430	1.0	25	97	49690	1460	18	12190	1697	1	440	41	1880	38	1	15	1	1	125.8	329	1	1	1	26	55
SS L7N-5+75E	1.1	37360	1	4	141	1.9	4	4240	1.1	28	121	58940	1820	23	14260	1750	1	200	48	2380	37	1	13	1	1	150.4	462	1	3	1	18	56
SS L7N-6+00E	1.1	38160	1	5	166	1.8	3	4010	.1	30	116	58290	1820	21	13920	2229	1	170	47	1940	38	1	13	1	1	145.5	439	1	1	1	20	28
SS L7+50N-3+25E	1.4	26740	17	1	92	1.3	4	5550	.1	22	158	43050	1310	18	9410	1686	1	890	27	1950	74	1	18	1	1	96.8	190	1	1	1	40	1050
SS L7+50N-3+50E	.7	25410	1	2	318	.5	5	6400	1.5	24	81	51730	2000	14	7210	6317	1	870	26	2240	144	1	26	1	1	102.4	225	1	1	1	14	31
SS L7+50N-3+75E	1.3	36030	1	4	133	1.8	4	2420	.1	24	128	53420	2230	16	7160	1032	1	460	18	2610	72	1	12	1	1	86.8	252	1	1	1	1	43
SS L7+50N-4+00E	.7	30770	1	2	135	1.4	4	4030	.4	23	94	48150	1600	20	7490	1915	1	220	23	1810	68	1	14	1	1	87.4	205	1	1	1	14	20
SS L7+50N-4+25E	1.0	29100	9	4	157	1.9	2	2530	.1	26	115	64370	2300	14	7290	1329	1	550	16	2780	87	1	15	1	1	90.5	242	1	1	1	1	61
SS L7+50N-4+50E	.2	28270	1	3	133	1.8	3	2260	.1	26	90	60080	1780	16	8200	2288	1	400	21	2840	69	1	15	1	1	91.5	193	1	3	1	1	76
SS L7+50N-4+75E	.2	30970	1	4	175	1.8	2	3020	.1	30	130	66170	2140	18	9550	2774	1	470	21	2850	64	1	18	1	1	106.7	189	1	1	1	1	81
SS L7+50N-5+00E	.8	32400	29	3	111	1.9	3	3890	.6	30	132	60400	1930	18	12330	2067	1	280	18	2630	46	1	17	1	1	115.9	179	1	3	1	1	195
SS L7+50N-5+25E	.8	39140	1	3	119	1.5	5	4260	.1	25	108	60790	1860	24	11680	1455	1	190	18	4010	26	1	20	1	1	123.5	200	1	1	1	3	70
SS L7+50N-5+50E	1.0	32290	1	3	84	.9	4	3940	.1	25	97	48990	1420	18	11470	1156	1	170	24	2470	28	1	17	1	1	108.6	215	1	1	1	17	67
SS L7+50N-5+75E	1.1	32710	1	3	143	1.6	4	4720	.1	27	126	53120	1470	19	12760	1759	2	190	39	2500	30	1	17	1	1	131.1	361	1	1	1	20	188
SS L7+50N-6+00E	.7	34650	26	4	168	1.6	3	3790	.3	28	123	55920	1930	19	12770	1951	1	160	42	2190	52	1	16	1	1	142.7	523	1	3	1	16	127
SS L8N-1+25W	1.1	20820	1	3	127	1.1	3	4180	.1	19	35	41960	1680	12	6710	2780	1	680	12	1510	47	1	23	1	1	98.8	137	1	1	1	1	26
SS L8N-1+50W	1.8	33360	1	2	140	1.4	5	4340	.1	18	50	42930	1600	20	9150	1145	1	470	14	1920	42	1	27	1	1	95.2	185	1	1	1	8	68
SS L8N-1+75W	1.2	26760	1	1	129	1.1	3	3960	.1	16	46	43330	1500	17	8010	1384	1	350	12	2300	24	1	25	1	1	91.9	159	1	1	1	7	6
SS L8N-2+00W	1.4	31020	1	1	83	.6	4	2920	.1	13	32	36900	1160	14	5030	1069	1	690	7	2600	36	1	18	1	1	78.0	141	1	1	1	4	1
SS L8N-2+25W	1.6	34400	1	1	73	1.3	3	3180	.1	14	45	37860	970	15	5300	941	1	830	6	1760	25	1	15	1	1	76.3	143	1	1	1	9	1
SS L8N-2+50W	1.7	37300	1	1	82	.7	4	3470	.1	15	43	35980	1040	17	6040	728	1	440	7	1630	28	1	17	1	1	78.8	137	1	1	1	11	1
SS L8N-2+75W	1.5	29490	1	1	95	1.0	3	4170	.1	15	36	41720	1180	20	6260	997	1	460	8	2380	22	1	21	1	1	88.5	129	1	1	1	7	1
SS L8N-3+00W	1.9	20070	1	1	104	.7	5	4430	.1	14	24	43040	1110	11	5300	1018	1	380	3	2380	39	1	25	1	1	99.5	113	3	1	1	2	1
SS L8N-3+25W	1.5	17630	1	1	89	.4	3	4450	.1	13	23	38820	1300	6	5150	1128	1	430	6	1690	33	1	23	1	1	101.2	91	1	1	1	8	47
SS L8N-3+50W	1.7	27370	1	2	68	.8	3	3620	.1	14	47	35070	870	10	4740	793	1	570	6	1410	19	1	19	1	1	73.6	98	1	1	1	3	1
SS L8N-3+75W	1.9	32470	1	1	75	.5	5	3180	.1	15	34	52300	1180	13	5270	575	1	440	1	2910	31	1	23	1	1	101.4	98	2	1	1	1	1
SS L8N-4+00W	1.4	23750	1	1	76	.5	4	4190	.1	14	37	37470	1000	12	4600	913	1	440	2	1460	24	1	22	1	1	77.8	88	1	1	1	1	1
SS L8N-4+25W	1.6	21010	1	1	55	.5	4	3490	.1	13	34	41930	960	10	4550	552	1	570	1	2070	26	1	22	1	1	88.0	97	1	1	1	1	1
SS L8N-4+50W	1.7	26590	1	1	127	1.4	4	13040	5.2</																							

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ7+8
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L8N-6+00E	.7	24390	1	2	142	1.4	3	4300	.1	20	65	44630	1330	17	9170	2476	1	170	22	2290	43	1	17	1	1	108.6	263	1	2	1	24	42
SS L8+50N-3+25E	.8	31460	1	1	57	.9	4	1080	.1	12	64	35860	820	13	4460	724	1	530	9	2080	32	1	8	1	1	60.6	97	1	1	1	1	34
SS L8+50N-3+50E	.5	26760	37	1	80	1.4	4	1980	.1	40	137	51770	1000	14	5760	3871	3	720	20	2140	128	1	11	1	1	69.6	174	1	1	1	1	21
SS L8+50N-3+75E	.2	26990	224	1	81	1.6	4	1760	1.8	36	157	58070	1090	18	6070	3116	1	500	14	2180	62	1	10	1	1	73.4	135	1	2	1	1	1
SS L8+50N-4+00E	.7	29220	146	1	92	1.3	3	2970	1.1	23	97	42490	1070	15	6010	2042	1	330	17	1810	66	1	11	1	1	70.5	147	1	1	1	9	1
SS L8+50N-4+25E	1.5	30880	399	1	123	1.4	4	2990	3.8	21	84	44440	1270	19	6240	2812	1	520	19	2560	106	1	13	1	1	75.4	282	1	1	1	9	12
SS L8+50N-4+50E	.6	26410	1	1	199	1.0	5	4440	.1	20	63	45620	1640	15	7380	4870	1	480	26	2710	113	1	20	1	1	91.9	262	1	1	1	23	18
SS L8+50N-4+75E	.8	26830	4	2	100	1.3	3	3030	.1	19	58	45860	1390	17	8010	2319	1	370	18	2400	66	1	15	1	1	96.0	190	1	1	1	13	21
SS L8+50N-5+00E	.2	23860	1	1	135	1.0	3	3190	.1	22	78	49230	1250	15	7580	3480	1	470	17	2920	68	1	16	1	1	88.2	186	1	1	1	2	1
SS L8+50N-5+25E	1.0	28730	1	4	82	1.6	4	3570	.1	22	80	53680	1330	18	9430	1481	1	410	13	2960	41	1	19	1	1	107.6	173	1	1	1	8	47
SS L8+50N-5+50E	.6	24920	1	2	139	1.7	4	3720	.1	22	77	49480	1280	16	9550	2312	1	350	22	2000	46	1	17	1	1	97.2	158	1	1	1	6	191
SS L8+50N-5+75E	.5	28940	1	4	138	1.2	5	5380	.1	27	105	60680	1800	19	10760	2951	1	550	19	2330	50	1	20	1	1	115.1	173	1	1	1	4	149
SS L8+50N-6+00E	.3	23690	1	1	152	1.2	4	4470	.5	23	68	45710	1640	15	7730	5130	1	630	30	2270	106	1	17	1	1	92.0	218	1	1	1	16	40
JS L9N-1+25W	1.7	29090	1	1	83	1.0	4	2090	.1	11	33	32790	830	11	3990	525	1	410	7	1580	23	1	14	1	1	67.5	111	1	1	1	2	1
SS L9N-1+50W	1.2	24120	1	1	127	.8	4	3060	.1	13	30	35550	1020	14	5120	2981	1	580	15	1340	44	1	16	1	1	75.0	126	1	1	1	4	41
SS L9N-1+75W	1.5	28580	1	1	111	1.0	4	2640	.1	14	29	39410	1070	17	4690	798	1	660	6	3230	31	1	19	1	1	81.9	137	1	1	1	3	21
SS L9N-2+00W	2.0	32210	1	1	70	1.0	5	3160	.1	15	31	42580	880	15	4350	635	1	620	5	1210	27	1	13	1	1	91.9	108	2	1	1	6	20
SS L9N-2+25W	1.7	24920	1	1	97	1.2	3	2980	.1	15	45	42860	1160	16	7000	918	1	500	12	1270	34	1	16	1	1	101.3	134	3	1	1	6	1
SS L9N-2+50W	1.8	31510	1	1	102	1.2	4	3160	.1	14	33	36470	1020	13	5620	1471	1	710	8	1430	38	1	14	1	1	81.5	134	1	1	1	7	1
SS L9N-2+75W	1.8	29820	1	1	62	.8	4	2120	.1	12	31	34550	800	12	4150	518	1	450	9	1440	20	1	11	1	1	68.1	109	1	1	1	6	1
SS L9N-3+00W	1.3	31030	1	1	56	.8	4	1980	.1	12	30	31950	640	11	3210	582	1	420	6	2200	17	1	12	1	1	61.4	82	1	1	1	3	1
SS L9N-3+25W	1.8	38320	1	1	64	.9	4	2020	.1	12	33	33080	750	12	3770	496	1	420	3	1440	21	1	8	1	1	62.8	94	1	1	1	6	1
SS L9N-3+50W	1.8	23200	1	1	71	.8	4	3360	.1	16	36	43730	1030	11	5620	923	1	380	4	1630	26	1	19	1	1	98.4	104	3	1	1	5	1
SS L9N-3+75W	1.7	29180	1	1	171	1.0	3	5240	.1	17	50	39420	1390	12	7670	2315	1	420	16	2530	55	1	27	1	1	90.0	152	1	1	1	9	1
SS L9N-4+00W	1.4	30240	1	1	126	1.7	3	8590	.9	20	88	39740	1610	26	9630	2804	2	430	24	1410	46	1	36	1	1	94.2	171	1	2	1	24	16
SS L9N-4+25W	1.2	18380	1	1	107	.9	4	3160	.1	13	28	31620	920	8	3590	2338	1	550	10	1580	38	1	16	1	1	73.5	92	1	1	1	3	1
SS L9N-4+50W	.9	19510	1	1	71	1.0	3	2130	.1	11	26	40900	810	11	4020	449	1	380	4	1870	36	1	15	1	1	78.7	108	1	1	1	1	3
SS L9N-4+75W	1.2	24010	1	1	62	.7	4	1880	.1	10	29	34350	650	8	3200	451	1	330	5	3050	13	1	14	1	1	67.9	100	1	2	1	1	1
SS L9N-5+00W	1.1	36190	1	3	138	1.5	4	4500	.1	19	70	40110	1580	19	8430	1043	1	450	20	1780	35	1	21	1	1	89.6	175	1	1	1	12	22
SS L9N-5+25E	1.0	27240	1	1	63	1.0	5	2010	.1	12	28	40040	870	16	4450	686	1	420	5	1480	33	1	13	1	1	76.8	97	2	1	1	2	1
SS L9N-5+50E	1.6	27380	1	1	59	.6	4	1820	.1	12	32	36040	810	13	4040	528	1	420	6	1070	32	1	10	1	1	79.6	84	3	1	1	3	3
SS L9N-5+75E	1.2	30010	1	1	59	.7	5	1340	.1	10	31	32090	780	12	2930	715	1	420	5	980	35	1	7	1	1	63.2	83	1	1	1	1	40
SS L9N-6+00E	1.1	13810	1	1	69	.1	4	1450	.1	9	16	26900	700	4	1910	985	1	370	3	790	30	1	9	1	1	80.8	50	2	1	1	1	1
SS L9N-6+25E	.9	24790	9	1	50	.7	4	1340	.1	14	50	49420	950	15	4470	569	1	600	4	2030	58	1	10	1	1	83.6	172	3	1	1	1	51
SS L9N-6+50E	1.0	40420	1	2	57	1.3	5	1170	.1	14	82	37090	880	16	4650	689	1	400	10	1490	29	1	6	1	1	63.5	92	1	1	1	1	1
SS L9N-6+75E	1.0	33770	1	2	88	1.3	3	1580	.1	21	93	39070	970	15	4670	1205	1	580	11	2230	51	1	10	1	1	64.8	132	1	1	1	1	41
SS L9+50N-4+00E	1.3	31240	261	3	73	2.2	4	1560	2.6	35	183	56610	1170	16	5210	2185	2	560	10	2510	71	1	10	1	1	60.1	183	1	1	1	1	22
SS L9+50N-4+25E	.6	29250	1	1	68	1.1	3	1670	.4	19	87	37670	920	12	4120	1776	1	570	13	2050	35	1	9	1	1	56.0	131	1	1	1	1	10
SS L9+50N-4+50E	.8	33960	94	2	76	1.1	5	1810	1.1	22	171	45100	1090	16	5030	2060	2	580	29	2330	59	1	10	1	1	69.5	151	1	1	1	1	20
SS L9+50N-4+75E	1.3	25610	59	1	111	1.3	3	1720	.1	17	54	43650	1240	16	5360	2308	1	430	15	1830	82	1	10	1	1	78.3	189	1	1	1	2	93
SS L9+50N-5+00E	1.2	29480	1	2	98	1.3	3	2490	.1	19	66	43900	1150	15	6570	1777	1	360	20	2340	46	1	12	1	1	79.1	211	1				

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ9+10
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L9+50N-6+00E	1.0	26240	1	2	97	1.2	5	3470	.1	18	48	42690	1260	17	7360	2050	1	200	17	2050	35	1	13	1	1	96.3	138	1	1	1	31	20
SS L10N-1+25W	1.5	21460	1	1	107	1.0	4	2950	.1	13	31	34970	1190	15	5180	1141	1	500	8	1060	42	1	15	1	1	76.1	146	1	1	1	3	41
SS L10N-1+50W	1.6	23920	1	1	107	1.0	3	3920	.1	15	34	43940	1250	18	6650	931	1	660	11	1690	46	1	19	1	1	96.3	171	3	1	1	9	1
SS L10N-1+75W	1.3	22270	1	1	103	.9	3	5580	.1	16	43	35360	1190	15	8130	1083	1	620	14	1100	58	1	23	1	1	84.6	138	1	2	1	12	1
SS L10N-2+00W	1.7	21650	1	1	156	.7	4	5220	.1	16	44	37740	1290	13	6930	1649	1	620	14	1070	48	1	23	1	1	88.7	129	1	1	1	8	1
SS L10N-2+25W	1.2	21900	1	1	133	.7	4	3660	.1	17	35	37270	1270	14	6620	2467	1	560	16	930	58	1	20	1	1	82.7	129	1	1	1	6	1
SS L10N-2+50W	1.7	19720	1	1	242	.7	4	5190	.1	16	32	37640	1140	13	6660	1357	1	650	13	1400	48	1	26	1	1	90.3	168	1	1	1	8	10
SS L10N-2+75W	1.4	17880	1	1	154	.6	4	3690	.1	14	28	34510	1020	10	4370	1591	1	520	10	680	40	1	19	1	1	90.4	124	1	1	1	7	1050
SS L10N-3+00W	.8	17210	1	1	143	.7	4	3870	.1	17	31	37230	1090	8	5100	5386	1	520	17	900	52	1	23	1	1	84.4	102	1	1	1	5	43
SS L10N-3+25W	1.7	19060	1	1	81	.5	4	5560	.1	16	37	39020	1130	13	7540	692	1	490	6	1190	44	1	27	1	1	94.4	117	1	1	1	7	20
SS L10N-3+50W	2.0	28600	1	1	117	1.6	4	11730	.1	18	67	36690	1650	26	9650	2119	1	680	20	1680	55	1	45	1	1	91.1	148	1	1	1	52	1
SS L10N-3+75W	1.3	19840	16	1	136	1.3	4	5730	.1	17	45	37440	1330	13	6070	1209	1	600	7	2410	44	1	32	1	1	79.5	147	3	1	1	7	10
SS L10N-4+00W	1.1	22480	1	1	121	1.0	3	6800	.1	14	36	33240	1110	14	6190	1530	1	710	10	1330	53	1	25	1	1	71.0	152	1	1	1	8	1
SS L10N-4+25W	1.3	23330	1	1	200	.9	4	8980	.1	17	53	35030	1350	17	6550	1908	1	730	13	2890	73	1	36	1	1	71.5	237	1	1	1	7	20
SS L10N-4+50W	1.3	31260	1	1	73	1.4	4	5250	.1	15	52	35520	1050	15	6290	887	1	600	11	1570	32	1	22	1	1	71.9	157	1	1	1	5	1
SS L10N-4+75W	1.4	24370	30	1	94	1.2	2	11080	.1	14	55	32360	1200	14	6720	1588	1	630	13	1770	79	1	38	1	1	72.3	150	1	1	1	11	1
SS L10N-5+00W	1.4	28090	1	1	85	1.5	3	9040	.1	15	53	36230	1130	15	7050	1421	1	560	18	1930	50	1	32	1	1	79.5	148	1	1	1	12	1
SS L10N-1+50E	1.4	28660	1	1	94	1.1	4	3260	.1	14	40	39170	1170	17	7490	842	1	610	10	1090	35	1	18	1	1	92.2	121	2	2	1	5	62
SS L10N-1+75E	2.2	29040	1	1	124	1.2	5	3240	.1	15	41	41330	1420	20	7560	1160	1	460	10	1470	41	1	17	1	1	91.2	153	3	2	1	5	3
SS L10N-2+00E	1.4	27820	38	1	98	1.4	5	8590	.1	22	78	44620	1330	25	12970	2140	1	570	18	1000	46	1	30	1	1	95.0	157	1	1	1	9	1
SS L10N-2+25E	1.0	30150	41	1	81	1.0	4	3530	.1	23	82	48940	1180	20	9560	1380	1	590	19	1200	69	1	14	1	1	102.8	150	1	1	1	11	572
SS L10N-2+50E	.9	28660	9	1	76	1.6	4	3810	.1	24	127	55590	1090	20	10790	1279	1	1220	39	1430	54	1	14	1	1	109.1	117	1	1	2	22	635
SS L10N-2+75E	.8	33850	14	1	43	2.3	4	3780	.1	26	178	61380	900	17	11270	944	1	1220	19	1550	51	1	12	1	1	110.3	122	1	1	1	1	276
SS L10N-3+00E	1.1	36090	52	1	47	1.5	4	1310	.1	24	112	57650	940	21	13600	1329	1	840	22	2260	40	1	8	1	1	124.2	110	1	3	2	49	556
SS L10N-3+25E	1.0	24630	17	1	55	1.4	4	1580	.1	21	63	50620	950	15	8660	1804	1	690	23	1180	80	1	10	1	1	116.6	140	1	2	1	24	24
SS L10N-3+50E	.9	30310	1	1	97	1.2	5	2440	.1	18	59	44010	1110	20	8210	2509	1	740	20	1100	81	1	12	1	1	94.8	187	1	1	1	11	352
SS L10N-3+75E	1.0	39920	27	2	58	1.5	4	1910	.1	19	82	52630	1120	22	7600	706	1	830	11	2050	27	1	9	1	1	95.6	135	2	1	1	1	20
SS L10N-4+00E	1.1	42660	28	1	53	1.5	4	2190	.1	17	70	43430	920	20	6070	664	1	620	15	1990	52	1	9	1	1	76.6	192	1	1	1	6	38
SS L10N-4+25E	1.0	26490	240	1	72	1.3	3	5850	1.1	19	61	44480	1020	20	7140	1073	1	650	19	1320	224	1	13	1	1	91.5	218	3	2	1	18	39
SS L10N-4+50E	1.1	37290	6	1	44	1.4	4	1620	.1	13	51	39550	970	18	5380	467	1	600	10	1810	45	1	7	1	1	69.9	125	1	1	1	6	42
SS L10N-4+75E	1.7	35370	1	2	64	.8	4	1180	.1	15	35	37090	820	15	5500	1048	1	250	6	2410	59	1	9	1	1	67.2	108	1	1	1	1	1
SS L10N-5+00E	.9	25570	47	3	84	1.6	2	1320	.1	18	72	50090	1080	16	4180	1448	1	320	11	1960	39	1	9	1	1	76.0	156	1	1	1	1	14
SS L10N-5+25E	.9	30760	1	2	97	1.5	3	2200	.1	14	35	38040	1140	15	5410	1195	1	610	19	1550	45	1	9	1	1	60.5	180	1	1	1	2	1
SS L10N-5+50E	1.2	36370	1	2	111	1.4	4	1720	.1	21	72	44900	1120	19	6070	2503	1	500	17	2590	25	1	10	1	1	93.9	151	1	1	1	1	1
SS L10N-5+75E	1.2	35730	1	1	79	1.2	4	2060	.1	15	45	40480	1040	17	5710	1390	1	380	12	3650	42	1	13	1	1	81.3	169	1	1	1	2	1
SS L10N-6+00E	.8	32040	1	2	152	1.4	3	4280	.1	36	122	60360	1490	21	10380	3406	1	360	22	2280	48	1	15	1	1	100.7	172	1	1	1	1	104
SS L10+50N-1+50E	1.4	34710	1	1	82	1.3	4	3120	.1	15	46	38040	1210	17	7600	1257	1	480	12	2010	33	1	19	1	1	85.8	155	1	1	1	4	2
SS L10+50N-1+75E	1.2	31820	1	2	133	1.3	4	6250	.1	21	57	46930	1760	22	11500	1561	1	690	15	1610	54	1	29	1	1	110.2	219	1	1	1	8	11
SS L10+50N-2+00E	1.3	23370	1	1	161	1.1	4	6600	.9	21	88	41120	1560	21	10520	3587	1	670	20	1510	109	1	27	1	1	86.2	269	1	1	1	11	28
SS L10+50N-2+25E	.8	27030	1	2	89	1.0	4	4270	.1	18	65	49430	1370	17	10160	882	1	710	14	2410	36	1	27	1	1	112.2	180	1	1	1	6	78
SS L10+50N-2+50E	1.1	26940	1	1	69	1.2	3	2660	.1	17	50	42430	910	14	5900	1592	1	710	6	1520	38	1	15	1	1	90.6	142	1	1	1	1	25
SS L10+50N-2+75E	1.0	27530	1	2	55	1.3	4	1930	.1	19	70	46140	1040	12	6110	1359	1	580	7	1820	53	1	14	1	1	89.9	108	1	1	1	1	1535
SS L10+50N-3+00E	2.3	28850	1	1	126	1.0	5	2840	.1	19	44	46850	1120	23	8580	800	1	550	30	2160	40	1	17	1	1	88.4	140	1	1	1	31	2
SS L10+50N-3+25E	1.1	26800	1	1	170	1.1	4	2320	.1	16	53	43700	1120	11	6000	2072	1	720	12	2010	104	1	15	1	1	98.1	159	1	1	1	2	12
SS L10+50N-3+50E	3.0	37310	1	1	53	1.0	4	1000	.1	12	68	34230	610	11	2360	558	1	560	2	1650	44	1	5	1	1	60.5	99	1	1	1	1	1
SS L10+50N-3+75E	1.3	23130	15	3	76	1.3	4	2450	.1	17	44	51540	1350	14	6430	1199	1	660	5	1800	48	1	12	1	1	115.0	159	3	1	1	1	1
SS L10+50N-4+00E	1.6																															

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ11+12
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L11N-2+00W	.7	18580	8	1	122	1.3	3	3890	.1	18	57	39640	650	16	7410	1783	1	110	13	1470	43	1	14	1	1	81.3	157	1	1	1	7	30
SS L11N-2+25W	.8	23020	1	1	84	1.6	3	2900	1.2	16	84	34990	810	13	6610	1164	1	100	16	1350	39	1	12	1	1	67.9	137	1	1	1	9	17
SS L11N-2+50W	1.0	15700	1	1	127	1.2	2	4570	.1	13	29	29230	810	11	4450	1801	1	310	12	1970	56	1	17	1	1	54.0	158	1	1	1	5	1
SS L11N-2+75W	.7	21870	1	1	117	1.1	2	6270	.1	14	42	31310	920	14	6410	1923	1	140	11	1290	44	1	23	1	1	65.4	159	1	1	1	12	1
SS L11N-3+00W	.4	14560	1	1	108	1.2	2	3980	.1	15	32	30770	740	9	5570	1987	1	120	9	1450	43	1	17	1	1	62.6	124	1	1	1	6	1
SS L11N-3+25W	.8	22450	10	1	86	1.2	2	3360	.4	15	59	31500	1140	13	7190	867	1	300	10	2020	45	1	16	1	1	61.7	139	1	2	1	10	1
SS L11N-3+50W	.6	20040	1	1	172	1.2	2	4440	.1	16	64	31640	1060	12	7790	1681	1	110	16	2790	40	1	21	1	1	59.9	179	1	1	1	7	1
SS L11N-3+75W	.5	19010	2	1	67	1.0	2	2120	.1	14	62	32260	950	10	7020	931	1	80	16	2260	45	1	14	1	1	63.9	142	1	1	1	7	21
SS L11N-4+00W	.9	23420	1	1	118	1.3	2	5990	.1	16	81	30580	1020	13	8130	878	1	90	20	1770	37	1	19	1	1	61.6	163	1	1	1	12	1
SS L11N-4+25W	.8	21260	1	1	125	1.0	3	4790	.1	18	80	33250	1120	13	8540	1094	1	90	22	1660	28	1	17	1	1	69.8	139	1	1	1	16	18
SS L11N-4+50W	.7	22430	1	1	172	1.4	3	3840	.1	18	51	36460	980	15	7600	1955	1	110	17	2640	42	1	18	1	1	70.7	165	1	1	1	15	1
SS L11N-4+75W	.8	22000	1	1	133	1.0	3	4650	.5	16	58	33480	940	13	8840	1298	1	100	14	2140	26	1	19	1	1	70.9	115	1	1	1	11	1
SS L11N-5+00W	.9	20910	1	1	152	.6	4	4900	.1	18	47	37010	880	15	7640	1602	1	130	14	2460	40	1	24	1	1	77.8	129	1	1	1	12	1
SS L11N-0+75E	1.4	22600	1	1	107	.7	3	3620	.1	13	35	36350	870	14	5210	1464	1	150	8	1760	37	1	17	1	1	72.2	188	1	1	1	1	1
SS L11N-1+00E	.9	20190	1	1	92	.7	4	1390	.1	15	27	36930	830	14	5160	1655	1	120	7	1320	34	1	10	1	1	73.4	158	1	1	1	1	20
SS L11N-1+25E	.7	21210	1	1	104	1.1	1	8500	.1	16	55	32380	970	13	8530	1628	1	140	16	1550	48	1	29	1	1	70.9	175	1	1	1	8	30
SS L11N-1+50E	1.0	24360	1	1	160	.7	4	3620	.1	15	37	35920	980	16	7040	1673	1	150	17	1410	56	1	19	1	1	74.3	163	1	1	1	5	1
SS L11N-1+75E	.3	20330	1	1	133	.9	4	8760	3.4	16	66	34280	900	19	6730	5936	1	170	23	1340	66	1	24	1	1	65.4	242	1	1	1	12	15
SS L11N-2+00E	1.4	21520	1	1	93	.5	4	2040	.1	15	49	38000	880	15	6870	1450	1	140	17	1760	36	1	14	1	1	76.7	147	1	1	1	7	18
SS L11N-2+25E	1.4	21030	1	1	94	.4	3	1990	.1	18	50	39470	950	15	7170	1576	1	140	13	1910	53	1	13	1	1	79.3	156	1	1	1	9	20
SS L11N-2+50E	1.1	22040	1	1	96	.9	3	2660	.1	14	31	34260	800	12	5160	2249	1	140	9	2180	40	1	12	1	1	65.6	160	1	1	1	2	1
SS L11N-2+75E	1.5	23310	1	1	138	.9	3	2530	.1	12	27	30260	820	10	4330	2003	1	180	9	1900	48	1	11	1	1	60.3	147	2	1	1	3	20
SS L11N-3+00E	1.1	17530	1	1	99	.4	4	1750	.1	14	31	39570	830	11	5910	1846	1	130	9	1380	49	1	11	1	1	82.5	120	3	1	1	3	24
SS L11N-3+25E	.7	14650	1	1	81	.7	3	1950	.3	11	25	31570	850	7	4800	1471	1	140	6	1460	30	1	12	1	1	79.1	94	1	1	1	2	1
SS L11N-3+50E	.5	18600	1	1	187	.6	4	3100	.1	16	40	37490	830	15	6180	3352	1	150	16	1710	51	1	12	1	1	69.5	162	1	1	1	7	1
SS L11N-3+75E	.4	24690	1	1	90	.6	4	1280	.1	14	35	37090	730	15	5500	1373	1	130	7	1140	49	1	8	1	1	74.7	157	1	1	1	1	10
SS L11N-4+00E	.6	24350	1	1	101	1.3	3	4270	1.1	19	89	37810	880	16	6500	2002	1	150	15	1200	86	1	13	1	1	67.3	206	1	1	1	3	16
SS L11N-4+25E	.1	20810	346	1	173	1.3	4	2560	6.8	26	72	58330	1160	14	7770	5039	1	120	10	1800	145	1	12	1	1	73.5	221	1	1	1	1	1
SS L11N-4+50E	.8	30480	147	1	62	1.5	2	1040	.1	24	82	49150	610	14	6750	1298	3	90	28	2060	41	1	8	1	1	76.1	242	1	1	1	1	18
SS L11N-4+75E	.7	21730	93	1	81	1.3	3	920	1.6	21	51	44770	680	12	5280	2567	1	110	12	2120	65	1	9	1	1	72.9	235	1	1	1	1	1
SS L11N-5+00E	.1	21090	59	1	130	1.6	3	3820	.5	18	42	39340	840	17	5630	2400	2	540	17	2090	77	1	13	1	1	62.4	250	1	1	1	1	1
SS L11N-5+25E	.3	22330	8	1	103	.9	3	4100	.4	21	48	38010	820	17	5110	2558	1	720	13	1170	51	1	11	1	1	67.6	163	1	1	1	1	1
SS L11N-5+50E	.6	31190	7	1	71	2.0	2	1290	.1	16	47	38830	730	19	4780	816	2	540	14	1060	37	1	5	1	1	72.9	169	1	1	1	1	21
SS L11N-5+75E	.8	32660	13	1	85	1.5	3	1520	.1	18	70	47740	900	21	8290	1241	1	550	24	1450	30	1	9	1	1	102.7	226	1	1	1	4	36
SS L11N-6+00E	2.6	25170	54	1	81	1.7	2	1680	.1	18	76	53660	1020	18	8150	2146	2	640	16	1800	57	1	10	1	1	128.0	224	1	1	1	5	62
SS L12S-BL	1.1	25890	1	1	127	1.4	3	3450	.1	20	120	43000	2830	13	12600	758	1	130	20	1340	51	1	13	1	1	101.1	119	1	1	1	23	21
SS L12S-0+25W	1.4	34500	1	1	88	1.3	4	1670	.1	18	83	39980	1180	17	9490	434	1	120	21	1050	51	1	7	1	1	90.7	142	2	1	1	14	1
SS L12S-0+50W	.9	26620	1	1	105	.9	4	1860	.1	18	39	37270	930	16	5620	2480	1	380	10	1330	56	1	9	1	1	79.1	176	1	1	1	5	1
SS L12S-0+75W	1.1	36940	1	1	106	1.6	4	1850	.1	18	66	38070	1180	19	8460	793	1	370	14	1040	59	1	8	1	1	82.7	161	1	1	1	9	38
SS L12S-1+00W	1.3	33230	1	1	119	1.0	4	1780	.1	18	58	36760	1080	17	7050	1831	1	450	15	1210	46	1	9	1	1	77.9	153	1	1	1	7	1
SS L12S-1+25W	2.0	31960	1	1	128	1.6	4	3170	.1	21	111	44210	1540	19	12970	760	1	510	25	840	81	1	14	1	1	105.6	198	2	1	1	22	1
SS L12S-1+50W	1.4	36300	1	1	140	1.6	5	3270	.1	22	89	45750	1620	21	11530	975	1	570	21	1430	98	1	14	1	1	105.2	273	1	1	1	12	21
SS L12S-1+75W	1.1	34140	1	1	127	1.3	4	3080	.1	22	85	43770	1280	20	10920	828	1	570	20	930	73	1	13	1	1	101.3	193	1	2	1	18	16
SS L12S-2+00W	1.3	34360	1	1	150	1.5	4	3960	.1	19	58	37620	1170	18	8120	1092	1	210	18	1130	43	1	16	1	1	84.8	124	1	1	1	11	1
SS L12S-2+25W	1.8	32560	1	1	191	.9	4	3800	.1	19	46	37900	1420	19	7440	910	1	210	16	1330	36	1	17	1	1	82.9	137	1	1	1	8	1
SS L12S-2+90W	1.4	34350	1	1	196	1.2	5	3820	.1	26	100	47960	2390	22	12540	1251	1	230	19	830	43	1	18	1	1	116.7	111	1	1	1	9	10
SS L12S-2+75W	1.0	35930	1	1	245	1.2	5	4150	.1	24	111	50030	4250	19	13430	1498	1	420														

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ13+14
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L12S-6+25W	.9	35850	1	1	152	1.1	5	3250	.1	31	120	50560	1780	19	12580	1664	1	640	25	2170	78	1	15	1	1	120.5	229	1	3	1	10	5
SS L12S-6+50W	.4	33470	1	1	171	1.6	5	3720	.1	26	81	44860	1460	20	10050	1345	1	650	23	2440	46	1	17	1	1	101.2	183	1	1	1	14	20
SS L12S-6+75W	.5	33540	1	1	148	1.5	6	2790	.1	24	69	45500	1300	21	9390	1029	1	560	18	1520	41	1	12	1	1	101.3	198	1	1	1	9	1
SS L12S-7+00W	.2	29500	1	1	160	1.5	4	3240	.1	24	83	43640	1640	18	10730	1399	1	470	22	2530	48	1	16	1	1	100.2	182	1	1	1	20	40
SS L12S-7+25W	.3	29110	1	1	172	1.2	5	5810	1.4	25	90	48570	2630	17	10300	1944	2	190	14	2220	53	1	22	1	1	114.2	173	1	1	1	3	1
SS L12S-7+50W	.6	27920	1	1	83	1.4	4	2480	.1	16	53	39820	1070	17	6680	569	4	460	11	1110	30	1	11	1	1	83.5	121	1	1	1	1	1
SS L12S-7+75W	.1	23730	1	1	123	1.4	4	2770	.1	19	47	42040	1140	17	6610	1273	1	600	9	1760	43	1	14	1	1	88.6	130	1	1	1	1	1
SS L12S-8+00W	.4	32180	1	1	79	1.5	4	2640	1.2	15	46	36870	1020	14	5530	628	1	470	8	3030	34	1	15	1	1	73.6	118	1	1	1	4	1
SS L12S-8+25W	.1	17380	1	1	89	1.0	4	2960	.1	14	32	35450	870	11	4340	635	1	380	7	2550	38	1	16	1	1	82.4	91	1	1	1	4	1
SS L12S-8+50W	.1	24090	1	1	57	1.2	4	1990	.1	16	58	42190	1090	14	6670	876	1	610	6	1550	44	1	10	1	1	95.4	107	1	1	1	1	15
SS L12S-8+75W	.9	45240	1	1	153	1.3	3	2890	.1	15	39	31890	920	17	4690	630	1	390	8	2900	18	1	14	1	1	62.1	89	1	1	1	1	1
SS L12S-9+00W	.7	24770	1	1	99	1.3	4	3580	.1	18	71	40820	1500	16	7660	883	2	620	6	1800	41	1	15	1	1	100.6	131	2	1	1	7	1
SS L12S-9+25W	.3	29260	1	1	91	1.6	4	5050	.1	23	84	49730	1800	31	11400	787	2	480	22	1540	32	1	16	1	1	121.2	173	2	1	1	25	7
SS L12S-9+50W	.7	25680	1	1	143	1.6	4	8740	.1	23	131	51920	3230	19	14800	1235	4	540	20	1540	31	1	29	1	1	146.5	111	1	1	2	55	48
SS L12S-9+75W	.5	24570	1	1	147	1.3	4	5730	.8	18	94	39560	1050	17	6310	1288	1	420	13	3520	34	1	25	1	1	87.3	154	2	1	1	10	34
SS L12S-10+00W	.3	25080	11	1	99	1.6	4	2260	.1	16	126	39280	1030	16	8900	687	1	370	11	2200	27	1	13	1	1	91.8	119	1	1	1	15	32
SS L13S-BL	.1	27580	1	1	151	1.6	5	6420	.1	30	313	43130	1710	30	7940	4068	9	330	26	1620	46	1	21	1	1	88.2	370	1	1	1	7	1
SS L13S-0+25W	.4	25250	1	1	159	1.5	4	7560	.1	29	284	42190	1790	26	7820	3909	7	590	23	1460	39	1	22	1	1	90.3	325	1	1	1	7	1
SS L13S-0+50W	.3	41850	1	1	115	1.7	6	3820	.1	30	192	52690	4860	19	12680	1173	11	200	14	2380	41	1	17	1	1	128.3	190	1	2	1	1	1
SS L13S-0+75W	3.7	21510	1	2	95	2.5	9	6070	12.0	43	281	78150	3430	14	10780	3810	27	510	26	1970	332	1	25	1	1	124.5	903	1	1	1	1	32
SS L13S-1+00W	.4	32460	1	1	103	1.6	5	4820	.1	21	99	41910	2090	16	9150	1619	3	390	16	1440	52	1	16	1	1	97.7	218	1	1	1	1	1
SS L13S-1+25W	.1	27580	1	1	136	1.7	5	6250	.1	27	108	47860	2220	18	9110	3034	2	650	15	2180	69	1	22	1	1	98.6	344	1	1	1	1	1
SS L13S-1+50W	.1	34170	1	1	239	1.0	5	5250	.1	26	97	48670	2830	19	11900	4140	1	460	16	2280	55	1	21	1	1	108.2	280	1	1	1	1	1
SS L13S-1+75W	.4	36150	1	1	195	1.1	5	3890	.1	23	90	46880	1840	20	9550	2586	1	650	11	2950	59	1	18	1	1	100.8	243	1	1	1	1	1
SS L13S-2+00W	.1	36630	1	1	211	1.9	5	4970	.4	23	100	46380	2250	18	9310	2672	1	590	12	2990	77	1	23	1	1	103.9	240	1	1	1	1	1
SS L13S-2+25W	.2	37820	1	1	206	1.3	4	3660	.1	22	107	45190	2510	16	9430	1655	2	380	12	3590	81	1	20	1	1	98.6	225	1	1	1	1	1
SS L13S-2+50W	.2	32490	1	1	310	1.5	4	4550	.1	22	111	43210	2300	16	8640	3127	1	320	13	3290	68	1	24	1	1	85.8	217	1	1	1	1	1
SS L13S-2+75W	.3	34540	1	1	189	1.4	5	3820	.1	22	91	43720	2480	19	9630	2419	1	340	11	3570	84	1	20	1	1	87.3	253	1	1	1	1	3
SS L13S-3+00W	.1	33950	1	1	197	1.5	5	3740	.1	20	76	42180	2290	18	8520	2692	1	360	18	3320	75	1	18	1	1	81.7	239	1	1	1	1	1
SS L13S-3+25W	.1	36820	1	1	225	2.0	4	4040	.1	25	143	49680	3170	20	11810	2142	3	320	14	2650	130	1	19	1	1	102.6	306	1	1	1	1	1
SS L13S-3+50W	.1	35640	1	1	201	1.5	4	3270	.1	22	103	44150	2840	18	10030	2233	1	290	15	2560	79	1	15	1	1	96.0	225	1	1	1	1	1
SS L13S-3+75W	.7	39700	1	1	285	1.7	6	5340	.1	27	178	56390	8600	21	19390	2829	1	390	21	2380	88	1	21	1	1	139.0	206	1	2	1	18	1
SS L13S-4+00W	.8	34050	1	1	234	1.8	5	4960	.1	25	96	51880	3640	22	12120	3105	3	370	14	2140	70	1	20	1	1	113.0	194	1	1	1	1	38
SS L13S-4+25W	.1	24220	1	1	288	1.0	5	6370	.1	24	58	44290	3500	20	12880	3801	1	240	17	1810	51	1	19	1	1	105.5	140	1	1	1	18	56
SS L13S-4+50W	.2	33670	1	1	246	1.3	5	3810	.1	24	90	46490	2500	20	10530	2460	1	310	13	2700	52	1	19	1	1	102.0	198	1	1	1	3	1
SS L13S-4+75W	.1	31440	1	1	190	1.4	4	4010	.1	23	106	45160	2960	20	10890	2213	1	390	9	2260	54	1	18	1	1	102.0	187	1	1	1	4	21
SS L13S-5+00W	.9	27190	1	1	131	1.4	5	4220	.1	21	106	45130	3540	15	11640	1547	1	400	15	1210	36	1	15	1	1	110.6	124	1	2	1	11	23
SS L13S-5+25W	.5	28650	1	1	120	1.5	3	5190	.1	23	127	43440	2510	15	11430	732	2	400	23	1340	31	1	21	1	1	105.0	105	1	1	1	22	30
SS L13S-5+50W	.4	33160	1	1	83	1.8	5	4130	.1	25	141	50730	2750	20	17500	436	1	210	41	1210	30	1	13	1	1	124.1	99	1	1	1	75	62
SS L13S-5+75W	.7	25860	1	1	127	1.3	3	3310	.1	20	48	41690	1120	17	6970	723	1	720	16	2540	36	1	15	1	1	92.6	119	1	1	1	18	3
SS L13S-6+00W	.6	35160	1	1	103	1.3	3	2950	.1	21	75	40580	2220	19	11990	529	1	590	26	2100	23	1	11	1	1	91.4	125	1	1	1	34	19
SS L13S-6+25W	.7	28640	1	1	99	1.3	4	3070	.1	24	53	40330	1150	20	7580	1112	1	480	31	1780	39	1	11	1	1	79.9	162	1	1	1	46	31
SS L13S-6+50W	.7	17290	1	1	85	.5	4	4180	.1	24	41	39450	1230	12	7950	1033	1	670	35	1750	44	1	14	1	1	81.9	147	1	1	1	80	19
SS L13S-6+75W	.5	22940	1	1	81	1.2	5	4660	.1	27	55	41050	2040	20	13000	1118	1	760	47	2160	34	1	16	1	1	86.1	165	1	1	3	100	30
SS L13S-7+00W	.4	25720	1	1	102	1.6	5	3340	.1	21	34	42590	1330	21	7540	634	1	210	23	2690	37	1	15	1	1	86.4	224	1	1	1	57	61
SS L13S-7+25W	1.3	26240	1	1	70	1.3	5	5080	.1	26	55	47040	1770	24	14210	799	1	500	56	1810	35	1	12	1	1	101.0	131	1	1	4	134	110
SS L13S-7+50W	.5	23460	1	1	72	1.2	5	4																								

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ15+16
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L14S-0+75W	.2	32540	1	1	88	1.7	4	3260	.1	20	87	42820	1640	17	10050	925	2	340	17	1950	44	1	15	1	1	102.7	141	1	1	1	4	2
SS L14S-1+00W	1.1	33570	1	1	118	1.7	5	3500	.1	20	78	43340	2070	16	9650	944	1	390	13	1260	44	1	15	1	1	101.3	165	1	1	1	1	1
SS L14S-1+25W	.8	36790	1	1	112	1.4	5	4240	.1	22	94	43580	1930	17	9560	1239	2	570	15	1720	50	1	18	1	1	103.2	165	1	1	1	1	3
SS L14S-1+50W	.3	32110	1	1	84	1.6	4	3340	.7	18	86	37100	1970	15	7990	1715	1	560	13	1240	63	1	15	1	1	83.4	211	1	1	1	1	1
SS L14S-1+75W	1.1	37490	1	1	106	1.6	3	2580	.1	18	102	40360	1690	19	8690	809	1	150	11	1350	25	1	13	1	1	90.2	135	1	1	1	1	3
SS L14S-2+00W	.7	27340	1	1	113	1.5	4	2880	.1	18	43	44230	990	22	8700	965	1	370	12	1410	43	1	14	1	1	100.9	144	1	1	1	10	1
SS L14S-2+25W	.8	33860	1	1	103	1.4	5	3010	.6	21	53	46400	1270	24	9160	1322	1	160	12	1630	44	1	14	1	1	110.1	156	1	1	1	8	5
SS L14S-2+50W	.4	28470	1	1	109	1.2	4	3650	.1	19	60	44920	1320	18	9640	1444	1	480	13	1610	44	1	16	1	1	109.3	142	1	1	1	12	2
SS L14S-2+75W	.7	32320	1	1	143	1.7	5	3340	.1	20	76	43170	2370	17	9530	1013	1	540	5	1570	37	1	17	1	1	101.3	137	1	1	1	1	1
SS L14S-3+00W	.8	34490	1	1	142	1.5	3	3040	.1	19	74	39740	1670	16	7360	1082	1	610	7	1790	36	1	14	1	1	91.5	134	1	1	1	1	4
SS L14S-3+25W	.7	32810	1	1	105	1.4	3	3130	.1	19	74	39800	1270	17	8200	995	3	498	14	980	35	1	11	1	1	95.5	135	1	1	1	9	3
SS L14S-3+50W	.5	30660	1	1	117	.9	4	4930	.1	22	90	51630	2060	17	12630	651	1	650	7	1900	45	1	19	1	1	132.0	97	1	1	1	1	1
SS L14S-3+75W	.5	35040	1	1	98	1.5	3	3340	.1	19	56	41520	1330	18	8940	717	1	640	9	3220	30	1	18	1	1	91.3	131	1	1	1	5	4
SS L14S-4+00W	.9	24940	1	1	109	.6	5	3530	.1	18	34	39780	1120	18	8930	810	1	550	10	1220	33	1	13	1	1	98.9	112	1	1	1	9	1
SS L14S-4+25W	.3	33380	1	1	135	1.3	4	2620	.1	22	69	42550	1220	19	10390	975	1	490	21	1880	34	1	11	1	1	93.3	114	1	1	1	20	5
SS L14S-4+50W	.9	34240	1	1	117	1.2	5	5060	.1	24	95	48720	1680	21	14270	725	1	450	22	1350	43	1	18	1	1	121.9	118	1	1	1	37	2
SS L14S-4+75W	1.0	30090	1	1	113	1.2	5	4160	.1	25	74	45080	1270	18	11220	1059	1	670	24	1110	45	1	13	1	1	109.7	114	1	1	1	26	4
SS L14S-5+00W	1.4	27740	1	1	73	1.3	5	3500	.1	18	67	45060	1250	15	8680	501	1	590	10	1150	33	1	12	1	1	111.0	75	1	1	1	27	2
SS L14S-5+25W	1.1	31600	1	1	96	1.3	6	4760	.1	25	66	53660	1210	20	12080	558	1	480	15	1660	28	1	17	1	1	133.9	95	1	1	1	24	30
SS L14S-5+50W	1.1	26380	1	1	125	.6	5	5230	.1	23	43	39550	1560	18	9750	1139	1	600	30	1750	45	1	17	1	1	89.2	113	1	1	1	59	22
SS L14S-5+75W	.8	34180	1	1	126	1.5	6	3560	.1	24	49	41900	1210	23	9940	784	1	420	31	2150	29	1	13	1	1	93.6	145	1	1	1	57	20
SS L14S-6+00W	.7	30600	1	1	139	1.4	5	5450	.1	31	86	46690	1660	23	14380	1298	1	240	58	1650	26	1	18	1	1	106.9	172	1	1	3	105	4
SS L14S-6+25W	.4	27450	1	1	122	.8	5	3560	.3	25	53	38030	1150	18	7570	1808	1	460	32	1840	43	1	14	1	1	84.3	173	1	1	1	38	40
SS L14S-6+50W	.9	31080	1	1	139	1.3	5	4900	.1	28	85	43530	1310	20	10430	1165	1	500	44	1320	32	1	17	1	1	101.6	140	1	1	1	48	59
SS L14S-6+75W	.7	30480	1	1	152	1.1	5	4380	.1	26	79	41450	1160	19	8490	1271	1	450	33	1920	29	1	16	1	1	97.3	137	1	1	1	38	3
SS L14S-7+00W	.8	31200	1	1	114	1.3	5	3340	.1	23	73	40780	1170	20	9000	997	1	440	21	2100	36	1	16	1	1	97.9	131	1	1	1	17	2
SS L14S-7+25W	.5	33560	1	1	141	1.9	6	3910	.1	29	100	51330	1420	24	11650	1449	1	440	28	2200	62	1	18	1	1	127.1	215	1	1	1	24	42
SS L14S-7+50W	.4	29130	1	1	160	1.6	5	4360	.1	36	125	56270	1330	25	11430	2185	1	370	45	1930	76	1	18	1	1	122.0	311	1	2	1	40	235
SS L14S-7+75W	.7	23260	1	1	159	1.3	5	4750	.6	24	76	43800	1540	15	8120	2707	1	500	26	1790	134	1	21	1	1	105.8	167	1	1	1	26	58
SS L14S-8+00W	.8	34110	1	1	141	2.0	5	4970	.1	42	182	54650	1870	19	14920	1257	1	570	73	2180	53	1	19	1	1	124.8	152	1	3	1	72	396
SS L14S-8+25W	.5	24160	1	1	97	1.7	5	5830	.1	25	106	47100	1440	19	10590	804	1	450	25	1570	42	1	21	1	1	118.1	133	1	1	1	39	52
SS L14S-8+50W	.5	30810	1	1	117	1.4	5	6810	.1	27	193	49410	1960	17	15380	620	1	480	25	1350	25	1	23	1	1	137.7	88	1	1	1	24	50
SS L14S-8+75W	.4	30360	1	1	116	1.5	5	4360	.1	24	64	46390	1620	23	10040	1678	1	500	22	1520	32	1	16	1	1	116.6	137	1	1	1	8	2
SS L14S-9+00W	.7	23490	1	1	175	1.0	5	5170	.1	23	58	43720	1190	18	8930	1195	1	450	12	1800	31	1	24	1	1	115.4	104	2	3	1	9	32
SS L14S-9+25W	.7	32440	1	1	134	1.3	5	4710	.1	26	91	50320	1260	22	10710	1052	1	240	21	1840	36	1	20	1	1	135.3	146	1	1	1	15	24
SS L14S-9+50W	.1	37260	1	1	107	1.7	5	3630	.1	25	111	46240	1510	25	10180	1147	1	450	16	2950	35	1	18	1	1	112.7	138	1	1	1	7	10
SS L14S-9+75W	.7	35650	4	1	149	1.2	5	3370	.1	24	112	50750	1450	27	11020	1125	1	440	24	1320	67	1	15	1	1	109.3	250	1	1	1	9	2
SS L14S-10+00W	.5	35180	1	1	156	1.7	5	3680	.1	24	104	45590	1520	22	10940	1514	1	540	18	1570	39	1	16	1	1	112.7	174	1	1	1	5	10
SS L15S-BL	.4	27620	1	1	67	1.3	5	3310	.1	16	51	48620	1410	17	8300	770	1	360	8	1530	32	1	14	1	1	114.6	113	1	1	1	1	3
SS L15S-0+25W	.3	33580	1	1	93	1.5	4	3080	.1	20	97	42630	2100	17	9920	779	1	370	12	1820	50	1	17	1	1	97.7	142	1	1	1	1	1
SS L15S-0+50W	.5	31710	1	1	79	1.3	4	2390	.1	16	60	40240	1120	19	6960	1049	1	360	4	1300	53	1	12	1	1	90.2	135	1	1	1	1	2
SS L15S-0+75W	.6	27520	1	1	103	1.3	5	3090	.1	18	51	43030	1400	18	7540	1567	1	730	7	1410	72	1	15	1	1	99.1	142	1	1	1	2	5
SS L15S-1+00W	.3	33080	1	1	118	1.3	5	3620	.1	18	65	43420	1590	21	8300	1522	1	680	13	1360	50	1	15	1	1	100.6	134	1	1	1	4	8
SS L15S-1+25W	1.0	22200	1	1	91	.8	4	2260	.1	14	46	38820	1090	13	5860	1435	1	570	10	980	55	1	13	1	1	94.9	100	2	1	1	2	2
SS L15S-1+50W	.8	29840	1	1	119	.7	4	5030	.1	22	93	54530	2220	15	12850	1520	1	670	15	2440	53	1	25	1	1	132.7	138	2	1	1	8	3
SS L15S-1+75W	.7	27430	1	1	99	1.1	4	2950	.1	17	39	42510	1140	20	7960	1044	1	700	13	1400	39	1	15	1	1	100.0	127	2	1	1	12	3
SS L15S-2+00W	.6	25670	1	1	112	1.0	5	3200	.1	19																						

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ17+18
 DATE: 90/10/01
 * SOIL * (ACT/FIS)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L15S-5+50W	.9	27350	1	1	109	1.4	5	5370	.1	28	62	45280	1760	22	14170	1147	1	440	49	1740	53	1	16	1	1	107.2	135	1	2	1	95	92
SS L15S-5+75W	1.0	33680	1	1	130	1.6	5	4360	.1	32	74	51310	1450	23	12830	1000	1	470	39	2300	48	1	16	1	1	123.8	176	1	1	1	58	60
SS L15S-6+00W	1.1	33670	1	1	96	1.1	4	6360	.1	32	113	49650	2790	20	19040	813	1	600	67	1110	28	1	16	1	1	118.9	132	1	1	1	131	120
SS L15S-6+25W	1.0	37830	1	1	91	1.4	6	4510	.6	28	78	41310	1540	22	10640	527	1	590	54	1410	29	1	14	1	1	90.8	176	1	1	1	67	36
SS L15S-6+50W	.8	27230	1	1	94	1.4	5	7060	.1	29	67	44740	2010	21	15990	770	1	810	69	1890	35	1	18	1	1	99.8	169	1	1	3	141	91
SS L15S-6+75W	.4	21850	1	1	132	.8	4	5870	.4	24	53	37240	1310	16	9680	1965	1	560	41	2120	54	1	20	1	1	82.5	141	1	1	1	66	69
SS L15S-7+00W	.6	27090	1	1	109	1.3	5	6050	1.0	27	80	42970	1940	17	12760	1572	1	590	47	1340	45	1	19	1	1	96.0	128	1	1	1	81	304
SS L15S-7+25W	.5	20630	1	1	126	1.3	4	6080	.4	23	60	40360	1390	17	7540	939	1	470	20	1820	42	1	19	1	1	95.2	153	1	1	1	30	55
SS L15S-7+50W	.5	27960	1	1	100	1.4	5	5020	.1	28	143	42850	1630	38	8360	2096	1	500	42	2350	53	1	21	1	1	92.6	222	1	1	1	34	2
SS L15S-7+75W	.8	27570	1	1	135	1.5	3	5060	.1	21	62	39340	1280	17	8000	1346	1	480	18	1790	38	1	19	1	1	96.7	119	1	1	1	11	25
SS L15S-8+00W	.7	27820	1	1	166	1.3	5	5260	.1	24	56	44890	1260	20	9140	2787	1	560	19	2900	54	1	23	1	1	113.3	150	1	1	1	14	2
SS L15S-8+25W	1.0	29580	1	1	149	1.2	5	5420	.1	24	77	45800	1280	21	9160	1456	1	530	19	1860	30	1	21	1	1	116.0	133	1	1	1	11	3
SS L15S-8+50W	1.0	33500	1	1	135	1.0	5	4610	.1	24	91	44150	1320	22	9750	865	1	480	24	1640	38	1	16	1	1	112.4	149	2	1	1	16	15
SS L15S-8+75W	1.1	32100	1	1	145	1.3	5	4680	.1	25	86	47390	1040	20	9410	1021	1	470	18	1580	39	1	18	1	1	120.4	105	1	1	1	11	127
SS L15S-9+00W	1.1	26930	1	1	130	.9	5	4190	.1	20	44	44990	1220	21	9620	512	1	730	8	1110	31	1	15	1	1	125.8	82	1	1	1	1	14
SS L15S-9+25W	.6	24700	1	1	146	1.2	5	3660	.1	21	40	42040	1080	17	8110	1187	1	430	9	2330	39	1	19	1	1	108.8	93	1	1	1	2	7
SS L15S-9+50W	.7	29170	1	1	141	1.1	5	3770	.1	22	58	41260	1360	21	9170	1052	1	430	12	2270	29	1	18	1	1	104.2	98	1	1	1	3	25
SS L15S-9+75W	.9	28160	1	1	143	1.1	5	4450	.6	24	90	44100	1940	18	10280	1823	1	450	20	1860	61	1	23	1	1	110.9	120	1	1	1	8	43
SS L15S-10+00W	1.5	32010	1	1	119	1.2	5	4380	.1	25	76	47230	1600	23	10190	1077	1	480	10	2460	32	1	20	1	1	117.1	119	1	1	1	5	30
SS L16S-BL	.4	39050	1	1	89	1.0	4	1450	.1	11	25	30670	950	13	3480	1029	1	440	8	1900	30	1	9	1	1	58.6	82	1	1	1	1	8
SS L16S-0+25W	.6	37480	1	1	75	1.4	4	2880	.1	18	94	41560	1770	16	9670	1081	1	420	6	1680	40	1	15	1	1	101.2	119	1	1	1	1	3
SS L16S-0+50W	.8	37860	1	1	92	1.4	4	2670	.1	18	70	41110	1450	19	8080	968	1	460	16	1400	41	1	13	1	1	95.4	124	1	1	1	1	4
SS L16S-0+75W	1.0	43550	1	1	68	1.1	5	1550	.1	12	38	29280	810	15	3480	820	1	1090	10	1570	27	1	8	1	1	56.8	80	1	1	1	1	22
SS L16S-1+00W	1.3	40070	1	1	95	1.1	4	1980	.1	16	46	33170	1050	17	5730	1080	1	520	8	1140	39	1	10	1	1	69.5	110	1	1	1	4	40
SS L16S-1+25W	.7	41980	1	1	110	1.5	5	2940	.1	21	98	43800	2140	19	11120	1110	1	480	17	1850	35	1	15	1	1	100.8	120	1	1	1	4	25
SS L16S-1+50W	.8	28750	1	1	128	.4	3	2530	.1	18	38	40060	1190	18	7120	2877	1	400	11	1000	35	1	13	1	1	90.3	123	1	1	1	2	2
SS L16S-1+75W	.4	30040	1	1	151	1.2	5	4120	.1	22	56	46550	1430	18	9580	3605	1	380	11	2060	47	1	19	1	1	105.9	135	1	1	1	4	5
SS L16S-2+00W	.8	38160	1	1	192	1.8	6	3550	.1	25	93	50270	2130	20	13910	1043	1	390	19	2220	41	1	19	1	1	113.3	130	1	1	1	14	1
SS L16S-2+25W	.6	35670	1	1	144	1.7	4	3120	.1	24	93	49660	1740	19	12280	1670	1	430	21	1710	31	1	17	1	1	113.2	120	1	1	1	11	4
SS L16S-2+50W	.8	35020	1	1	142	1.8	6	3380	.1	24	81	46310	1630	18	12090	1176	1	410	13	1370	55	1	15	1	1	105.0	116	1	1	1	5	3
SS L16S-2+75W	.3	32330	1	1	171	1.3	5	2670	.1	21	63	44390	1270	20	10550	2555	1	370	14	1470	41	1	12	1	1	100.1	116	1	1	1	5	2
SS L16S-3+00W	.5	34960	1	1	139	1.1	5	1430	.1	17	53	36270	930	18	7130	1053	1	350	10	1930	29	1	9	1	1	77.3	100	1	1	1	6	1
SS L16S-3+25W	.4	33900	1	1	200	1.6	4	2240	.1	18	45	39970	980	18	6870	1669	1	420	14	1910	33	1	11	1	1	88.6	96	1	1	1	13	3
SS L16S-3+50W	.9	38240	1	1	139	1.8	5	2760	.1	26	111	52340	2420	21	16370	657	1	330	28	1450	33	1	13	1	1	126.3	121	1	2	1	42	40
SS L16S-3+75W	.6	31660	1	1	121	1.5	6	2880	.1	22	52	42260	1160	19	8820	1157	1	190	22	1310	30	1	11	1	1	93.8	107	1	1	1	34	6
SS L16S-4+00W	.6	34840	1	1	184	1.4	6	3940	.1	26	86	48610	1450	18	11720	933	1	400	21	1170	41	1	16	1	1	115.4	99	1	1	1	21	1
SS L16S-4+25W	.4	33130	1	1	145	1.1	6	3640	.1	24	57	50960	1380	24	10590	740	1	160	15	2110	36	1	17	1	1	119.4	88	1	1	1	10	1
SS L16S-4+50W	.2	30230	1	1	212	1.0	5	3450	.1	27	75	51770	1280	17	10760	2431	1	180	15	1690	53	1	17	1	1	116.7	145	1	1	1	17	109
SS L16S-4+75W	.4	29860	1	1	119	.8	5	1750	.1	14	37	29300	580	12	4310	1341	1	460	14	2490	30	1	11	1	1	60.4	106	1	1	1	9	21
SS L16S-5+00W	.2	27260	1	1	138	1.0	4	2300	.1	19	33	35940	770	18	6470	1301	1	370	18	3060	59	1	13	1	1	73.9	136	1	1	1	35	38
SS L16S-5+25W	.4	30790	1	1	81	1.4	4	3390	.1	22	91	38170	1660	15	12190	654	1	420	33	1360	33	1	12	1	1	88.9	95	1	1	2	68	76
SS L16S-5+50W	.2	29580	1	1	150	1.4	4	3570	.1	22	57	39270	1160	18	9110	1242	1	180	28	1630	38	1	14	1	1	91.3	127	1	1	1	46	50
SS L16S-5+75W	.3	31930	1	1	110	1.5	4	3290	.1	22	48	39350	990	20	8390	863	1	460	30	1930	31	1	13	1	1	88.1	120	2	1	1	37	34
SS L16S-6+00W	.4	28250	1	1	107	1.2	5	4010	.1	27	60	44500	1030	21	10680	1057	1	240	36	1690	34	1	13	1	1	100.9	127	1	1	1	77	142
SS L16S-6+25W	1.1	28240	1	1	128	.7	4	4240	.1	25	57	39600	1180	20	10720	1057	1	230	44	1640	26	1	12	1	1	83.6	142	2	2	2	86	44
SS L16S-6+50W	1.2	28970	1	1	107	1.3	5	3860	.1	23	65	41110	1150	19	9480	887	1	450	31	2240	34	1	16	1	1	92.4	132	3	1	1	51	70
SS L16S-6+75W	1.3	28650	1	1	151	1.1	6																									

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ19+20
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L17S-BL	1.0	41510	1	1	54	.9	4	650	.1	9	28	21620	460	8	1630	479	1	340	8	1960	28	1	4	1	1	33.7	62	1	1	1	1	2
SS L17S-0+25W	.7	34430	1	1	104	1.0	4	1770	.1	19	69	36340	1150	18	7790	1480	1	440	15	1080	50	1	8	1	1	76.2	117	1	1	1	3	1
SS L17S-0+50W	.9	38000	1	1	96	1.7	4	2370	.1	24	107	44840	1570	19	10930	1517	1	490	15	1880	45	1	11	1	1	101.5	151	1	1	1	3	1
SS L17S-0+75W	1.0	33820	1	1	90	1.5	3	1900	.1	18	75	40570	1320	21	9370	801	1	330	13	1060	37	1	9	1	1	88.7	149	1	1	1	1	2
SS L17S-1+00W	.7	34710	1	1	122	1.4	5	2100	.1	22	78	44250	1340	21	11470	1308	1	340	14	1340	40	1	10	1	1	97.1	133	1	1	1	1	2
SS L17S-1+25W	.6	37450	1	1	117	1.5	5	1650	.1	21	103	42330	1500	19	10090	1220	1	320	13	2480	35	1	11	1	1	91.5	174	1	1	1	1	1
SS L17S-1+50W	.5	27760	1	1	122	1.4	4	1520	.1	19	58	39200	1140	17	7540	2072	1	310	14	1620	38	1	9	1	1	83.6	181	1	1	1	1	3
SS L17S-1+75W	.5	29200	1	1	100	1.6	4	1930	.1	21	65	44980	1250	26	10210	1444	2	390	19	1630	47	1	12	1	1	90.1	250	1	2	1	6	19
SS L17S-2+00W	.5	29600	1	1	114	1.5	4	1540	.1	19	52	38910	1120	18	9300	1226	1	300	22	1980	38	1	10	1	1	79.2	132	1	1	1	24	2
SS L17S-2+25W	.5	33950	1	1	173	1.4	4	2850	.1	26	89	47120	1660	19	12410	1841	1	320	27	1720	47	1	14	1	1	96.8	124	1	3	1	23	1
SS L17S-2+50W	.5	28540	1	1	133	1.7	3	2630	.1	24	67	43210	1410	18	10890	2035	1	320	14	1450	42	1	14	1	1	91.2	116	1	1	1	15	6
SS L17S-2+75W	.5	30630	1	1	182	1.1	5	2770	.1	27	75	49790	1880	21	13000	2510	1	310	19	2180	52	1	14	1	1	106.2	154	1	4	1	7	2
SS L17S-3+00W	.6	29680	1	1	324	1.4	5	4430	.1	23	70	43250	1860	17	10190	2269	1	220	21	1960	47	1	21	1	1	95.1	138	1	1	1	23	37
SS L17S-3+25W	.7	31740	1	1	138	1.3	5	2580	.1	25	55	45640	1160	22	10520	1888	1	350	28	1530	43	1	10	1	1	97.0	170	1	2	2	36	4
SS L17S-3+50W	.5	26290	1	1	130	1.2	3	2010	.1	23	43	42200	1130	19	8690	2039	1	360	20	1500	41	1	10	1	1	87.1	151	1	1	1	22	1
SS L17S-3+75W	.8	28030	1	1	131	1.2	5	3720	.1	23	56	41480	1360	18	9230	1480	1	390	22	1660	56	1	16	1	1	93.6	168	1	1	1	25	5
SS L17S-4+00W	.6	29220	1	1	129	1.4	5	2930	.1	22	46	42130	1230	21	8980	1456	1	340	17	2100	39	1	14	1	1	93.3	168	1	1	1	19	2
SS L17S-4+25W	.5	29320	1	1	155	1.5	4	3660	.1	24	58	44200	1370	20	10250	1343	1	390	16	1500	36	1	15	1	1	98.4	179	1	1	1	11	1
SS L17S-4+50W	.6	28400	1	1	282	1.0	4	5600	1.2	20	46	34290	1230	17	7150	1950	1	590	23	3350	32	1	21	1	1	63.9	240	1	1	1	21	4
SS L17S-4+75W	.5	22240	1	1	84	1.1	3	6080	.1	19	55	34090	1220	18	8040	1467	1	350	22	1070	51	1	18	1	1	70.3	133	1	1	1	25	26
SS L17S-5+00W	.5	33840	1	1	127	1.5	4	2400	.1	26	139	45330	1930	19	14660	778	1	600	43	1930	42	1	12	1	1	107.1	142	1	1	1	52	154
SS L17S-5+25W	.7	30060	1	1	121	1.3	5	2500	.1	26	60	44180	1120	24	11830	1466	1	340	37	1380	42	1	11	1	1	99.1	159	1	2	1	48	22
SS L17S-5+50W	.8	28600	1	1	132	1.5	5	3600	.1	26	53	50530	1460	26	15170	1204	1	130	26	1550	39	1	14	1	1	119.4	142	1	1	1	21	29
SS L17S-5+75W	.7	30520	1	1	120	1.5	4	2870	.1	25	82	45150	1460	26	12540	1256	1	360	37	1560	59	1	12	1	1	104.7	213	1	1	1	40	53
SS L17S-6+00W	.5	27720	1	1	166	1.2	3	3040	.1	25	63	40200	1140	19	9070	1272	1	200	29	2340	31	1	16	1	1	93.2	140	1	2	1	23	81
SS L17S-6+25W	.5	28080	1	1	187	1.8	5	3840	.1	31	319	52470	2130	28	18340	2066	1	170	77	840	40	1	12	1	1	116.9	152	1	1	7	194	2
SS L17S-6+50W	.6	28050	1	1	191	.8	4	3130	.1	22	39	36780	1060	20	7370	1518	1	380	29	2160	36	1	16	1	1	72.9	140	1	1	1	27	25
SS L17S-6+75W	1.0	31780	1	1	152	1.1	4	4470	.1	29	113	48090	1340	23	15690	1689	1	380	83	1290	117	1	12	1	1	94.0	463	1	1	4	128	4
SS L17S-7+00W	.5	27980	1	1	137	1.4	5	3670	.1	29	82	45110	1530	27	14810	2085	1	440	69	1190	53	1	12	1	1	83.6	158	1	1	5	121	1
SS L17S-7+25W	.5	29840	1	1	126	1.3	4	1360	.1	23	55	36990	810	19	8130	901	1	360	26	1270	41	1	7	1	1	78.3	127	1	1	1	13	3
SS L17S-7+50W	.6	31690	1	1	155	1.3	4	3080	.1	27	77	43650	1210	22	10160	1162	1	420	31	1080	41	1	11	2	1	101.5	140	1	1	1	18	18
SS L17S-7+75W	.8	29920	1	1	142	1.5	5	3120	.1	24	72	41920	990	20	9590	1219	1	430	21	1150	36	1	12	1	1	99.0	114	1	1	1	9	4
SS L17S-8+00W	.5	29930	1	1	125	1.2	4	2750	.1	23	114	41320	1100	17	10870	813	1	330	21	940	39	1	11	1	1	100.0	98	1	1	1	10	22
SS L17S-8+25W	.7	32060	1	1	94	1.6	4	3150	.1	23	88	42070	1010	19	9980	557	1	370	23	1080	44	1	12	1	1	102.4	99	2	1	1	9	20
SS L17S-8+50W	.7	26910	1	1	151	1.3	4	2430	.1	22	83	38260	910	16	8740	1317	1	340	18	1170	52	1	13	1	1	90.5	105	1	1	1	6	32
SS L17S-8+75W	.6	27250	1	1	149	1.3	3	2960	.1	23	73	40720	1010	19	8540	1342	1	160	19	1440	31	1	14	1	1	96.0	95	1	1	1	6	22
SS L17S-9+00W	.6	26490	1	1	151	1.2	3	2820	.1	23	91	39760	890	18	9300	1169	1	310	15	1330	38	1	14	1	1	91.8	99	1	1	1	5	15
SS L17S-9+25W	.5	27480	1	1	186	.7	4	2960	.1	22	91	38530	1250	15	8810	1970	1	390	17	1300	53	1	14	1	1	92.7	105	1	1	1	6	32
SS L17S-9+50W	.7	29160	1	1	129	1.3	4	3320	.1	24	122	43130	1130	18	11590	823	2	320	21	1260	42	1	14	1	1	108.2	121	1	1	1	10	22
SS L17S-9+75W	.9	28820	1	1	108	1.3	5	3350	.1	23	150	41850	1620	15	11910	529	1	140	19	1390	41	1	14	1	1	108.5	108	1	1	1	13	94
SS L17S-10+00W	1.3	30920	1	1	144	1.5	5	3200	.1	27	116	45200	1050	20	11030	1354	1	400	22	1470	89	1	13	1	1	112.7	243	1	1	1	10	14
SS L18S-BL	1.1	32470	1	1	142	1.3	4	4720	.1	22	91	42400	2030	18	10970	1574	1	400	11	1540	41	1	16	1	1	95.7	160	1	1	1	1	8
SS L18S-0+25W	.4	31350	1	1	159	.7	4	4240	.1	19	59	38210	1460	20	8450	2234	1	370	11	1410	58	1	14	1	1	79.8	282	1	1	1	1	7
SS L18S-0+50W	1.1	36600	1	1	168	1.2	5	5140	.1	26	124	48270	2430	19	13110	1522	1	350	9	1790	48	1	21	1	1	108.9	206	1	1	1	1	6
SS L18S-0+75W	1.0	37960	1	1	177	1.2	6	5060	.1	26	131	48300	4440	17	15010	1541	1	320	9	1360	44	1	23	1	1	111.4	160	1	1	1	1	2
SS L18S-1+00W	1.0	33420	1	1	143	1.5	4	3570	.1	23	118	45180	2600	15	11690	1080	1	440	15	1240	80	1	18	1	1	99.8	203	1	2	1	1	4
SS L18S-1+25W	.5	32680	1	1	146	1.6	4	31																								

COMP: MINNOVA INC
 PROJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-1453-SJ21+22
 DATE: 90/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM	PPB
SS L18S-4+75W	.4	30490	1	3	240	1.6	5	3670	.1	25	58	43350	1190	20	9980	2556	1	160	21	2640	46	1	19	1	1	94.8	189	1	2	1	17	17	
SS L18S-5+00W	.5	35180	1	3	261	1.6	6	5900	.1	25	113	46520	2610	17	12390	2456	1	150	16	1560	62	1	29	1	1	105.6	154	1	1	1	1	2	
SS L18S-5+25W	1.2	33240	1	2	147	1.5	6	3370	.1	27	74	46960	1690	24	11580	1476	1	160	25	1680	34	1	15	1	1	111.1	155	1	1	1	23	39	
SS L18S-5+50W	2.1	32260	1	2	119	1.5	6	3690	.1	27	81	46240	1330	24	11650	1094	1	170	28	1220	40	1	15	1	1	112.4	148	2	1	1	28	36	
SS L18S-5+75W	1.0	35660	1	3	146	1.4	6	3940	.1	30	84	48580	1510	29	12670	1624	1	190	38	2820	38	1	18	1	1	110.7	187	1	1	1	41	28	
SS L18S-6+00W	3.8	36480	1	2	140	1.4	6	3060	.1	27	86	41550	1430	26	11870	1435	1	200	42	1270	46	1	13	1	1	91.4	194	1	1	1	64	4	
SS L18S-6+25W	1.6	37770	1	2	111	1.0	6	2800	.1	26	65	36800	1260	26	8890	1075	1	230	54	2090	37	1	12	1	1	66.5	391	1	1	1	56	1	
SS L18S-6+50W	1.0	29470	1	2	92	1.4	5	4390	.1	34	153	42390	2100	34	18490	954	1	170	89	1090	39	1	12	1	1	89.2	261	1	2	4	175	2	
SS L18S-6+75W	.5	31520	1	3	188	1.2	5	4800	.1	29	66	50150	2160	28	15050	2447	1	180	37	2000	44	1	18	1	1	105.4	256	1	1	1	46	2	
SS L18S-7+00W	.9	31720	1	2	153	1.2	5	4440	.1	28	74	43350	1810	24	11680	1565	1	190	40	1580	64	1	17	1	1	97.5	271	1	1	1	41	19	
SS L18S-7+25W	.7	33730	1	3	165	1.3	5	3970	.1	27	88	44600	1250	22	10100	1253	1	180	22	2230	99	1	19	1	1	103.9	237	1	1	1	11	35	
SS L18S-7+50W	.4	26340	1	2	201	1.4	5	4970	.2	28	81	46210	1470	22	11140	2201	1	180	24	860	104	1	20	1	1	110.2	248	1	1	1	11	24	
SS L18S-7+75W	1.0	33910	1	2	186	1.5	5	6870	.1	26	115	46290	1570	21	11810	1173	1	190	20	1100	116	1	22	1	1	113.6	226	1	1	1	13	1	
SS L18S-8+00W	1.3	33690	1	3	159	1.3	5	5230	.1	28	124	48380	1480	23	11880	1412	1	210	27	930	95	1	20	1	1	122.4	195	1	1	1	10	36	
SS L18S-8+25W	1.7	38390	1	2	148	1.1	7	4100	.1	29	137	49920	1640	28	12710	901	1	200	29	880	75	1	14	1	1	122.2	284	1	1	1	15	43	
SS L18S-8+50W	.9	34250	1	2	93	1.1	5	5150	.1	28	127	49790	1400	28	15740	1145	1	190	37	1180	90	1	17	1	1	121.2	308	1	1	1	24	19	
SS L18S-8+75W	1.0	33800	1	3	175	1.1	5	4800	.1	30	119	49940	1310	27	12520	1396	1	190	21	2070	79	1	23	1	1	123.4	271	1	1	1	11	40	
SS L18S-9+00W	1.3	33300	1	3	170	1.3	6	4320	.1	27	120	47170	1470	25	11270	1577	1	980	19	1500	87	1	18	1	1	112.0	201	1	1	1	6	20	
SS L18S-9+25W	1.0	29900	1	3	170	.9	6	6360	.1	30	127	51070	1500	24	14170	1543	1	190	24	1890	103	1	26	1	1	125.1	414	1	1	1	13	47	
SS L18S-9+50W	.7	27140	1	2	148	1.2	5	4250	.1	23	84	42230	1280	22	9050	1299	1	170	18	1900	68	1	20	1	1	97.3	282	1	1	1	7	25	
SS L18S-9+75W	.7	23230	1	2	154	1.3	5	4310	.1	25	106	46930	1400	20	10120	1508	1	410	10	2090	52	1	23	1	1	108.3	112	1	1	1	7	18	
SS L18S-10+00W	1.0	29610	1	2	191	1.4	5	4360	.1	26	131	45860	1380	19	11500	1086	1	140	16	2250	60	1	21	1	1	110.4	115	1	2	1	7	20	
SS L19S-BL	.7	27310	1	2	124	.7	4	4460	.1	19	59	37920	1850	18	8250	1823	2	360	10	1350	53	1	18	1	1	87.3	172	1	1	1	1	6	
SS L19S-0+25W	.8	26570	1	1	109	.8	4	4080	.1	19	59	36790	1820	18	8070	1679	1	390	18	1150	44	1	16	1	1	86.1	156	1	2	1	1	1	
SS L19S-0+50W	1.4	25970	1	2	82	1.2	5	6930	.1	21	79	39970	1800	21	11070	1281	1	850	5	860	53	1	22	1	1	96.4	169	1	1	1	1	1	
SS L19S-1+00W	1.1	21130	1	1	62	1.0	4	9910	.1	19	83	35220	3340	17	11370	1017	1	470	8	1190	49	1	25	1	1	86.6	161	1	1	1	1	8	
SS L19S-1+25W	.7	29660	1	2	167	1.6	5	4570	.1	23	90	43710	1790	15	8810	2555	1	610	3	2440	71	1	23	1	1	98.1	170	1	1	1	1	2	
SS L19S-1+50W	.6	29360	1	2	229	1.2	5	4910	.1	24	73	43130	1740	19	10240	2551	1	150	21	2740	44	1	23	1	1	89.8	182	1	1	1	18	18	
SS L19S-1+75W	.5	27410	1	2	162	1.4	5	3970	.1	27	76	44330	1690	20	11810	1959	1	160	24	2430	51	1	20	1	1	90.5	153	1	1	1	34	24	
SS L19S-2+00W	.4	25580	1	2	168	1.3	4	3320	.1	22	56	38020	1270	18	9450	1997	1	150	26	2230	70	1	18	1	1	78.3	162	1	1	1	38	35	
SS L19S-2+25W	.4	23500	1	3	194	1.1	4	4360	.1	24	61	36630	1390	18	10250	2283	1	120	36	1840	49	1	17	1	1	75.6	171	1	1	1	53	16	
SS L19S-2+50W	.1	23110	1	2	245	1.0	5	4190	.1	22	50	37610	1550	18	8150	3079	1	150	19	2040	69	1	20	1	1	73.7	221	1	1	1	12	3	
SS L19S-2+75W	.5	27700	1	2	212	1.5	4	5020	.1	23	60	42550	1750	18	8820	2085	1	150	11	2900	60	1	25	1	1	91.3	196	3	1	1	4	1	
SS L19S-3+00W	.7	28480	1	3	247	1.2	4	5370	.1	25	76	42900	1860	18	9510	2313	1	200	20	2670	51	1	26	1	1	96.4	186	3	1	1	13	12	
SS L19S-3+25W	1.2	37240	1	2	104	1.6	6	4000	.1	28	90	45950	1910	23	13220	953	1	200	33	2380	43	1	16	1	1	106.8	175	5	1	1	43	36	
SS L19S-3+50W	.4	26690	1	1	171	1.3	4	4270	.1	26	63	40580	1230	20	9720	2462	1	210	27	2120	72	1	19	1	1	91.4	189	3	1	1	28	7	
SS L19S-3+75W	.7	28170	1	2	130	1.4	3	4480	.1	28	116	41540	2200	18	14540	1271	1	160	42	1520	95	1	15	1	1	98.8	152	2	1	1	69	22	
SS L19S-4+00W	.5	25410	1	2	213	1.0	5	3450	.1	28	43	45740	1150	22	11750	2315	1	150	27	1640	46	1	15	1	1	185.0	166	2	1	1	42	4	
SS L19S-4+25W	.6	23790	1	1	190	.7	4	5830	.7	23	66	39490	1630	16	10000	2375	1	170	27	1870	70	1	21	1	1	87.6	187	1	1	1	32	2	
SS L19S-4+50W	.5	28090	1	2	172	1.2	6	3410	.1	24	55	45090	1360	24	11800	1751	1	160	18	2140	37	1	17	1	1	99.0	167	2	1	1	25	18	
SS L19S-4+75W	.7	31260	1	2	141	1.5	5	4340	.1	27	69	46260	1970	23	15680	791	1	170	45	1520	31	1	17	1	1	99.5	224	3	1	2	87	13	
SS L19S-5+00W	.8	33910	1	1	133	1.8	4	3370	.2	23	59	38570	1220	20	11960	1287	1	150	40	1130	44	1	12	1	1	84.1	192	1	1	1	82	20	
SS L19S-5+25W	.7	29920	1	2	131	1.3	5	3680	.1	26	71	43220	1590	21	12480	1231	1	160	36	1680	67	1	15	1	1	97.6	190	3	1	1	61	24	
SS L19S-5+50W	.7	26000	1	2	153	1.3	5	4790	.1	26	55	43540	1510	22	11990	1476	1	190	28	1660	65	1	19	1	1	100.3	182	2	2	1	63	50	
SS L19S-5+75W	1.2	27540	1	2	165	1.4	5	5520	.1	27	64	42960	1680	20	13080	1920	1	210	33	1750	72	1	23	1	1	102.8	188	2	1	1	81	164	
SS L19S-6+00W	.8	25160	1	1	175	1.2	5	4590	.1	26	56	41450	1360	19	11690	2925	1	200	34	1260	69	1	18	1	1	95.1	153	1	1	1	66	2	

CUMP: MINNOVA INC
 PRJ: STEWART PN 657
 ATTN: COLIN BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: 0V-1453-SJ23+24
 DATE: 9/10/01
 * SOIL * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL PPM	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA PPM	CD PPM	CO PPM	CU PPM	FE PPM	K PPM	LI PPM	MG PPM	MN PPM	MO PPM	NA PPM	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	U PPM	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU PPM
SS L19S-9+75W	.5	25860	1	3	135	1.6	5	4520	.1	23	85	45760	1400	23	9640	1038	1	170	15	2440	46	1	23	1	1	107.9	151	1	1	1	7	21
SS L19S-10+00W	.3	29790	1	3	153	1.1	5	5690	.1	26	112	50840	1360	21	11190	1385	1	180	17	2040	59	1	27	1	1	127.6	125	1	1	1	6	102
SS L20S-BL	1.0	28230	1	3	114	1.4	4	4310	.1	18	51	39520	1580	20	8100	2077	1	180	11	2360	42	1	19	1	1	85.4	179	1	1	1	2	1
SS L20S-0+25W	.6	28220	1	2	106	1.3	6	3750	.1	18	55	39300	1070	22	8700	1360	1	220	12	1150	24	1	16	1	1	89.9	178	1	1	1	6	2
SS L20S-0+50W	.7	31830	1	2	124	1.4	6	3780	.1	22	60	43870	1420	23	11800	1181	1	240	21	1690	30	1	15	1	1	99.1	161	1	1	1	43	17
SS L20S-0+75W	1.1	30200	1	1	136	1.2	5	3610	.1	25	61	43670	1340	21	12000	2669	1	260	37	2700	42	1	16	1	1	95.4	245	1	1	4	83	16
SS L20S-1+00W	1.0	37350	1	3	113	1.2	7	4580	.1	28	100	48850	2280	23	14740	1262	1	360	33	1790	34	1	15	1	1	116.6	173	1	2	2	66	58
SS L20S-1+25W	1.9	27880	1	2	132	1.4	5	5330	.1	26	74	46940	1660	22	13990	1557	1	430	44	1960	51	1	20	1	1	106.9	185	1	1	4	93	20
SS L20S-1+50W	1.4	23850	1	3	254	1.3	6	6170	.1	24	56	45480	2020	16	11070	2898	1	440	30	1710	84	1	25	1	1	105.5	199	1	1	3	62	19
SS L20S-1+75W	1.1	34650	1	2	119	1.0	4	3040	.1	17	43	33950	900	17	6040	887	1	480	14	1950	27	1	13	1	1	71.0	150	1	1	1	20	17
SS L20S-2+00W	.6	30420	1	2	98	1.6	6	4510	.1	23	86	45060	1330	20	12020	657	1	430	28	2170	36	1	20	1	1	108.8	144	1	1	2	46	93
SS L20S-2+25W	.5	31590	1	2	141	.7	4	3410	.1	21	83	38640	950	18	8370	1103	1	410	14	2040	67	1	17	1	1	87.7	175	1	1	1	13	15
SS L20S-2+50W	.7	25510	1	2	140	1.1	4	4520	.1	21	63	40140	1320	17	8340	1636	1	400	17	1970	60	1	22	1	1	95.2	170	1	1	1	15	9
SS L20S-2+75W	.9	25590	1	2	155	.4	5	4440	.1	22	55	41350	1190	19	7990	1490	1	510	15	1630	63	1	20	1	1	98.2	171	1	1	1	13	6
SS L20S-3+00W	.6	25430	1	2	144	1.2	6	5450	.1	24	63	42500	1270	18	9790	2213	1	540	21	1910	55	1	23	1	1	105.4	155	1	1	1	38	18
SS L20S-3+25W	1.0	25850	1	2	225	1.1	5	5570	.1	27	59	45930	1320	21	10170	2576	1	510	27	2830	57	1	24	1	1	107.9	187	1	1	1	35	40
SS L20S-3+50W	.9	29200	1	2	129	1.1	6	4310	.1	23	57	42170	1190	19	8240	2034	1	280	16	1690	43	1	18	1	1	100.4	169	1	1	1	22	3
SS L20S-3+75W	.9	31080	1	2	120	1.2	5	5090	.1	24	88	44210	1230	20	11520	897	1	240	21	2030	46	1	20	1	1	111.8	183	1	1	1	25	32
SS L20S-4+00W	1.1	37490	1	2	111	1.5	5	4480	.1	26	90	44800	1270	21	11320	680	1	270	15	1970	61	1	18	1	1	109.5	229	1	1	1	22	16
SS L20S-4+25W	.5	33610	1	2	101	1.1	6	4180	.1	24	80	43000	1500	20	11530	915	1	260	24	1470	45	1	16	1	1	102.2	201	1	1	1	45	22
SS L20S-4+50W	1.0	12290	1	1	74	.3	5	4710	.1	12	28	27030	1240	5	4370	386	1	190	7	680	40	1	20	1	1	76.9	87	1	1	1	11	13
SS L20S-4+75W	.9	26090	1	3	210	.1	6	5700	.1	24	77	44150	1500	17	9280	5337	1	250	25	3400	138	1	27	1	1	97.6	219	1	1	1	17	25
SS L20S-5+25W	1.1	33260	1	3	112	.6	5	3970	.1	24	61	39310	1170	19	7850	1279	1	490	12	1490	47	1	17	1	1	93.3	166	1	1	1	10	19
SS L20S-5+50W	1.1	29950	1	2	106	1.2	6	5450	.1	25	82	46070	1350	21	12220	1649	1	230	20	1350	45	1	19	1	1	118.7	159	1	1	1	24	36
SS L20S-5+75W	1.0	28200	1	1	89	1.3	6	3720	.1	22	49	43300	1110	22	8650	911	1	190	13	1180	37	1	14	1	1	104.8	148	1	1	2	14	5
SS L20S-6+00W	1.1	22300	1	1	109	1.0	6	3950	.1	23	84	44080	1170	17	8280	1236	1	200	12	1530	52	1	17	1	1	105.6	151	2	1	1	10	24
SS L20S-6+25W	1.4	31410	1	2	135	1.1	5	4140	.1	23	63	48950	1270	20	10220	1253	1	210	9	1670	56	1	19	1	1	120.5	239	1	1	1	18	9
SS L20S-6+50W	.7	30430	1	2	97	1.2	5	3590	.1	24	104	47700	1660	26	11470	1377	1	180	19	1540	67	1	15	1	1	139.3	279	1	1	1	22	18
SS L20S-6+75W	.8	27760	1	2	106	1.1	5	4050	.1	26	104	47200	1310	22	11380	1137	1	170	17	1490	37	1	17	1	1	119.1	165	1	1	1	14	20
SS L20S-7+00W	.6	24290	1	1	92	1.2	5	3650	.5	19	76	39560	1020	20	7880	639	1	170	21	1170	37	1	14	1	1	88.2	145	1	1	1	19	22
SS L20S-7+25W	.8	19840	1	1	181	1.0	5	2450	.9	17	41	33950	950	16	4720	2249	1	200	11	5040	52	1	21	1	1	73.4	120	1	1	1	11	2
SS L20S-7+50W	1.3	28590	1	2	102	1.1	6	3540	.1	20	65	44040	1000	24	8010	852	1	210	21	1940	37	1	16	1	1	103.8	117	2	1	1	16	1
SS L20S-7+75W	1.1	27170	1	2	110	1.2	6	4970	.1	26	147	47510	1180	22	10950	1040	1	220	22	1570	46	1	19	1	1	127.8	103	2	1	1	25	4
SS L20S-8+00W	.9	31260	1	1	120	1.1	6	2690	.1	18	64	40870	950	19	5550	606	1	210	12	2780	38	1	15	1	1	99.1	83	1	1	1	14	19
SS L20S-8+25W	1.2	37250	1	2	150	1.3	6	3690	.2	22	82	42260	1060	22	7660	1417	1	290	18	1620	36	1	15	1	1	102.1	156	1	1	1	15	2
SS L20S-8+50W	.9	25990	1	2	91	1.0	6	5070	.1	21	90	46040	940	20	8920	831	1	220	14	1420	41	1	20	1	1	117.8	120	1	1	1	14	5
SS L20S-8+75W	.9	27420	1	2	86	1.3	6	4850	.1	22	69	43550	1020	19	7690	674	1	210	11	1130	34	1	21	1	1	109.4	166	1	1	1	11	17
SS L20S-9+00W	1.2	35490	1	3	100	1.3	6	3990	.1	20	43	46940	1460	23	9220	950	1	220	10	1630	34	1	17	1	1	106.2	150	1	1	1	7	21
SS L20S-9+25W	1.1	18900	1	1	96	.5	7	4060	.1	16	34	40680	1220	10	5680	832	1	210	4	1740	36	1	19	1	1	103.7	105	1	1	1	6	3
SS L20S-9+50W	.9	33090	1	3	100	1.3	6	5790	.1	22	88	46390	2750	17	14450	784	1	270	18	2130	25	1	21	1	1	119.4	115	1	1	2	33	2
SS L20S-9+75W	1.2	27450	1	3	95	1.1	6	7300	.1	21	97	44160	1560	18	13510	784	1	290	23	1420	31	1	28	1	1	121.3	122	1	1	1	34	19
SS L20S-10+00W	1.2	23910	1	2	92	.7	4	6090	.1	20	91	38940	1230	16	10910	622	1	260	19	1010	34	1	22	1	1	99.9	89	1	1	1	29	36



Assay Certificate **AUG 17 1990**

OV-0986-PA1

Company: MINNOVA INC.
Project: 657
Attn: C. BURGE

Date: AUG-14-90

Copy 1. MINNOVA INC., VANCOUVER, B.C.

Ans'd

We hereby certify the following Assay of 2 PULP samples submitted JUL-24-90 by C. BURGE.

Sample Number	LOI %
4902	1.70
4903	1.00

Certified by

MIN-EN LABORATORIES



Assay Certificate

OV-0986-RA1

Company: MINNOVA INC.
Project: 657
Attn: C. BURGE

Date: AUG-03-90
Copy 1. MINNOVA INC., VANCOUVER, B.C.

We hereby certify the following Assay of 27 ROCK samples submitted JUL-24-90 by C. BURGE.

Sample Number	LOI %
4826	1.60
4827	1.25
4828	1.20
4834	5.60
4849	1.50
4850	1.35
4852	3.60
4854	4.00
4855	2.50
4856	1.85
4857	2.50
4858	5.70
4859	2.70
4860	3.10
4861	3.70
4862	2.30
4863	1.45
4864	10.10
4867	3.00
4870	1.50
4871	1.80
4872	4.00
4874	1.90
4882	.70
4883	9.50
4884	10.40
4908	0.65

RECEIVED

AUG 7 1990

Ans'd

Certified by *C. Burge*

MIN-EN LABORATORIES



Geochemical Analysis Certificate

OV-0986-RG1

Company: MINNOVA INC.
Project: 657
Attn: C. BURGE

Date: AUG-03-90
Copy 1. MINNOVA INC., VANCOUVER, B.C.

We hereby certify the following Geochemical Analysis of 4 ROCK samples submitted JUL-24-90 by C. BURGE.

Sample Number	AU-FIRE PPB	AG PPM
4831	4	3.2
4832	2	0.5
4833	1	0.8
4836	2	1.4

RECEIVED
AUG 7 1990

Certified by *[Signature]*

MIN-EN LABORATORIES

COMP: MINNOVA INC.
 PROJ: 657
 ATTN: C.BURGE

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 (604)980-5814 OR (604)988-4524

FILE NO: OV-0986-RJ2+3
 DATE: 90/08/03
 * ROCK * (ACT:F31)

SAMPLE NUMBER	AG PPM	AS PPM	BA PPM	BI PPM	CU PPM	MO PPM	PB PPM	SB PPM	ZN PPM	W PPM	AU PPB
4856	1.2	1	241	8	13	1	15	1	65	1	60
4857	1.1	1	242	8	11	1	11	1	64	1	50
4858	.1	3	145	1	21	5	23	1	9	1	10
4859	1.7	1	353	12	77	1	12	1	61	3	40
4860	.8	1	148	7	20	1	34	1	35	1	5
4861	1.1	7	98	7	26	2	20	1	28	1	5
4862	1.0	1	124	7	36	1	13	1	80	1	35
4863	.6	11	49	1	2	3	566	3	14	2	5
4864	2.0	1	2092	7	38	1	21	1	145	4	10
4865	17.9	10	78	5	1161	4	18490	25	3715	3	3
4866	1.9	1	43	13	177	1	93	1	90	2	2
4867	2.7	19	33	9	97	3	370	1	593	2	5
4868	1.7	1	28	11	119	211	22	1	52	1	1
4869	8.0	1	41	8	317	3	5309	5	4953	6	4
4870	1.3	26	22	7	62	1	55	1	54	2	95
4871	1.4	11	16	8	67	1	32	1	40	1	45
4872	1.4	14	38	6	37	1	27	1	45	2	5
4873	1.1	8	22	6	63	1	17	1	16	1	30
4874	1.5	1	25	9	86	2	12	1	16	1	30
4875	1.5	1	30	10	146	1	8	1	10	1	1
4876	1.4	16	36	8	158	10	14	1	12	1	2
4877	1.7	9	32	11	213	10	14	1	35	4	1
4878	1.6	46	57	7	68	4	21	1	37	6	38
4879	2.1	149	52	9	45	8	23	1	89	9	1
4880	1.2	5	131	3	66	1	15	1	41	1	1
4881	1.7	74	69	1	73	10	33	3	252	1	2
4882	.4	19	49	1	3	1	32	2	25	1	5
4883	1.2	42	115	1	361	1	26	1	82	1	5
4884	.4	24	84	1	98	1	22	1	42	1	5
4885	1.5	1	18	6	136	9	13	1	87	1	1
4886	1.6	1	90	8	101	1	99	1	75	1	3
4887	1.3	19	93	5	109	4	24	1	55	2	2
4888	1.1	81	42	5	67	1	37	1	32	1	1
4889	1.5	9	24	7	113	12	26	1	180	3	2
4890	1.0	1	26	4	117	23	10	1	114	1	4
4891	1.4	1	24	7	98	10	9	1	498	3	2
4892	1.2	1	20	7	86	11	9	1	454	4	5
4893	1.3	37	33	7	88	6	11	1	208	3	4
4894	1.5	1	65	7	71	12	14	1	75	1	2
4895	1.5	8	23	5	90	5	16	1	63	1	6
4896	.9	1	47	5	86	9	11	1	26	2	2
4897	1.1	3	42	5	55	3	11	1	20	1	1
4898	1.4	20	34	6	87	14	12	1	689	2	3
4899	1.1	1	24	5	98	14	11	1	310	1	2
4900	1.0	1	49	7	59	3	8	1	60	3	1
4901	2.4	84	64	12	29	10942	38	8	16	4	2
4904	1.5	1	40	11	46	84	18	1	33	2	1
4905	1.3	3	18	10	56	28	13	1	14	1	2
4906	1.7	1	59	10	25	9	16	1	34	4	2
4907	1.1	1	25	7	14	7	17	1	36	1	4
4908	.1	16	45	1	11	3	15	1	12	2	10

4/1/98
 C. Burge