

Note

Kena

823054

Co-ordinates shown on
logs for KK 81-2 + 81-3

Should be corrected. Those
for 81-2 are actually 81-3
+ 81-3 are those for 81-2

Elevations do not change.

Samples shipped from KK 81-3

Sample No.	Depth
3801	0.0 - 6.0
03	7.5 - 9.0
05	10.5 - 12.0
07	13.5 - 15.0
09	16.5 - 18.0
11	19.5 - 21.0
13	22.5 - 24.0
15	25.5 - 27.0
17	28.5 - 30.0
19	31.5 - 33.0
21	34.5 - 36.0
23	37.5 - 39.0
25	40.5 - 42.0
27	43.5 - 45.0
29	46.5 - 48.0
31	49.5 - 51.0
33	52.5 - 54.0
35	54.6 - 54.75
37	55.5 - 57.0
39	58.5 - 60.0
40	60.0 - 61.5



(cont.)

Sample #

Depth

3188

98.1 - 99.0

| 89

97.5 - 98.1

| 91

94.5 - 96.0

| 93

91.5 - 93.0

| 95

88.5 - 90.0

| 97

85.5 - 87.0

3199

82.5 - 84.0

3800

81.5 - 82.5

3901

79.5 - 81.0

| 03

76.5 - 78.0

| 05

73.0 - 75.0

| 06

71.4 - 73.0

| 07

70.8 - 71.4

| 09

67.5 - 69.0

| 11

64.5 - 66.0

3913

61.5 - 63.0



(cont.)

Sample No.

Depth

3735		177.0 - 179.2
37		174.0 - 175.5
39		171.0 - 172.5
41		168.0 - 169.5
43		165.0 - 166.5
45		162.0 - 163.5
47		159.0 - 160.5
49		156.0 - 157.5
51		153.0 - 154.5
53		150.0 - 151.5
55		147.0 - 148.5
57		144.0 - 145.5
59		141.0 - 142.5
61		138.0 - 139.5
63		135.0 - 136.5
65		132.0 - 133.5
67		129.0 - 130.5
69		126.0 - 127.5
71		123.0 - 124.5
73		120.0 - 121.5
75		117.0 - 118.5
77		114.0 - 115.5
79		111.0 - 112.5
81		108.0 - 109.5
83		105.0 - 106.5
85		102.0 - 103.5
87		99.0 - 100.5
3788		98.5 - 99.0

Samples shipped from RR 81-4

Sample No	Length
3841	0 - 3.0
42	3.0 - 6.0
43	6.0 - 9.0
44	9.0 - 12.0
45	12.0 - 15.0
46	15.0 - 18.0
47	18.0 - 21.0
48	21.0 - 24.0
49	24.0 - 27.0
3850	27.0 - 30.0
51	30.0 - 33.0
53	36.0 - 39.0
55	42.0 - 45.0
57	48.0 - 51.0
59	54.0 - 57.0
61	60.0 - 63.0
63	66.0 - 69.0
65	72.0 - 75.0
67	78.0 - 81.0
69	84.0 - 87.0
71	90.0 - 93.0
73	96.0 - 99.0
75	102.0 - 105.0
77	108.0 - 111.0
79	114.0 - 117.0
81	121.0 - 124.0
83	127.0 - 130.0

KK 81-4 (cont)

Sample No	Length
3945	133 - 135.0
3943	138.0 - 141.0
41	144.0 - 147.0
39	150.0 - 153.0
37	156.0 - 159.0
35	162.0 - 165.0
33	168.0 - 171.0
31	174.0 - 177.0
29	180.0 - 183.0
27	186.0 - 189.0
25	192.0 - 195.0
3923	198.0 - 201.0
21	204.0 - 207.0
19	210.0 - 213.0
17	216.0 - 219.0
15	222.0 - 225.0
14	225.0 - 228.0

Samples from hole KR 81-5
Shipped to Min - En Labs.

Sample No Length

3885	0-90
87	15.0-16.0
88	16-18.0
89	180-210
38 91	240-270
93	30.0-330
95	360-390
97	42.0-45.0
38 99	48.0-51.0
645 77	54.0-57.0
79	60.0-63.0
81	66.0-69.0
83	72.0-75.0
85	78.0-81.0
87	84.0-87.0
89	90.0-93.0
39 47	96.0-99.0
49	102.0-105.0
51	108.0-111.0
53	114.0-117.0
55	120.0-123.0
57	126.0-129.0
59	132.0-135.0
61	138.0-141.0
63	144.0-147.0
65	150.0-153.0
67	156-159.0
39 69	162.0-165.0

KK805 (cont'd)

Sample No	Length
3971	167.0 - 170.0
73	173.0 - 176.0
75	179.0 - 182.0
77	186.0 - 189.0
79	192.0 - 195.0
3981	198 - 201.0
83	204.0 - 207.0
85	210.0 - 213.0
87	216.0 - 219.0
64591	222.0 - 225.0
93	228.0 - 231.0
95	234.0 - 237.0
97	240.0 - 243.0
99	246.0 - 249.0
64601	252 - 255.4

Additional samples From KK81-2

3648	37.0 - 38.5
50	40.0 - 41.5
52	43.0 - 44.5
56	49.0 - 50.5
36 86	92.5 - 94.0

K81-2

N	A0	A9	
3695	<u>.045</u>	.12	.016 .12
96	10	40	
97	<u>.048</u>	.04	3734.009 .10
98			35.018 .11
99	<u>.171</u>	.10	<u>K3</u> 37.006 .02
3700			.003 .03
			.009 .03
01	.018	.10	113.5M - 115.0
02	End of K2 ^{Sample} 118.0 M.		3743 - <u>.021</u> .07
03	.014	.05	.007 .03
			.10 .07
			.007 .03
05	<u>.049</u>	.11	3751.027 .05
07	.013	.07	
			3753.002 .03
09	.06	.01	.009 .03
			.10 .05
3711	.010	.01	.009 .05
13	.006	.05	.009 .02
			.009 .02
15	.019	.07	3765.019 .03
			.019 .03
17	.008	.02	3769 <u>.020</u> .06
			.010 .07
19	.008	.02	.013 .03
			.003 .02
21	.002	.05	.004 .06
23	.002	.07	.010 .06
			.003 .05
25	.002	.02	.002 .07
27	.003	.02	.001
3729	.018	.03	3785 .02
	.011	.16	3805

KK81-2
Alternate Samples

Samples shipped
to Min-en Labs
Aug 17/81

Sample No.

Depth (m) up to

Aug 17/81

3623	0.0 - 2.5
25	4.0 - 5.5
27	7.0 - 8.5
29	10.0 - 11.5
31	13.0 - 14.5
33	16.0 - 17.5
35	19.0 - 20.5
37	22.0 - 23.5
39	25.0 - 26.5
41	28.0 - 29.3
42	29.3 - 29.8
43	29.8 - 31.0
45	32.5 - 34.0
47	35.5 - 37.0
49	38.5 - 40.0
51	41.5 - 43.0
53	44.5 - 46.0
55	47.5 - 49.0
57	50.5 - 52.0
59	53.5 - 55.0
61	56.5 - 57.8
62	57.8 - 58.8
63	58.8 - 59.6
65	61.0 - 62.5
67	64.0 - 65.5
69	67.0 - 68.5
71	70.0 - 71.5
73	73.0 - 74.5
3675	76.0 - 77.5

3805	Av	A9
3800	.001	.01
	.001	.01
	.001	.02
	.002	.02
	.004	.02
	.003	.02
	.011	.02
	.010	.04
	.003	.02
3801	.001	.02
63	.010	.02

3411	Av	A9
	.008	
13	.010	
3489	.005	
91	.003	
3603	.071	} K-1
01	.048	
17	.005	
19	.029	

(cont)

(true)

Sample No.

Depth

3677 - 3681

79.0 - 80.5

79

82.0 - 83.5

81

85.0 - 86.5

83

88.0 - 89.5

85

91.0 - 92.5

87

94.0 - 95.5

89

97.0 - 98.5

91

100.0 - 101.5

93

103.0 - 104.5

95

106.0 - 107.5

97

109.0 - 110.5

3699

112.0 - 113.5

3701

115.0 - 116.5

03

118.0 - 119.5

05

121.0 - 122.5

07

124.0 - 125.5

09

127.0 - 128.5

11

130.0 - 131.5

13

133.0 - 134.5

15

136.0 - 137.5

17

139.0 - 140.5

19

142.0 - 143.5

3721

145.0 - 146.5

23

148.0 - 149.5

25

151.0 - 152.5

27

154.0 - 155.5

29

157.0 - 158.5

3731

160.0 - 161.5

(over)

(over)

(cont)

(has)

Sample # *kg*

Depth *kg*

3733

163.0 - 164.5

3734 2.08 - 0.17

164.5 - 166.0

2.28 - 0.58

17

2.38 - 0.28

18

2.48 - 0.88

18

2.58 - 0.17

18

2.68 - 0.47

18

2.78 - 0.77

18

2.88 - 1.07

19

2.98 - 1.37

19

3.08 - 1.67

19

3.18 - 1.97

19

3.28 - 2.27

19

3.38 - 2.57

19

3.48 - 2.87

19

3.58 - 3.17

19

3.68 - 3.47

19

3.78 - 3.77

19

3.88 - 4.07

19

3.98 - 4.37

19

4.08 - 4.67

19

4.18 - 4.97

19

4.28 - 5.27

19

4.38 - 5.57

19

4.48 - 5.87

19

4.58 - 6.17

19

4.68 - 6.47

19

4.78 - 6.77

19

4.88 - 7.07

19

(over)

(over)