

KERR ADDISON MINES LIMITED

MEMO

VANCOUVER OFFICE

DATE 9 Dec / 80

TO: CLARENCE WILTON

FROM: FRED HOWE

SUBJECT: LEXINGTON Cu-Au PROPERTY
Greenwood, B.C. 82E-2

1. Enclosed assay sheets of drill log-assay logs re holes drilled in & around main min. zone.
2. Also isometric drawing of min. zone.

823212

[Signature]

P - 74 - 8

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
8	20	12 Feet	0.08	0.008
20	30	10	0.16	< 0.003
30	40	10	0.25	< 0.003
40	50	10	0.32 <i>5.76</i>	0.024 <i>17.9</i>
50	60	10	0.39 <i>7.02</i>	0.043 <i>25.8</i>
60	70	10	0.05	< 0.003
70	80	10	0.03	0.003
80	90	10	0.29	0.011
90	100	10	0.20	0.008
100	110	10	0.16	0.008
110	120	10	0.26	0.020
120	130	10	0.12	0.020

P - 74 - 9

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
40	50	10 Feet	0.21	0.003
50	60	10	0.31	0.008
60	70	10	0.43	0.12
70	80	10	0.41	0.016
80	90	10	0.18	0.005
90	100	10	0.13	0.008
100	110	10	0.24	0.011
110	120	10	0.11	0.08
120	130	10	0.29	0.019
130	140	10	0.41	0.008
140	150	10	0.17	0.008

P - 12

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
40	50	10 Feet	0.42	0.20
50	60	10	0.62	0.13
60	70	10	0.52	0.04
70	80	10	2.60	0.14
80	90	10	0.57	0.03
90	95	5	0.47	0.06
95	100	5	0.17	0.02
100	105	5	0.22	0.005
105	110	5	0.17	0.01
110	115	5	0.50	0.04

P - 6

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
35	40	5	0.22	0.003
40	45	5	0.30	0.01
45	50	5	0.32	0.02
50	55	5	0.35	0.01
55	60	5	0.67	0.02
60	65	5	0.90 $\frac{2.85}{10}$	0.17 $\frac{1.10}{10}$
65	70	5	1.07 $0.215 \frac{70}{10}$	0.03 $0.10 \frac{40}{10}$
70	75	5	0.65	0.01
75	80	5	0.40	0.005
80	85	5	0.27	0.01

P - 74 - 2

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
3	20	17	0.12	0.003
20	30	10	0.12	0.015
30	40	10	0.39	0.037
40	50	10	1.62	0.195
50	60	10	0.74	0.050
60	70	10	0.25	0.022
70	80	10	0.10	0.008
80	90	10	0.16	0.011
90	100	10	0.23	0.019
100	110	10	0.17	0.009
110	120	10	0.26	0.015
120	130	10	0.50	0.022
130	140	10	0.25	0.026
140	150	10	0.30	0.024
150	160	10	0.15	0.019
160	170	10	0.11	0.015
170	175	5	0.07	0.003

P - 12

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
40	50	10 Feet	0.42	0.20
50	60	10	0.62	0.13
60	70	10	0.52	0.04
70	80	10	2.60	0.14
80	90	10	0.57	0.03
90	95	5	0.47	0.06
95	100	5	0.17	0.02
100	105	5	0.22	0.005
105	110	5	0.17	0.01
110	115	5	0.50	0.04

DDH 36

From	To	Width	Copper	Gold
269	279	10 Feet	0.09	0.003
279	289	10	0.10	0.003
289	289.8	0.8	0.79	0.02
289.8	291	1.2	0.03	0.003
291	292.5	1.5	2.48 $\times 20 \times 90^\circ = 44.64$	0.03 - $\$18$
292.5	293.8	1.3	0.13	0.003
293.8	295	1.2	0.59	0.08
295	305	10	0.29	0.02
305	310	5	0.87 $\$15.66$	0.03 $\$17$
310	315	5	0.84 $\text{Au. } 0.83 \text{ Au.}$	0.02 $\$56$
315	320	5	0.77 $\$74.94$	0.13
320	330	10	0.22	0.01
330	340	10	0.12	0.005
340	350	10	0.21	0.003
350	354	4	0.20	0.005
354	360	6	1.40 $\frac{13.4}{11} = 1.218$	0.16 $\frac{3.86}{11} = 0.351 \text{ Au}$
360	365	5	1.00	0.58
365	375	10	0.28	0.01
375	381	6	0.29 $\frac{3.34}{10} = 0.334$	0.02 $\frac{1.50}{10} = 0.052$
381	385	4	0.40 $\$6.01$	0.10 $\$31.20$
385	390	5	0.23	0.03
390	400	10	0.05	0.003
400	410	10	0.04	Tr
410	415.4	5.4	0.07	0.003
415.4	417	1.6	1.92 $\$39.56$	0.03 18.00
417	419	2	2.60 $\$6.80$	0.04 24.00
419	430	11	0.08	0.03
430	438.5	8.5	0.02 $\frac{8.874}{20.7} = 0.429$	0.02 $\frac{0.595}{20.7} = 0.028$
438.5	439.7	1.2	6.52 $\$7.72$	0.08 $\$17.24$
439.7	453	13.3	0.03	Tr $\frac{0.192}{6} = 0.032$ $\$19.20$

Cont.

DDH 33

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
514	524	10 Feet	0.20	0.012
524	528	4	1.35	0.026
528	535	7	0.15	0.012
535	538	3	7.20 $\frac{28.05}{14} = 2.00$	0.082 $\frac{0.434}{14} = 0.031$
538	548	10	0.08	< 0.003
548	552	4	0.36	0.012
552	572	20	0.04	-
572	597	25	0.01	-
597	608	11	0.13	< 0.003
608	611	3	0.86	0.015
611	621	10	0.01	-

DDH 37

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
290	300	10 Feet	0.17	0.015
300	310	10	0.08	0.003
310	320	10	0.10	0.003
320	325	5	0.21	0.008
325	326	1	5.80	1.37
326	330	4	0.61	0.16
330	338.5	8.5	0.29	0.045
338.5	342	3.5	1.07	0.041
342	347	5	0.32	0.024
347	348	1	8.00	0.16
348	352	4	2.18	0.75
352	362	10	0.02	< 0.003

CERTIFICATE OF ANALYSIS

DDH-23

SECT. 15495N

TO LEXINGTON MINES LTD.
 Ste. 1420 - 1075 W. GEORGIA ST.
 VANCOUVER 5, B.C.
 Attn: Mr. F.H. Reid

TYPE OF SAMPLES ~~XX~~ Core
 No. of SAMPLES 10
 FILE No. 838 Our Inv. 1691

Handwritten notes:
 11.12, 12.12, 13.12

SAMPLE No.	OZ. PER TON GOLD	OZ. PER TON SILVER	% Cu	%	%	%		Cu	
DDH-23				Footage					
C-200	tr	0.05	0.112	364-374			10' X	.112	1.12
201	tr	0.2	0.79	374-384			10' X	.79	7.90
202	tr	tr	0.142	384-394			10'	.142	1.42
203	tr	tr	0.145	394-404			10'	.145	1.45
204	0.01	tr	0.180	404-414			10'	.18	1.80
205	0.01	tr	0.150	414-424			10'	.15	1.50
206	tr	tr	0.190	424-434			10'	.19	1.90
207	tr	tr	0.168				10'	.168	1.68
208	0.01	tr	0.045	444-454			10'	.045	.45
209	tr	tr	0.058	454-464			10'	.058	.58
							100'		19.80
								0.198	
								100'	

Handwritten: C-F

J. Chatterton PROVINCIAL ASSAYER

DATE FEBRUARY 25, 1970

DDA # 25
sheet 1 of 2

Core samples sent to Vancouver on March 27, 1970

Sample No	DDH	Footage	Length	As	Ag	Cu
C - 239	25	85-105	20'	0.003	0.03	0.17
C - 240	25	105-125	20'	.003	.01	.31
1	25	125-145	20'	.003	.01	.31
2	25	145-165	20'	.003	.03	.33
3	25	165-185	20'	.003	.03	.19
4	25	185-205	20'	.003	.09	.21
5	25	205-225	20'	.003	.10	.27
6	25	225-245	20'	.003	.01	.13
7	25	245-255	10'	.003	.10	.17
8	25	255-265	10'	.003	.06	.23
9	25	265-282 1/2	17'	.003	.03	.13
C - 250	25	307-327	20'	.003	.01	.19
1	25	327-337	10'	.003	.01	.26
2	25	337-347	10'	.003	.03	.16
3	25	347-357	10'	.003	.03	.16
4	25	357-367	10'	.003	.17	.19
5	25	367-379 1/2	12'	.003	.06	.17
6	25	395-405	10'	.003	.06	.11
7	25	405-415	10'	.003	.01	.18
8	25	415-425	10'	.003	.01	.06
9	25	425-435	10'	.003	.01	.04
C - 260	25	435-445	10'	.003	.01	.04
1	25	445-455	10'	.003	.06	.09
2	25	455-465	10'	.003	.03	.15
3	25	465-475	10'	.003	.01	.20
4	25	475-485	10'	.003	.01	.10
5	25	485-495	10'	.004	.01	.13
6	25	495-505	10'	.004	.01	.03
7	25	505-515	10'	.003	.01	.09
8	25	515-525	10'	.003	.01	.10
9	25	525-535	10'	.010	.01	.06
C - 270	25	535-545 1/2	10'	.003	.01	.01

150
72
222

Sample No.	M/H	Footage	Length	Area	Area	Area	
C - 271	25	595 - 605	10'	0.03	0.09	0.42	} 36.0
2	25	605 - 615	10'	.007	.09	.25	
3	25	615 - 625	10'	.012	.09	.42	
4	25	625 - 635	10'	.004	.03	.01	
5	25	635 - 655	20'	.004	.01	.19	
C - 276	25	655 - 675	20'	.003	.01	.07	
# 271-273 Ave				.049	.27	1.09	
				0.0163	.09	0.36	
					30'		

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
315	335	20 Feet	0.155	Tr
335	355	20	0.155	Tr
355	375	20	0.075	Tr
375	385	10	0.160	Tr
385	395	10	0.110	Tr
395	405	10	0.175	Tr
405	415	10	0.525	0.01
415	425	10	0.165	Tr
425	435	10	0.080	Tr
435	445	10	0.085	Tr
445	455	10	0.70	0.08
455	465	10	0.310	0.02
465	479	14	1.16	1.08
479	481	2	22.8	0.26
481	493	12	^{45.12} 0.84	^{418.00} 0.03
493	503	10 ^{58'}	^{11.52} 0.64 ^{1.52}	^{54.00} 0.09 ^{0.31}
503	513	10	0.175	0.01
513	523	10	0.420	Tr
523	533	10	0.020	Tr

DDH 26

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
578	582	4 Feet	^{1.66} 0.37 ^(24.06)	^(17.2) 0.029
582	588	6	^{54.20} 1.90	0.13
588	592	4	1.60	0.23
592	601	9	0.41	0.032
601	607	6	0.76	0.017
607	614	7	1.74	0.052
614	619	5	0.31	0.010
619	624	5	1.01 ^{11%} ^{4.83} ⁴² ^{1.067%}	0.280 ^{3.904} ⁴³ ^{7.2} = 0.093%
624	629	5	0.41	0.017
629	634	5	1.40	0.025
634	644	10	0.08	< 0.003
644	662	18	0.01	< 0.003
662	668	6	1.14	0.096
668	676	8	0.05	< 0.003

CERTIFICATE OF ANALYSIS

10
16

TO Lexington Mines Ltd.
1075 West Georgia St.,
Vancouver, B.C.

TYPE OF SAMPLES Chip
No. of SAMPLES 92
FILE No. 735

SAMPLE No.	OZ. PER TON GOLD	OZ. PER TON SILVER	% Cu	% Feet	%	%			
DDH-16 ^C -36	Tr.	Tr.	.180	221-241					
37	.01	Tr.	.115	241-248					
38	Tr.	Tr.	.110	248-268					
39	Tr.	Tr.	.060	268-288					
40	Tr.	Tr.	.070	288-308					
41	Tr.	Tr.	.060	308-328					
42	Tr.	Tr.	.070	328-338					
43	Tr.	Tr.	.060	338-348					
44	Tr.	Tr.	.055	348-358					
45	Tr.	Tr.	.060	358-368					
46	Tr.	Tr.	.035	368-378					
47	.01	.05	.62	378-382					
48	Tr.	Tr.	.010	382-392					
49	Tr.	Tr.	.005	625-635					
50	Tr.	Tr.	.010	635-645					
51	Tr.	Tr.	.025	645-665					
52	Tr.	Tr.	.015	665-685					
53	Tr.	Tr.	.020	685-695					
54	Tr.	Tr.	.110	775-787					
DDH-18-55	Tr.	.05	.190	132-142					
56	Tr.	.05	.265	142-152		0.35 Au +		0.05	
57	Tr.	.05	.285	152-162					
58	Tr.	.05	.130	162-172		53'			
59	Tr.	Tr.	.065	172-183					
60	.02	.4	4.60	183-185					
61	Tr.	Tr.	.085	185-195					
62	.02	Tr.	.080	195-205					
63	Tr.	Tr.	.095	205-215					
64	Tr.	Tr.	.075	215-225					
65	Tr.	Tr.	.085	225-235					
66	Tr.	Tr.	.090	235-245					
C 67	.01	Tr.	.090	245-255					
ST-26-C451									
Sample 0-1	Tr.	Tr.	.180						

J. Clatter PROVINCIAL ASSAYER

DATE December 19, 1969

CERTIFICATE OF ANALYSIS

TO LEXINGTON MINES LTD.
#1420 - 1075 W. GEORGIA ST.
VANCOUVER 5, B.C.

TYPE OF SAMPLES D.D. CORE
 No. of SAMPLES 22
 FILE No. _____

SAMPLE No.	OZ. PER TON GOLD	OZ. PER TON SILVER	% Cu.	% feet	%	%		
D.D. 18C								
68	0.04	0.05	.110	255-272				
69	tr	tr	.110	272-277				
70	tr	tr	.020	277-288				
71	tr	tr	.160	288-290				
72	tr	tr	.005	290-312				
73	0.07	tr	.220	312-314				
74	tr	tr	.005	314-327				
D.D. 19 C								
101	tr	tr	.175	295-315				
102	XXXX			XXXXXXXX				
102	0.01	tr	.075	315-335				
103	tr	tr	.090	335-355				
104	tr	tr	.100	355-375				
105	tr	tr	.100	375-395				
106	0.01	tr	.150	395-405				
107	tr	tr	.070	405-415				
108	tr	tr	.150	415-425				
109	tr	tr	.050	425-445				
110	tr	tr	.060	445-465				
111	tr	tr	.125	465-475				
112	tr	tr	.065	475-485				
113	tr	tr	.085	485-495				
114	tr	tr	.075	495-515				
115	tr	tr	.085	515-535				

Form SL 4 *J. Clouston* PROVINCIAL ASSAYER DATE *Dec. 27/69*
48

Lexington Mines, Greenwood, B. C.

20

Core Samples sent to Vancouver on Monday, Dec. 22, 1969 Sect 15495^N

Sample No.	Core	Footage	Length	Au	Ag	Cu	Mo
C - 8	3	20	90 - 100	10'	Tr	0.05	0.510
	4	20	133 - 143	10'	Tr	.05	.125
	5	20	143 - 153	10'	Tr	.10	.280
	6	20	153 - 163	10'	Tr	.05	.250
	7	20	163 - 173	10'	Tr	.05	.250
	8	20	173 - 183	10'	Tr	.05	.070
	9	20	183 - 193	10'	Tr	.05	.025
C - 9	0	20	193 - 203	10'	Tr	.05	.165
	1	20	203 - 213	10'	Tr	.05	.100
	2	20	213 - 223	10'	Tr	Tr	.075
	3	20	223 - 233	10'	Tr	.05	.125
	4	20	233 - 243	10'	Tr	.10	.065
	5	20	243 - 253	10'	T	.05	.120
	6	20	253 - 263	10'	T	.05	.085
	7	20	263 - 273	10'	T	.10	.180
	8	20	273 - 280	3'	T	.05	.160
	9	20	280 - 284	4'	T	.10	.025
C - 1	00	20	284 - 304	20'	T	.05	.030
C - 1	16	20	304 - 317	13'	T	T	0.015
	7	20	317 - 327	10'	0.02	.20	1.06
C - 1	18	20	327 - 337	10'	T	.10	.11

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
229	239	10 Feet	0.160	Tr
239	249	10	0.077	Tr
249	259	10	0.162	Tr
259	269	10	0.095	Tr
269	279	10	0.240	0.03
279	289	10	2.45	0.07
289	299	10	0.68 $\frac{29.78}{32} = 0.93$	0.03 0.037
299	311	10 12	0.44 $\frac{16.75}{32}$	0.01 0.20
311	313.5	2.5	6.40	0.51
313.5	323	9.5	1.05 $\frac{29.75}{22} = 1.367$	0.21 $\frac{4.37}{22} = 0.1986$
323	333	10	0.40	0.11
333	343	10	0.057	0.03
343	353	10	0.045	0.01
353	363	10	0.212	0.01
363	372	9	0.130	Tr

DDH 37

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
290	300	10 Feet	0.17	0.015
300	310	10	0.08	0.003
310	320	10	0.10	0.003
320	325	5	0.21	0.008
325	326	1	5.80	1.37
326	330	4	0.61	0.16
330	338.5	8.5	0.29 $\frac{32.77}{27} = 1.21$	0.045 $\frac{1.816}{27} = 0.0672$
338.5	342	3.5	1.07	0.041
342	347	5	0.32	0.024
347	348	1	8.00	0.16
348	352	4	2.18	0.75
352	362	10	0.02	< 0.003 0.0117



*Rec'd
11-5-69
JR*



PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

11

Waggon Mines Ltd.,

1075 West Georgia

Vancouver, B.C.

Certificate of Assay

WARNOCK HERSEY INTERNATIONAL LIMITED

COAST ELDRIDGE PROFESSIONAL SERVICES DIVISION

125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. 460-A-9225

DATE November 5, 1969

I hereby Certify that the following are the results of assays made by us upon submitted DRILL CORE # 11 samples

MARKED	GOLD		SILVER	COPPER (Cu)	PER CENT.	Footage PER CENT.	Length PER CENT.	Sample PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
		\$							
51126	Trace	-	0.2	0.03		66'-76'	10'	51126	
51127	Trace	-	0.1	0.14		220'-230'	10'	7	
51128	Trace	-	0.2	0.05		230'-240'	10'	8	
51129	Trace	-	0.1	0.06		240'-250'	10'	9	
						250'-260'	10'	30	
51130	Trace	-	0.1	0.05		260'-263'	3'	1	
51131	0.12	4.20	1.5	2.50		263'-273'	10'	2	
51132	0.04	1.40	0.3	0.70	\$7.00	273'-283'	10'	3	
51133	0.06	2.10	0.1	0.38	53'	283'-293'	10'	4	
51134	0.05	1.75	0.2	0.27		293'-303'	10'	5	
51135	0.01	0.35	0.2	0.14		303'-313'	10'	6	
						313'-323'	10'	7	
51136	0.07	2.45	0.2	0.21		323'-333'	10'	51138	
51137	0.01	0.35	Trace	0.09					
51138	Trace	-	Trace	0.16					
						# 4.62			
						.44			
						2.00			
						7.06			
Averages - 53'	0.05		0.22	0.462					
	\$2.00		\$0.44	\$4.62					

*1.86
33' = 0.056
21
33 = 0.636
\$11.45
\$45.05*

Assays retained one week.
Refractory retained one month.
Assays and rejects may be stored for a maximum of one year by special arrangement.
If it is specifically stated otherwise, gold and silver values reported on these sheets have been adjusted to compensate for losses and adherent in the fire assay process.

Gold calculated at \$ _____ per ounce

H. J. Hayes

Provincial Assayer

DDH 4 (45°)

<u>From</u>	<u>To</u>	<u>Width</u>	<u>Copper</u>	<u>Gold</u>
620	630	10 Feet	0.105	0.01
630	640	10	0.355	0.02
640	650	10	0.910	0.17
650	660	10	0.600	0.09
660	670	10	0.125	0.01
670	680	10	0.090	0.01
680	690	10	0.320	0.01
690	700	10	0.275	0.03
700	710	10	0.960	0.15
710	720	10	2.450	0.24
720	730	10	0.310	0.02
730	740	10	2.370	0.37
740	750	10	0.120	0.02
750	760	10	0.085	0.01
760	770	10	0.250	0.02
770	780	10	2.700	1.16
780	790	10	0.045	0.02
790	800	10	0.015	0.01
800	810	10	0.020	0.01
810	820	10	0.210	0.01

15.1 # %

2.60 # %

0.755 / 20'

0.13 / 20'

60.9 # %

7.8 # %

1.5225 / 40'

0.195 # %

27.0 # %

11.60 # %