


823695 Vidler Creek 82L



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0688 TELEEX: 64-54554

RECEIVED

Geochemical Lab Report

AUG 23 1977

Extraction _____ Report No. 27 - 730 KERR & ASSOCIATED MINES LTD.

Method X.R.F. From Vangeochem Labs Ltd.

Fraction Used _____ Date Aug. 19 19 77

SAMPLE NO.	U ppm	Th ppm	K ppm	%K				REMARKS
260 - 270	7	24	29940	2.99%				<i>From Drill hole V-77-4</i>



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.,
CANADA V7P 2S3

copy sent to Toronto July 25/77
TELEPHONE: 988-2172
AREA CODE: 604-986-5211
(77-4 - type in on log)

• Specialising in Trace Elements Analyses •

Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.
#703-1112 W. Pender Street,
Vancouver B. C. V6E 2S1

Attention:

Report No: 77 48 005 Page 1 of 1
Samples Arrived: July 20, 1977
Report Completed: July 22, 1977
For Project: 77V4
Analyst: S. C.
Invoice #4250 Job #77-096

CAB. & Draw 1/3 Assay Ref. VGC Draw 1/3

Sample Marking	U ppm				
190-200	1.5	<i>Stodess 26</i>			
200-210	1.5				
210-220	2.1				
220-230	1.8				
230-240	1.8				
240-250	1.5				
250-260	1.9				
260-270	2.2				
				<i>Want Pot + thorium test to be run by Bondger Chugg in Ottawa, July 25/77 V.G.C. shipping today - JH</i>	
				JUL 25 1977 KERR ADDISON MINES LTD. P.L.	
<i>one copy send to C/o Mr. John Sand. 3402-18th Ave Vernon, B.C. V1T-1E1</i>					

MASTER PRINTING LTD.

REMARKS: *all samples are done in duplicate + checked out ok.* Signed: *[Signature]*

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.
1521 PEMBERTON AVE.,
NORTH VANCOUVER, B.C.
CANADA V7P 2S3

Copy sent to J.A. Lounie
June 17/77

TELEPHONE: 988-2172
AREA CODE: 604

RECEIVED

• Specializing in Trace Elements Analyses •

Certificate of Geochemical Analyses

KERR ADDISON MINES LTD.

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.
703 - 1112 West Pender St.
Vancouver, B.C. V6E 2S1
Attention:

Report No: 77 48 003 Page 1 of 1
Samples Arrived: June 13, 1977
Report Completed: June 14, 1977
For Project:
Analyst: S.C.
Invoice# 4173 Job# 77 016

Vidlar - Arkasa OFFICE
DD HOLE #1 - 5/19/73

Factor
1.17925

Sample	Marking	U ₃₀₈ ppm	Footage	Footage	C.P.M.
U	1 2.1 U	2.48	10-20	0-40	60-70
	2	1.89	20-30		
	3	2.24	30-40	40-57	110-120
	4	1.30	40-50	57-62	65-70
	5	1.89	50-60		
	6	0.83	60-70	62-82	200
	7	0.94	70-80		
	8	0.35	80-90	82-102	145
	9	0.71	90-100		
	10	0.94	-110	102-110	220
	11	1.89	-120	110-120	145
	12	1.06	-130	120-135	195
	13	1.89	-140		
	14	1.06	-150	135-175	110
	15	1.06	160	175-185	190
	16	1.06	170	185-197	338
	17	1.18	180		
	18	0.71	190	197-220	120-130
	19	0.35	200		
U	20	0.35	210		
Question? : Are these footages correct?					
Answer: yes. Readings beyond 210 were normal on Scintillation Counter. No further assaying done. NA.					
Note: Radiometric high @ 185'-197' does not co-incide with chemical assays. High may be due to Thorium in rocks derived from rhyolite. NA.					

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS₂ 1 Troy oz./ton = 34.28 ppm 1 ppm = 0.0001% nd = none detected ppm = parts per million
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

APRIL

TUESDAY

Assay File
MAY

S	M	T	W	T
	1	2	3	4
7	8	9	10	11
14	15	16	17	18
21	22	23	24	25
28	29	30		

#1 drill 9 Vidler
Hole of Arkore

T	W	T	F	S
		1	2	3
5	6	7	8	9
12	13	14	15	16
19	20	21	22	23
26	27	28	29	30
				31

APRIL

W. Side Vidler cl. m.
Memoranda

9

9:30 0-40' 60-70 c.p.m

10

10:30 40-57' 110-120'

11

11:30 57-62' 65-70'

12

12:30

1 62-82' 200'

1:30

2 82-102' 145'

2:30

3 102-110' 220'

3:30

4

4:30 110-120' 145'

5

5:30 120-135' 195'

TUESDAY

1974

APRIL 9

APRIL

WEDNESDAY

MAY

S	M	T	W	T
	1	2	3	4
7	8	9	10	11
14	15	16	17	18
21	22	23	24	25
28	29	30		

10
APRIL

T	W	T	F	S
		1	2	3
5	6	7	8	9
12	13	14	15	16
19	20	21	22	23
26	27	28	29	30
				31

Memoranda 1000 Scale.

9

9:30 135-175 - 110

10 185 - 190

10:30 197 - 338

11

11:30 197-292 - 120-130

12

12:30

1 2nd hole 62'

1:30

2

2:30

3

3:30

4

4:30

5

5:30

WEDNESDAY

1974

APRIL 10