

Irene - Please do Fraser E. Ht
(on Visicalc DISK) on
SAMPLE 4 for each
line from Tx 2

823724

When doing the Vertical
START AT SW END
of Line AND work TO
NE END. It doesn't
matter where you start
WITH THE ~~VERTICAL~~ HORIZONTAL
COMPONENT.

$$(A+B) - (C+D)$$

Plot between B & C

CLIENT

Falconbridge Copper

PROJECT

AR-14N CLAIMS

STA

L-95150

TX NO

2

GAIN

500

ZTS

636

DATE

16/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
1+80 SW	+170	41	21	7.8	-4	-12	-11	-6.8	-3.8	V
	+45	99	87	63	40	26	14	8.	3.8	H
1+50 SW	+190	29	8	-2.5	-9.4	-13	-12	-7.2	-4	
x	+70	105	95	67	42	26	14	8	3.8	
1+00 SW	+190	4.4	-6	-12	-14	-15	-14	-7.6	-4.4	
	+130	100	88	63	40	24	12	7.4	3.4	
0+50 SW	+290	-.4	-15	-18	-17	-17	-16	-8.6	-4.8	
	+65	120	100	67	40	24	12	6.8	3	
0+00	+350	-6.4	-20	-19	-17	-17	-16	-9.2	-5	
	+140	120	96	64	38	22	10	5.8	2.6	
0+50 NE	+540	8.5	-8.5	-8.5	-8.3	-13	-15	-10	-5.8	
	+140	130	100	64	37	21	8.4	4.8	1.8	
1+00 NE	+780	54	35	28	18	.6	-12	-10.5	-6	
	+350	170	130	93	49	25	8.2	4	2	
1+50 NE	+700	-120	-84	-47	-24	-16	-13	-9.2	-5	
	+1020	360	290	210	140	61	16	1.5	-1	
2+00 NE	+920	-140	-44	4.8	14	6	-7	-8	-4.5	
	+580	300	250	180	120	59	17	2	-1	

CLIENT

Falconbridge Copper

PROJECT

AR-14N CLAIMS

STA

L-96+00

Tx No

2

GAIN

500

ZTS

C36

DATE

16/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2+00 NE	1468										
			Tx loop								
1+50 NE	11080	-56	-37	-17	-7.2	-7.6	-12	-9.3	-4.7	U	
	+670	520	360	250	150	67	17	1.2	-1	14	
1+25 NE	+1200	170	120	85	52	17	-8.8	-11	-6.5		
	+520	300	220	140	82	40	12	3.2	.6		
1+00 NE	+1050	85	50	36	22	1.7	-11	-10.6	-6.5		
	+380	200	150	94	54	28	9.5	3.8	.6		
0+75 NE	+1020	60	26	17	8	-4	-13	-10.8	-6		
	+320	180	140	97	50	25	9.2	4.2	1.4		
0+50 NE	+750	25	-3	-6.5	-7.4	-12	-14	-10	-6		
	+190	160	120	74	42	22	9.4	5	2.2		
0+25 NE	+610	14	-12	-14	-13	-15	-15	-9.8	-5.8		
	+150	160	120	77	43	23	10.3	5.8	2.6		
0+00	+480	7	-13	-16	-15	-15	-15	-9.2	-5.4		
	+92	140	108	69	41	23	10.5	6	2.6		
0+25 SW	+420	3	-17	-19	-18	-18	-15	-9	-5.2		
	+130	150	120	78	46	26	11	6.4	3		

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-96+50

TX NO

2

GAIN

500

ZTS

636

DATE

16/1/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+200	62	36	14	.5	-8.5	-10	-6	-3.5	V
	+38	104	93	66	43	28	16	8.5	4	H
4.50 SW	+260	48	22	5	-5.3	-12	-12	-6.6	-4	
	+40	140	120	78	49	29	16	8.3	3.8	
1+00 SW	+320	34	9	-2.4	-10	-14	-14	-8	-5	
	+86	150	130	82	50	29	15	7.7	3.7	
0+50 SW	+410	14	-9	-17	-17	-17	-14	-8.7	-5	
	+120	170	140	87	51	28	13	7.4	3.4	
0+25 SW	+500	7	-14	-19	-18	-18	-15	-9	-5.3	
	+140	160	140	84	49	27	12	6.6	3	
0+00	+570	8.2	-14	-18	-17	-17	-15	-9	-5.3	
	+170	160	130	82	47	26	12	6.3	3	
0+25 NE	+630	8	-12	-14	-14	-15	-15	-9.7	-5.6	
	+260	160	120	76	44	24	11	6	2.8	
0+50 NE	+940	27	-3.2	-8.1	-9	-14	-15	-10	-5.7	
	+330	200	150	89	50	27	10	5.2	2.4	
0+75 NE	+1050	42	11	4	-1.8	-9	-14	-10.2	-5.7	
	+400	190	140	99	49	26	10	5	2.2	

CLIENT Falconbridge Copper

PROJECT AR-14N CLAIMS

STA L-96150 TX NO 2 GAIN 500.

ZTS 636 DATE 16/11/83 PAGE 2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
1700 NE	+1200	92	46	30	16	-1.2	-12	-10.8	-6	V
	+530	240	170	102	58	30	10.2	4.5	1.7	H
1725 NE	+10.5.	220	140	90	53	16	-9.5	-11	-6.4	
	+570	280	200	130	72	35	11	3.7	1.4	
1750 NE	+10.5.	190	130	84	51	16	-8.4	-10	-6	
	+500	600	410	270	160	70	16	0	-1	
2700 NE										

7x loop

CLIENT Falconbridge Copper

PROJECT AR-HN CLAIMS

STA L-97100 TX NO 2

GAIN 500

ZTS 636 DATE 16/11/83

PAGE 1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2400 NE			TX Loop								
1450 NE	+0.5	340	200	130	73	24	-7.6	-11	-7.4	J	
	+1040	620	400	260	140	62	14	.5	0	H	
1425 NE	+0.5	180	100	62	34	6.4	-11	-11	-5.7		
	+590	300	200	120	67	32	11	3.7	1.2		
1400 NE	+0.5	85	33	18	7.6	-5	-13	-11	-5.7		
	+640	270	190	110	62	31	11	4.5	1.6		
0475 NE	+1200	40	3.5	-3	-5.7	-12	-15	-10.1	-5.7		
	+440	230	160	99	54	28	10.8	4.2	2.3		
0450 NE	+1080	19	-10.5	-14	-13	-15	-15	-10.1	-5.5		
	+350	220	160	98	54	28	11	5.8	2.6		
0425 NE	+800	17	-12	-17	-16	-16	-16	-9.5	-5.5		
	+300	220	160	96	54	29	12	6.2	2.8		
0400	+700	10.2	-18	-21	-20	-18	-16	-9.5	-5.5		
	+190	220	190	150	95	53	29	1.3	6.5		

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

1-97450

TX NO

2

GAIN

500

ZTS

636

DATE

16/11/03

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+230	95	63	30	6.3	-4.7	-8.3	-6	-4.1	U
	+57	120	108	77	49	31	18	9.2	3.2	H
1+50 SW	+300	87	50	20	7.5	-8	-10.5	-7.3	-5	
	+77	150	140	92	55	32	17	8.1	3	
1+00 SW	+390	69	33	9.2	-3.8	-12	-13	-8.3	-5.2	
	+100	170	140	91	54	32	17	7.6	2.8	
0+50 SW	+540	50	16	.4	-8.3	-14	-14	-9	-6	
	+150	240	190	125	69	37	16	6.8	2.3	
0+25 SW	+630	4.4	-20	-29	-22	-29	-16	-9.8	-6.4	
	+170	220	170	108	60	32	14	6.9	2	
0+00	+780	14	-13	-18	-18	-18	-16	-10.2	-6.6	
	+200	220	160	104	57	31	13	6.7	2	
0+25 NE	+980	7.9	-18	-22	-19	-18	-16	-10.2	-6.6	
	+370	260	190	110	62	32	14	5.7	1	
0+50 NE	+1200	4.9	-23	-23	-19	-18	-17	-11	-6.8	
	+400	270	190	110	61	31	13	4.8	1	
1+00 NE	+0.51	50	7.7	.8	-2.3	-10.2	-15	-11	-7	
	+520	280	190	110	61	31	11	4.4	.4	

CLIENT

Falconbridge Copper

PROJECT

AR-NW CLAIMS

STA

1-98100

Tx NO

2

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2100 NE											
		Tx Loop									
1450 NE	+0.5,	130	66	40	21	-1.4	-13	-11	-4.4	V	
	+920	470	290	170	92	41	12	3	.6	H	
1425 NE	+0.5,	28	-5.3	-5.2	-5	-13	-15	-10.4	-5		
	+790	350	230	140	72	34	12	4.7	1.6		
1100 NE	+0.5,	-13	-32	-24	-16	-16	-16	-10.2	-5.4		
	+610	320	210	130	67	33	12	5.3	2		
0475 NE	+1200	-16	-34	-27	-20	-19	-17	-10.2	-5.6		
	+570	290	200	130	67	33	12	5.3	2		
0450 NE	+1200	-19	-36	-30	-23	-20	-18	-10.2	-5.6		
	+440	280	200	125	65	32	12	5.8	2		
0425 NE	+1010	-1.8	-24	-23	-20	-19	-16	-9.6	-5.4		
	+410	280	200	125	66	34	13	6	2.4		
0400	+830	12	-15	-19	-18	-18	-16	-9.5	-5.7		
	+270	260	190	120	65	34	14	7	2.7		
0425 SW	+670	18	-10	-17	-18	-18	-16	-9.3	-5.9		
	+260	250	190	120	65	34	15	6.7	2.8		

CLIENT

Falcon bridge Copper

PROJECT

AR-14N CLAIMS

STA

6-98+50

Tx No

2

GAIN

500.

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+240	110	74	38	11	-2.3	-7	-5	-4	U
	+55	110	105	77	50	32	18	9.6	4.3	H
1+50 SW	+320	100	58	24	2.8	-7.2	-9.4	-6.1	-4	
	+80	150	140	92	56	34	19	9.4	4	
1+00 SW	+420	86	43	15	-2.4 ⁻²²	-10.2	-11	-7.2	-4.6	
	+130	190	160	102	60	35	18	8.8	3.6	
0+50 SW	+580	49	12	-5.2	-13 ⁻²⁰	-16	-14	-8.6	-5.4	
	+210	250	190	130	68	37	17	7.8	3	
0+00	+860	9.5	-18	-20	-20 ⁻⁹	-19	-16	-9.4	-5.8	
	+310	280	200	135	68	36	16	7.2	2.8	
0+25 NE	+1020	-18	-34	-30	-24 ⁻³	-20	-17	-9.8	-5.8	
	+500	300	210	140	69	36	15	6.6	2.4	
0+50 NE	+1100	-29	-42	-32	-25 ⁻⁵	-21	-17	-10.2	-6	
	+660	300	210	140	76	35	14	6.1	2.2	
0+75 NE	+1200	-39	-50	-36	-26 ⁻⁹	-21	-18	-10.4	-6	
	+770	330	230	140	72	35	14	5.2	1.6	
1+00 NE	+0.5	-62	-63	-40	-27	-22	-18	-10.8	-6	
	+1030	370	240	140	76	36	13	4.8	.8	

CLIENT

Falconbridge Copper

PROJECT

AR-HW CLAIMS

STA

L-99+00

TX NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2+00 NE											
		Tx Loop									
1+50 NE	+0.5.	-120	-90	-48	-27	-20	-18	-9.5	-4.2	V	
	+0.5,	410	270	160	82	38	13	3.7	.8	H	
1+25 NE	+0.5.	-140	-104	-60	-35	-26	-18	-10.4	-5.4		
	+0.5,	410	260	150	80	37	13	4	.6		
1+00 NE	+0.5.	-82	-78	-49	-32	-24	-18	-10.4	-5.7		
	+1200	390	260	150	78	37	13	4.4	1		
0+75 NE	+1200	-55	-58	-40	-29	-23	-18	-10.4	-6		
	+950	340	230	140	74	36	14	5.2	1.5		
0+50 NE	+1100	-41	-49	-37	-28	-23	-18	-10.2	-6		
	+680	310	220	140	72	36	15	6	2.2		
0+25 NE	+1000	-23	-38	-32	-26	-21	-16	-9.7	-6		
	+550	300	220	135	70	36	15	6.3	2.2		
0+00	+860	10.2	-18	-22	-21	-20	-16	-9	-5.6		
	+330	300	210	135	71	37	16	7.4	2.4		
0+25 SW	+710	41	4	-10.8	-16	-17	-15	-9	-5.6		
	+280	290	210	130	72	38	17	7.7	2.8		

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-99+50

TX NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+250	120	78	39	12	-1.3	-6	-4.2	-2.8	V
	+77	105	100	75	50	32	18	9.2	4	H
1+50 SW	+320	120	72	32	6.9	-5	-8.3	-5.7	-3.6	
	+100	150	130	92	57	36	19	9.4	4.1	
1+00 SW	+420	104	52	17	-1.4	-10	-10.6	-6.8	-4.4	
	+140	200	160	105	62	37	19	9.4	4	
0+50 SW	+590	87	35	5.1	-9.2	-15	-13	-8.6	-5.2	
	+210	260	200	130	70	38	18	8.7	3.6	
0+25 SW	+700	50	10	-8	-15	-17	-15	-9.2	-5.6	
	+340	280	210	135	71	38	17	7.6	3.3	
0+00	+820	11	-15	-21	-22	-21	-17	-9.4	-5.7	
	+390	320	230	140	74	39	17	7.2	2.6	
0+25 NE	+1000	-21	-35	-31	-26	-22	-17	-9.7	-5.7	
	+520	330	230	140	74	38	16	6.7	2.6	
0+50 NE	+1100	-50	-54	-41	-31	-25	-18	-10.1	-5.8	
	+680	340	230	140	74	37	15	6.5	2.4	
0+75 NE	+1200	-86	-77	-50	-34	-26	-18	-10.6	-5.8	
	+1020	380	250	150	76	37	14	5.6	2	

CLIENT

Falconbridge Copper

PROJECT

AR-HW CLAIMS

STA

L-99+50 Tx No

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
1+00 NE	+0.5.	-140	-102	-61	-37	-27	-18	-10.2	-5.6	V
	+1200	400	260	150	76	36	13	4.4	1.5	H
1+25 NE	+0.5.	-180	-130	-74	-41	-28	-18	-9.8	-5	
	+0.5.	390	260	150	78	36	12	4.4	1.1	
1+50 NE	+0.5.	-190	-140	-72	-38	-27	-18	-9.4	-4.6	
	+0.5.	380	240	140	76	36	12	4.4	.9	
2+00 NE										

Tx Loop

CLIENT

Falcon bridge Copper

PROJECT

AR- HN CLAIMS

STA

L-100100

Tx No

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2100 NE											
		Tx Loop									
1150 NE	+0.5.	-220	-140	-82	-46	-30	-19	-9.8	-4.7	V	
	+0.5.	320	220	140	70	34	13	5.4	2.4	H	
1125 NE	+0.5.	-220	-140	-83	-47	-31	-19	-9.8	-4.8		
	+1200	380 ²	240	140	73 ²	35	13	5.3	1.7		
1100 NE	+1200	-170	-130	-72	-43	-30	-19	-10	-5.3		
	+1080	390 ²	260 ²	145	74 ²⁰	36 ⁶	13	5	1.7		
0175 NE	+1200	-105	-88	-57	-38 ⁰	-29	-19	-10.2	-5.4		
	+840	390 ²⁰⁰	260 ¹³	150	77 ²²	38 ¹¹	15	6	2.1		
0150 NE	+1100	-54	-56	-42	-32 ⁴	-26	-18	-10.2	-5.8		
	+670	380 ¹⁷²	250 ⁰	140	78 ²²	38 ¹³	16	6.6	2.6		
0125 NE	+990	-13	-31	-30	-27 ³	-22	-17	-9.7	-5.2		
	+540	360 ¹⁷⁰	240 ¹⁰	140	77 ²⁵	38 ¹¹	17	7.2	2.8		
0100	+780	26	-6.7	-18	-21 ⁰	-20	-16	-9.2	-5.4		
	+390	320 ¹⁴⁵	230 ⁰	135	75 ²⁵	38 ¹¹	18	7.8	3.1		
0125 SW	+680	77	26	-1.3	-13 ¹⁰	-17	-15	-8.7	-5.3		
	+310	290 ⁹⁶	210 ⁷²	130	72 ⁷¹²	38 ¹¹²	18	7.7	3.3		

CLIENT

Falcon bridge Copper

PROJECT

AR-HN CLAIMS

STA

L-100+50

Tx NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+230	120	81	42	15	.6	-4.9	-4.2	-4	V
	+70	93	91	71	48	32	17	9.4	3.3	H
1+50 SW	+300	110	67	30	6	-4.3	-7.6	-5.7	-4.3	
	+100	140	130	88	56	35	18	8.5	3.4	
1+00 SW	+390	110	59	21	0	-8.7	-10.6	-7.2	-5.2	
	+150	180	150	102	62	37	19	8.3	3.3	
0+50 SW	+530	102	49	12	-5.8	-13	-13	-8.4	-5.7	
	+240	240	180	120	67	38	18	8.2	3.1	
0+25 SW	+640	79	28	-1	-13	-17	-15	-9.4	-6.3	
	+330	260	190	120	66	36	16	6.3	2.3	
0+00	+780	46	4.6	-13	-19	-19	-16	-9.6	-6.6	
	+390	330	230	140	76	40	18	7.1	2.3	
0+25 NE	+950	9.8	-17	-24	-24	-22	-17	-10	-6.6	
	+530	340	230	140	76	40	18	6.8	2.1	
0+50 NE	+1100	-34	-45	-39	-32	-26	-19	-10.7	-6.7	
	+670	370	250	150	76	40	17	5.7	1.4	
0+75 NE	+200	-74	-70	-50	-38	-29	-20	-11	-7	
	+800	390	260	150	77	38	16	5.7	1.4	

CLIENT

Falconbridge Copper

PROJECT

AR-HW CLAIMS

STA

L-101+00

TX NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 NE										
			Tx Loop							
1+50 NE	+0.5.	-190	-140	-85	-53	-35	-21	-10.5	-6	V
	+630	330	220	140	67	33	13	4.5	.5	H
1+25 NE	+0.5.	-180	-140	-81	-52	-34	-21	-11	-6.4	
	+1050	350	220	140	67	33	13	4.5	.7	
1+00 NE	+0.5.	-130	-97	-66	-45	-32	-20	-11	-6.4	
	+840	420	270	150	78	38	15	5.4	1.4	
0+75 NE	+1200	-69	-68	-53	-40	-30	-20	-11	-6.7	
	+630	380	250	140	78	39	16	6.1	1.4	
0+50 NE	+1100	-12	-34	-34	-31	-26	-18	-10.3	-6.3	
	+510	360	250	140	77	40	17	6.7	1.4	
0+25 NE	+860	10.8	-19	-27	-26	-24	-17	-9.8	-6.3	
	+400	350	240	140	77	41	18	7.2	1.8	
0+00	+730	75	21	-6.1	-17	-18	-16	-9.6	-6.4	
	+320	330	230	140	77	41	18	7.4	2.2	
0+25 SW	+610	101	40	4.6	-11	-17	-14	-9.2	-6.4	
	+270	280	210	135	74	40	18	8.2	2.8	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-16150

TX NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW	+200	97	70	38	15	1.3	-3.7	-3.3	-3.2	V
	+50	74	76	62	45	31	18	8.9	4.2	H
1+50 SW	+220	80	52	26	6.4	-3.2	-6.3	-4.7	-3.8	
	+130	104	97	72	50	32	18	8.9	4	
1+00 SW	+330	90	50	19	.4	-7.8	-9	-6.1	-4	
	+160	140	130	88	57	36	19	8.9	4	
0+50 SW	+440	86	40	9	-6.3	-13	-12	-7.2	-4.8	
	+210	200	160	105	64	39	20	8.9	3.7	
0+25 SW	+530	95	42	7.4	-8.5	-15	-14	-8.3	-5.4	
	+220	230	170	120	68	39	19	8.4	3.3	
0+00	+660	77	22	-6	-16	-18	-15	-9.2	-6.2	
	+260	290	220	140	77	42	20	8.3	3.1	
0+25 NE	+730	29	-7.3	-21	-24	-22	-17	-9.7	-6.2	
	+380	310	230	140	76	40	18	6.7	2.2	
0+50 NE	+920	-17	-37	-37	-32	-27	-18	-10.2	-6.4	
	+400	330	240	140	76	40	19	7.4	2	
0+75 NE	+1050	-65	-67	-54	-42	-32	-20	-10.8	-6.6	
	+450	340	240	140	76	40	18	6.8	2	

CLIENT

Falconbridge Copper

PROJECT

AR-HW CLAIMS

STA

L-102+00

Tx NO

2

GAIN

500

ZTS

636

DATE

14/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 NE										
			Tx Loop							
1+50 NE	+1200	-140	-108	-77	-56	-40	-24	-13	-5.6	V
	+110	290	200	130	67	34	15	6.1	2.5	H
1+25 NE	+1060	-110	-90	-67	-51	-37	-23	-12	-5.6	
	+280	310	210	130	70	37	16	6.7	2.5	
1+00 NE	+1060	-67	-65	-53	-42	-32	-20	-10.7	-5.5	
	+280	320	230	140	77	41	19	7.7	3	
0+75 NE	+930	-37	-48	-45	-38	-30	-19	-10.3	-5.4	
	+320	330	230	140	75	40	19	7.7	3	
0+50 NE	+720	2.8	-23	-31	-30	-26	-17	-9.6	-5.3	
	+300	310	220	140	75	40	19	8	3.3	
0+25 NE	+600	30	-5	-19	-23	-22	-16	-9.1	-5.3	
	+320	260	190	130	72	40	19	8.2	3.5	
0+00	+530	57	13	-9.6	-18	-19	-15	-8.6	-5.4	
	+240	240	190	120	70	39	19	8.2	3.4	
0+25 SW	+460	73	28	0	-12	-16	-13	-7.8	-4.9	
	+190	210	170	110	67	39	19	8.5	3.4	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

6-95150

TX NO

1

GAIN

500

ZTS

636

DATE

12/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
1+80 SW	+1200	-99	-102	-83	-58	-38	-22	-12	-6.8	
	+440	180	74	28	14	7	3.7	1.9	0	
1+50 SW	+0.5	-50	-77	-71	-54	-36	-21	-12	-7.1	V
	+350	150	71	34	18	10.2	5.4	3	.4	H
1+00 SW	+970	0	-60	-67	-53	-36	-21	-11	-7	
	+270	140	82	43	26	15	7.6	4.3	.9	
0+50 SW	+640	22	-42	-56	-46	-32	-18	-10.2	-7	
	+140	120	77	47	29	17	9.4	5.2	1.3	
0+00	+480	38	-31	-49	-42	-30	-17	-9.6	-6.5	
	+40	96	76	52	33	21	11	6	1.4	
0+50 NE	+370	40	-20	-41	-38	-26	-16	-8.4	-6	
	+5	70	70	53	35	24	13	7	2	
0+75 NE	+310	35	-22	-40	-38	-26	-16	-7.6	-5.4	
	-5	70	70	54	36	24	13	7	2	
1+00 NE	+280	26	-26	-42	-38	-26	-16	-7	-5.3	
	-5	68	70	55	37	25	14	7.3	2.4	
1+25 NE	+240	4	-37	-46	-40	-26	-15	-6.6	-5	
	-5	85	84	62	41	26	19	6.6	1.9	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-96400

TX NO

/

GAIN

500

ZTS

636

DATE

12/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2100 NF	+200	62	4.9	-30	-33	-23	-13	-5.6	-4.2	✓
	-30	62	87	78	55	33	16	7	2.5	H
1175 NE	+220	77	19	-20	-28	-22	-12	-5.6	-4.2	
	-30	67	87	74	50	30	15	7	2.2	
1250 NF	+250	78	17	-22	-28	-22	-13	-6.2	-4.5	
	-24	102	110	82	52	31	15	7	2.2	
1225 NE	+280	20	-31	-47	-41	-26	-13	-6.4	-4.7	
	-28	86	91	68	44	28	14	7	2	
1400 NE	+320	36	-21	-41	-38	-26	-14	-7.3	-5.2	
	-15	70	75	59	38	26	14	7	2.4	
0475 NE	+360	45	-18	-40	-37	-26	-14	-7.3	-5.3	
	-15	70	72	56	37	24	13	7	2.4	
0450 NE	+420	51	-18	-43	-38	-27	-16	-8.4	-5.8	
	-10	80	76	56	36	24	13	7	2.2	
0400	+580	55	-27	-49	-42	-30	-17	-9.3	-6.3	
	+35	104	82	54	34	22	12	6.6	2	
0450 SW	+870	39	-42	-58	-48	-33	-20	-10.6	-6.7	
	+140	140	86	50	30	19	9.7	5.2	1.4	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-96150 Tx NO

1

GAIN

500

ZTS

636

DATE

12/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2400 SW		Tx Loop									
1450 SW	+0.5	-43	-88	-80	-58	-38	-21	-10.6	-5.5	J	
	+080	230	87	31	13	7.2	4.2	2.4	.9	H	
1400 SW	+0.5	-10	-72	-74	-57	-37	-21	-11	-6		
	+210	210	98	45	25	14	7.7	4.5	1.4		
0450 SW	+1100	61	-38	-59	-49	-34	-21	-10.1	-6.2		
	+110	170	99	54	31	19	10	5.6	2.2		
0400	+710	72	-24	-50	-43	-31	-19	-9.7	-6.2		
	+10	120	90	58	36	23	12	6.7	2.4		
0450 NE	+480	66	-12	-41	-39	-28	-17	-8.4	-5.7		
	-20	84	81	58	37	24	13	7.2	2.6		
1400 NE	+360	52	-13	-39	-37	-27	-15	-7.5	-5		
	-42	70	78	60	39	25	13	7	2.4		
1425 NE	+300	33	-23	-43	-39	-26	-14	-6.7	-4.7		
	-45	75	184	66	42	27	14	7.2	2.4		
1450 NE	+280	56	-7.5	-38	-37	-26	-14	-6.7	-4.5		
	-40	120	130	89	56	33	16	7.3	2.4		

CLIENT

Falconbridge Copper

PROJECT

AR-17N CLAIMS

STA

L-97100

Tx No

1

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2100 NE	+230	84	20	-24	-32	-24	-12	-5.8	-4.4	V
	-53	53	83	76	53	32	16	7.4	2.4	H
1150 NE	+290	44	-17	-43	-41	-27	-14	-6.5	-4.9	
	-53	91	103	79	50	30	15	7.4	2.6	
1100 NE	+380	70	-3.5	-36	-36	-26	-14	-7.7	-5.3	
	-50	70	80	62	40	26	14	7.5	2.6	
0175 NE	+450	78	-4.2	-38	-37	-27	-15	-8.2	-5.6	
	-50	78	82	61	39	25	14	7.5	2.6	
0150 NE	+530	82	-7.8	-40	-38	-28	-17	-8.9	-6	
	-39	93	88	61	37	24	13	7.1	2.6	
0125 NE	+640	80	-17	-46	-41	-30	-18	-9.6	-6.4	
	-44	108	92	61	37	24	13	6.7	2.3	
0100 SW	+790	87	-20	-51	-44	-31	-19	-10.2	-6.6	
	-34	130	95	60	36	22	12	6.5	2.1	
0150 SW	+1200	81	-39	-62	-51	-35	-20	-10.6	-5.7	
	+50	140	130	58	32	19	10	5.8	2.1	
1100 SW	+0.5	-33	-82	-77	-57	-37	-21	-10.8	-5.7	
	+200	220	96	40	21	13	6.7	4	1.9	

CLIENT Falconbridge CopperPROJECT AR-HN CLAIMSSTA L-97+50 TX NO 1GAIN 500ZTS 636 DATE 11/11/83PAGE 1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW										
			Tx Loop							
1+50 SW	+0.5	-98	-102	-81	-57	-37	-21	-10.5	-5.6	V
	+82	240	83	25	9.6	4.9	1.7	.8	-1.5	H
1+00 SW	+0.5	-48	-87	-77	-57	-37	-21	-12	-6.8	
	+140	210	94	39	20	10.8	6	3.8	.6	
0+75 SW	+0.5	-35	-80	-74	-54	-36	-20	-12	-7	
	+60	220	109	49	26	16	7.2	4.4	.8	
0+50 SW	+1200	10	-60	-67	-53	-36	-20	-11	-7	
	+40	260	140	61	32	19	8.7	4.6	1.2	
0+25 SW	+1080	100	-28	-57	-48	-34	-20	-11	-7	
	-30	180	110	57	32	19	10.2	5.7	1.5	
0+00	+850	84	-27	-55	-47	-32	-20	-10.7	-6.7	
	-67	140	102	61	36	22	12	6.1	1.7	
0+50 NE	+590	97	-4.7	-42	-40	-29	-18	-9.3	-6.5	
	-80	104	98	66	40	26	14	7.6	2.5	
1+00 NE	+420	90	5.2	-34	-36	-27	-16	-8.2	-5.6	
	-60	68	80	62	40	26	14	7.5	2.5	

CLIENT

Falconbridge Copper

PROJECT

AR-HW CLAIMS

STA

L-98+00

Tx NO

1

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 NE	+240	92	28	-20	-32	-24	-13	-6.4	-4.5	V
	-62	60	93	84	57	34	17	8.2	3.3	H
1+50 NE	+310	84	14	-30	-34	-26	-14	-7.5	-5.2	
	-70	59	82	68	45	29	14	7.7	2.6	
1+00 NE	+430	103	13	-33	-36	-27	-16	-8.5	-6	
	-52	79	86	64	40	26	14	7.6	2.8	
0+50 NE	+600	98	-4.6	-43	-41	-30	-18	-9.6	-6.4	
	-61	120	100	64	39	24	13	6.4	1.7	
0+00	+890	78	-29	-56	-47	-33	-20	-10.8	-6.7	
	-35	170	110	60	33	21	11	6	1.6	
0+25 SW	+1100	68	-38	-60	-51	-34	-20	-11	-7	
	-30	200	120	57	32	19	9.8	5.3	1.4	
0+50 SW	+1200	33	-54	-66	-52	-35	-20	-11	-7	
	+30	230	120	55	30	18	9	5	1.3	
0+75 SW	+0.5.	-24	-77	-73	-54	-36	-21	-11	-7	
	+28	250	120	49	26	15	7.3	3.9	1	
1+00 SW	+0.5.	-46	-84	-76	-56	-37	-21	-11	-7	
	+180	220	97	38	19	10.8	5.8	3	.7	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-98+50

TX NO

1

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2400 SW		Tx Loop									
1450 SW	+0.5.	-130	-107	-77	-53	-35	-20	-10.1	-5.7	V	
	+450	240	77	20	5.6	2.9	1.6	.7	-.3	H	
1700 SW	+0.5.	-52	-88	-75	-53	-36	-20	-12	-6.6		
	+30	250	100	38	18	10.1	5.2	2.4	.3		
0+75 SW	+0.5.	-26	-80	-74	-53	-36	-21	-12	-6.8		
	-37	260	120	47	24	13	7.1	3.8	.6		
0+50 SW	+1200	36	-55	-67	-53	-36	-21	-12	-6.8		
	-10	250	130	52	26	15	7.7	4.5	1.2		
0+25 SW	+1100	65	-38	-60	-49	-34	-20	-11	-6.5		
	-110	190	110	57	31	19	10	5.4	1.7		
0+00	+910	88	-24	-54	-47	-33	-19	-10.7	-6.4		
	-95	170	110	61	34	21	11	6	2.1		
0+50 NE	+610	87	-7.7	-44	-42	-30	-18	-9.2	-6.2		
	-34	140	102	64	37	23	13	6.7	2.1		
1700 NE	+440	109	16	-32	-36	-27	-16	-8.6	-6		
	-68	93	98	70	43	27	15	7.6	3.1		

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-99100

TX NO

1

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2100 NE	+250	86	27	-18	-30	-23	-13	-6.5	-4.8	V
	-92	27	64	67	50	33	18	9	4.2	H
1750 NE	+340	120	36	-18	-30	-23	-14	-7.6	-5.2	
	-88	50	82	71	49	32	17	9	3.8	
1400 NE	+450	110	15	-32	-36	-27	-16	-8.9	-6	
	-71	101	102	71	44	27	15	7.9	3	
0750 NE	+610	80	-11	-44	-41	-30	-18	-9.9	-6.3	
	-10	140	102	62	36	22	13	6.7	2.5	
0725 NE	+740	80	-18	-50	-44	-30	-18	-10.2	-6.5	
	+10	170	110	60	32	20	10.4	5.9	2.3	
0400	+920	77	-31	-57	-48	-33	-20	-11	-6.8	
	-84	200	130	62	34	21	10.8	6.2	2	
0425 SW	+1100	52	-46	-62	-49	-34	-20	-11	-6.9	
	+15	220	130	53	27	16	8.1	4.9	1.8	
0450 SW	+1200	-1	-68	-69	-53	-35	-21	-12	-7	
	-108	260	140	52	26	15	8	4.4	1.5	
1400 SW	+0.5	-62	-91	-75	-53	-35	-21	-12	-6.8	
	+58	240	96	33	14	8	4.4	2.6	.6	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-99+50

Tx No

1

GAIN

500

ZTS

636

DATE

11/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2+00 SW		Tx	Loop							
1+50 SW	+0.5.	-160	-110	-74	-50	-33	-20	-9.7	-5.3	V
	-170	230	72	18	5	2.5	.8	0	-1.7	H
1+00 SW	+0.5.	-71	-90	-73	-52	-36	-21	-12	-7	
	+95	240	89	27	10	5.6	2.9	1.6	.3	
0+50 SW	+0.5.	-12	-69	-68	-50	-34	-20	-12	-7	
	-120	240	120	51	26	14	7.7	3.9	.8	
0+25 SW	+1/100	26	-53	-62	-48	-33	-19	-11	-7	
	-46	230	130	57	29	18	9.2	4.7	1.3	
0+00	+890	42	-39	-57	-47	-32	-19	-10.7	-7	
	-45	210	130	60	32	19	10.1	5.9	2	
0+25 NE	+720	69	-23	-50	-43	-31	-18	-10.5	-6.8	
	-20	170	120	60	32	20	10.3	5.2	1.7	
0+50 NE	+610	84	-11	-45	-42	-30	-18	-9.8	-6.8	
	-30	150	109	62	35	22	12	6.7	1.2	
0+75 NE	+500	96	3.3	-37	-38	-28	-17	-9.2	-6.4	
	-120	76	87	64	40	25	13	7.2	2.4	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-99+50

TX NO

1

GAIN

500'

ZTS

636

DATE

11/14/83

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
1+00 NE	+430	110	20	-28	-34	-26	-16	-8.4	-5.8	V
	-90	105	105	74	45	28	15	8	2.8	H
1+25 NE	+370	120	30	-22	-33	-26	-16	-8.6	-6	
	-100	74	94	74	46	30	16	8	3.2	
1+50 NE	+330	120	39	-16	-29	-24	-14	-8.2	-6	
	-110	42	76	69	48	32	18	9	3.5	
1+75 NE	+270	94	33	-14	-27	-22	-13	-7.1	-5	
	-93	37	68	66	47	31	17	9.2	3.7	
2+00 NE	+240	92	33	-13	-27	-21	-13	-6.7	-4.6	
	-84	33	66	66	49	33	18	9.2	3.8	
2+50 NE	+210	74	24	-17	-28	-21	-12	-5.8	-4.3	
	-85	20	59	66	52	35	19	9.4	3.7	
3+00 NE	+160	63	23	-14	-23	-18	-10	-5	-3.8	
	-68	29	71	82	64	40	20	9.4	3.7	
3+50 NE	+140	70	46	14	-4.7	-9	-7	-3.5	-3.2	
	-60	22	67	82	66	44	21	9.8	3.7	
4+00 NE	+120	74	64	38	14	-1.8	-3.5	-2.4	-2.4	
	-48	9.8	47	66	59	41	20	8.8	3.7	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA

L-100100

Tx NO

1

GAIN

500

ZTS

636

DATE

10/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2100 NE	+230	82	30	-14	-25	-20	-12	-6.6	-4.5	J
	-87	43	63	63	47	32	17	9.7	3.9	H
1175 NE	+260	97	35	-14	-26	-21	-13	-6.9	-5	
	-90	51	68	63	44	30	17	9.7	4.3	
1150 NE	+300	97	32	-14	-27	-22	-13	-7.5	-6	
	-85	62	80	66	45	30	17	10	4.7	
1125 NE	+370	108	28	-22	-31	-26	-16	-8.4	-5.5	
	-55	100	97	66	40	26	13	8	3.5	
1100 NE	+420	83	11	-27	-33	-26	-17	-8.7	-5.8	
	-20	120	100	64	38	24	14	8	3.5	
0175 NE	+500	87	2.2	-36	-37	-28	-18	-9.6	-6.1	
	-35	150	120	68	38	24	13	7.6	3	
0150 NE	+600	77	-13	-44	-42	-30	-18	-9.8	-6.7	
	-35	170	130	65	36	22	12	6.9	2.7	
0125 NE	+700	58	-27	-50	-43	-31	-18	-9.8	-5.9	
	-90	170	130	65	36	22	13	7.2	3.2	
0100	+860	30	-42	-56	-44	-31	-18	-10.1	-5.7	
	-15	210	130	58	30	18	9.6	5.6	2.3	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA L-100150

TX NO

GAIN

500

ZTS

636 DATE 10/11/83

PAGE

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2100		TV Loop									
1+50 SW	+0.5.	-140	-102	-69	-48	-32	-19	-10.3	-5.8	V	
	+360	+170	56	11	1.6	.7	.4	1	.3	H	
1+25 SW	+0.5.	-130	-99	-71	-50	-34	-20	-11	-6.5		
	-20	220	77	24	8.3	4.8	2.2	1.8	.3		
1+00 SW	+0.5.	-93	-92	-72	-51	-35	-21	-12	-6.8		
	-20	230	88	33	15	8.9	4.5	3.1	.8		
0+75 SW	+0.5.	-73	-88	-70	-50	-34	-20	-11	-6.7		
	+35	230	96	37	17	10.1	5.3	3.5	1.4		
0+50 SW	+1200	-48	-79	-67	-49	-34	-20	-10.6	-6.6		
	-75	230	110	47	24	15	7.6	4.7	1.8		
6+25 SW	+1020	-9.3	-63	-62	-47	-32	-20	-10.4	-6.6		
	-110	220	120	56	30	18	9.6	5.8	2.3		
0+00	+840	20	-49	-59	-47	-32	-20	-10.4	-7		
	-95	200	130	62	34	20	10.2	6.2	2.5		
0+25 NE	+690	47	-32	-51	-43	-31	-19	-10	-6.7		
	-5	180	120	57	30	18	9	5.8	2		

CLIENT Falconbridge Copper

PROJECT AR-HN CLAIMS

STA L-101400 Tx NO 1 GAIN 500

ZTS 636 DATE 12/11/83 PAGE 1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2400 SW										
		T _r Loop								
1750 SW	+0.5.	-140	-101	-66	-45	-30	-18	-9	-4.8	U
	+270	190	59	17	4.8	2.9	1.8	1.6	.3	H
1725 SW	+0.5.	-130	-98	-67	-47	-31	-18	-9.6	-5.2	
	+310	200	71	23	8.9	5.4	2.7	2.3	.5	
1400 SW	+0.5.	-96	-92	-67	-47	-31	-18	-10	-5.8	
	+170	210	80	29	13	7.3	4.2	2.9	1.3	
0+75 SW	+0.5.	-75	-85	-67	-47	-32	-20	-10.8	-6.2	
	+95	200	86	33	15	9.5	5.3	3.4	1.5	
0+50 SW	+200	-54	-78	-64	-46	-32	-18	-10.3	-6	
	+10	200	96	43	23	14	7.8	5	1.9	
0+25 SW	+920	-41	-73	-64	-46	-31	-18	-10	-6	
	-10	220	110	49	25	15	7.8	5	2.2	
0+00	+740	1.3	-55	-58	-46	-32	-18	-10	-6	
	-62	210	140	58	30	18	9.5	5.4	2.4	
0+25 NE	+620	36	-36	-51	-42	-30	-18	-10	-6	
	-10	200	130	58	30	19	10	6	2.8	

CLIENT

Falconbridge Copper

PROJECT

AR-14N CLAIMS

STA L-101450

Tx NO 1

GAIN 500

ZTS

636

DATE

12/11/83

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
2100 NE	+200	77	31	-9.4	-22	-18	-13	-6	-4.2	V
	-69	46	69	63	46	30	18	10	5	H
1450 NE	+240	71	18	-18	-26	-22	-14	-7.3	-4.4	
	-83	71	82	65	44	29	17	10	5	
1425 NE	+280	83	15	-25	-31	-24	-16	-7.8	-4.8	
	-62	110	105	70	42	27	16	9	5	
1100 NE	+330	79	4	-32	-34	-26	-17	-8.5	-5.7	
	-64	140	120	70	40	26	13	8	4.3	
0475 NE	+380	70	-7.5	-37	-36	-27	-17	-8.7	-5.4	
	-73	150	130	69	40	25	14	8	4.3	
0450 NE	+470	47	-27	-46	-40	-28	-18	-9.8	-5.8	
	-75	180	135	66	37	24	13	7.5	3.5	
0425 NE	+540	23	-40	-51	-41	-28	-18	-10	-6	
	-49	210	140	62	33	21	11	7	3.3	
0400	+650	-8	-56	-57	-43	-30	-18	-10	-6	
	-46	210	130	56	29	18	9.7	6.1	3	
0425 SW	+770	-41	-70	-61	-45	-31	-18	-10	-6	
	-74	190	108	50	27	16	8.8	5.3	2.4	

CLIENT

Falconbridge Copper

PROJECT

AR-HN CLAIMS

STA L-102100

Tx NO 1

GAIN 500

ZTS 636

DATE 12/11/83

PAGE 1

STATION	SAMPLE									REMARKS	
	P.P.	1	2	3	4	5	6	7	8		
2400 SW		Tx Loop									
1450 SW	+0.5	-140	-99	-62	-42	-28	-18	-10	-6.7	V	
	+370	140	47	12	4	2.7	1.3	1.5	.4	H	
1400 SW	+1800	-96	-84	-62	-42	-30	-18	-9.8	-6.2		
	+100	180	75	28	13	8.2	4.7	3.8	1.4		
0475 SW	+1040	-76	-79	-62	-43	-30	-18	-10	-5.9		
	+72	180	78	30	14	9	5	4.2	1.8		
0450 SW	+800	-55	-72	-60	-43	-30	-18	-10	-5.9		
	-15	180	90	40	22	13	7.6	5.1	2.2		
0425 SW	+650	-40	-67	-58	-43	-30	-18	-10	-6		
	-40	180	102	49	27	17	9.2	6.1	2.8		
0400	+540	-17	-57	-56	-42	-30	-18	-10	-6		
	+30	190	104	47	24	14	8.1	5.2	2.4		
0425 NF	+460	3	-46	-52	-41	-29	-18	-10	-6		
	-54	170	110	59	32	20	10.9	6.7	3.2		
0450 NF	+390	32	-30	-45	-39	-28	-17	-9.4	-5.7		
	-38	170	120	63	35	22	13	7.6	3.6		

