

CLIENT

FALCON BRIDGE

823727

PROJECT

REAGOLD

STA

PDR# RC TX NO COLLAR

GAIN

500

ZTS

630

DATE

9/4/85

PAGE

1

STATION	SAMPLE									REMARKS GAIN
	P.P.	1	2	3	4	5	6	7	8	
20	1000	210	150	100	64	41	22	12	7.5	10
30		180	120	74	46	29	15	8.9	5.9	13
40		150	95	53	32	19	9.6	5.4	4.2	20
50		130	78	39	20	12	5.5	2.9	1.5	27
60		120	67	30	14	7.5	3.6	1.7	1.2	39
70		125	65	25	11	5.9	2.6	1.3	0.3	54
80		140	65	22	8.5	4.0	1.8	0.8	0.5	74
90		150	68	20	6.4	3.6	1.0	1.0	0.7	100
100		175	76	20	4.6	2.2	0.8	0.8	0.3	128
110		210	88	20	3.6	1.2	0.3	0.0	0.3	164
120		250	105	22	2.8	-0.3	-1.0	-0.5	-0.1	208
130		325	130	26	1.6	-1.0	-0.9	-0.7	-0.5	259
140		350	140	25	1.3	-1.5	-1.3	-0.7	-0.4	311
150		310	110	18	0.3	-1.0	-1.2	-0.6	-0.6	382
160	✓	270	100	17	0.1	-1.4	-1.1	0.2	0.3	461
170	910	240	100	18	-0.2	-1.4	-0.8	0.1	0.5	500
180	840	230	98	20	0.7	-1.1	-0.7	0.5	0.5	500

CLIENT

FALCONBRIDGE

PROJECT

REASOLD

STA

DDN#30

TX NO

NORTH

GAIN

500

ZTS

630

DATE

10/14/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	55	30	8.3	0.2	-1.0	-2.0	-0.6	-0.7	95
30	-1000	65	37	13	3.5	1.7	-0.5	-0.2	-0.2	239
40	-150	74	43	16	5.3	2.1	-0.3	-0.3	-0.2	500
50	880	81	48	19	7.2	3.6	0.1	0.5	0.0	500
60	1000	89	50	20	6.8	3.2	0.2	0.0	0.5	367
70		98	53	19	6.5	3.3	0.3	0.5	0.5	330
80		110	56	18	5.0	2.2	-0.2	-0.2	0.0	345
90		120	60	18	4.2	1.4	-0.4	0.0	-0.2	375
100		130	66	18	4.0	0.9	-0.7	-0.1	-0.2	422
110	1000	160	75	19	2.8	0.6	-0.5	-0.3	-0.3	481
120	910	190	90	22	1.9	0.3	-0.6	0.4	0.5	500
130	800	240	110	25	1.6	-0.7	-1.5	0.0	-0.5	
140	700	250	110	25	1.8	-0.5	-1.0	-0.5	-0.1	
150	600	200	88	19	1.3	-0.7	-0.9	-0.3	-0.2	
160	520	180	83	18	1.1	-0.8	-0.8	0.1	0.0	
170	450	180	88	21	1.0	-0.8	-0.6	0.5	0.3	
180	400	180	90	22	1.1	-0.7	-0.7	-0.3	-0.3	

CLIENT

FALCONBRIDGE

PROJECT

REAGOLD

STA

DDH#30

Tx No

SOUTH

GAIN

500

ZTS

630

DATE

9/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	49	18	3.7	-0.6	-1.1	-1.9	-0.5	0.1	161
30	-1000	60	25	8.0	1.9	1.0	-0.1	0.1	-0.2	354
40	-310	66	28	10	3.2	1.7	-0.2	0.5	-0.7	500
50	360	68	30	10.5	3.4	1.4	0.4	0.3	0.3	
60	710	70	31	9.3	3.3	0.9	-1.0	0.3	0.3	
70	910	77	34	10.5	3.2	2.4	-0.2	0.1	0.1	
80	950	85	38	12	3.8	1.8	0.5	1.2	-0.5	
90	940	94	42	12	3.2	2.1	0.2	0.8	0.2	
100	900	105	47	14	3.5	1.9	0.2	0.3	-0.2	
110	840	110	54	15	3.9	2.1	-0.1	0.5	0.5	
120	790	125	65	17	3.9	1.8	0.5	0.5	0.4	
130	720	150	78	20	3.9	2.1	0.8	1.0	-0.2	
140	690	180	88	20	3.7	1.6	0.6	0.7	0.5	
150	620	150	70	14	2.4	1.3	0.3	0.1	-0.1	
160	550	140	62	14	2.5	1.5	0.7	0.5	-0.2	
170	500	120	58	14	1.8	1.0	0.2	0.7	-0.3	
180	475	110	55	14	2.3	1.2	0.8	0.8	-0.5	↓

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA

DDN#30

TX NO

EAST

GAIN

500

ZTS

630

DATE

9/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	50	21	6.1	0.5	-1.0	-1.5	-0.3	-0.5	219
30	-650	59	27	9.5	2.3	1.0	-0.5	-0.3	-0.3	500
40	220	64	32	11	4.3	1.9	0.2	0.2	0.3	
50	680	65	32	12	4.1	2.6	-0.3	0.0	-0.1	
60	860	69	33	12	4.6	2.5	0.2	0.5	0.5	
70	910	73	34	12	4.3	2.3	0.5	0.3	0.3	
80	875	76	36	12	3.8	1.8	0.3	0.3	0.3	
90	810	80	38	12	3.3	1.8	0.6	0.7	0.4	
100	750	88	42	13	3.6	1.7	0.2	0.6	0.6	
110	670	99	47	13	3.0	1.6	-0.5	0.7	0.5	
120	660	110	53	13	2.5	1.3	-0.2	0.3	0.4	
130	540	120	64	15	2.0	1.1	-0.4	0.2	-0.1	
140	480	140	69	16	2.1	1.0	-0.3	0.1	0.1	
150	440	130	58	12	1.3	0.5	0.1	0.7	0.5	
160	390	120	54	11	0.9	-0.1	-0.6	0.5	0.2	
170	345	120	55	12	0.3	0.2	-0.3	0.3	0.5	
180	325	120	55	13	0.8	0.2	0.0	0.5	0.5	↓

CLIENT

FALCONBRIDGE

PROJECT

REAROLD

STA

DDH # 38

Tx NO

WEST

GAIN

500

ZTS

630

DATE

10/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	53	15	-2.0	-6.5	-5.1	-4.5	-2.2	-1.4	91
30	-1000	70	23	4.8	-1.6	-2.4	-2.4	-1.3	-1.2	297
40	280	82	35	9.5	1.5	0.0	-1.5	-0.8	-0.9	500
50	1000	92	42	13	4.0	0.9	0.3	-0.1	-0.2	366
60		100	45	14	4.1	2.0	-0.3	-0.2	0.2	266
70		110	47	14	3.9	1.2	-0.8	-0.2	-0.2	241
80		120	52	15	3.6	1.2	-0.2	-0.2	-0.5	244
90		130	58	15	2.9	1.0	-0.6	0.0	0.5	264
100		150	65	16	2.4	0.5	-0.8	0.2	-0.3	294
110		180	77	17	2.4	0.6	-0.3	-0.2	-0.2	328
120		225	95	20	1.3	-0.5	-0.7	-0.2	-0.5	374
130		300	120	24	0.2	-0.2	-0.2	-0.2	-0.1	423
140	✓	370	140	23	0.0	-1.0	-1.5	-0.9	0.0	471
150	920	260	100	17	0.6	-0.3	-1.0	0.0	0.3	500
160	810	230	88	16	0.3	-0.6	-1.1	-0.2	0.5	500
170	710	200	86	17	0.9	-0.6	-0.9	-0.3	0.0	500
180	610	180	84	18	1.1	-0.4	-0.7	0.0	-0.4	500

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA

DDH #33 Tx No COLLAR

GAIN

500

ZTS

DATE 7/4/85

PAGE

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
30	1000	850	475	220	100	44	14	4.6	2.8	20
40		920	520	240	105	43	13	2.1	1.5	22
50		940	540	240	105	43	12	2.1	0.9	25
60		960	560	250	110	44	12	1.5	1.1	29
70		975	600	270	110	47	12	1.8	0.5	34
80		990	620	290	120	50	12	1.2	0.2	41
90		990	630	300	130	52	13	1.6	-0.3	49
100		950	625	310	140	56	14	1.5	0.6	59
110		890	600	300	140	58	15	2.2	0.2	70
120		850	550	290	130	54	14	2.6	0.5	83
130		840	510	250	120	47	12	2.0	0.2	98
140		790	480	240	110	45	12	1.8	0.3	116
150		600	320	150	69	27	7.9	2.0	0.7	138
160		700	375	170	75	29	8	2.3	0.7	161
170		920	550	270	120	43	11	1.3	0.4	185
180		930	600	270	110	40	9.5	2.3	0.5	215
190		800	500	225	96	37	10	3.0	1.1	251
200	✓	690	440	210	90	36	10	3.8	0.8	289

CLIENT

FALCON BRIDGE

PROJECT

FRASER

STA

DDH #33 TX NO COLLAR

GAIN

500

ZTS

DATE 7/4/85

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
210	1000	616	406	200	90	37	11	3.5	0.8	332
220	1000	556	370	190	80	38	12	4.1	1.6	379
230	1000	500	350	180	92	41	13	3.7	1.2	432
240	1000	450	320	175	92	42	14	4.3	1.5	454
250	925	400	290	170	93	45	15	5.2	1.6	500
260	825	350	250	150	90	45	16	5.8	1.4	
270	750	300	210	140	86	46	17	6.2	1.8	
280	670	260	190	130	86	47	18	6.5	1.5	
290	610	260	200	140	89	49	18	6.6	2.3	
300	550	260	200	140	92	49	20	7.4	2.7	
310	500	250	200	140	91	50	20	7.1	3.0	
320	460	240	200	140	90	50	21	7.4	2.5	
330	420	225	190	140	90	50	20	7.7	3.3	
340	390	210	180	130	89	50	21	7.8	2.7	
350	360	200	175	125	87	50	22	8.3	2.8	
360	325	180	160	120	84	50	22	9.3	3.4	
370	300	180	160	120	83	50	23	9.1	3.3	
380	280	160	150	110	80	49	22	8.7	3.4	↓

CLIENT

Corp. Falconbridge Copper

PROJECT

Rea Gold Option

STA

DDH #33 Tx No North

GAIN

500

ZTS

629 DATE 7/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	380	260	140	72	32	10	3	0.5	324
30	-625	420	290	150	79	36	11	3.5	0.2	500
40	125	470	320	170	86	39	11	2.8	-0.1	500
50	510	490	340	180	93	41	12	3.5	0.1	500
60	850	520	360	200	100	43	13	3.6	0.1	468
70	1000	560	400	210	110	46	14	3.3	0.7	426
80	"	600	440	230	120	52	15	3.6	0.8	410
90	"	640	460	250	120	55	16	3.4	0.8	402
100	"	660	490	260	130	58	17	3.5	0.5	418
110	"	670	490	260	130	59	17	3.6	0.4	423
120	"	640	460	250	120	55	15	3.5	0.5	446
130	"	560	410	220	110	47	14	3.9	0.8	463
140	"	540	390	200	100	43	12	3.1	0.4	500
150	"	425	290	140	64	27	9.6	3.2	0.4	
160	940	430	290	140	65	28	9.5	3.8	1.0	
170	890	510	360	190	94	40	11	3.7	1.0	
180	810	470	340	175	83	34	11	3.6	0.5	
190	750	400	290	150	71	30	10	3.6	0.8	

CLIENT Corp. Falconbridge CopperPROJECT Rea Gold OptionSTA DDH #33 TX NO North GAIN 500ZTS _____ DATE 7/4/85 PAGE 2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
200	700	350	250	140	65	29	9.7	3.7	1.1	500
210	650	200	240	130	66	30	11	4.7	1.0	
220	600	300	225	130	69	31	11	3.7	1.0	
230	550	290	210	130	71	34	12	4.5	1.3	
240	510	260	200	125	71	35	13	5.4	1.7	
250	480	240	200	125	73	38	15	6.2	1.6	
260	440	225	190	125	75	39	15	6.6	1.3	
270	400	200	170	110	73	40	15	5.4	1.0	
280	380	190	160	110	74	41	16	5.0	1.5	
290	350	190	160	110	76	43	17	5.6	1.8	
300	325	180	160	110	79	45	19	7.4	2.5	
310	300	175	160	110	79	45	18	6.7	2.4	
320	290	160	150	110	79	46	18	7.3	1.8	
330	270	155	150	110	79	47	20	7.9	1.6	
340	250	150	145	110	79	47	20	8.3	2.0	
350	230	140	140	110	79	46	21	8.5	2.7	
360	210	130	130	100	76	47	21	8.5	3.2	
370	200	125	125	100	76	49	22	10	4.3	

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA

DDH #33

Tx No

SCGTD

GAIN

500

ZTS

629

DATE

7/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	-120	-27	9	10	7.4	4.9	3.1	0.7	165
30		-150	-35	8.5	11	8.1	5.5	3.3	1	177
40		-180	-45	8.5	12	10	6.5	4.3	2.1	198
50		-190	-50	7.6	12	11	6.8	4.3	1.8	244
60		-200	-60	6.0	13	10	7.3	4.8	2.5	316
70	✓	-220	-70	3.7	12	11	7.3	4.5	1.4	422
80	-840	-240	-82	-0.7	12	11	8	4.8	1.5	500
90	-540	-240	-90	-4.2	12	11	8.3	5.5	2.6	
100	-300	-230	-91	-5.8	11	11	7.9	4.4	2	
110	-55	-190	-82	-6	11	12	8.2	5.6	2.6	
120	80	-140	-57	4	13	13	8	5.6	2.4	
130	200	-85	-25	20	22	15	8.3	5	2.6	
140	250	-50	-4.4	30	27	17	9.6	5.2	1.9	
150	340	40	56	60	42	22	9.5	4.7	1.8	
160	360	15	47	61	42	24	11	4.7	2.2	
170	380	-84	-14	36	32	20	11	6	2.8	
180	380	-100	-14	41	36	24	11	6.5	3.0	
190	400	-64	4.5	46	39	24	12	6	3.0	✓

CLIENT Corp. Finc. CoPROJECT Rea Gold OptionSTA # RG-33 TX NO SouthGAIN 500ZTS 624 DATE 7/4/85PAGE 2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
200	410	-49	10	47	38	25	12	5.7	1.5	500
210	400	-47	6	43	37	24	12	6.2	2.6	
220	395	-51	-1.0	38	35	23	12	6.0	3.0	
230	380	-60	-1.2	30	32	22	12	6.3	3.0	
240	370	-75	-2.7	24	30	22	11	6.2	2.5	
250	350	-100	-4.7	13	26	21	12	6.5	3.0	
260	340	-140	-6.9	4.4	23	20	12	6.4	3.5	
270	320	-170	-8.8	-4.2	20	19	12	7.0	3.5	
280	300	-175	-8.9	-6.5	18	19	12	6.7	3.7	
290	290	-140	-7.3	-2.1	20	18	12	6.7	3.8	
300	280	-95	-5.5	+3.0	19	18	12	7.2	4.0	
310	280	-65	-3.8	8.3	20	18	12	6.7	3.2	
320	270	-46	-2.6	11	20	18	12	7.5	3.2	
330	250	-3.2	-1.8	13	20	18	12	7.7	3.8	
340	240	-2.2	-1.2	14	20	19	12	7.7	3.3	
350	230	-1.8	-8	14	19	17	12	7.5	2.8	
360	210	-1.5	-4.6	15	19	18	12	8.0	3.5	
370	210	+1.0	2.1	16	20	18	13	7.5	3.8	

CLIENT

Corp. Falc. Cu

PROJECT

Rea Gold Option

STA BG 33Tx No EastGAIN 500ZTS 629DATE 8/4/85PAGE 2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
200	360	240	190	120	70	37	13	4.1	0.8	500
210	350	220	180	110	72	38	14	4.6	1.0	
220	340	210	180	110	76	40	15	5.3	0.8	
230	320	200	170	120	78	43	16	5.8	1.2	
240	300	190	160	120	79	44	16	5.8	1.1	
250	290	180	155	120	80	46	17	6	0.7	
260	260	160	150	110	80	47	18	5.7	1.3	
270	250	150	140	110	78	46	18	6	1.1	
280	230	145	130	110	77	47	19	6.6	1.9	
290	220	140	130	110	78	49	20	6.5	2.1	
300	200	140	130	110	80	49	19	6.5	1.7	
310	190	130	125	110	80	49	20	7.8	2.6	
320	190	120	120	110	79	48	20	7.1	1.9	
330	175	120	120	100	78	49	20	8	1.4	
340	160	110	110	100	75	48	21	8.1	2.5	
350	150	110	110	96	74	48	21	8.6	2.4	
360	145	100	100	92	70	47	21	8.6	2.3	
370	140	100	100	92	70	46	21	8.8	2.3	✓

CLIENT Corp. Falc. CopperPROJECT Rea Gold OptionSTA DDH#33 Tx No East GAIN 500ZTS 625 DATE 8/4/85 PAGE 1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1000	390	240	125	66	29	88	1.0	0.1	320
30	-1000	410	250	140	71	32	9.0	1.8	0.9	477
40	-720	450	280	150	78	35	10	1.5	0.5	500
50	-390	460	290	150	79	35	11	2.8	-0.03	
60	-110	470	290	150	82	38	11	2.5	-0.01	
70	110	470	295	155	85	40	11	2.0	-0.5	
80	290	470	300	160	89	43	12	2.7	0.1	
90	400	450	280	150	90	45	13	2.7	0.2	
100	440	410	250	150	90	46	15	3.2	0.5	
110	470	350	220	140	85	46	15	3.8	0.7	
120	475	300	190	110	75	42	14	3.6	1.0	
130	425	240	150	95	62	36	13	3.8	0.3	
140	410	200	120	80	54	34	13	4.5	0.9	
150	390	38	-52	-31	-2.0	11	9	5.0	1.2	
160	380	87	22	11	16	16	10	4.9	1.6	
170	390	300	240	140	85	44	15	5.1	0.9	
180	390	350	280	160	92	44	15	4.8	0.4	
190	380	260	220	140	77	43	13	4.0	0.2	

CLIENT

FALCON BRIDGE

PROJECT

FRAGOLD

STA

DWH#33

TX NO

WEST

GAIN

500

ZTS

629

DATE

8/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
20	-1600	360	216	105	47	19	5.7	1.1	0.2	138
30		390	230	110	22	22	7.0	2.3	0.9	143
40		420	250	120	24	24	7.5	2	0.6	158
50		460	275	130	25	25	8.3	2.3	0.6	196
60		480	300	140	28	28	8.5	2.8	0.6	262
70	↓	500	320	150	31	31	9.6	3.4	1.0	401
80	-725	520	340	160	34	34	11	3.6	1.5	500
90	-300	545	360	180	36	36	12	4.2	1.6	
100	100	570	380	190	38	38	13	4.2	1.8	
110	350	576	390	195	39	39	12	3.4	0.7	
120	550	600	390	195	38	38	12	3.5	0.2	
130	700	660	400	180	35	35	11	3.1	0.9	
140	870	660	390	180	35	35	11	3.7	2.0	
150	940	700	390	175	29	29	9	3.1	1.1	
160	975	660	390	170	30	30	9.4	3.4	1.7	
170	960	560	370	175	37	37	12	4.1	1.7	
180	950	520	350	170	35	35	12	3.7	1.3	
190	910	475	320	160	33	33	11	4.2	1.7	↓

CLIENT

FALCONBRIDGE

PROJECT

FRAGOLD

STA

DDH# 33 Tx NO WEST

GAIN

500

ZTS

629

DATE

8/4/85

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
200	890	400	300	150	75	34	12	4.8	2.9	500
210	840	400	275	140	75	34	12	4.7	2.9	
220	790	370	250	140	73	35	13	4.9	1.8	
230	750	340	230	130	73	36	13	5.9	2.8	
240	710	310	210	120	71	36	14	6.5	3.0	
250	660	275	190	110	70	36	15	6.7	3.3	
260	625	240	150	105	66	36	15	7.0	2.8	
270	580	190	125	92	62	37	16	6.9	3.0	
280	550	170	110	88	62	38	16	8.0	3.6	
290	510	150	120	94	64	40	17	6.8	4.2	
300	490	190	140	100	65	39	18	8.1	4.7	
310	460	195	145	100	66	40	18	8.5	4.3	
320	430	190	145	105	66	39	19	9.1	4.7	
330	400	180	140	100	65	40	19	8.4	4.1	
340	380	175	140	100	65	39	18	9.0	4.3	
360	330	150	120	94	62	40	19	9.2	4.0	
380	300	140	110	89	60	40	20	9.6	4.3	
400	250	120	100	80	69	40	21	10.5	4.0	
420	230	110	100	80	58	40	22	11	4.7	✓

CLIENT

FALCON BRIDGE

4-15-85

PROJECT

REAGOLD

STA

HOLE #35 TX NO COLLAR

GAIN

500

ZTS

630

DATE

2/4/85

PAGE

1

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
10	1000	205	145	92	53	32	15	14	9.5	29
20	"	205	145	90	49	26	12	6.5	29	36
30	"	205	145	90	49	26	11	6.3	3.2	31
40	"	210	150	90	49	26	11	6.3	3.3	32
50	"	220	150	90	48	25	11	6.6	3.2	34
60	"	225	150	89	47	24	10.5	5.5	2.6	36
70	"	230	150	89	47	24	10.4	5.6	3.3	38
80	"	230	150	89	46	23	10.5	5	2.7	42
90	"	240	150	89	45	23	10.5	5.2	2.3	45
100	"	240	150	89	44	22	10.3	5.4	2.6	49
110	"	245	150	88	43	22	9.7	6	2.7	53
120	"	245	150	87	43	21	9.0	5.3	2.6	58
130	"	250	155	88	44	21	8.7	5.1	2.8	64
140	"	250	160	88	43	20	8.9	4.9	2.3	70
150	"	250	160	88	42	20	8.9	4.8	2.5	76
160	"	255	160	88	41	20	8.5	4.6	2.5	85
170	"	260	160	88	41	19	8.2	4.5	2.5	93
180	"	270	165	90	41	19	8	4.6	1.9	103

CLIENT

FALCON BRIDGE

PROJECT

RISAGOLO

STA

HOLE #35

TX NO

COLLAR

GAIN

500

ZTS

630

DATE

2/4/85

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
190	1000	275	170	96	41	19	7.5	3.9	1.6	
200		280	175	96	40	19	8	4.7	2	
210		285	186	96	41	19	8.2	5.1	2	
220		290	186	96	41	19	7.5	4.8	1.8	
230		295	185	91	41	19	7.8	4.8	2.2	
240		295	185	92	41	19	8.3	4.7	2.7	
250		300	196	94	42	19	7.8	4.9	2.7	
260		300	190	95	42	19	7.6	4.4	1.7	
270		305	195	97	43	19	8.2	5	2.7	
280		310	200	100	44	20	7.1	5.5	2.5	
290		320	200	102	45	20	8	4.4	1.7	
300		325	200	105	46	20	8.8	5	2.6	
310		330	205	108	47	21	8.5	4.9	2.3	
320		330	216	116	49	22	8.5	5.6	2.8	
330		335	210	110	51	23	8.7	5.4	2.6	
340		340	226	115	53	24	9.2	5.2	2	
350		345	230	115	55	24	9.2	5.1	1.9	
360	✓	350	240	120	56	24	9.6	5.5	1.5	

CLIENT

FALCON BRIDGE

PROJECT

FRAGOLA

STA 6025#35

TX NO COLLAR

GAIN

500

ZTS

630

DATE 2/4/85

PAGE

3

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
370	1000	366	240	120	55	24	9.5	5.8	2.5	463
380	1000	350	240	125	60	26	9.7	5.5	2.8	493
390	950	345	240	130	61	27	10.5	5.5	2.4	500
400	900	345	240	130	63	28	11	6.0	3	1
410	850	345	240	130	63	28	10.7	6.2	2.6	
420	800	345	245	135	65	29	11	6.0	1.9	
430	750	340	245	135	65	30	12	5.8	3.1	
440	700	340	245	140	65	30	11	6.3	3.6	
450	670	330	240	135	65	30	11	6.4	2.7	
460	630	310	240	135	65	30	11	5.5	3.1	
470	600	305	230	130	66	30	11	6.5	3	
480	560	300	220	130	64	30	12	6.3	3.2	
490	540	295	210	130	64	30	13	6	3.2	
500	505	290	210	125	64	30	12	7.3	3.4	
510	496	280	205	120	64	31	13	7.5	3.9	
520	455	260	200	115	63	31	13	6.9	3	
530	440	250	200	115	63	31	13	7.7	3	
540	410	240	195	110	62	30	13	8	3.4	↓

CLIENT

Falcon Bridge

PROJECT

REAGOLD

STA

HOLE #35

Tx No COLLAR

GAIN

500

ZTS

630

DATE

2/2/85

PAGE

4

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
550	400	240	190	110	61	31	14	8.8	3.4	500
560	375	225	180	110	61	31	14	8.2	3.3	
570	355	210	175	105	60	30	14	7.5	4	
580	340	205	170	100	60	30	14	7.5	3.4	
590	325	200	160	100	60	31	14	7.3	2.7	
600	310	195	155	100	59	32	15	8.8	3.7	
610	300	190	150	100	58	32	15	8.8	3.7	
620	290	190	150	100	58	31	14	7.5	3.8	
630	260	170	145	100	55	31	15	8.5	4	
640	250	160	145	98	55	31	15	8.1	3.2	
650	240	160	140	95	55	31	15	8.5	3.8	
660	240	150	140	93	55	31	15	8.9	4.5	
670	230	150	130	91	54	31	15	8.3	4	
680	215	145	130	89	53	31	15	9	4	
690	200	140	120	88	53	30	15	8.9	3.6	
700	190	140	120	86	52	31	15	8.9	4.1	
710	150	130	110	84	52	30	15	8.9	4.5	
720	185	125	110	83	51	31	15	8.9	4.8	

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA DDN#35 TX NO COLLAR GAIN 760ZTS 630DATE 4/4/85PAGE 1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
25	1000	350	240	140	80	41	19	10	5.7	29
50		360	250	140	78	40	17	9.9	4.5	33
75		375	250	140	75	38	17	8.9	3.8	39
100		390	250	140	72	36	16	8.3	2.6	48
125		400	260	140	70	34	14	7.6	3	60
150		420	270	140	70	32	13	7.2	3.2	76
175		440	280	140	68	31	14	7.6	3.6	96
200		455	290	140	66	31	12	7.1	3.4	120
225		470	300	145	66	30	13	7.3	3.9	150
250		490	310	150	67	30	12	7.6	3.9	186
275		500	320	155	70	31	12	7.8	3.2	229
300		520	340	160	75	33	13	7.5	3.9	281
325		540	355	180	82	36	14	8.1	4	337
350		555	380	195	89	38	14	8.1	4.5	405
360		560	385	200	91	39	15	8.1	4.5	431
365		590	390	200	89	38	15	7.9	4.2	444
370		595	390	200	90	39	15	8.2	4.5	455
375		590	390	200	93	40	15	9.0	4.8	472

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA DDN #35 Tx No COLLAR GAIN 750ZTS 630 DATE 4/1/85 PAGE 2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
380	1000	570	395	200	95	42	16	7.9	4.2	486
390		555	390	205	98	44	17	9.4	5.2	516
400		550	390	210	100	44	17	8.9	4.8	550
410		550	395	210	100	45	17	9	4.6	482
420		550	400	210	100	46	18	8.4	4.9	612
430		550	400	210	100	46	18	8.9	4.8	677
440		540	395	210	100	46	18	9.2	4.8	679
450		520	390	210	100	46	18	9.2	5.2	712
475	925	490	375	205	100	46	20	9.7	5.8	750
500	810	450	350	200	100	50	20	9.1	4.8	
525	710	410	325	190	100	49	22	10	5.8	
550	625	380	305	190	100	49	21	12	5.8	
575	550	345	290	175	97	49	22	12	6.5	
600	495	310	260	160	94	50	22	13	6.8	
625	440	290	240	155	91	50	23	12	6.8	
650	390	260	220	150	89	49	24	13	6.8	
675	350	240	210	140	86	49	25	13	7.2	
700	310	220	195	140	85	49	25	13	6.6	
725	290	200	180	120	82	48	24	12	6.2	

CLIENT

FALCON BRIDGE

PROJECT

FRAGOLD

STA DDA #35

Tx NO

SOUTH

GAIN

250

ZTS 630

DATE

3/2/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
10	-1000	250	170	89	48	26	15	6.7	5.8	250
20		240	155	90	49	27	14	9.2	3.6	253
30		245	155	92	50	28	15	9.3	4.3	258
40		250	160	95	51	28	15	9.3	4.9	274
50		250	170	100	52	29	15	9.1	4.1	300
60		255	180	100	54	30	15	8.8	3.5	335
70		260	190	100	55	30	15	9.4	4.0	377 377
80		270	195	100	57	31	15	9.5	4.3	432
90		275	195	100	57	32	16	9.5	5.0	492
100		290	200	105	59	33	15	10	3.5	545
110		295	200	110	60	33	16	10	5.2	714
120	-875	300	205	110	62	33	16	9.6	4.6	750
130	-710	305	210	120	64	34	16	8.3	4.1	
140	-540	310	215	125	66	35	16	9.2	4.7	
150	-440	325	240	130	69	36	16	9.2	4.7	
160	-300	340	245	135	70	36	17	10	5.5	
170	-200	350	250	140	71	37	18	11	5.0	
180	-100	360	260	140	73	38	17	9.7	4.7	

CLIENT

FALCONBRIDGE

PROJECT

RISGOLD

STA

DD# 35

Tx NO

SOUTH

GAIN

750

ZTS

63e

DATE

3/2/85

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
190	10	375	275	150	75	39	18	10	4.8	750
200	100	390	290	150	76	40	18	10	4.4	
210	180	395	295	150	78	40	19	9.7	4.2	
220	250	400	300	150	80	40	19	11	5.5	
230	300	405	300	155	82	41	20	10	5.1	
240	360	410	305	160	84	42	20	11	5.0	
250	390	425	310	160	85	44	20	10	5.8	
260	450	430	310	170	86	45	20	10	5.8	
270	480	440	325	175	88	45	20	10	5.9	
280	500	450	340	175	90	45	21	11	6.2	
290	510	450	345	180	91	45	21	11	5.0	
300	510	450	350	190	93	46	22	11	5.1	
310	550	450	350	190	94	46	22	11	6.0	
320	560	450	350	190	95	48	24	12	5.2	
330	590	440	350	190	96	49	23	12	5.4	
340	570	450	350	190	99	50	24	12	6.5	
350	570	460	350	195	99	50	25	12	6.0	
360	590	490	370	200	100	51	25	13	6.4	

CLIENT

FALCON BRIDGE

PROJECT

REAGOLD

STA

DD#35

TX NO

SOUTH

GAIN

750

ZTS

630

DATE

2/3/85

PAGE

3

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
370	630	650	440	200	100	54	25	13	5.5	750
380	630	550	390	200	100	51	25	14	6.2	
390	625	556	380	195	97	51	25	14	6.7	
400	610	546	380	195	98	56	25	14	6.2	
410	616	530	380	195	100	53	26	15	6.9	
420	575	505	375	195		53	29	13	6.4	
430	556	506	366	200		54	28	14	6.1	
440	526	475	355	200		54	28	15	6.6	
450	510	455	350	195		55	28	15	6.2	
460	500	446	350	195		55	28	14	6.8	
470	500	430	345	195		56	29	14	6.9	
480	500	410	346	195		56	29	14	7	
490	490	400	325	190		56	30	15	7.4	
500	475	390	310	190		56	29	16	7.5	
510	460	360	300	190		56	30	15	8	
520	450	350	300	180		57	31	16	8.8	
530	450	346	290	175		57	29	16	8.8	
540	440	330	280	170	↓	57	31	16	8	

CLIENT

FALCON BRIDGE

PROJECT

FRAGOLD

STA

DDA#35

Tx No

SOUTH

GAIN

750

ZTS

630

DATE

3/2/85

PAGE

4

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
550	430	310	270	160	99	57	30	16	7.3	750
560	425	300	260	160	99	55	30	17	8.5	
570	410	290	250	160	97	59	32	15	8	
580	400	290	250	160	96	59	30	15	8.5	
590	390	270	240	155	96	57	30	17	7.5	
600	375	255	240	150	95	57	30	16	7.3	
610	360	250	225	150	94	58	29	16	7.2	
620	350	245	215	150	93	58	30	16	7.2	
630	340	240	210	150	91	57	30	15	7	
640	330	225	205	145	90	57	31	15	7.5	
650	320	220	200	140	92	58	30	16	7.8	
660	310	210	200	140	91	55	31	16	7.6	
670	305	205	195	140	90	56	32	17	8.5	
680	300	200	195	140	90	57	33	17	8	
690	300	200	190	140	88	56	32	15	8.5	
700	295	200	190	130	89	56	31	15	8.4	
710	290	195	190	130	89	56	31	15	8.2	
720	290	190	190	130	88	56	31	15	7.5	✓

CLIENT

FALCON BRIDGE

PROJECT

REASON D

STA

204#35

Tx NO

NORTH

GAIN

750

ZTS

630

DATE

4/4/85

PAGE

1

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
25	-1000	130	100	63	36	20	10	6.4	2.5	424
50	-1000	145	105	69	39	22	12	7.6	2.2	629
75	-700	155	110	72	40	24	11	6.7	3.3	750
100	-260	170	120	77	43	24	12	6.8	2.9	
125	90	180	130	80	44	25	12	6.4	2.5	
150	370	190	140	83	45	25	12	6.4	2.1	
175	550	200	140	85	46	25	11	6.9	3	
200	610	200	145	85	46	24	12	7.5	4.5	
225	640	210	150	87	46	24	12	7.5	3.8	
250	640	210	150	89	46	25	12	7.8	3.7	
275	610	210	150	90	46	25	12	7.5	3.9	
300	590	220	155	92	47	25	12	8.1	3.6	
325	540	225	160	96	50	27	13	8.1	4.1	
350	500	225	160	100	53	29	13	8.9	4.5	
360	490	220	160	100	54	29	14	7.9	4.2	
370	460	190	150	90	48	26	14	8	3.9	
380	450	200	155	100	54	30	15	8.9	4.7	
390	440	200	160	100	55	30	15	8.8	4.2	

CLIENT

FALCONBRIDGE

PROJECT

RISAGOLD

STA

DWH#30

Tx NO

NORTH

GAIN

750

ZTS

630

DATE

4/4/85

PAGE

2

STATION	SAMPLE									REMARKS
	P.P.	1	2	3	4	5	6	7	8	
400	425	200	160	100	56	31	15	8.7	4.3	750
410	410	200	160	100	56	31	14	8.3	4	
420	400	200	160	100	56	31	14	8.7	4.6	
430	400	200	160	100	57	31	15	8.9	4.8	
440	390	200	160	100	59	32	15	9.1	3.7	
450	375	200	160	100	58	32	15	9.3	4.7	
475	340	190	150	100	58	32	16	9.4	4.5	
500	310	180	150	98	58	32	16	10	5.1	
525	280	170	140	96	57	33	18	11	4.7	
550	250	150	140	92	55	35	17	10	5.2	
575	230	150	130	90	54	34	17	10	5.1	
600	210	140	120	87	54	33	18	10	4.7	
625	200	130	110	84	53	34	19	11	5.2	
650	175	120	105	81	52	33	18	12	5.2	
675	160	110	100	78	51	32	18	11	5.8	
700	150	105	100	74	50	33	18	11	6.1	
725	140	100	95	72	49	33	18	11	6.5	✓

CLIENT

FALCON BRIDGE

PROJECT

REAROLD

STA

DDH #35 TX NO

EAST

GAIN

750

ZTS

630 DATE 5/4/85

PAGE

STATION	SAMPLE									REMARKS GAIN
	P.P.	1	2	3	4	5	6	7	8	
25	-1000	160	105	60	33	17	8	5	2.4	362
50	-1000	175	110	66	34	18	8	5.5	1.7	473
75	-1000	190	120	71	36	20	9.1	7	2.4	662
100	-775	200	130	77	40	22	10	7	2.4	750
125	-330	220	140	82	42	22	10	6.7	2.5	
150	5	240	150	88	46	24	10	6.7	2.8	
175	250	250	160	92	48	25	11	7.2	3	
200	380	270	175	97	50	26	12	7.5	3.4	
225	480	270	180	100	52	29	14	8.8	3.9	
250	520	280	180	100	52	29	14	8.5	4.5	
275	550	280	190	100	55	29	15	8.5	5.1	
300	580	275	190	100	57	30	15	9.1	5.2	
325	580	250	180	100	59	31	16	9.4	5.6	
350	540	230	175	105	61	34	16	11	7	
350	520	210	160	105	61	34	17	9.5	5.6	
370	500	180	150	100	60	34	18	11	6.2	
380	490	155	145	100	62	36	18	10	5.7	
390	475	140	130	100	63	36	18	10	5.8	↓

CLIENT

FALCON BRIDGE

PROJECT

RFA GOLD

STA

DD# 35 Tx No

EAST

GAIN

750

ZTS

630

DATE

5/4/80

PAGE

2

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
400	470	140	146	100	62	35	18	10	5.7	750
410	450	145	140	100	64	37	19	11	6.5	
420	440	150	145	100	65	37	19	11	5.8	
430	420	150	145	100	65	37	19	12	6.3	
440	400	155	145	100	65	38	18	11	5.3	
450	390	150	145	100	65	38	18	12	5.3	
475	350	155	145	100	65	38	20	12	5.3	
500	320	150	145	100	64	38	19	12	5.3	
525	290	150	140	100	62	40	20	12	6.5	
550	270	145	130	97	60	40	20	13	5.8	
575	250	140	125	94	60	38	19	12	6.5	
600	225	125	120	92	59	38	20	12	6.5	
625	205	120	110	90	58	38	21	13	7.3	
650	190	110	105	87	58	40	20	12	6.3	
675	180	110	105	85	58	39	20	13	7.2	
700	175	105	100	83	56	39	21	13	7.2	
725	160	100	100	80	55	39	21	12	6.5	↓

CLIENT Corp Falconbridge CopperPROJECT Rea GoldSTA RG 35 Tx No WestGAIN 750ZTS 630 DATE 4/4/85PAGE 1

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
25	-1000	170	145	100	62	34	14	7.1	1.6	330
50	-1000	175	140	104	61	33	15	7.5	3.5	426
75	-1000	175	140	98	58	34	14	7.7	2.5	622
100	-700	160	140	92	55	32	15	8.2	3.2	750
125	-300	150	125	88	52	31	14	9.2	2.6	
150	50	145	120	81	48	29	15	9.2	3.6	
175	225	130	107	72	44	26	14	9.5	4.3	
200	410	110	90	64	39	25	14	10	4.6	
225	520	98	82	58	35	23	15	9.5	4.0	
250	550	95	86	62	37	24	16	10	4.6	
275	570	110	104	75	45	27	17	9.6	4.5	
300	540	140	130	100	60	35	18	10.3	4.2	
325	510	200	190	130	81	44	20	11	4.5	
350	500	260	250	175	100	53	22	11	4.3	
360	495	290	270	190	110	57	24	11	3.9	
370	495	345	310	210	125	64	25	12	4.6	
380	480	370	340	240	140	69	26	12	4.5	
390	470	390	350	250	145	73	27	12	4.9	

CLIENT Corp. Falconbridge CopperPROJECT Sea GoldSTA RG 35Tx NO WestGAIN 750ZTS 630DATE 4/4/85PAGE 2

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
400	460	395	355	250	150	75	29	12	4.8	750
410	450	390	355	250	150	76	30	13	5.2	
420	450	385	360	260	150	79	30	12	5.2	
430	450	380	360	260	155	80	30	12	4.8	
440	450	375	355	260	150	81	31	12	5	
450	440	360	350	255	150	80	31	12	5.3	
460	430	355	350	250	150	81	32	13	5.4	
475	410	345	340	250	150	82	31	12	4.8	
500	390	325	320	250	150	83	32	12	4.4	
525	355	300	300	240	150	81	33	13	5.1	
550	330	280	290	220	145	81	32	12	5.3	
575	300	250	260	210	140	80	32	13	5.5	
600	275	230	240	200	130	78	33	13	6.2	
625	250	210	225	190	125	75	32	14	7.0	
650	230	190	205	175	120	74	32	15	6.7	
675	205	180	195	160	110	71	32	13	7.2	
700	190	155	175	150	110	70	32	13	7.2	
725	175	150	160	150	105	70	32	14	7.5	

CLIENT

FALCONBRIDGE

PROJECT

RAGOLD

STA

DDH #36

TX NO

VERTH

GAIN

750

ZTS

530

DATE


3/4/85

PAGE

1

STATION	SAMPLE									GAIN REMARKS
	P.P.	1	2	3	4	5	6	7	8	
10	1000	190	110	50	20	82	2.9	2.7	1.7	129
20		220	120	57	24	11	5	5	1	166
30		240	140	66	28	13	6.2	4.5	1	216
40		260	150	72	30	15	6.8	5.2	2.5	288
50		290	160	77	34	16	6.6	4.9	2.4	401
60		310	180	84	36	16	7	4.6	1.2	571
70	-925	340	200	93	39	17	6.6	4.9	1.4	750
80	-540	390	220	100	44	18	6.9	3.3	1.2	
90	-240	430	250	110	49	20	7.3	4.1	0.6	
100	-10	480	280	125	55	22	7.2	4.5	1	
110	170	500	300	140	60	24	8.1	3.5	1.8	
120	250	520	310	145	64	26	9.5	3.9	1	
130	380	700	425	200	87	34	10	3.8	1.3	
140	390	625	375	175	80	33	10	4.6	1.5	
130	390	525	325	150	72	31	11	6.1	1.5	


- THE COLLAR LOOP IS CENTERED AROUND THE DRILL HOLE IN ALL CASES EXCEPT FOR DDH # 36 WHICH WAS DONE IN CONJUNCTION WITH DDH # 35.
- NORTH/SOUTH/EAST/WEST LOOPS ARE CHAINED OUT FROM THE COLLAR LOOP.



NOTE:
 SOUTH LOOP DDH #35 ≡ COLLAR LOOP DDH #36
 COLLAR LOOP DDH #35 ≡ NORTH LOOP DDH #36

- NORTH/SOUTH DIST. IS BASED ON DDH LOCATIONS PROVIDED BY IAN PEIRY.

* AT DDH #37 A SOUTH #2 LOOP WAS READ.



REAGOLD.

HOLE	LOOPS.	LOOP SIZE	CURRENT.
30	COLLAR. NORTH SOUTH EAST WEST	75x75 m. ↓	16 A. ↓
33	COLLAR NORTH SOUTH EAST WEST	150x150 m. ↓	14 A. ↓
35	COLLAR NORTH SOUTH EAST WEST	300x300 m. ↓	15 A ↓
36	COLLAR. NORTH.	300 x 300 m. 	15 A.
37	COLLAR NORTH SOUTH SOUTH #2.	50x50 m. ↓	18 A. ↓