



**MINERAL ENVIRONMENTS LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

823874  
Goldbank Ventures

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**THUNDER BAY LAB.:**  
TELEPHONE (807) 622-8958  
FAX (807) 623-5931

**SMITHERS LAB.:**  
TELEPHONE/FAX (604) 847-3004

Assay Certificate

OV-1635-RA1

Company: MINNOVA INC.  
Project: 608  
Attn: I. PIRIE/D. HEBERLEIN

Ans'd .....  
Copy 1. MINNOVA INC., VANCOUVER, B.C.

Date: OCT-22-90

We hereby certify the following Assay of 5 ROCK samples submitted OCT-22-90 by LAURA PRENTICE.

Sample Number	CU %	PB %	ZN %	AG g/tonne	AG oz/ton	AU g/tonne	AU oz/ton
DHMIT001	.038	.01	.02	2.9	.08	.01	.001
DHMIT002	.170	.01	.01	2.6	.08	.01	.001
DHMIT003	.283	.01	.01	4.0	.12	.02	.001
DHMIT004	.488	.02	7.21	6.2	.18	.28	.008
DHMIT005	.138	.02	.10	4.1	.12	.01	.001

\*CORRECTED AU ASSAY

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MINERAL ENVIRONMENTAL LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

823874  
Goldbank Ventures

OCT 25 1990

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**THUNDER BAY LAB.:**  
TELEPHONE (807) 622-8958  
FAX (807) 623-5931

**SMITHERS LAB.:**  
TELEPHONE/FAX (604) 847-3004

*Assay Certificate*

OV-1635-RA1

Company: MINNOVA INC.  
Project: 608  
Attn: I. PIRIE/D. HEBERLEIN

Date: OCT-22-90

Copy 1. MINNOVA INC., VANCOUVER, B.C.

*We hereby certify* the following Assay of 5 ROCK samples submitted OCT-22-90 by LAURA PRENTICE.

Sample Number	CU %	PB %	ZN %	AG g/tonne	AG oz/ton	AU g/tonne	AU oz/ton
DHMIT001	.038	.01	.02	2.9	.08	.01	.001
DHMIT002	.170	.01	.01	2.6	.08	.01	.001
DHMIT003	.283	.01	.01	4.0	.12	.02	.001
DHMIT004	.488	.02	7.21	6.2	.18	.03	.001
DHMIT005	.138	.02	.10	4.1	.12	.01	.001

Certified by \_\_\_\_\_

MIN-EN LABORATORIES

