

Bilingsley copy

823903

DUSTY MAC MINES LTD.

NORANDA DRILLING - 200 SERIES

Elev.	D.D.H.	True Length	Plan Length	North Latitude	Departure
1001.8	225 (-90)	150	--	10,100.94	0.7E ✓
1013.1	226 (-90)	151	--	10,100.6	49.4E ✓
1013.3	227 (-90)	151	-- /	10,101.0	98.9E ✓
1031.2	228 (-90)	151	--	10,100.2	146.7E ✓
1022.4	229 (-90)	161	--	10,103.4	196.7E ✓
1007.6	230 (-90)	151	--	10,201.5	49.4W ✓
1003.8	231 (- 90)	151	--	10,200.3	0 ✓
1023.2	232 (-90)	151	--	10,200.7	47.1E ✓
1037.7	233 (-90)	151	-- /	10,199.2	98.6E ✓
1030.6	234 (-90)	151	--	10,302.5	60.9E ✓
1004.4	235 (-90)	161	--	10,301.2	3.1E ✓
993.7	236 (-90)	150	--	10,298.0	56.8W ✓
990.73	237 (-90)	150	--	10,305.9	99.7W ✓
992.9	238 (-90)	101	--	10,310.3	149.9W ✓
988.3	239 (-90)	147	--	10,406.1	151W ✓
982.3	240 (-90)	151	--	10,405.6	103.3W ✓
976.1	241 (-90)	152	--	10,405.6	51.3W ✓
985.1	242 (-90)	151	--	10,405.6	0 ✓
980.5	243 (-90)	151	--	10,506.6	50.2W ✓
988.1	244 (-44E)	298	214.4	10,001.4	121.2W ✓
1023.5	245 (-44W)	302	217.2	10,001.6	197.6E ✓
1009.8	246 (- 90)	<u>230</u>	--	10,105.7	245.5E ✓
		3,663			

Elev.	D.D.H.	True Length	Plan Length	North Latitude	Departure
1002.3	247 (-90)	146	--	10,199.6	86.1W ✓
977.6	248 (-90)	151	--	10,503.4	149.3W ✓
979.6	249 (-90)	149	--	10,506.6	199.7W ✓
976.7	250 (-90)	151	--	10,507.0	249.9W ✓
981.8	251 (-90)	150	--	10,507.2	299.9W ✓
977.1	252 (-90)	150	--	10,507.1	349.1W ✓
970.5	253 (-90)	150	--	10,593.1	446.8W ✓
975.0	254 (-90)	151	--	10,596.1	397.1W ✓
975.8	255 (-90)	151	--	10,598.0	346.8W ✓
976.3	256 (-90)	100	--	10,599.7	296.9W ✓
1003.4	257 (-44°30'W)	199	141.9	10,301.0	2.3W ✓
1003.3	258 (-54°30'W)	230	133.6	10,200.8	0.8W ✓
1032.7	259 (-44°20'W)	249	174.0	10,150.1	147.1E ✓
1028.8	260 (-50°W)	185	118.9	10,050.3	176.3E ✓
993.3	261 (-45°W)	108	76.4	9,949.8	71.2E ✓
995.9	262 (-50°W)	201	129.2	9,831.3	194.1E ✓
1013.9	263 (-45°W)	251	177.5	9,969.7	230.3E ✓
1022.5	264 (-45°W)	248	175.4	9,923.7	211.7E ✓
1006.9	265 (-45°W)	352	248.9	10,151.2	254.8E ✓
1037.8	266 (-55°W)	225	129.1	10,193.9	106.5E ✓
1001.5	267 (-55°E)	250	143.4	10,151.5	90.3W
	268 (-45°; S10E)	226	144.9	10,302	61E
1006.0	269 (- 55°; N5W)	176	101	10,050	32E
	270 (-90)	<u>101</u>	--	9,228	150W ✓
		4,450			

Elev.	D.D.H.	True Length	Plan Length	North Latitude	Departure
	271 (-90)	101	--	9,430.5	600W ✓
	272 (-60;N7E5)**	100	50	9,300	1290.8W ✓
	273 (-60 N	100	50	11,315	2100W ✓
	274 (-60;S75W)	151	75.5	11,200	2382.5W ✓
	275 (-40;N47E)	124	95	11,442.5	2840W ✓
	276 (-45;N77E)	<u>101</u>	71.4	10,331	644W ✓
		677			
<u>GRAND TOTAL</u> -		8,790			

** Note: Bearings are grid bearings, not astronomic.

Grid is N 12° W.

Therefore - True East bearings plus 12° = grid

True West bearings minus 12° = grid