

CREST LABORATORIES (B.C.) LTD.

B.C. REGISTERED ASSAYERS
GEOCHEMISTS

823966
1068 HOMER STREET,
VANCOUVER 3, B.C.

June 15, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.

Re: "F" Group

Lab No. 529G: Geochemical Analysis for Molybdenum and Copper

Mesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: $\text{HClO}_4 + \text{HNO}_3$

| Sample Number | Molybdenum ppm | Copper ppm | Sample Number | Molybdenum ppm | Copper ppm |
|---------------|-------------------|---------------|---------------|-------------------|---------------|
| BLOO - 2E | | 18 | L 4N - 00 | | 18 |
| 4 | | 13 | 2E | | 11 |
| 6 | | 16 | 4 | | 20 |
| 8 | | 17 | 6 | -2 | 108 |
| 10 | -2 | 36 | 8 | -2 | 17 |
| 12 | -2 | 75 | 10 | -2 | 49 |
| 14 | -2 | 40 | 12 | -2 | 31 |
| 16 | -2 | 49 | 14 | -2 | 30 |
| 18 | no sample | | 16 | -2 | 30 |
| 20 | | 25 | 18 | -2 | 57 |
| 22 | | 26 | 20 | -2 | 23 |
| 24 | | 30 | 22 | | 63 |
| 26 | | 33 | 24 | | 25 |
| 28 | -2 | 69 | 26 | | 40 |
| 30 | -2 | 104 | 28 | | 23 |
| 32 | -2 | 131 | 30 | | 15 |
| 34 | -2 | 67 | 32 | | 14 |
| 36 | | 20 | 34 | | 21 |
| 38 | | 13 | 36 | | 12 |
| 40 | | 15 | 38 | | 15 |
| 42 | | 13 | 40 | | 15 |
| 44 | | 18 | 42 | | 15 |
| 46 | | 26 | 44 | | 16 |
| BLOO- 00 | | 13 | 46 | | 17 |
| 2W | | 10 | L 4N- 2W | | 11 |
| 4 | | 19 | 4 | | 16 |
| 6 | | 16 | 6 | | 14 |
| 8 | | 15 | 8 | | 29 |
| 10 | | 15 | 10 | | 29 |
| 12 | | 11 | 12 | | 15 |
| 14 | | 21 | 14 | | 20 |
| 16 | | 30 | 16 | 6 | 60 |
| 18 | | 28 | 18 | 5 | 25 |
| 20 | | 50 | 20 | -2 | 70 |

Dusty Mac Mines Ltd.,
 1710-1177 West Hastings Street,
 Vancouver, B.C.

Lab No. 529G:
 June 15, 1971
 Page 2

| Sample Number | Molybdenum ppm | Copper ppm | Sample Number | Molybdenum ppm | Copper ppm |
|---------------|-------------------|---------------|---------------|-------------------|---------------|
| L 8N - 00 | | 15 | L 12N- 14E | -2 | 60 |
| 2E | | 12 | 16 | -2 | 41 |
| 4 | | 14 | 18 | -2 | 28 |
| 6 | | 18 | 20 | -2 | 22 |
| 8 | | 20 | 22 | -2 | 42 |
| 10 | -2 | 49 | 24 | -2 | 78 |
| 12 | -2 | 17 | 26 | -2 | 64 |
| 14 | -2 | 41 | 28 | | 46 |
| 16 | -2 | 23 | 30 | | 14 |
| 18 | -2 | 44 | 32 | | 19 |
| 20 | | 56 | 34 | | 25 |
| 22 | | 24 | 36 | | 46 |
| 24 | | 20 | 38 | | 17 |
| 26 | | 49 | 40 | | 28 |
| 28 | | 32 | 42 | | 24 |
| 30 | | 32 | 44 | | 42 |
| 32 | | 16 | 46 | | 35 |
| 34 | | 19 | 2W | | 26 |
| 36 | | 18 | 4 | | 11 |
| 38 | | 27 | 6 | no sample | |
| 40 | | 27 | 8 | | 21 |
| 42 | | 22 | 10 | | 19 |
| 44 | | 17 | 12 | | 60 |
| 46 | | 22 | 14 | | 31 |
| 2W | | 12 | 16 | | 32 |
| 4 | | 16 | L16N - 00 | | 10 |
| 6 | | 40 | 2W | | 18 |
| 8 | | 13 | 4 | | 53 |
| 10 | | 12 | 6 | | 21 |
| 12 | | 15 | 8 | | 20 |
| 14 | | 11 | 10 | | 14 |
| 16 | | 37 | 12 | -2 | 38 |
| 18 | | 32 | 14 | -2 | 71 |
| L12N - 00 | | 15 | 2E | | 16 |
| 2E | | 15 | 4 | | 13 |
| 4 | | 23 | 6 | | 13 |
| 6 | | 15 | 8 | | 14 |
| 8 | -2 | 47 | 10 | | 26 |
| 10 | -2 | 20 | 12 | | 16 |
| 12 | -2 | 39 | 14 | | 16 |

Dusty Mac Mines Ltd.,
 1710-1177 West Hastings Street,
 Vancouver, B.C.

Lab No. 529G:
 June 15, 1971
 Page 3

| Sample Number | Molybdenum ppm | Copper ppm | Sample Number | Molybdenum ppm | Copper ppm |
|--------------------------|-------------------|-----------------|---------------|-------------------|---------------|
| L 16N -16 4 E | | 23 | L20N - 2W | | 13 |
| 18 | | 17 | 4 | | 21 |
| 20 | | 24 | 6 | | 17 |
| 22 | | 23 | 8 | | 22 |
| 24 | -2 | 41 | 10 | | 15 |
| 26 | 4 | 60 | 12 | | 32 |
| 28 | -2 | 44 | L20N - 00 | | 15 |
| 30 | -2 | 61 | 2E | | 17 |
| 32 | | 11 | 4 | | 14 |
| 34 | | 49 | 6 | | 14 |
| 36 | | 18 | 8 | | 90 |
| 38 | | 22 | 10 | | 13 |
| 40 | | 20 | 2W | | 14 |
| 42 | | 79 ^u | 4 | | 12 |
| 44 | | 10 | 6 | | 7 |
| 46 | | 44 | 8 | -2 | 49 |
| L20N- 00 | | 14 | 10 | -2 | 47 |
| 2E | | 25 | L56N- 00 | | 16 |
| 4 | no sample | | 2W | | 16 |
| 6 | | 17 | 4 | | 13 |
| 8 | | 12 | 6 | | 36 |
| 10 | | 16 | 8 | | 15 |
| 12 | -2 | 39 | 2E | | 47 |
| 14 | -2 | 49 | 4 | | 33 |
| 16 | -2 | 37 | 6 | -2 | 53 |
| 18 | | 16 | 8 | -2 | 32 |
| 20 | | 20 | 10 | no sample | |
| 22 | | 25 | 12 | no sample | |
| 24 | | 38 | 14 | -2 | 118 |
| 26 | | 23 | 16 | -2 | 29 |
| 28 | | 29 | 18 | | 24 |
| 30 | | 54 | 20 | | 10 |
| 32 | | 20 | L60N- 00 | | 13 |
| 34 | | 26 | 2W | | 24 |
| 36 | | 21 | 4 | | 10 |
| 38 | | 23 | 6 | | 12 |
| 40 | | 44 | 8 | | 58 |
| 42 | | 30 | 10 | | 22 |
| 44 | | 17 | 12 | | 10 |
| 46 | | 22 | 4E | | 15 |
| | | | 6 | | 24 |
| | | | 8 | | 25 |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess
 F. C. Burgess
 Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 17, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.Re: Unstaked Copper Showing 35 miles from
Beaver LakeLab No. 532GGeochemical Analysis for Molybdenum and CopperMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper ppm | Molybdenum ppm | Sample Marked: | Copper ppm | Molybdenum ppm |
|----------------|---------------|-------------------|----------------|---------------|-------------------|
| L00 +00 | 46 | | 12S 20W | 27 | |
| 2W | 77 | -2 | 22 | 11 | |
| 4 | 120 | -2 | 24 | 20 | |
| 6 | 19 | | 26 | 39 | |
| 8 | 41 | | 28 | 13 | |
| 10 | 21 | | 30 | 9 | |
| 12 | 12 | | 32 | 4 | |
| 14 | 16 | | 34 | 12 | |
| 16 | 7 | | 36 | 9 | |
| 18 | 3 | | 38 | 5 | |
| 20 | 22 | | 40 | 41 | |
| 22 | 9 | | 42 | 360 | 4 |
| 24 | 14 | | 44 | 43 | |
| 26 | 14 | | 46 | 52 | -2 |
| 28 | 3 | | 48 | 21 | |
| 30 | 21 | | 50 | 36 | |
| 32 | 48 | | L2S 00BL | 34 | |
| 34 | 5 | | L4S | 41 | |
| 36 | 18 | | L6S | 32 | |
| 38 | 8 | | L8S | 23 | |
| 40 | 27 | | L10S | 21 | |
| 42 | 72 | -2 | L12S | 27 | |
| 44 | 200 | -2 | L14S | 33 | |
| 46 | 18 | | L16S | 20 | |
| 48 | 18 | | L18S | 35 | |
| 50 | 11 | | L20S | 18 | |
| 12S 7W | 215 | -2 | L22S | 23 | |
| 8W | 248 | 2 | L24S | 57 | -2 |
| 10 | 48 | | L26S | 71 | -2 |
| 12 | 22 | | L28S | 17 | |
| 14 | 21 | | L30S | 28 | |
| 16 | 18 | | L32S | 35 | |
| 18 | 45 | | L00N-00BL | 14 | |

Dusty Mac Mines Ltd.,
 Lab No. 532G
 June 17, 1971
 Page 2

| Sample Marked: | Copper ppm | Molybdenum ppm | Sample Marked: | Copper ppm | Molybdenum ppm |
|----------------|---------------|-------------------|----------------|---------------|-------------------|
| L 2 N 00BL | 17 | | L30N - 12E | 16 | |
| 4 | 16 | | 14 | 19 | |
| 6 | 26 | | 16 | 15 | |
| 8 | 14 | | 18 | 16 | |
| 10 | no sample | | 20 | 15 | |
| 12 | 9 | | 22 | 12 | |
| 14 | 17 | | 24 | 29 | |
| 16 | 15 | | 26 | 22 | |
| 18 | 12 | | 28 | 13 | |
| 20 | 14 | | 30 | 24 | |
| 22 | 21 | | 32 | 34 | |
| 24 | 15 | | 34 | 24 | |
| 26 | 28 | | L34N - 2E | 23 | |
| 28 | 26 | | 4 | 17 | |
| 30 | 56 | -2 | 6 | 54 | -2 |
| 32 | 16 | | 8 | 25 | |
| 34 | 50 | -2 | 10 | 12 | |
| 36 | 32 | | 12 | 21 | |
| 38 | 20 | | 14 | 21 | |
| L00 - 2E | 20 | | 16 | 13 | |
| 4 | 20 | | 18 | 15 | |
| 6 | 22 | | 20 | 20 | |
| 8 | 15 | | 22 | 52 | -2 |
| 10 | 22 | | 24 | 16 | |
| 12 | 16 | | 26 | 32 | |
| 14 | 17 | | 28 | 79 | 28 |
| 16 | 16 | | 30 | 67 | 5 |
| 18 | 59 | -2 | 32 | 72 | -2 |
| 20 | 49 | | L38N - 2E | 26 | |
| 22 | 25 | | 4 | 38 | |
| 24 | 44 | | 6 | 23 | |
| 26 | 19 | | 8 | 28 | |
| 28 | 16 | | 10 | 25 | |
| 30 | 67 | -2 | 12 | 17 | |
| 32 | 23 | | 14 | 32 | |
| 34 | 26 | | 16 | 23 | |
| 36 | 85 | -2 | 18 | 21 | |
| 38 | 50 | -2 | 20 | 15 | |
| L30N 2E | 18 | | 22 | 70 | 17 |
| 4 | 17 | | 24 | 22 | |
| 6 | 18 | | L 2 S 50W | 10 | |
| 8 | 18 | | 4 | 33 | |
| 10 | 21 | | 6 | 38 | |
| | | | 8 | 29 | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess
 F. C. Burgess
 Chief Assayer

CREST LABORATORIES (B.C.) LTD.

1068 HOMER STREET
VANCOUVER 3, B.C.
PHONE 688-8586

CREST LABORATORIES LTD.
7911 ARGYLL ROAD
EDMONTON 82, ALBERTA
PHONE 469-2391

CERTIFICATE OF ASSAY

TO *Assay* Dusty Mac Mines Ltd.,
1710 - 1177 West Hastings Street,
Vancouver, B.C.

June 23, 1971

Lab No. 2672

I hereby certify THAT THE FOLLOWING ARE THE RESULTS OF ASSAYS MADE BY US UPON THE HEREIN DESCRIBED SAMPLES.

| MARKED | GOLD | | SILVER | Copper | Nickel | | | | | | TOTAL VALUE PER TON (2000 LBS.) |
|---------|-------------------|------------------|-------------------|---------|---------|--|--|--|--|--|---------------------------------------|
| | Ounces per Ton | Value per Ton | Ounces per Ton | Percent | Percent | | | | | | |
| SPECIAL | trace | ---- | 0.1 | 0.16 | 0.01 | | | | | | |

NOTE:
Rejects Retained One Month
Pulps Retained Three Months
Unless Otherwise Arranged.

Gold calculated at \$..... per ounce

F. C. Burgess

Registered Assayer; Province of British Columbia

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

August 6, 1971

Dusty Mac Mines Ltd.,
1710 - 1177 West Hastings Street,
VANCOUVER, B.C.Lab No. 620G: Geochemical analysis for copperMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| "F" GROUP | | 8N - 28E | 40 | 8S - 38E | 20 |
| BL 0024 | 14 | 8S - 2W | 23 | 40 | 20 |
| 24S - 2W | 14 | 4 | 22 | 42 | 22 |
| 4W | 11 | 6 | 22 | 44 | 29 |
| 6W | 9 | 8 | 16 | 46 | 45 |
| "G" GROUP | | 10 | 25 | 48 | 15 |
| 8N - 00BL | 34 | 8S + 00 | 35 | 50 | 25 |
| 2W | 44 | 8S - 2E | 31 | 52 | 53 |
| 4 | 34 | 4 | 31 | 54 | 53 |
| 6 | 27 | 6 | 21 | 56 | 70 |
| 8 | 12 | 8 | 27 | 58 | 42 |
| 10 | 17 | 10 | 18 | 60 | 49 |
| 12 | 14 | 12 | 11 | 62 | 45 |
| 8N - 2E | 15 | 14 | 15 | 54 | 20 |
| 4 | 54 | 16 | 22 | 12N - 00BL | 36 |
| 6 | 87 | 18 | 132 | 12N - 2W | 41 |
| 8 | 30 | 20 | 83 | 4 | 42 |
| 10 | 31 | 22 | 28 | 6 | 92 |
| 12 | 27 | 24 | 19 | 8 | 44 |
| 14 | 66 | 26 | 17 | 10 | 49 |
| 16 | 23 | 28 | 29 | 12N - 2E | 75 |
| 18 | 25 | 30 | 29 | 4 | 37 |
| 20 | 23 | 32 | 27 | 6 | 35 |
| 22 | 18 | 34 | 30 | 8 | 23 |
| 24 | 38 | 36 | 51 | 10 | 31 |
| 26 | 45 | | | | |

Dusty Mac Mines Ltd.,
 Lab No. 620G,
 August 6, 1971
 Page 2

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| 12N - 12E | 28 | 16S - 36E | 70 | 24W - 46W | 10 |
| 16 | 19 | 38 | 24 | 48 | 20 |
| 18 | 35 | 40 | 26 | 50 | 13 |
| 20 | 23 | 42 | 21 | 52 | 17 |
| 22 | 57 | 44 | 20 | 54 | 13 |
| 24 | 95 | 46 | 19 | 56 | 15 |
| 26 | 54 | 48 | 30 | 58 | 15 |
| 28 | 47 | 50 | 17 | 60 | 15 |
| 30 | 33 | 52 | 12 | 24S - 2E | 12 |
| 32 | 400 | 54 | 25 | 4 | 14 |
| 34 | 27 | 56 | 21 | 6 | 26 |
| 36 | 22 | 58 | 25 | 8 | 26 |
| 38 | 19 | 60 | 33 | 10 | 29 |
| 40 | 21 | 62 | 27 | 12 | 15 |
| 42 | 16 | 24S - 0+0 | 38 | 14 | 27 |
| 44 | 36 | 24S - 2W | 14 | 16 | 27 |
| 46 | 47 | 4 | 15 | 18 | 44 |
| 16S - 00 | 275 | 6 | 12 | 20 | 27 |
| 16S - 2E | 58 | 8 | 20 | 22 | 60 |
| 4 | 14 | 10 | 23 | 24 | 21 |
| 6 | 23 | 12 | 28 | 26 | 33 |
| 8 | 13 | 14 | 63 | 28 | 29 |
| 10 | 15 | 16 | 20 | 30 | 13 |
| 12 | 30 | 18 | 24 | 32 | 32 |
| 14 | 19 | 20 | 16 | 34 | 19 |
| 16 | 11 | 22 | 50 | 36 | 28 |
| 18 | 20 | 24 | 54 | 38 | 18 |
| 20 | 24 | 26 | 21 | 40 | 41 |
| 22 | 36 | 28 | 15 | 42 | 21 |
| 24 | 45 | 30 | 11 | 44 | 18 |
| 26 | 25 | 36 | 20 | 46 | 17 |
| 28 | 115 | 38 | 10 | 48 | 26 |
| 30 | 200 | 40 | 12 | 50 | 21 |
| 32 | 35 | 42 | 13 | 52 | 29 |
| 34 | 50 | 44 | 15 | 32S - 2W | 34 |

Dusty Mac Mines Ltd.,
 Lab No. 620G,
 August 6, 1971
 Page 3

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| 32S - 4W | 53 | 32S - 18E | 16 | 40S - 34E | 16 |
| 6 | 24 | 20 | 43 | 36 | 14 |
| 8 | 23 | 22 | 25 | 38 | 20 |
| 10 | 38 | 24 | 23 | 40 | 29 |
| 14 | 24 | 26 | 24 | 42 | 24 |
| 18 | 45 | 28 | 26 | 44 | 34 |
| 20 | 43 | 30 | 20 | 46 | 23 |
| 22 | 46 | 32 | 25 | 48 | 24 |
| 24 | 33 | 34 | 23 | 50 | 36 |
| 26 | 11 | 36 | 16 | 52 | 28 |
| 28 | 12 | 38 | 27 | 54 | 22 |
| 30 | 13 | 40 | 16 | 56 | 14 |
| 32 | 21 | 42 | 21 | 58 | 24 |
| 34 | 10 | 44 | 13 | 60 | 62 |
| 36 | 15 | 46 | 11 | 48S - 00 | 28 |
| 38 | 24 | 48 | 13 | 48S - 2E | 26 |
| 40 | 10 | 50 | 13 | 6 | 27 |
| 42 | 10 | 52 | 57 | 8 | 37 |
| 44 | 13 | 54 | 17 | 10 | 29 |
| 46 | 8 4 | 40S - 0+0 | 55 | 12 | 40 |
| 48 | 11 | 2E | 33 | 14 | 41 |
| 50 | 13 | 4 | 24 | 16 | 40 |
| 52 | 37 | 6 | 28 | 18 | 84 |
| 54 | 16 | 8 | 25 | 20 | 72 |
| 56 | 10 | 10 | 43 | 22 | 91 |
| 58 | 15 | 12 | 34 | 24 | 70 |
| 60 | 15 | 14 | 29 | 26 | 130 |
| 32S - 2E | 24 | 16 | 104 | 28 | 29 |
| 4 | 18 | 18 | 24 | 30 | 52 |
| 6 | 20 | 20 | 34 | 32 | 60 |
| 8 | 23 | 22 | 47 | 34 | 37 |
| 10 | 23 | 24 | 20 | 36 | 40 |
| 12 | 14 | 26 | 20 | 38 | 41 |
| 14 | 16 | 28 | 26 | 40 | 49 |
| 16 | 38 | 30 | 19 | 42 | 20 |
| | | 32 | 21 | | |

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

Sept. 27, 1971

Dusty Mac Mines Ltd., (N.P.L.)
1710 - 1177 West Hastings Street,
Vancouver, B.C.


Re: Klinaklini

Lab No. 699G Geochemical analysis for copper and silverMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: $\text{HClO}_4 + \text{HNO}_3$

| Sample Marked: | Copper ppm | Silver ppm |
|--|---------------|---------------|
| L 1 # 1 E | 16 | 2.5 |
| 2 | 32 | 2.0 |
| 3 | 30 | 1.5 |
| 4 | 18 | 2.0 |
| 5 | 34 | 2.0 |
| 6 | 62 | 2.5 |
| 7 | 19 | 1.5 |
| 8 | 29 | 2.0 |
| STREAM # 9 | 17 | 2.0 |
| MUD SAMPLE FROM CREEK 500' BELOW CROSSING | 74 | 2.0 |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 21, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.Lab No. 543G: Geochemical Analysis for Molybdenum and CopperMesh Size: - 80
Analytical Method: Atomic Absorption + Colorimetric
Digestion Method : HClO₄ + HNO₃

| Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|
| MAIN PIT | 12 | 1625 |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F.C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.

1068 HOMER STREET
VANCOUVER 3, B.C.
PHONE 688-8586

CREST LABORATORIES LTD.
7911 ARGYLL ROAD
EDMONTON 82, ALBERTA
PHONE 469-2391

CERTIFICATE OF ASSAY

TODusty Mac Mines Ltd.....
.....1710 - 1177 West Hastings Street.....
.....VANCOUVER, B.C. Re: M.B. Claim.....

June 28, 1971

Lab No. 2716

cc: Mr. Max Martin c/o Oasis Motel
McLeese Lake, B.C.

I hereby certify THAT THE FOLLOWING ARE THE RESULTS OF ASSAYS MADE BY US UPON THE HEREIN DESCRIBED SAMPLES.

| MARKED | GOLD | | SILVER | COPPER | Percent | Percent | Percent | Percent | Percent | Percent | TOTAL VALUE PER TON (2000 LBS.) |
|---------|-------------------|------------------|-------------------|---------|---------|---------|---------|---------|---------|---------|---------------------------------------|
| | Ounces per Ton | Value per Ton | Ounces per Ton | Percent | | | | | | | |
| 39554 C | trace | | | 0.14 | | | | | | | |
| 39555 C | --- | | | 0.57 | | | | | | | |
| 39556 C | --- | | | 0.06 | | | | | | | |

NOTE:
Rejects Retained One Month
Pulps Retained Three Months
Unless Otherwise Arranged.

Gold calculated at \$..... per ounce



Registered Assayer; Province of British Columbia

CREST LABORATORIES (B.C.) LTD.

1068 HOMER STREET
VANCOUVER 3, B.C.
PHONE 688-8586

CREST LABORATORIES LTD.
7911 ARGYLL ROAD
EDMONTON 82, ALBERTA
PHONE 469-2391

CERTIFICATE OF ASSAY

TODusty Mac Mines Ltd.....

June 28, 1971

.....1710 - 1177 West Hastings Street.....

Lab No. 2717

.....VANCOUVER, B. C.....

cc: Mr. Max Martin

I hereby certify THAT THE FOLLOWING ARE THE RESULTS OF ASSAYS MADE BY US UPON THE HEREIN DESCRIBED SAMPLES.

| MARKED | COPPER | MARKED | | MARKED | | MARKED | |
|---------|---------|--------|---------|--------|---------|--------|---------|
| | PERCENT | | PERCENT | | PERCENT | | PERCENT |
| 07252 C | trace | | | | | | |
| 41500 C | 0.13 | | | | | | |

NOTE:
Rejects Retained One Month
Pulps Retained Three Months
Unless Otherwise Arranged.


Registered Assayer, Province of British Columbia

Dusty Mac Mines Ltd.,
 May 31, 1971,
 Lab No. 501G,
 Page 2

| Sample Marked: | Molybdenum ppm | Copper ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|----------------|-------------------|---------------|
| L8E + 6N | | 18 | L12E +28N | | 28 |
| 8 | | 15 | 30 | | 20 |
| 10 | | 16 | 32 | | 10 |
| 12 | | 23 | 34 | | 11 |
| 14 | | 25 | 36 | | 15 |
| 16 | | 16 | 38 | | 12 |
| 18 | -2 | 58 | 40 | | 12 |
| 20 | -2 | 28 | 42 | | 34 |
| 22 | -2 | 34 | 44 | | 34 |
| 24 | -2 | 52 | 46 | | 16 |
| 26 | -2 | 38 | 48 | | 21 |
| 28 | | 104 | 50 | | 20 |
| 30 | | 34 | 52 | | 14 |
| 32 | | 15 | 54 | | 12 |
| 34 | | 18 | 56 | | 14 |
| 36 | | 13 | 58 | | 15 |
| 38 | | 9 | 60 | | 16 |
| 40 | | 12 | L12E+ 2S | | 20 |
| 42 | | 20 | 4 | | 26 |
| 44 | | 24 | 6 | -2 | 44 |
| 46 | | 16 | 8 | -2 | 172 |
| 48 | | 28 | 10 | -2 | 26 |
| 50 | | 38 | 12 | -2 | 39 |
| 52 | | 18 | 14 | | 58 |
| 54 | | 15 | L00 + 2S | | 17 |
| 56 | | 16 | 4 | | 14 |
| 58 | | 18 | 6 | | 10 |
| 60 | | 26 | 8 | -2 | 22 |
| L8E + 2S | | 22 | 10 | -2 | 106 |
| 4 | -2 | 16 | 12 | -2 | 17 |
| 6 | -2 | 134 | 14 | | 22 |
| 8 | -2 | 34 | L16E+ 2S | | 18 |
| 10 | -2 | 30 | 4 | | 44 |
| 12 | -2 | 80 | 6 | | 38 |
| 14 | | 30 | 8 | | 12 |
| L12E +00 | | 44 | 10 | | 12 |
| 2N | | 29 | 12 | | 14 |
| 4 | | 20 | 14 | | 24 |
| 6 | | 16 | L20E +00 | | 46 |
| 8 | | 18 | 2N | | 38 |
| 10 | | 14 | 4 | | 26 |
| 12 | | 32 | 6 | | 16 |
| 14 | | 18 | 8 | | 19 |
| 16 | | 22 | 10 | | 18 |
| 18 | | 44 | 12 | | 34 |
| 20 | | 15 | 14 | | 26 |
| 22 | | 18 | 16 | | 50 |
| 24 | | 14 | 18 | | 14 |
| 26 | | 26 | 20 | | 33 |

Dusty Mac Mines Ltd. j
 May 31, 1971,
 Lab No. 501G
 Page 3


| Sample Marked: | Molybdenum ppm | Copperr ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|----------------|----------------|-------------------|---------------|
| L20E + 22N | | 18 | L24E + 44N | | 31 |
| 24 | | 16 | 46 | | 25 |
| 26 | | 30 | 48 | | no sample |
| 28 | | 66 | 50 | | 28 |
| 30 | | 39 | 52 | | 32 |
| 32 | | 42 | 54 | | 73 |
| 34 | | 33 | 56 | | 29 |
| 36 | | 40 | 58 | | 27 |
| 38 | | 31 | 60 | | 25 |
| 40 | | 32 | L24E + 2S | 3 | 180 |
| 42 | | 25 | 4 | | 39 |
| 44 | | 25 | 6 | | 23 |
| 46 | | 31 | 8 | | 21 |
| 48 | | 23 | 10 | | 20 |
| 50 | | 20 | 12 | | 39 |
| 52 | | 32 | 14 | | 22 |
| 54 | | 6 | L28E + 00 | | 32 |
| 56 | | 45 | 2N | | 11 |
| 58 | | 13 | 4 | | 19 |
| 60 | | 21 | 6 | | 22 |
| L20E 2S | | 25 | 8 | | 88 |
| 4 | | 37 | 10 | | 19 |
| 6 | | 22 | 12 | | 18 |
| 8 | | 33 | 14 | | 19 |
| 10 | | 17 | 16 | | 18 |
| 12 | | 19 | 18 | | 16 |
| 14 | | 27 | 20 | | 17 |
| L24E + 00 | | 30 | 22 | | 17 |
| 2N | | 31 | 24 | | 31 |
| 4 | | 30 | 26 | | 27 |
| 6 | | 21 | 28 | | 64 |
| 8 | | 18 | 30 | | 39 |
| 10 | -2 | 69 | 32 | | 80 |
| 12 | 2 | 70 | 34 | | 24 |
| 14 | | 17 | 36 | | 41 |
| 16 | | 12 | 38 | | 25 |
| 18 | | 25 | 40 | | 28 |
| 20 | | 12 | 42 | | 18 |
| 22 | | 19 | 44 | | 19 |
| 24 | | 15 | 46 | | 17 |
| 26 | | 17 | 48 | | 11 |
| 28 | | 15 | 50 | | 7 |
| 30 | | 14 | 52 | | 6 |
| 32 | | 27 | 54 | | 17 |
| 34 | | no sample | 56 | | 21 |
| 36 | | 36 | 58 | | 12 |
| 38 | | 24 | 60 | | 37 |
| 40 | | 55 | L28E + 2S | | 22 |
| 42 | | 7 | 4 | | 44 |

Dusty Mac Mines Ltd.,
 May 31, 1971,
 Lab No. 501G:
 Page 4

| Sample Marked: | Molybdenum ppm | Copper ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|----------------|-------------------|---------------|
| L28E + 6S | | 25 | L16E + 32 | | 14 |
| 8 | | 56 | 34 | | 30 |
| 10 | | no sample | 36 | | 37 |
| 12 | | 41 | 38 | | 21 |
| 14 | | 21 | 40 | | 16 |
| L16E + 00 | | 19 | 42 | | 12 |
| 2N | | 34 | 44 | | 26 |
| 4 | | 19 | 46 | | 22 |
| 6 | | 22 | 48 | | 71 |
| 8 | | 18 | 50 | | 45 |
| 10 | | 16 | 52 | | 27 |
| 12 | | 69 | 54 | | 18 |
| 14 | | 21 | 56 | | 20 |
| 16 | | 18 | 58 | | 14 |
| 18 | | 34 | 60 | | 19 |
| 20 | -2 | 29 | | | |
| 22 | 4 | 312 | | | |
| 24 | 3 | 86 | | | |
| 26 | 3 | 25 | | | |
| 28 | | 33 | | | |
| 30 | | 40 | | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,



F. C. Burgess
 Chief Assayer

Dusty Mac Mines Ltd.,
 May 31, 1971,
 Lab No. 501G,
 Page 2

| Sample Marked: | Molybdenum ppm | Copper ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|----------------|-------------------|---------------|
| L8E + 6N | | 18 | L12E +28N | | 28 |
| 8 | | 15 | 30 | | 20 |
| 10 | | 16 | 32 | | 10 |
| 12 | | 23 | 34 | | 11 |
| 14 | | 25 | 36 | | 15 |
| 16 | | 16 | 38 | | 12 |
| 18 | -2 | 58 | 40 | | 12 |
| 20 | -2 | 28 | 42 | | 34 |
| 22 | -2 | 34 | 44 | | 34 |
| 24 | -2 | 52 | 46 | | 16 |
| 26 | -2 | 38 | 48 | | 21 |
| 28 | | 104 | 50 | | 20 |
| 30 | | 34 | 52 | | 14 |
| 32 | | 15 | 54 | | 12 |
| 34 | | 18 | 56 | | 14 |
| 36 | | 13 | 58 | | 15 |
| 38 | | 9 | 60 | | 16 |
| 40 | | 12 | L12E+ 2S | | 20 |
| 42 | | 20 | 4 | | 26 |
| 44 | | 24 | 6 | -2 | 44 |
| 46 | | 16 | 8 | -2 | 172 |
| 48 | | 28 | 10 | -2 | 26 |
| 50 | | 38 | 12 | -2 | 39 |
| 52 | | 18 | 14 | | 58 |
| 54 | | 15 | L00 + 2S | | 17 |
| 56 | | 16 | 4 | | 14 |
| 58 | | 18 | 6 | | 10 |
| 60 | | 26 | 8 | -2 | 22 |
| L8E + 2S | | 22 | 10 | -2 | 106 |
| 4 | -2 | 16 | 12 | -2 | 17 |
| 6 | -2 | 134 | 14 | | 22 |
| 8 | -2 | 34 | L16E+ 2S | | 18 |
| 10 | -2 | 30 | 4 | | 44 |
| 12 | -2 | 80 | 6 | | 38 |
| 14 | | 30 | 8 | | 12 |
| L12E +00 | | 44 | 10 | | 12 |
| 2N | | 29 | 12 | | 14 |
| 4 | | 20 | 14 | | 24 |
| 6 | | 16 | L20E +00 | | 46 |
| 8 | | 18 | 2N | | 38 |
| 10 | | 14 | 4 | | 26 |
| 12 | | 32 | 6 | | 16 |
| 14 | | 18 | 8 | | 19 |
| 16 | | 22 | 10 | | 18 |
| 18 | | 44 | 12 | | 34 |
| 20 | | 15 | 14 | | 26 |
| 22 | | 18 | 16 | | 50 |
| 24 | | 14 | 18 | | 14 |
| 26 | | 26 | 20 | | 33 |

Dusty Mac Mines Ltd. j
 May 31, 1971,
 Lab No. 501G
 Page 3

| Sample Marked: | Molybdenum ppm | Copper ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|----------------|-------------------|---------------|
| L20E + 22N | | 18 | L24E + 44N | | 31 |
| 24 | | 16 | 46 | | 25 |
| 26 | | 30 | 48 | | no sample |
| 28 | | 66 | 50 | | 28 |
| 30 | | 39 | 52 | | 32 |
| 32 | | 42 | 54 | | 73 |
| 34 | | 33 | 56 | | 29 |
| 36 | | 40 | 58 | | 27 |
| 38 | | 31 | 60 | | 25 |
| 40 | | 32 | L24E + 2S | 3 | 180 |
| 42 | | 25 | 4 | | 39 |
| 44 | | 25 | 6 | | 23 |
| 46 | | 31 | 8 | | 21 |
| 48 | | 23 | 10 | | 20 |
| 50 | | 20 | 12 | | 39 |
| 52 | | 32 | 14 | | 22 |
| 54 | | 6 | L28E + 00 | | 32 |
| 56 | | 45 | 2N | | 11 |
| 58 | | 13 | 4 | | 19 |
| 60 | | 21 | 6 | | 22 |
| L20E 2S | | 25 | 8 | | 88 |
| 4 | | 37 | 10 | | 19 |
| 6 | | 22 | 12 | | 18 |
| 8 | | 33 | 14 | | 19 |
| 10 | | 17 | 16 | | 18 |
| 12 | | 19 | 18 | | 16 |
| 14 | | 27 | 20 | | 17 |
| L24E + 00 | | 30 | 22 | | 17 |
| 2N | | 31 | 24 | | 31 |
| 4 | | 30 | 26 | | 27 |
| 6 | | 21 | 28 | | 64 |
| 8 | | 18 | 30 | | 39 |
| 10 | -2 | 69 | 32 | | 80 |
| 12 | 2 | 70 | 34 | | 24 |
| 14 | | 17 | 36 | | 41 |
| 16 | | 12 | 38 | | 25 |
| 18 | | 25 | 40 | | 28 |
| 20 | | 12 | 42 | | 18 |
| 22 | | 19 | 44 | | 19 |
| 24 | | 15 | 46 | | 17 |
| 26 | | 17 | 48 | | 11 |
| 28 | | 15 | 50 | | 7 |
| 30 | | 14 | 52 | | 6 |
| 32 | | 27 | 54 | | 17 |
| 34 | | no sample | 56 | | 21 |
| 36 | | 36 | 58 | | 12 |
| 38 | | 24 | 60 | | 37 |
| 40 | | 35 | L28E + 2S | | 22 |
| 42 | | 7 | 4 | | 44 |

Dusty Mac Mines Ltd.,
 May 31, 1971,
 Lab No. 501G:
 Page 4

| Sample Marked: | Molybdenum ppm | Copper ppm | Sample Marked: | Molybdenum ppm | Copper ppm |
|----------------|-------------------|---------------|----------------|-------------------|---------------|
| L28E + 6S | | 25 | L16E + 32 | | 14 |
| 8 | | 56 | 34 | | 30 |
| 10 | | no sample | 36 | | 37 |
| 12 | | 41 | 38 | | 21 |
| 14 | | 21 | 40 | | 16 |
| L16E + 00 | | 19 | 42 | | 12 |
| 2N | | 34 | 44 | | 26 |
| 4 | | 19 | 46 | | 22 |
| 6 | | 22 | 48 | | 71 |
| 8 | | 18 | 50 | | 45 |
| 10 | | 16 | 52 | | 27 |
| 12 | | 69 | 54 | | 18 |
| 14 | | 21 | 56 | | 20 |
| 16 | | 18 | 58 | | 14 |
| 18 | | 34 | 60 | | 19 |
| 20 | -2 | 29 | | | |
| 22 | 4 | 312 | | | |
| 24 | 3 | 86 | | | |
| 26 | 3 | 25 | | | |
| 28 | | 33 | | | |
| 30 | | 40 | | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess

F. C. Burgess
 Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 29, 1971

Dusty Mac Mines Ltd.
1710 - 1177 West Hastings Street
VANCOUVER, B.C.Lab No. 559 G: Geochemical Analysis for Copper:Mesh Size: -80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ - HNO₃

| Sample Number: | Copper ppm | Sample Number: | Copper ppm | Sample Number: | Copper ppm | | |
|------------------|---------------|----------------|---------------|----------------|------------------|-----|----|
| <u>GROUP "B"</u> | | BL | 2S | 36 | <u>GROUP "D"</u> | | |
| BL | 00 | 44 | 4S | 22 | BL | 2W | 25 |
| | 2N | 55 | 6S | 34 | | 4W | 24 |
| | 4N | 20 | 8S | 14 | | 6W | 50 |
| | 6N | 23 | 10S | 12 | | 8W | 20 |
| | 8N | 32 | 12S | 13 | | 10W | 28 |
| | 10N | 56 | 14S | 14 | | 12W | 42 |
| | 12N | 32 | 16S | 45 | | 14W | 20 |
| | 14N | 25 | 18S | 28 | | 16W | 24 |
| | 16N | 70 | 20S | 88 | | 18W | 23 |
| | 18N | 30 | 22S | 48 | | 20W | 26 |
| | 20N | 25 | 24S | 22 | | 22W | 24 |
| | 22N | 41 | 26S | 24 | | 24W | 20 |
| | 24N | 35 | 28S | 30 | | 26W | 28 |
| | 26N | 24 | 30S | 42 | | 28W | 26 |
| | 28N | 28 | 32S | 38 | BL | 30W | 25 |
| | 30N | 48 | 34S | 53 | 8N | 2W | 21 |
| | 32N | 46 | 36S | 36 | | 4W | 29 |
| | 34N | 54 | 38S | 34 | | 6W | 31 |
| | 36N | 35 | 40S | 40 | | 8W | 35 |
| | 38N | 46 | 42S | 64 | | 10W | 27 |
| | 40N | 48 | 44S | 42 | | 12W | 17 |

Dusty Mac Mines Ltd.

Lab No. 559 G

June 29, 1971

Page 2...

| Sample Number: | Copper ppm | Sample Number: | Copper ppm | Sample Number: | Copper ppm | | |
|------------------|------------|----------------|----------------------|----------------|------------|----------------|-------|
| <u>GROUP "D"</u> | | 30N | 10W | 57 | Trench 4 | 68 | |
| 8N | 14W | 19 | 12W | 44 | 6 | 56 | |
| | 16W | 26 | 14W | 37 | 7 | 85 | |
| | 18W | 24 | 16W | 16 | 8 | 68 | |
| | 20W | 21 | 18W | 26 | 10 | 68 | |
| | 22W | 19 | 20W | 32 | 11 | 60 | |
| | 24W | 36 | 22W | 24 | 12 | 69 | |
| | 26W | N.S. | 24W | 56 | 13 | 60 | |
| | 28W | N.S. | 26W | 44 | 14 | 29 | |
| | 30W | N.S. | 28W | 21 | 15 | 37 | |
| | 2E | 18 | 30N | 30W | 16 | 83 | |
| | 4E | 13 | 34N | 2W | 20 | Trench 17 | 64 |
| | 6E | 17 | 4W | 18 | 18 | Special Pit #5 | 66 |
| | 8E | 26 | 6W | 12 | 12 | 4N 30W | 14 |
| | 10E | 20 | 8W | 27 | 27 | 6N 30W | N. S. |
| | 12E | 22 | 10W | 18 | 18 | 2N 30W | 20 |
| | 14E | 22 | 12W | 30 | 30 | | |
| | 16E | 17 | 14W | 57 | 57 | | |
| | 18E | 23 | 16W | 27 | 27 | | |
| | 20E | 39 | 18W | 26 | 26 | | |
| | 22E | 23 | 20W | 212 | 212 | | |
| | 24E | 21 | 22W | 52 | 52 | | |
| | 26E | 25 | 24W | 26 | 26 | | |
| | 28E | 32 | 26W | 38 | 38 | | |
| | 30E | 57 | 28W | 55 | 55 | | |
| | 32E | 21 | 34N | 30W | 28 | | |
| | 34E | 47 | <u>END GROUP "D"</u> | | | | |
| | 36E | 25 | | | | | |
| 8N | 38E | 58 | | | | | |
| 30N | 2W | 44 | | | | | |
| | 4W | 24 | | | | | |
| | 6W | 23 | | | | | |
| | 8W | 16 | | | | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.



F.C. Burgess
Chief Assayer

FCB/seb

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 8, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.

Re: SERIES "G"

Lab No. 523GGeochemical Analysis for CopperMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| 4N -0 | 102 | 4 N - 54E | 47 | 4 S - 32E | 19 |
| 2E | 52 | 56 | 14 | 34 | 102 |
| 4 | 21 | 58 | 41 | 36 | 52 |
| 6 | 30 | 60 | 18 | 38 | 25 |
| 8 | 25 | 4 N 2W | 28 | 40 | 22 |
| 10 | 22 | 4 | 15 | 42 | 20 |
| 12 | 46 | 6 | 21 | 44 | 49 |
| 14 | 23 | 8 | 20 | 46 | 17 |
| 16 | 40 | 10 | 13 | 48 | 18 |
| 18 | 37 | 12 | 23 | 50 | 24 |
| 20 | 23 | 14 | 32 | 52 | no sample |
| 22 | 23 | 4 S - 0 | 24 | 54 | 23 |
| 24 | 28 | 2E | 17 | 56 | 54 |
| 26 | 50 | 4 | 13 | 58 | 61 |
| 28 | 58 | 6 | 14 | 60 | 19 |
| 30 | 34 | 8 | 19 | 4 S - 2W | 29 |
| 32 | 56 | 10 | 19 | 4 | 15 |
| 34 | 52 | 12 | 23 | 6 | 16 |
| 36 | 35 | 14 | 27 | 8 | 19 |
| 38 | 36 | 16 | 21 | 10 | 27 |
| 40 | 16 | 18 | 30 | 12 | 12 |
| 42 | 14 | 20 | 114 | 14 | 21 |
| 44 | 16 | 22 | 14 | | |
| 46 | 42 | 24 | 23 | | |
| 48 | 21 | 26 | 27 | | |
| 50 | 40 | 28 | 74 | | |
| 52 | 29 | 30 | 38 | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

*F. C. Burgess*F. C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 8, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.

Re: SERIES "A"

Lab No. 514GGeochemical Analysis for Molybdenum

| | |
|--------------------|--------------------------------------|
| Mesh Size: | - 80 |
| Analytical Method: | Atomic Absorption + Colorimetric |
| Digestion Method: | HClO ₄ + HNO ₃ |

| Sample Marked: | Molybdenum ppm |
|----------------|-------------------|
| G BL 00 - 16E | 3 |
| 28 | -2 |
| 40 | -2 |
| 42 | -2 |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 8, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.Re: SERIES "A"Lab No. 512GGeochemical Analysis for Molybdenum

Mesh Size:

- 80

Analytical Method:

Atomic Absorption + Colorimetric


Digestion Method:

HClO₄ + HNO₃

| Sample Marked: | Molybdenum | Sample Marked: | Molybdenum | Sample Marked: | Molybdenum |
|----------------|------------|----------------|------------|----------------|------------|
| | ppm | | ppm | | ppm |
| L 4W 14N | -2 | L 8W 24N | -2 | L 24W 48N | -2 |
| 30 | -2 | 26 | -2 | 54 | -2 |
| 32 | 3 | 52 | -2 | 58 | -2 |
| 34 | -2 | 4 S | -2 | 6 S | -2 |
| 46 | -2 | 6 | -2 | 8 | -2 |
| 48 | -2 | 8 | -2 | L 32W 22N | -2 |
| 50 | -2 | L 12W 32N | -2 | 24 | -2 |
| 6 S | -2 | L 20W 8 S | -2 | 38 | -2 |
| 8 | -2 | L 24W 28N | -2 | 42 | -2 |
| 10 | -2 | 36 | -2 | 48 | -2 |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,


F. C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.


June 3, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.Re: SERIES GLab No. 514G Geochemical Analysis for CopperMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| G-BLOO_00 | 34 | G-BLOO-12E | 21 | G-BLOO-36E | 25 |
| 2W | 12 | 14 | 28 | 38 | 42 |
| 4 | 16 | 16 | 68 | 40 | 94 |
| 6 | 18 | 18 | 25 | 42 | 105 |
| 8 | 18 | 20 | 40 | 44 | 34 |
| 10 | 21 | 22 | 31 | 46 | 32 |
| 12 | 21 | 24 | 21 | 48 | 25 |
| 14 | 35 | 26 | 33 | 50 | 34 |
| 2E | 15 | 28 | 190 | 52 | 26 |
| 4 | 25 | 30 | 30 | 54 | 36 |
| 6 | 27 | 32 | 22 | 56 | 42 |
| 8 | 38 | 34 | 21 | 58 | 22 |
| 10 | 34 | | | 60 | 27 |

Yours truly.

CREST LABORATORIES (B.C.) LTD.,


F. C. Burgess
Chief Assayer

June 3, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.

Re: SERIES G

Lab No. 514G


Geochemical Analysis for Copper

Mesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: $\text{HClO}_4 + \text{HNO}_3$

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| G-BLOO_00 | 34 | G-BLOO-12E | 21 | G-BLOO-36E | 25 |
| 2W | 12 | 14 | 28 | 38 | 42 |
| 4 | 16 | 16 | 68 | 40 | 94 |
| 6 | 18 | 18 | 25 | 42 | 105 |
| 8 | 18 | 20 | 40 | 44 | 34 |
| 10 | 21 | 22 | 31 | 46 | 32 |
| 12 | 21 | 24 | 21 | 48 | 25 |
| 14 | 35 | 26 | 33 | 50 | 34 |
| 2E | 15 | 28 | 190 | 52 | 26 |
| 4 | 25 | 30 | 30 | 54 | 36 |
| 6 | 27 | 32 | 22 | 56 | 42 |
| 8 | 38 | 34 | 21 | 58 | 22 |
| 10 | 34 | | | 60 | 27 |

Yours truly.

CREST LABORATORIES (B.C.) LTD.,



F. C. Burgess
Chief Assayer

CREST LABORATORIES (B.C.) LTD.B.C. REGISTERED ASSAYERS
GEOCHEMISTS1068 HOMER STREET,
VANCOUVER 3, B.C.

June 3, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.RE: SERIES "A"Lab No. 512GGeochemical Analysis for CopperMesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper . ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|-----------------|----------------|---------------|----------------|---------------|
| L4W 00BL | 29 | L4W 2S | 10 | L8W 48N | 20 |
| 2N | 24 | 4 | 16 | 50 | 33 |
| 4 | 19 | 6 | 42 | 52 | 104 |
| 6 | 12 | 8 | 162 | 54 | 23 |
| 8 | 18 | 10 | 140 | 56 | 20 |
| 10 | 19 | 12 | 23 | 58 | 25 |
| 12 | 19 | 14 | 22 | 60 | 16 |
| 14 | 126 | L8W 00BL | 15 | 2S | 16 |
| 16 | 19 | 2N | 13 | 4 | 49 |
| 18 | 20 | 4 | 29 | 6 | 42 |
| 20 | 21 | 6 | 15 | 8 | 252 |
| 22 | 15 | 8 | 19 | 10 | 25 |
| 24 | 13 | 10 | 27 | 12 | no sample |
| 26 | 21 | 12 | 20 | 14 | 17 |
| 28 | 12 | 14 | 18 | L12W 00BL | 21 |
| 30 | 55 | 16 | 13 | 2N | 13 |
| 32 | 61 | 18 | 24 | 4 | 11 |
| 34 | 54 | 20 | 27 | 6 | 18 |
| 36 | 32 | 22 | 29 | 8 | 10 |
| 38 | 17 | 24 | 128 | 10 | 22 |
| 40 | 15 | 26 | 47 | 12 | 8 |
| 42 | 19 | 28 | 23 | 14 | 29 |
| 44 | 32 | 30 | 19 | 16 | 22 |
| 46 | 93 | 32 | 19 | 18 | 12 |
| 48 | 64 | 34 | 25 | 20 | 12 |
| 50 | 41 | 36 | 43 | 22 | 16 |
| 52 | 21 | 38 | 25 | 24 | 21 |
| 54 | 23 | 40 | 19 | 26 | 32 |
| 56 | 23 | 42 | 24 | 28 | 13 |
| 58 | 19 | 44 | 21 | 30 | 26 |
| 60 | 29 | 46 | 24 | 32 | 60 |

Dusty Mac Mines Ltd.,
 1710-1177 West Hastings St.,
 Vancouver, B.C.

Lab No. 512G
 June 3, 1971
 Page 2

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| L12W 34 | 15 | L16W 44N | 14 | L20W 54N | 26 |
| 36 | 38 | 46 | 19 | 56 | 20 |
| 38 | 19 | 48 | 19 | 58 | 33 |
| 40 | 24 | 50 | 15 | 60 | 33 |
| 42 | 17 | 52 | 22 | 2S | 18 |
| 44 | 22 | 54 | 14 | 4 | 18 |
| 46 | 15 | 56 | 23 | 6 | 13 |
| 48 | 17 | 58 | 23 | 8 | 58 |
| 50 | 19 | 60 | 17 | 10 | 20 |
| 52 | 16 | 2S | 20 | 12 | 20 |
| 54 | 23 | 4 | 11 | 14 | 16 |
| 56 | 28 | 6 | 26 | L24W 00BL | 50 |
| 58 | 25 | 8 | no sample | 2N | 16 |
| 60 | 28 | 10 | 14 | 4 | 11 |
| 2S | 12 | 12 | 14 | 6 | 18 |
| 4 | 30 | 14 | 18 | 8 | 12 |
| 6 | 12 | L20W 00BL | 10 | 10 | 17 |
| 8 | no sample | 2N | 9 | 12 | 28 |
| 10 | 24 | 4 | 6 | 14 | 18 |
| 12 | no sample | 6 | 18 | 16 | 12 |
| 14 | 19 | 8 | 18 | 18 | 44 |
| L16W 00BL | 10 | 10 | 15 | 20 | 33 |
| 2N | 19 | 12 | 22 | 22 | 16 |
| 4 | 15 | 14 | 12 | 24 | 24 |
| 6 | 7 | 16 | 19 | 26 | 15 |
| 8 | 14 | 18 | 16 | 28 | 58 |
| 10 | 22 | 20 | 22 | 30 | 15 |
| 12 | 9 | 22 | 38 | 32 | 18 |
| 14 | 25 | 24 | 28 | 34 | 17 |
| 16 | 44 | 26 | 28 | 36 | 67 |
| 18 | 37 | 28 | 31 | 38 | 20 |
| 20 | 39 | 30 | 32 | 40 | 15 |
| 22 | 25 | 32 | 14 | 42 | 6 |
| 24 | 15 | 34 | 19 | 44 | 53 |
| 26 | 14 | 36 | 15 | 46 | 18 |
| 28 | 12 | 38 | 18 | 48 | 82 |
| 30 | 21 | 40 | 31 | 50 | 19 |
| 32 | 16 | 42 | 15 | 52 | 55 |
| 34 | 19 | 44 | 24 | 54 | 85 |
| 36 | 14 | 46 | 18 | 56 | 23 |
| 38 | 16 | 48 | 26 | 58 | 190 |
| 40 | 13 | 50 | 23 | 60 | 31 |
| 42 | 18 | 52 | 22 | 2S | 13 |


Dusty Mac Mines Ltd.,
 1710-1187 West Hastings St.,
 Vancouver, B.C.

Lab No. 512G
 June 3, 1971
 Page 3

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| L24W 4S | 13 | L28W 46N | 15 | L32W 26N | 19 |
| 6 | 73 | 48 | 22 | 28 | 23 |
| 8 | 56 | 50 | 29 | 30 | 38 |
| 10 | 13 | 52 | 15 | 32 | 28 |
| 12 | 19 | 54 | 13 | 34 | 23 |
| 14 | 18 | 56 | 16 | 36 | 17 |
| L28W 00BL | 22 | 58 | 17 | 38 | 55 |
| 2N | 11 | 60 | 29 | 40 | 21 |
| 4 | 9 | 2S | 21 | 42 | 43 |
| 6 | 21 | 4 | 32 | 44 | 37' |
| 8 | 13 | 6 | 24 | 46 | 16 |
| 10 | 7 | 8 | 33 | 48 | 62 |
| 12 | 16 | 10 | 11 | 50 | 20 |
| 14 | 18 | 12 | 25 | 52 | 26 |
| 16 | 15 | 14 | 16 | 54 | 14 |
| 18 | 24 | L32W 00BL | 11 | 56 | 20 |
| 20 | 32 | 2N | 12 | 58 | 37 |
| 22 | 20 | 4 | 32 | 60 | 17 |
| 24 | 36 | 6 | 10 | 2S | 21 |
| 26 | 22 | 8 | 16 | 4 | 23 |
| 28 | 17 | 10 | 16 | 6 | 15 |
| 30 | 46 | 12 | 11 | 8 | 6 |
| 32 | 14 | 14 | 20 | 10 | 21 |
| 34 | 14 | 16 | 14 | 12 | 23 |
| 36 | 15 | 18 | 24 | 14 | 15 |
| 38 | 35 | 20 | 30 | | |
| 40 | 14 | 22 | 64 | | |
| 42 | 40 | 24 | 40 | | |
| 44 | 20 | | | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,



F. C. Burgess
 Chief Assayer

June 3, 1971

Dusty Mac Mines Ltd.,
1710-1177 West Hastings Street,
Vancouver, B.C.

RE: SERIES "A"

Lab No. 512G

Geochemical Analysis for Copper

Mesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: $\text{HClO}_4 + \text{HNO}_3$

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | | | |
|----------------|------------|----------------|------------|----------------|------------|------|------|-----------|
| L4W | 00BL | 29 | L4W | 2S | 10 | L8W | 48N | 20 |
| | 2N | 24 | | 4 | 16 | | 50 | 33 |
| | 4 | 19 | | 6 | 42 | | 52 | 104 |
| | 6 | 12 | | 8 | 162 | | 54 | 23 |
| | 8 | 18 | | 10 | 140 | | 56 | 20 |
| | 10 | 19 | | 12 | 23 | | 58 | 25 |
| | 12 | 19 | | 14 | 22 | | 60 | 16 |
| | 14 | 126 | L8W | 00BL | 15 | | 2S | 16 |
| | 16 | 19 | | 2N | 13 | | 4 | 49 |
| | 18 | 20 | | 4 | 29 | | 6 | 42 |
| | 20 | 21 | | 6 | 15 | | 8 | 252 |
| | 22 | 15 | | 8 | 19 | | 10 | 25 |
| | 24 | 13 | | 10 | 27 | | 12 | no sample |
| | 26 | 21 | | 12 | 20 | | 14 | 17 |
| | 28 | 12 | | 14 | 18 | L12W | 00BL | 21 |
| | 30 | 55 | | 16 | 13 | | 2N | 13 |
| | 32 | 61 | | 18 | 24 | | 4 | 11 |
| | 34 | 54 | | 20 | 27 | | 6 | 18 |
| | 36 | 32 | | 22 | 29 | | 8 | 10 |
| | 38 | 17 | | 24 | 128 | | 10 | 22 |
| | 40 | 15 | | 26 | 47 | | 12 | 8 |
| | 42 | 19 | | 28 | 23 | | 14 | 29 |
| | 44 | 32 | | 30 | 19 | | 16 | 22 |
| | 46 | 93 | | 32 | 19 | | 18 | 12 |
| | 48 | 64 | | 34 | 25 | | 20 | 12 |
| | 50 | 41 | | 36 | 43 | | 22 | 16 |
| | 52 | 21 | | 38 | 25 | | 24 | 21 |
| | 54 | 23 | | 40 | 19 | | 26 | 32 |
| | 56 | 23 | | 42 | 24 | | 28 | 13 |
| | 58 | 19 | | 44 | 21 | | 30 | 26 |
| | 60 | 29 | | 46 | 24 | | 32 | 60 |

Dusty Mac Mines Ltd.,
 1710-1177 West Hastings St.,
 Vancouver, B.C.

Lab No. 512G
 June 3, 1971
 Page 2

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|------------|----------------|------------|----------------|------------|
| L12W 34 | 15 | L16W 44N | 14 | L20W 54N | 26 |
| 36 | 38 | 46 | 19 | 56 | 20 |
| 38 | 19 | 48 | 19 | 58 | 33 |
| 40 | 24 | 50 | 15 | 60 | 33 |
| 42 | 17 | 52 | 22 | 2S | 18 |
| 44 | 22 | 54 | 14 | 4 | 18 |
| 46 | 15 | 56 | 23 | 6 | 13 |
| 48 | 17 | 58 | 23 | 8 | 58 |
| 50 | 19 | 60 | 17 | 10 | 20 |
| 52 | 16 | 2S | 20 | 12 | 20 |
| 54 | 23 | 4 | 11 | 14 | 16 |
| 56 | 28 | 6 | 26 | L24W 00BL | 50 |
| 58 | 25 | 8 | no sample | 2N | 16 |
| 60 | 28 | 10 | 14 | 4 | 11 |
| 2S | 12 | 12 | 14 | 6 | 18 |
| 4 | 30 | 14 | 18 | 8 | 12 |
| 6 | 12 | L20W 00BL | 70 | 10 | 17 |
| 8 | no sample | 2N | 9 | 12 | 28 |
| 10 | 24 | 4 | 6 | 14 | 18 |
| 12 | no sample | 6 | 18 | 16 | 12 |
| 14 | 19 | 8 | 18 | 18 | 44 |
| L16W 00BL | 10 | 10 | 15 | 20 | 33 |
| 2N | 19 | 12 | 22 | 22 | 16 |
| 4 | 15 | 14 | 12 | 24 | 24 |
| 6 | 7 | 16 | 19 | 26 | 15 |
| 8 | 14 | 18 | 16 | 28 | 58 |
| 10 | 22 | 20 | 22 | 30 | 15 |
| 12 | 9 | 22 | 38 | 32 | 18 |
| 14 | 25 | 24 | 28 | 34 | 17 |
| 16 | 44 | 26 | 28 | 36 | 67 |
| 18 | 37 | 28 | 31 | 38 | 20 |
| 20 | 39 | 30 | 32 | 40 | 15 |
| 22 | 25 | 32 | 14 | 42 | 6 |
| 24 | 15 | 34 | 19 | 44 | 53 |
| 26 | 14 | 36 | 15 | 46 | 18 |
| 28 | 12 | 38 | 18 | 48 | 82 |
| 30 | 21 | 40 | 31 | 50 | 19 |
| 32 | 16 | 42 | 15 | 52 | 55 |
| 34 | 19 | 44 | 24 | 54 | 85 |
| 36 | 14 | 46 | 18 | 56 | 23 |
| 38 | 16 | 48 | 26 | 58 | 190 |
| 40 | 13 | 50 | 23 | 60 | 31 |
| 42 | 18 | 52 | 22 | 2S | 13 |

Dusty Mac Mines Ltd.,
 1710-1187 West Hastings St.,
 Vancouver, B.C.

Lab No. 512G
 June 3, 1971
 Page 3

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| L24W 4S | 13 | L28W 46N | 15 | L32W 26N | 19 |
| 6 | 73 | 48 | 22 | 28 | 23 |
| 8 | 56 | 50 | 29 | 30 | 38 |
| 10 | 13 | 52 | 15 | 32 | 28 |
| 12 | 19 | 54 | 13 | 34 | 23 |
| 14 | 18 | 56 | 16 | 36 | 17 |
| L28W 00BL | 22 | 58 | 17 | 38 | 55 |
| 2N | 11 | 60 | 29 | 40 | 21 |
| 4 | 9 | 2S | 21 | 42 | 43 |
| 6 | 21 | 4 | 32 | 44 | 37 |
| 8 | 13 | 6 | 24 | 46 | 16 |
| 10 | 7 | 8 | 33 | 48 | 62 |
| 12 | 16 | 10 | 11 | 50 | 20 |
| 14 | 18 | 12 | 25 | 52 | 26 |
| 16 | 15 | 14 | 16 | 54 | 14 |
| 18 | 24 | L32W 00BL | 11 | 56 | 20 |
| 20 | 32 | 2N | 12 | 58 | 37 |
| 22 | 20 | 4 | 32 | 60 | 17 |
| 24 | 36 | 6 | 10 | 2S | 21 |
| 26 | 22 | 8 | 16 | 4 | 23 |
| 28 | 17 | 10 | 16 | 6 | 15 |
| 30 | 46 | 12 | 11 | 8 | 6 |
| 32 | 14 | 14 | 20 | 10 | 21 |
| 34 | 14 | 16 | 14 | 12 | 23 |
| 36 | 15 | 18 | 24 | 14 | 15 |
| 38 | 35 | 20 | 30 | | |
| 40 | 14 | 22 | 64 | | |
| 42 | 40 | 24 | 40 | | |
| 44 | 20 | | | | |

Yours truly,

CREST LABORATORIES (B.C.) LTD.,

F. C. Burgess

F. C. Burgess
 Chief Assayer

CREST LABORATORIES (B.C.) LTD.

B.C. REGISTERED ASSAYERS
GEOCHEMISTS

1068 HOMER STREET,
VANCOUVER 3, B.C.

August 3, 1971

Dusty Mac Mines Ltd.,
1710 - 1177 West Hastings Street,
Vancouver, B.C.

Lab No. 615G: Geochemical analysis for copper

Mesh Size: - 80
Analytical Method: Atomic Absorption
Digestion Method: HClO₄ + HNO₃

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|------------|----------------|------------|----------------|------------|
| Group A | | | | | |
| 16E - 14S | 18 | 16E - 62 | 80 | 24E - 18S | 29 |
| 16 | 14 | 64 | 28 | 20 | 15 |
| 18 | 20 | 66 | 18 | 22 | 11 |
| 20 | 114 | 68 | 26 | 24 | 51 |
| 22 | 24 | 70 | 22 | 26 | 80 |
| 24 | 48 | 72 | 14 | 28 | no sample |
| 26 | 54 | 74 | 16 | 30 | 77 |
| 28 | 32 | 76 | 20 | 32 | 80 |
| 30 | 126 | 78 | 20 | 34 | 36 |
| 32 | 70 | 80 | 24 | 36 | 28 |
| 34 | 52 | 82 | 20 | 38 | 17 |
| 36 | 32 | 84 | 16 | 40 | 29 |
| 38 | 22 | 86 | 24 | 42 | 20 |
| 40 | 18 | 88 | 24 | 44 | 33 |
| 42 | 126 | 90 | 14 | 46 | 29 |
| 44 | 48 | 92 | 20 | 48 | 22 |
| 46 | 16 | 94 | 26 | 50 | 21 |
| 48 | 26 | 96 | 96 | 52 | 20 |
| 50 | 30 | 98 | 14 | 54 | 25 |
| 52 | 32 | 100 | 18 | 56 | 30 |
| 54 | 130 | 102 | 30 | 58 | 10 |
| 56 | 22 | 104 | 14 | 60 | 14 |
| 58 | 14 | 24 E - 12S | 16 | 62 | 15 |
| 60 | 28 | 14 | 16 | 64 | 35 |
| | | 16 | 39 | | |

Dusty Mac Mines Ltd.,
 Lab No. 615G
 August 3, 1971
 Page 2

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|----------------|---------------|
| 24E - 66S | 27 | 32 - 2 | 19 | 8N -16SW | 25 |
| 68 | 21 | 32 - 3 | 56 | 18 | 68 |
| 70 | 51 | Group B | | 20 | 21 |
| 72 | 28 | 0 - 2SW | 42 | 22 | 20 |
| 74 | 43 | 4 | 17 | 24 | 29 |
| 76 | 27 | 6 | 30 | 26 | 24 |
| 78 | 45 | 8 | 37 | 28 | 39 |
| 80 | 50 | 10 | 22 | 30 | 33 |
| 82 | 20 | 12 | 40 | 32 | 23 |
| 84 | 17 | 14 | 20 | 34 | 31 |
| 86 | 29 | 16 | 44 | 36 | 23 |
| 88 | 19 | 18 | 25 | 38 | 84 |
| 90 | 20 | 20 | 38 | 40 | 20 |
| 92 | 33 | 22 | 40 | 42 | 23 |
| 94 | 19 | 24 | 33 | 44 | 23 |
| 96 | 23 | 26 | 23 | 46 | 12 |
| 98 | 15 | 28 | 52 | 48 | 26 |
| 100 | 14 | 30 | 24 | 50 | 24 |
| 102 | 12 | 32 | 27 | 16N- 2SW | 31 |
| 104 | 38 | 34 | 27 | 4 | 38 |
| 27 - 1 | 15 | 36 | 16 | 6 | 25 |
| 28 - 1 | 25 | 38 | 21 | 8 | 25 |
| 28 - 2 | 23 | 40 | 52 | 10 | 22 |
| 28 - 3 | 11 | 42 | 21 | 12 | 45 |
| 29 - 1 | 15 | 44 | 13 | 14 | 33 |
| 29 - 2 | 23 | 46 | 32 | 16 | 29 |
| 29 - 3 | 12 | 48 | 40 | 18 | 8 |
| 30 - 1 | 11 | 50 | 59 | 20 | 15 |
| 30 - 2 | 12 | 8N - 2SW | 41 | 22 | 27 |
| 30 - 3 | 14 | 4 | 60 | 24 | 26 |
| 31 - 1 | 13 | 6 | 21 | 26 | 33 |
| 31 - 2 | 42 | 8 | 100 | 28 | 24 |
| 31 - 3 | 32 | 10 | 44 | 30 | 41 |
| 32 - 1 | 15 | 12 | 67 | 32 | 33 |
| | | 14 | 87 | | |

Dusty Mac Mines Ltd.,
 Lab No. 615G,
 August 3, 1971
 Page 3

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|------------|----------------|------------|----------------|------------|
| 16N -34SW | 17 | 8S - 0 | 15 | 16S -4E | 10 |
| 36 | 20 | 2E | 18 | 6 | 31 |
| 38 | 77 | 4 | 12 | 8 | 30 |
| 40 | 14 | 6 | 21 | 10 | 25 |
| 42 | 18 | 8 | 11 | 12 | 19 |
| 44 | 42 | 10 | 20 | 14 | 73 |
| 46 | 15 | 12 | 17 | 16 | 14 |
| 48 | 60 | 14 | 15 | 18 | 12 |
| 50 | 50 | 16 | 13 | 20 | 18 |
| 24N - 2SW | 17 | 18 | 12 | 22 | 18 |
| 4 | 38 | 20 | 13 | 24 | 32 |
| 6 | 23 | 22 | 20 | 26 | 23 |
| 8 | 12 | 24 | 17 | 28 | 17 |
| 10 | 32 | 26 | 21 | 30 | 16 |
| 12 | 68 | 28 | 17 | 32 | 12 |
| 14 | 23 | 30 | 22 | 34 | 15 |
| 16 | 36 | 32 | 13 | 36 | 15 |
| 18 | 29 | 34 | 23 | 38 | 17 |
| 20 | 18 | 36 | 16 | 40 | 18 |
| 22 | 40 | 38 | 20 | 42 | 23 |
| 24 | 35 | 40 | 18 | 44 | 42 |
| 26 | 45 | 42 | 17 | 46 | 35 |
| 28 | 16 | 44 | 16 | 16S - 2W | 9 |
| 30 | 18 | 46 | 22 | 4 | 17 |
| 32 | 32 | 8S - 2W | 27 | 6 | 11 |
| 34 | 21 | 4 | 11 | 8 | 24 |
| 36 | 21 | 6 | 11 | 10 | 30 |
| 38 | 19 | 8 | 10 | 12 | 27 |
| 40 | 22 | 10 | 9 | 14 + 16 | no sample |
| 42 | 20 | 12 | 12 | 18 | 27 |
| 44 | 78 | 14 | 17 | | |
| 46 | 29 | 16 | 19 | | |
| 48 | 24 | 18 | 48 | | |
| 50 | 21 | 16S - 0 | 17 | | |
| F Group | | 2E | 12 | | |

Yours truly,
 CREST LABORATORIES (B.C.) LTD.,
F.C. Burgess
 F.C. Burgess
 Chief Assayer

In Account With

PHONE 688-8586

CREST LABORATORIES (B.C.) LTD.

B.C. REGISTERED ASSAYERS
INDUSTRIAL and RESEARCH CHEMISTS

1068 HOMER STREET
VANCOUVER 3, B.C.

Dusty Mac Mines Ltd., (N.P.L.)
1710 - 1177 West Hastings Street,
Vancouver, B.C.

DATE Sept. 27, 1971
LAB. No. 6990
ORDER No.

For Services Rendered:

| | |
|---|---------|
| 10 geochemical determinations - 2 elements @ 1.40 | 14.00 |
| 10 soil sample preparations @ 0.20 | 2.00 |
| | <hr/> |
| | \$16.00 |

In Account With

PHONE 688-8586

CREST LABORATORIES (B.C.) LTD.

B.C. REGISTERED ASSAYERS
INDUSTRIAL and RESEARCH CHEMISTS

1068 HOMER STREET
VANCOUVER 3, B.C.

Dusty Mac Mines Ltd.,
1710 - 1177 West Hastings Street,
Vancouver, B.C.

DATE Sept. 27, 1971
LAB. No. 692G
ORDER No.

For Services Rendered:

| | |
|---|--------|
| 248 geochemical determinations - 1 element @ 0.95 | 235.60 |
| 248 soil sample preparations @ 0.20 | 49.60 |

\$285.20

Paid Sept 28/71

In Account With

PHONE 688-8586

CREST LABORATORIES (B.C.) LTD.

B.C. REGISTERED ASSAYERS
INDUSTRIAL and RESEARCH CHEMISTS

1068 HOMER STREET
VANCOUVER 3, B.C.

Dusty Mac Mines Ltd., (N.D.L.)
1710 - 1177 West Hastings Street,
Vancouver, B.C.

DATE Sept. 27, 1971
LAB. No. 3327
ORDER No.

For Services Rendered:

| | |
|--------------------------------|---------|
| 3 Silver determinations @ 3.50 | 10.50 |
| 3 Copper determinations @ 3.25 | 9.75 |
| | <hr/> |
| | \$20.25 |

Pa
Sept 28/71
J

CREST LABORATORIES (B.C.) LTD.

1068 HOMER STREET
VANCOUVER 3, B.C.
PHONE 688-2506

CREST LABORATORIES LTD.
7911 ARGYLL ROAD
EDMONTON 82, ALBERTA
PHONE 469-2391

CERTIFICATE OF ASSAY

TO Dusty Mac Mines Ltd., (N.P.L.)
..... 1710 - 1177 West Hastings Street,
..... Vancouver, B.C.

Sept. 27, 1971

Lab No. 3327

I hereby certify THAT THE FOLLOWING ARE THE RESULTS OF ASSAYS MADE BY US UPON THE HEREIN DESCRIBED SAMPLES.

| MARKED | GOLD | | SILVER | COPPER | Percent | Percent | Percent | Percent | Percent | Percent | TOTAL VALUE PER TON (2000 LBS.) |
|---------|-------------------|------------------|-------------------|---------|---------|---------|---------|---------|---------|---------|---------------------------------------|
| | Ounces per Ton | Value per Ton | Ounces per Ton | Percent | | | | | | | |
| 39559 C | | | 0.3 | 0.10 | | | | | | | |
| 39560 C | | | 0.9 | 0.06 | | | | | | | |
| 39561 C | | | --- | 0.01 | | | | | | | |
| 39562 C | | | 0.2 | --- | | | | | | | |

NOTE:
Rejects Retained One Month
Pulps Retained Three Months
Unless Otherwise Arranged.

Gold calculated at \$ per ounce


Registered Assayer; Province of British Columbia

Dusty Mac Mines Ltd.,

Page 2 ...

Lab No. 692G

Sept. 27, 1971

| Sample Marked: | | | Copper ppm | Sample Marked: | | | Copper ppm | Sample Marked: | | | Copper ppm |
|----------------|-----|----|---------------|----------------|-----|----|---------------|----------------|------|---|---------------|
| 14E | 61 | S | 24 | 32N | 30 | SW | 12 | 42E | 66 | S | 26 |
| | 62 | | 20 | | 32 | | 50 | | 67 | | 32 |
| 28E | 47S | | 40 | | 34 | | 38 | | 68 | | 12 |
| | 48 | | 32 | 40N | 2 | SW | 30 | 56E | 53 | S | 20 |
| | 49 | | 36 | | 4 | | 32 | | 54 | | 188 |
| | 50 | | 22 | | 6 | | 28 | | 55 | | 32 |
| | 51 | | no sample | | 8 | | 14 | | 56 | | 16 |
| | 52 | | 30 | | 10 | | 12 | | 57 | | 18 |
| | 53 | | 30 | | 12 | | 16 | | 58 | | 32 |
| | 54 | | 20 | | 14 | | 70 | | 59 | | 40 |
| | 55 | | 24 | | 16 | | 20 | | 60 | | 16 |
| | 56 | | 24 | | 18 | | 10 | | 61 | | 52 |
| | 57 | | 72 | | 20 | | 16 | MD 47-48 | 00 | | 66 |
| | 58 | | 28 | | 22 | | 22 | | 3SW | | 330 |
| | 59 | | 32 | | 24 | | 44 | | 6 | | 194 |
| | 60 | | 24 | | 26 | | 30 | | 9 | | 46 |
| | 61 | | 36 | | 28 | | 40 | | 12 | | 68 |
| | 62 | | 28 | | 30 | | 40 | | 15 | | 34 |
| | 63 | | 52 | | 32 | | 24 | | 18 | | 40 |
| | 64 | | 34 | | 34 | | 14 | | 21 | | 68 |
| | 65 | | 28 | | 36 | | 30 | | 24 | | 16 |
| | 66 | | 22 | | 38 | | 20 | | 27 | | 44 |
| 32N | 2 | SW | 60 | 42E | 52S | | 30 | | 30 | | 20 |
| | 4 | | 48 | | 53 | | 36 | | 33 | | 116 |
| | 6 | | 26 | | 54 | | 44 | | 36 | | 74 |
| | 8 | | 12 | | 55 | | 60 | | 39 | | no sample |
| | 10 | | 46 | | 56 | | 36 | | 42 | | 18 |
| | 12 | | 22 | | 57 | | 46 | | 45 | | 18 |
| | 14 | | 54 | | 58 | | 18 | MD 49-50 | 00 | | 66 |
| | 16 | | 30 | | 59 | | no sample | | 3 SW | | no sample |
| | 18 | | 20 | | 60 | | 30 | | 6 | | 44 |
| | 20 | | 20 | | 61 | | 26 | | 9 | | 54 |
| | 22 | | 16 | | 62 | | 20 | | 12 | | 42 |
| | 24 | | 52 | | 63 | | 22 | | 15 | | 26 |
| | 26 | | 26 | | 64 | | 32 | | 18 | | 22 |
| | 28 | | 18 | | 65 | | 54 | | 21 | | 32 |

Dusty Mac Mines Ltd.,
 Lab No. 692G,
 Sept. 27, 1971
 Page 3 ...

| Sample Marked: | Copper ppm | Sample Marked: | Copper ppm | Sample Marked: | Copper ppm |
|----------------|---------------|----------------|---------------|-------------------------|---------------|
| MD 49-50 24 SW | 22 | MD 53-54 18 SW | 62 | MD 55-56 FINAL 12 NE | 14 |
| 27 | 28 | 21 | 78 | 15 | 54 |
| 30 | 32 | 24 | 50 | | |
| 33 | 40 | 27 | 76 | | |
| 36 | 38 | 30 | 106 | | |
| 39 | 210 | 33 | 48 | | |
| 42 | 30 | 36 | 20 | | |
| 45 | no sample | 39 | 10 | | |
| 3 NE | 26 | 42 | 54 | | |
| 6 | 102 | 45 | 60 | | |
| 9 | 94 | 3 NE | 28 | | |
| 12 | 64 | 6 | 32 | | |
| 15 | 64 | 9 | 58 | | |
| MD 51-52 3 SW | 24 | 12 | 54 | | |
| 6 | 36 | 15 | 60 | | |
| 9 | 68 | MD 55-56 00 | 24 | | |
| 12 | 14 | 3 SW | 20 | | |
| 15 | 54 | 6 | 52 | | |
| 18 | 22 | 9 | 22 | | |
| 21 | 42 | 12 | 60 | | |
| 24 | 30 | 15 | 36 | | |
| 27 | 44 | 3 NE | 22 | | |
| 30 | 44 | 6 | 54 | | |
| 33 | 38 | 9 | 40 | | |
| 00 | 54 | 12 | 32 | | |
| ** 3 NE | ** no sample | 15 | 28 | | |
| 6 | 30 | MD 55-56 FINAL | | | |
| 9 | 33 | 00 | 32 | | |
| 12 | 34 | 3 SW | 22 | | |
| 15 | 40 | 6 | 30 | | |
| MD 53-54 00 | 18 | 9 | 16 | | |
| 3 SW | 26 | 12 | 30 | | |
| 6 | 10 | 15 | 78 | | |
| 9 | 20 | 3 NE | 26 | | |
| 12 | 114 | 6 | 24 | | |
| 15 | 24 | 9 | 42 | | |

Yours truly,
 CREST LABORATORIES (B.C.) LTD.,



F.C. Burgess
 Chief Assayer