

(VALUES IN %)	AL2O3	BA	CAD	FE2O3	K2O	MGO	MND2	NA2O	PB	SIB2	TIO2	ZR
SBS-86-6001	16.88	.129	.61	4.20	3.94	.65	.13	3.52	.005	67.70	.42	.021
SBS-86-6002	11.30	.050	.50	2.41	1.74	.35	.08	3.79	.005	77.97	.27	.011
SBS-86-6003	18.76	.033	1.77	3.70	1.10	.45	.15	9.44	.005	61.79	.48	.024
SBS-86-6004	13.49	.080	1.60	2.69	3.63	.55	.14	1.84	.005	74.03	.25	.005
SBS-86-6005	16.32	.098	.73	6.92	2.44	1.43	.21	3.97	.005	65.35	.61	.021
SBS-86-6006	15.93	.045	4.51	6.81	1.18	1.90	.42	5.38	.005	61.22	.78	.012
SBS-86-6007	16.44	.057	.83	6.03	2.51	1.10	.31	4.03	.005	66.23	.64	.021
SBS-86-6008	14.50	.076	3.41	12.62	3.03	1.06	.90	.78	.005	60.98	.63	.015
SBS-86-6009	16.89	.067	.33	6.97	2.41	2.11	.25	3.86	.005	64.53	.77	.019
SBS-86-6010	13.70	.125	1.87	3.56	3.00	.73	.19	3.08	.005	71.68	.33	.019
SBS-86-6011	13.35	.118	1.00	1.92	2.55	.67	.11	4.03	.005	74.43	.24	.018
SBS-86-6012	15.12	.040	.86	2.91	1.51	.39	.08	5.98	.005	71.05	.36	.026
SBS-86-6013	14.82	.085	1.57	4.47	1.97	1.21	.30	4.82	.005	68.58	.53	.021
SBS-86-6014	15.89	.105	.16	4.43	4.35	.89	.10	.59	.005	71.01	.68	.018
SBS-86-6015	24.04	.245	14.06	10.16	7.08	.93	.83	.34	.005	39.36	.86	.030
SBS-86-6016	5.25	.041	19.54	6.84	1.88	8.64	.52	.05	.014	51.50	.31	.005
SBS-86-6017	2.09	.017	2.27	4.95	.59	.93	.39	.05	.005	86.77	.07	.005
SBS-86-6018	12.98	.100	.20	2.90	2.58	.56	.03	3.56	.005	75.05	.29	.013
SBS-86-6019	8.70	.016	2.01	4.65	.99	1.18	.08	2.06	.005	77.76	.86	.009
SBS-86-6020	5.58	.005	12.85	18.65	.12	7.33	.75	.83	.016	50.89	.73	.010
SBS-86-6021	14.43	.158	1.21	2.40	4.96	.57	.10	2.31	.005	71.89	.31	.022
SBS-86-6022	13.58	.066	4.52	3.64	1.73	1.08	.22	3.71	.005	69.35	.32	.018
SBS-86-6023	16.00	.068	.25	4.99	1.92	1.37	.12	4.07	.005	68.99	.46	.017
SBS-86-6024	13.31	.123	2.71	5.90	2.34	3.35	.19	2.66	.005	66.82	.62	.013
SBS-86-6025	12.28	.017	14.27	10.40	.51	6.24	.59	1.28	.011	50.61	1.35	.008
SBS-86-6026	14.50	.006	15.62	8.68	.22	5.68	.61	1.44	.009	50.24	.69	.005
SBS-86-6027	13.46	.043	17.73	9.57	1.04	7.38	.53	.48	.006	45.55	1.83	.009
SBS-86-6028	10.42	.148	12.73	7.21	2.43	10.97	.34	.87	.011	52.04	.58	.005
SBS-86-6029	15.00	.015	10.15	9.38	.63	6.10	.37	3.44	.005	50.07	2.44	.013
SBS-86-6030	18.75	.018	14.24	9.52	.51	2.63	.45	3.43	.008	47.51	.87	.009
SBS-86-6031	15.50	.100	.67	3.79	3.86	.58	.13	2.54	.005	70.52	.37	.011
SBS-86-6032	16.30	.117	.21	2.32	4.69	1.01	.09	2.50	.005	70.61	.45	.023
SBS-86-6033	15.84	.115	.27	2.16	5.12	.98	.11	1.15	.005	72.28	.34	.021
SBS-86-6034	15.92	.086	.03	4.89	3.78	.42	.12	.25	.005	72.41	.39	.027
SBS-86-6035	15.57	.099	2.64	6.39	3.54	1.28	.17	2.64	.005	65.32	.65	.017
SBS-86-6036	19.26	.090	2.65	11.35	2.22	3.50	.18	2.81	.005	54.32	1.24	.014
SBS-86-6037	16.62	.041	3.93	18.13	1.16	8.62	.30	2.58	.016	44.38	1.60	.005
SBS-86-6038	18.45	.046	.07	10.99	2.50	1.51	.11	3.27	.005	59.66	1.16	.013
SBS-86-6039	14.72	.013	6.78	10.05	.55	8.22	.33	1.93	.005	54.65	.56	.005
SBS-86-6040	14.51	.080	.09	2.66	1.88	.36	.10	5.22	.005	73.18	.26	.016
SBS-86-6041	11.79	.060	1.18	2.10	1.67	.46	.10	4.31	.005	76.38	.24	.011
SBS-86-6042	15.24	.104	3.00	2.87	4.10	1.32	.15	2.77	.005	68.39	.35	.021
SBS-86-6043	15.23	.098	.09	3.26	4.17	.91	.14	2.33	.005	71.70	.34	.017
SBS-86-6044	15.76	.129	.50	5.89	4.64	1.01	.21	2.19	.005	67.42	.46	.016
SBS-86-6045	13.75	.097	2.34	2.85	3.39	1.11	.21	3.12	.005	71.22	.26	.020
SBS-86-6046	13.63	.130	2.49	2.61	3.81	.84	.09	2.28	.005	72.13	.28	.021
SBS-86-6047	13.62	.086	2.61	3.17	3.59	1.28	.15	2.44	.005	71.12	.30	.019
SBS-86-6048	14.90	.056	4.27	7.14	3.61	2.40	.46	1.18	.005	63.67	.46	.017
SBS-86-6049	14.37	.118	2.35	3.01	3.35	.87	.08	3.06	.005	70.74	.31	.021
SBS-86-6050	14.77	.104	1.32	3.85	3.73	.67	.14	3.01	.005	70.35	.34	.025
SBS-86-6051	15.07	.144	1.03	3.51	4.54	.47	.07	3.48	.005	69.61	.32	.022
SBS-86-6052	15.37	.112	.82	3.88	4.76	.79	.09	1.42	.005	70.58	.45	.015
SBS-86-6053	16.97	.021	.03	3.21	.50	.17	.06	9.19	.005	67.82	.35	.026
SBS-86-6054	17.30	.188	1.04	4.09	4.93	1.05	.05	3.02	.005	65.12	.35	.028

824267
 SBS
 sam/04W

RECEIVED
 OCT 22 1986
 Ans'd

PROJECT NO: 325

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1005/P1+2

ATTENTION: K. AKHURST/I. PIRIE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: OCT 22, 1986

(VALUES IN %)	TOT(%)	CU-PPM	PB-PPM	ZN-PPM	AG-PPM	AU-PPB
SBS-86-6001	98.20	310	14	47	.4	5
SBS-86-6002	98.47	104	12	24	.5	5
SBS-86-6003	97.69	75	12	26	.3	30
SBS-86-6004	98.30	10	11	18	.3	5
SBS-86-6005	98.10	210	13	94	.5	5
SBS-86-6006	98.18	11	16	65	.8	10
SBS-86-6007	98.19	41	23	113	.4	5
SBS-86-6008	97.99	163	26	180	.7	5
SBS-86-6009	98.21	79	22	83	.6	5
SBS-86-6010	98.28	62	21	35	.4	5
SBS-86-6011	98.44	9	9	13	.2	5
SBS-86-6012	98.32	33	7	14	.3	5
SBS-86-6013	98.38	27	12	55	.5	10
SBS-86-6014	98.24	530	12	37	.5	10
SBS-86-6015	97.94	14	27	75	1.1	5
SBS-86-6016	94.38	13	140	1040	1.3	15
SBS-86-6017	98.13	17	63	630	.4	15
SBS-86-6018	98.27	10	6	34	.2	5
SBS-86-6019	98.31	14	14	31	.6	5
SBS-86-6020	97.77	160	16	23	.5	5
SBS-86-6021	98.37	17	12	36	.4	10
SBS-86-6022	98.24	11	15	39	.6	5
SBS-86-6023	98.26	10	8	38	.3	5
SBS-86-6024	98.04	34	44	154	.4	5
SBS-86-6025	97.56	12	11	20	.3	5
SBS-86-6026	97.70	10	16	33	.3	5
SBS-86-6027	97.64	80	9	24	.5	10
SBS-86-6028	97.76	39	12	18	.2	5
SBS-86-6029	97.61	100	15	37	.8	5
SBS-86-6030	97.93	12	18	42	.4	10
SBS-86-6031	98.07	16	10	15	.3	5
SBS-86-6032	98.31	10	6	74	.2	5
SBS-86-6033	98.38	21	13	220	.2	5
SBS-86-6034	98.32	18	35	173	.3	10
SBS-86-6035	98.30	15	9	67	.4	5
SBS-86-6036	97.62	93	15	130	.8	5
SBS-86-6037	97.38	130	24	146	1.1	3
SBS-86-6038	97.78	70	18	81	1.2	5
SBS-86-6039	97.81	67	62	200	1.2	5
SBS-86-6040	98.35	39	48	26	.3	3
SBS-86-6041	98.30	25	53	21	.5	10
SBS-86-6042	98.31	17	14	28	.3	5
SBS-86-6043	98.29	14	4	47	.2	5
SBS-86-6044	98.22	26	8	32	.2	10
SBS-86-6045	98.36	47	10	16	.3	5
SBS-86-6046	98.32	11	9	11	.4	10
SBS-86-6047	98.38	13	11	15	.3	5
SBS-86-6048	98.18	66	18	82	.8	5
SBS-86-6049	98.28	12	6	15	.4	3
SBS-86-6050	98.31	10	11	22	.3	5
SBS-86-6051	98.27	11	9	14	.2	5
SBS-86-6052	98.27	19	23	39	.4	5
SBS-86-6053	98.40	10	4	11	.2	5
SBS-86-6054	97.17	9	14	15	.3	10

MIN-EN Laboratories Ltd.

705 WEST 15th STREET,
NORTH VANCOUVER, B.C., CANADA V7M 1T2
TELEPHONE (604) 980-5814

RECEIVED

SEP 10 1986

Ans'd

ANALYTICAL REPORT

Project Date of report Sept 5/86.

File No. 6-708 Date samples received August 28, 1986.

Samples submitted by: Alex Davidson

Company: Corp. Falconbridge Copper

Report on: 92 rocks Geochem samples

..... Assay samples

Copies sent to:

1. Corp. Falconbridge Copper, Delta, B.C.

2.

3.

Samples: Sieved to mesh Ground to mesh -80

Prepared samples stored discarded

rejects stored discarded

Methods of analysis: 12 element major ICP. Au-wet.

Remarks:

SPECIALISTS IN MINERAL ENVIRONMENTS

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-708/P1+2

ATTENTION: ALEX DAVIDSON

(604)980-5814 OR (604)988-4524

* -16 * DATE: SEPT 5, 1986

(VALUES IN %)	AL203	BA	CAO	FE203	K2O	MGO	MNO2	NA2O	PB	SI02	TIO2	ZR
SBS-001	14.20	.070	1.63	2.44	2.33	.91	.14	4.81	.005	71.38	.32	.022
SBS-002	11.19	.050	5.17	1.93	2.82	1.14	.28	2.39	.005	73.10	.30	.012
SBS-003	14.55	.068	2.66	4.46	2.77	1.89	.19	4.01	.005	67.17	.49	.018
SBS-004	13.47	.042	3.73	3.16	2.35	2.92	.63	3.83	.005	67.64	.47	.020
SBS-005	12.21	.055	3.17	4.70	2.10	1.28	.53	3.31	.009	70.58	.34	.020
SBS-006	15.80	.104	1.12	6.07	2.63	1.09	.18	4.92	.006	65.58	.65	.022
SBS-007	14.44	.080	2.46	3.71	2.14	.49	.16	5.02	.005	69.33	.41	.023
SBS-008	16.59	.108	2.24	5.11	3.14	1.55	.19	3.92	.005	64.85	.57	.019
SBS-009	14.52	.102	1.71	4.46	2.99	1.14	.21	3.56	.007	68.76	.43	.020
SBS-010	16.02	.104	1.56	9.38	4.50	2.12	.58	1.42	.024	61.54	.85	.011
SBS-011	14.28	.102	4.20	4.07	3.45	.73	.50	2.46	.006	67.94	.37	.016
SBS-012	13.45	.143	1.79	3.90	5.15	.94	.67	.12	.009	71.98	.26	.007
SBS-013	15.73	.041	4.16	7.46	2.98	1.38	.27	2.99	.005	62.46	.75	.014
SBS-014	17.09	.083	.22	6.83	3.41	2.15	.10	2.58	.012	64.72	.88	.021
SBS-015	16.64	.042	1.32	7.41	5.32	1.40	1.21	.32	.018	63.49	.79	.023
SBS-016	13.28	.050	.41	3.33	3.21	.77	.20	2.33	.005	74.56	.30	.014
SBS-017	16.36	.061	1.64	5.46	2.24	1.41	.13	5.08	.005	65.05	.64	.019
SBS-018	15.08	.053	3.27	5.97	2.82	.63	.23	3.87	.005	65.65	.59	.018
SBS-019	15.06	.077	1.30	5.32	4.38	1.39	.61	1.11	.005	68.55	.47	.019
SBS-020	15.15	.091	.95	4.12	3.84	.70	.13	2.61	.005	70.39	.34	.010
SBS-021	16.92	.136	.81	4.10	4.57	.59	.13	2.27	.005	68.40	.41	.015
SBS-022	15.71	.119	2.11	4.03	4.16	.62	.32	2.66	.005	68.04	.42	.015
SBS-023	15.85	.095	1.31	3.53	3.89	.90	.10	3.59	.005	68.66	.40	.012
SBS-024	15.27	.077	2.67	4.02	3.27	1.02	.24	3.11	.005	68.39	.41	.011
SBS-025	14.84	.095	1.32	3.70	3.33	.80	.11	3.83	.005	69.80	.39	.012
SBS-026	16.38	.066	1.94	5.57	2.87	1.62	.26	4.16	.005	64.76	.75	.018
SBS-027	14.93	.071	.72	4.13	2.49	.46	.13	4.67	.005	70.38	.36	.016
SBS-028	18.38	.115	2.08	7.14	4.37	2.37	.22	2.63	.005	60.05	.82	.015
SBS-029	15.04	.084	2.04	5.49	3.18	.92	.21	3.79	.005	67.03	.55	.018
SBS-030	14.17	.067	.96	11.55	1.75	3.67	.46	2.38	.005	61.54	.78	.014
SBS-031	16.77	.081	2.71	6.99	1.96	2.16	.28	4.58	.005	61.88	.83	.018
SBS-032	13.00	.096	3.52	7.62	2.78	2.10	.55	1.04	.005	66.69	.62	.015
SBS-033	15.00	.073	3.05	10.37	2.10	2.11	.41	2.40	.005	61.80	.65	.015
SBS-034	17.61	.110	.16	5.07	3.26	1.36	.09	3.14	.005	66.85	.50	.021
SBS-035	18.56	.219	1.53	9.47	4.85	1.40	.23	1.13	.005	59.85	.79	.009
SBS-036	13.77	.089	4.53	4.93	2.76	.60	.33	2.81	.005	68.10	.31	.019
SBS-037	18.99	.243	2.15	6.47	4.54	1.12	.24	2.55	.005	60.66	.94	.018
SBS-038	15.37	.099	1.52	3.66	2.82	1.41	.24	3.72	.008	69.09	.38	.018
SBS-039	17.33	.108	1.12	4.75	3.14	.56	.18	5.07	.005	65.37	.49	.021
SBS-040	17.64	.117	.35	9.30	2.67	1.96	.18	3.08	.018	62.01	.72	.016
SBS-041	16.62	.069	1.18	10.37	2.72	1.82	.38	2.04	.017	62.09	.80	.014
SBS-042	15.25	.081	14.33	6.34	1.98	5.61	1.42	5.15	.030	47.73	.29	.030
SBS-043	15.81	.097	4.38	5.69	2.25	1.80	.26	4.50	.016	62.70	.57	.020
SBS-044	15.24	.096	2.21	4.09	2.12	1.24	.15	4.99	.009	67.58	.39	.027
SBS-045	17.60	.131	1.18	5.57	2.36	1.38	.15	4.19	.016	64.70	.75	.018
SBS-046	14.27	.081	1.48	8.53	2.91	1.42	.08	2.01	.005	66.88	.64	.018
SBS-047	19.82	.163	.27	3.78	5.07	.44	.19	.34	.005	67.13	.86	.025
SBS-048	15.44	.123	2.88	4.44	3.12	1.39	.18	2.98	.005	67.38	.41	.027
SBS-049	14.16	.093	3.89	4.77	3.42	1.31	.23	.91	.005	69.18	.38	.014
SBS-050	15.82	.065	3.41	6.56	1.77	1.62	.19	5.02	.005	63.01	.68	.017
SBS-051	10.43	.042	9.08	5.90	1.59	3.82	.23	2.92	.005	64.18	.23	.010
SBS-052	14.88	.152	.09	3.42	4.04	.75	.03	2.24	.005	72.39	.32	.019
SBS-053	15.00	.108	.60	3.32	2.29	.36	.07	4.68	.005	71.88	.31	.023
SBS-054	15.10	.086	2.58	20.32	2.52	4.85	.29	1.68	.065	49.05	.51	.020
SBS-055	16.11	.114	1.63	6.34	2.93	1.48	.19	3.51	.005	65.17	.75	.021
SBS-056	13.95	.104	2.90	2.29	3.10	.82	.15	4.07	.005	70.81	.24	.017
SBS-057	17.00	.156	1.77	5.76	3.91	2.29	.18	2.72	.005	63.82	.68	.012
SBS-058	14.96	.090	.19	8.14	2.77	4.74	.21	1.08	.014	65.30	.65	.021
SBS-059	16.57	.082	2.76	8.34	2.85	4.04	.32	2.79	.005	59.55	.80	.013
SBS-060	18.51	.073	.93	4.36	4.03	2.23	.20	2.83	.005	64.20	.76	.021

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-708/P1+2

ATTENTION: ALEX DAVIDSON

(604)980-5814 OR (604)988-4524

* -16 * DATE: SEPT 5, 1986

(VALUES IN %)	TOT(%)	CU-PPM	ZN-PPM	AU-PPB
SBS-001	98.25	21	42	5
SBS-002	98.37	20	40	10
SBS-003	98.27	21	46	10
SBS-004	98.26	12	60	10
SBS-005	98.30	14	44	20
SBS-006	98.18	29	58	5
SBS-007	98.26	20	40	10
SBS-008	98.29	24	43	5
SBS-009	97.91	1960	88	15
SBS-010	98.11	64	240	10
SBS-011	98.13	28	64	10
SBS-012	98.43	34	76	10
SBS-013	98.24	50	156	5
SBS-014	98.11	36	52	5
SBS-015	97.99	24	25	5
SBS-016	98.45	120	36	5
SBS-017	98.10	12	60	10
SBS-018	98.18	80	48	5
SBS-019	98.28	8	33	5
SBS-020	98.32	28	24	45
SBS-021	98.35	64	152	5
SBS-022	98.20	16	312	5
SBS-023	98.33	16	20	5
SBS-024	98.48	32	28	3
SBS-025	98.24	48	24	10
SBS-026	98.39	76	48	5
SBS-027	98.35	144	48	5
SBS-028	98.19	17	24	5
SBS-029	98.35	8	50	5
SBS-030	97.35	1000	168	10
SBS-031	98.24	18	51	10
SBS-032	98.04	156	92	20
SBS-033	97.99	1600	110	5
SBS-034	98.17	80	54	5
SBS-035	98.03	157	424	10
SBS-036	98.26	21	28	5
SBS-037	97.92	40	33	5
SBS-038	98.34	36	38	10
SBS-039	98.12	49	18	15
SBS-040	98.06	480	82	5
SBS-041	98.10	80	83	10
SBS-042	98.23	8	22	5
SBS-043	98.10	30	40	10
SBS-044	98.14	41	20	10
SBS-045	98.04	28	33	10
SBS-046	98.31	800	121	5
SBS-047	98.08	30	22	5
SBS-048	98.36	72	30	5
SBS-049	98.37	26	31	5
SBS-050	98.17	8	40	5
SBS-051	98.42	10	243	3
SBS-052	98.32	9	22	5
SBS-053	98.65	8	12	10
SBS-054	97.07	236	148	10
SBS-055	98.25	42	44	5
SBS-056	98.44	12	14	5
SBS-057	98.30	19	45	5
SBS-058	98.16	28	124	5
SBS-059	98.11	60	72	5
SBS-060	98.14	8	73	5

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-708/P3+4

ATTENTION: ALEX DAVIDSON

(604)980-5814 OR (604)988-4524

* -16 * DATE: SEPT 5, 1986

(VALUES IN %)	AL2O3	BA	CAO	FE2O3	K2O	MGO	MND2	NA2O	PB	SI02	TIO2	ZR
SBS-061	18.43	.088	.23	6.84	3.62	2.24	.22	1.27	.027	64.44	.78	.026
SBS-062	17.54	.092	2.52	6.03	2.97	3.33	.27	2.30	.030	62.53	.66	.020
SBS-063	14.82	.089	1.28	4.08	2.42	1.79	.39	3.30	.018	69.84	.33	.023
SBS-064	20.16	.125	.32	8.70	4.94	3.18	.15	1.60	.024	57.98	.84	.018
SBS-065	14.96	.075	5.59	5.08	1.93	2.02	.24	3.09	.017	64.55	.53	.019
SBS-066	16.73	.077	3.37	7.26	2.62	2.11	.16	3.38	.029	61.75	.65	.016
SBS-067	18.86	.099	.61	7.98	3.94	3.02	.25	1.11	.015	61.67	.78	.015
SBS-068	15.67	.131	.73	3.24	4.04	.71	.08	1.88	.010	71.45	.32	.019
SBS-069	17.14	.083	.18	6.29	3.54	2.43	.19	1.61	.020	66.13	.67	.016
SBS-070	16.84	.116	.27	5.90	3.22	.82	.25	2.27	.028	67.88	.52	.020
SBS-071	15.06	.079	.95	2.13	3.55	.55	.12	1.73	.005	74.03	.17	.005
SBS-072	15.66	.075	3.57	6.45	4.38	2.25	.44	.09	.005	64.81	.58	.013
SBS-073	18.38	.114	.28	7.73	3.65	1.64	.17	1.85	.015	63.49	.80	.016
SBS-074	16.87	.160	.72	4.02	2.88	1.24	.11	3.88	.011	67.99	.41	.032
SBS-075	15.38	.060	2.27	3.53	.95	1.35	.08	5.66	.025	68.40	.37	.028
SBS-076	15.40	.100	.95	3.86	2.53	1.26	.10	3.64	.015	70.27	.32	.021
SBS-077	15.28	.099	2.52	4.52	3.03	.61	.22	3.06	.022	68.44	.42	.020
SBS-078	15.60	.152	.68	2.72	3.00	.54	.12	3.30	.016	71.88	.27	.019
SBS-079	15.41	.132	3.05	4.30	3.29	.92	.17	2.88	.009	67.74	.37	.024
SBS-080	16.37	.135	1.22	4.24	2.98	2.18	.11	3.11	.008	67.49	.50	.022
SBS-081	17.30	.078	2.20	12.27	2.88	3.06	.34	2.04	.041	56.76	.71	.012
SBS-082	15.59	.185	.92	4.20	4.19	.64	.07	3.66	.013	68.61	.35	.022
SBS-083	18.60	.077	2.01	6.42	3.11	2.78	.17	2.11	.029	62.29	.63	.011
SBS-084	14.64	.117	.31	9.91	2.68	2.11	.04	1.54	.005	66.11	.62	.015
SBS-085	16.06	.095	.10	7.63	2.18	.58	.22	2.95	.005	67.78	.64	.016
SBS-086	16.65	.111	2.50	6.87	2.87	1.57	.13	3.97	.021	62.74	.56	.019
SBS-087	14.93	.127	3.39	4.98	3.12	1.13	.24	1.87	.015	67.98	.42	.019
SBS-088	16.79	.146	2.30	6.80	3.70	1.43	.16	2.56	.026	63.54	.78	.016
SBS-089	16.31	.117	.84	4.09	2.84	.75	.04	3.98	.024	69.11	.34	.023
SBS-090	16.64	.055	4.04	7.84	1.54	1.60	.24	3.93	.015	61.48	.68	.012
SBS-091	14.74	.093	2.42	3.01	3.87	1.28	.16	2.00	.005	70.23	.33	.020
SBS-092	15.97	.091	2.45	6.27	3.01	1.60	.27	2.16	.006	65.81	.57	.018

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-708/P3+4

ATTENTION: ALEX DAVIDSON

(604)980-5814 OR (604)988-4524

* -16 * DATE: SEPT 5, 1986

(VALUES IN %)	TOT(%)	CU-PPM	ZN-PPM	AU-PPB
SBS-061	98.21	120	214	5
SBS-062	98.30	14	123	10
SBS-063	98.36	110	110	5
SBS-064	98.03	33	103	10
SBS-065	98.11	28	52	5
SBS-066	98.16	20	60	5
SBS-067	98.35	30	120	5
SBS-068	98.28	8	70	10
SBS-069	98.30	21	123	5
SBS-070	98.13	48	92	10
SBS-071	98.37	12	20	5
SBS-072	98.32	16	60	5
SBS-073	98.12	640	69	10
SBS-074	98.31	33	34	10
SBS-075	98.13	100	18	5
SBS-076	98.48	34	25	5
SBS-077	98.25	32	16	10
SBS-078	98.29	8	10	5
SBS-079	98.29	20	30	5
SBS-080	98.37	63	44	5
SBS-081	97.69	160	575	10
SBS-082	98.44	8	24	5
SBS-083	98.25	14	98	5
SBS-084	98.11	840	71	5
SBS-085	98.26	12	68	5
SBS-086	98.02	16	31	10
SBS-087	98.22	24	51	5
SBS-088	98.23	8	50	10
SBS-089	98.46	10	20	5
SBS-090	98.07	39	53	5
SBS-091	98.15	16	15	5
SBS-092	98.21	9	64	20