

SAMPLE NO.	AG	AS	BA-PPM	BI	CU	PB	SB	ZN	AU
SCL6026	1.4	31.	108.	6.	14.	48.	4.	45.	10.

Laurel Dome

824550

Lithos

82M

BLANK SPACES REPRESENT NUMBERS THAT ARE MISSING OR HAVE OTHERWISE BEEN CODED AS "SPECIAL VALUES". ALL Q'GAS PROGRAMS RECOGNIZE THESE VALUES AS MISSING AND TREAT THEM ACCORDINGLY.

SAMPLE NO.	AG	AS	BA-PPM	BI	CU	PB	SB	ZN	AU
SCL6027	1.1	84.	50.	5.	34.	20.	27.	12.	10.
SCL6028	1.	37.	118.	5.	13.	35.	5.	42.	5.
SCL6029	1.1	47.	3024.	7.	26.	11.	6.	17.	5.
SCL6030	1.	31.	82.	5.	18.	36.	3.	43.	5.
SCL6031	1.	42.	70.	4.	19.	15.	5.	15.	5.
SCL6032	1.	41.	49.	4.	19.	17.	4.	15.	5.
SCL6033	0.9	34.	48.	4.	17.	28.	3.	85.	5.
SCL6034	0.9	29.	67.	5.	9.	24.	3.	57.	10.
SCL6035	0.9	32.	86.	5.	28.	36.	2.	70.	5.
SCL6036	1.	44.	38.	5.	17.	22.	6.	30.	5.
SCL6037	1.	45.	91.	5.	14.	38.	5.	62.	5.
SCL6038	1.	37.	91.	6.	24.	30.	4.	67.	5.
SCL6039	1.1	41.	82.	7.	17.	35.	6.	132.	10.
SCL6040	1.1	44.	41.	6.	19.	24.	6.	18.	5.
SCL6041	0.9	35.	72.	4.	7.	13.	5.	15.	5.
SCL6042	1.	38.	84.	5.	21.	22.	2.	199.	40.
SCL6043	1.	39.	38.	5.	16.	29.	4.	27.	5.
SCL6044	1.1	46.	49.	7.	15.	27.	6.	67.	10.
SCL6045	1.	42.	44.	4.	15.	15.	5.	13.	5.
SCL6046	1.1	49.	49.	6.	31.	20.	6.	10.	5.
SCL6047	1.	43.	70.	4.	16.	15.	5.	18.	5.
SCL6048	1.1	51.	28.	6.	18.	18.	6.	16.	5.
SCL6049	1.1	47.	33.	6.	68.	19.	6.	10.	5.
SCL6050	1.	47.	65.	5.	39.	16.	5.	15.	5.
SCL6051	1.	41.	38.	5.	20.	12.	6.	10.	10.
SCL6052	1.	40.	39.	4.	16.	23.	4.	28.	5.
SCL6053	1.5	15.	11.	8.	9.	16.	1.	29.	5.
SCL6054	1.1	22.	102.	5.	7.	35.	1.	50.	5.
SCL6055	1.4	29.	67.	6.	9.	20.	3.	19.	5.
SCL6056	1.8	27.	43.	6.	15.	246.	2.	85.	5.
SCL6057	1.8	26.	55.	7.	10.	48.	3.	40.	10.
SCL6058	1.3	23.	61.	4.	10.	17.	2.	22.	5.
SCL6059	1.3	55.	56.		19.	29.	11.	79.	5.
SCL6060	1.2	51.	223.		91.	33.	9.	35.	5.
SCL6000	1.8	51.	110.	9.	21.	238.	6.	66.	5.
SCL6001	1.9	53.	82.	8.	19.	158.	6.	47.	5.
SCL6002	1.7	55.	41.	6.	104.	32.	5.	373.	5.
SCL6003	1.6	82.	40.	7.	84.	27.	6.	46.	5.
SCL6004	1.7	52.	61.	8.	88.	23.	5.	14.	10.
SCL6005	1.6	63.	370.	5.	20.	80.	5.	88.	5.
SCL6006	1.7	45.	354.	8.	17.	34.	4.	15.	5.
SCL6007	0.5	9.	427.	1.	18.	12.	1.	13.	5.
SCL6008	1.5	35.	473.	8.	16.	18.	4.	15.	5.
SCL6009	0.5	1.	1029.	3.	14.	13.	1.	18.	5.
SCL6010	0.9	17.	1097.	7.	18.	15.	2.	14.	5.
SCL6011	1.6	45.	96.	7.	122.	13.	6.	13.	10.
SCL6012	1.4	35.	113.	6.	388.	15.	4.	17.	5.
SCL6013	0.5	1.	1517.	2.	23.	12.	1.	13.	5.
SCL6014	0.5	1.	1247.	2.	19.	14.	1.	12.	5.
SCL6015	0.7	9.	147.	2.	59.	15.	1.	48.	5.
SCL6016	1.7	46.	59.	8.	21.	17.	7.	19.	5.
SCL6017	0.6	12.	235.	1.	21.	42.	1.	94.	5.
SCL6018	1.4	36.	113.	7.	13.	36.	4.	75.	5.
SCL6019	1.4	33.	124.	5.	14.	22.	5.	53.	5.
SCL6020	1.5	52.	80.	9.	30.	30.	6.	22.	10.
SCL6021	0.5	1.	110.	1.	17.	11.	1.	11.	5.
SCL6022	1.4	45.	102.	6.	27.	26.	6.	14.	5.
SCL6023	1.4	39.	197.	5.	17.	22.	4.	26.	5.
SCL6024	1.5	45.	63.	6.	35.	25.	4.	26.	5.
SCL6025	1.3	29.	102.	6.	10.	27.	1.	66.	5.

SAMPLE NO.	AG	AS	BA-PPM	BI	CU	PB	SB	ZN	AU
SCL6026	1.4	31.	108.	6.	14.	48.	4.	45.	10.

BLANK SPACES REPRESENT NUMBERS THAT ARE MISSING OR HAVE OTHERWISE BEEN CODED AS "SPECIAL VALUES". ALL Q'GAS PROGRAMS RECOGNIZE THESE VALUES AS MISSING AND TREAT THEM ACCORDINGLY.

SAMPLE NO.	ROCK	LINE	DEP	AL2O3	CAO	BA-PPM	SI02	TI02	FE2O3
SCT6035	6.5	7775.	9620.			86.			

BLANK SPACES REPRESENT NUMBERS THAT ARE MISSING OR HAVE OTHERWISE BEEN CODED AS "SPECIAL VALUES". ALL Q'GAS PROGRAMS RECOGNIZE THESE VALUES AS MISSING AND TREAT THEM ACCORDINGLY.

SAMPLE NO.	ROCK	LINE	DEP	AL2O3	CAO	BA-PPM	SI02	TIO2	FE2O3
→ SCL6027	3.1	8145.	9015.	12.3	0.19	50.	76.38	0.2	1.79
✓ SCL6028	3.1	8040.	9367.	15.06	0.19	118.	72.38	0.25	1.71
✓ SCL6030	3.1	8040.	9608.	14.63	0.45	82.	71.51	0.18	1.56
✓ SCL6031	3.1	7965.	9650.	14.2	0.68	70.	72.32	0.29	1.19
✓ SCL6032	3.1	7950.	9627.	12.34	0.84	49.	76.34	1.14	0.38
✓ SCL6033	3.1	7855.	9550.	13.83	0.88	48.	71.65	0.29	2.63
✓ SCL6034	5.1	7785.	9640.	13.26	0.69	67.	73.37	0.29	3.21
✓ SCL6036	3.1	7740.	9600.	13.15	0.68	38.	73.67	0.28	1.32
✓ SCL6037	3.1	7833.	9550.	14.87	0.86	91.	70.46	0.32	2.78
✓ SCL6038	5.1	7835.	9534.	15.1	0.57	91.	70.11	0.32	3.16
✓ SCL6039	3.1	7763.	9475.	13.7	0.86	82.	72.42	0.26	2.26
✓ SCL6040	3.1	7725.	9453.	13.4	0.73	41.	73.89	0.25	1.68
✓ SCL6041	3.1	7725.	9500.	14.38	0.61	72.	70.01	0.27	4.83
✓ SCL6042	3.1	7729.	9630.	13.1	0.64	84.	74.22	0.28	2.14
✓ SCL6043	5.1	7725.	9595.	13.25	0.87	38.	73.52	0.28	1.37
✓ SCL6044	3.1	7725.	9538.	13.65	0.81	49.	72.45	0.3	2.29
✓ SCL6045	3.1	7703.	9500.	14.11	0.83	44.	71.47	0.26	2.11
✓ SCL6046	5.1	7700.	9526.	13.16	0.2	49.	74.16	0.26	2.19
✓ SCL6047	3.1	7700.	9634.	13.66	0.37	70.	74.2	0.28	1.54
✓ SCL6048	5.1	7675.	9570.	11.66	1.13	28.	75.94	0.25	1.2
✓ SCL6049	3.1	7675.	9515.	13.11	0.78	33.	73.49	0.25	1.71
✓ SCL6050	3.1	7675.	9475.	13.35	0.36	65.	74.13	0.25	2.58
✓ SCL6051	3.1	7650.	9450.	11.99	0.67	38.	75.89	0.23	0.79
✓ SCL6052	3.1	7625.	9523.	13.33	0.91	39.	72.79	0.28	2.03
✓ SCL6053	4.1	7602.	9652.	12.85	11.79	11.	46.	0.96	10.67
✓ SCL6054	3.1	7608.	9630.	13.66	0.36	102.	71.81	0.3	3.05
✓ SCL6055	3.1	7600.	9624.	14.09	0.22	67.	73.58	0.3	1.77
✓ SCL6056	3.1	7571.	9523.	13.19	0.49	43.	73.06	0.27	2.44
✓ SCL6057	3.1	7575.	9621.	14.29	0.81	55.	71.71	0.3	1.53
✓ SCL6058	3.1	7550.	9485.	15.4	0.61	61.	71.24	0.28	1.83
✓ SCL6059	3.1	8100.	9435.	12.48	0.26	56.	75.2	0.23	1.61
✓ SCL6060	2.7	8456.	9213.	13.71	0.18	223.	73.91	0.25	2.01
→ SCL6000	5.1	8590.	9038.	12.49	0.13	110.	74.92	0.2	1.21
✓ SCL6001	5.1	8580.	9040.	12.67	0.03	82.	74.3	0.19	1.4
✓ SCL6002	5.1	8570.	9065.	12.21	0.03	41.	76.32	0.19	1.25
✓ SCL6003	5.1	8587.	9065.	12.11	0.04	40.	75.57	0.19	1.74
✓ SCL6004	5.1	8563.	9065.	12.43	0.02	61.	75.65	0.2	1.5
✓ SCL6005	5.1	8560.	9010.	11.67	0.03	370.	77.18	0.19	1.48
✓ SCL6006	5.1	8560.	9009.	13.65	0.03	354.	75.5	0.21	1.2
✓ SCL6007	6.1	8551.	8953.	4.95	0.66	427.	85.54	0.2	0.77
✓ SCL6008	3.1	8565.	8963.	14.26	0.34	473.	72.22	0.22	1.
✓ SCL6009	6.1	8519.	8960.	4.77	0.15	1029.	85.18	0.19	2.31
✓ SCL6010	6.1	8507.	8938.	2.53	0.07	1097.	91.02	0.12	0.98
✓ SCL6011	3.1	8480.	9065.	12.12	0.02	96.	76.31	0.2	3.23
✓ SCL6012	3.1	8468.	9025.	11.95	0.02	113.	74.25	0.19	4.36
✓ SCL6013	6.1	8468.	8918.	2.61	0.02	1517.	90.48	0.13	0.87
✓ SCL6014	6.1	8468.	8915.	2.11	0.15	1247.	90.81	0.12	0.94
✓ SCL6015	6.1	8450.	9215.	4.47	0.78	147.	85.03	0.21	2.43
✓ SCL6016	3.1	8453.	9032.	13.2	0.31	59.	74.4	0.2	0.62
✓ SCL6017	2.7	8343.	9250.	15.53	0.25	235.	69.53	0.31	2.87
→ SCL6018	3.1	8250.	9120.	14.27	0.23	113.	71.64	0.27	2.4
✓ SCL6019	3.4	8290.	9030.	14.63	0.54	124.	71.43	0.22	2.02
✓ SCL6020	3.1	8277.	9030.	11.79	0.02	80.	78.15	0.19	1.39
✓ SCL6021	3.1	8285.	8975.	0.9	0.04	110.	95.26	0.03	0.26
✓ SCL6022	3.1	8245.	9050.	12.16	0.02	102.	76.15	0.2	1.8
→ SCL6023	3.1	8180.	9050.	14.55	0.2	197.	72.31	0.23	1.33
✓ SCL6024	3.4	8160.	9325.	10.42	0.13	63.	78.81	0.22	1.45
✓ SCL6025	3.1	8150.	9300.	14.18	0.81	102.	70.45	0.3	3.47
✓ SCL6026	3.4	8140.	9260.	14.02	0.74	108.	71.69	0.32	3.01
✓ SCT6029	6.1	8055.	9315.			3024.			

81

COMPANY: MINNOVA INC.

PROJECT NO: CC(MAIN) #321

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

ATTENTION: I. PIRIE/S. LEAR

(604) 980-5814 OR (604) 988-4524

* TYPE ROCK GEOCHEM *

DATE: SEPT 12, 1988

(VALUES IN %)	S	TOT(%)
CML5018	.04	94.98
CML5019	.01	89.52
CML5020	.43	95.67
CML5022	.03	94.86
SCL6059	.02	97.49
SCL6060	.04	97.33

PROJECT NO: CC(MAIN)#321
 ATTENTION: I. PIRIE/S. LEAR

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7X 1J2
 (604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 12, 1988

(VALUES IN %)	AL2O3	BA	CAO	FE2O3	K2O	MGO	MND2	NA2O	P2O5	SI02	SR	TIO2	ZR
CML5018	15.22	.007	9.87	10.72	.11	5.88	.22	2.41	.18	48.49	.02	1.60	.005
CML5019	13.37	.047	11.19	9.29	1.42	4.90	.20	1.07	.14	46.55	.01	1.55	.005
CML5020	14.40	.012	8.61	11.05	.11	5.53	.21	3.18	.17	50.29	.01	1.66	.005
CML5022	14.23	.011	9.87	11.43	.18	5.89	.23	1.96	.18	48.36	.01	1.48	.005
SCL6059	12.48	.114	.26	1.61	4.65	.62	.01	2.21	.06	75.20	.01	.23	.005
SCL6060	13.71	.287	.18	2.01	2.44	1.07	.04	3.28	.09	73.91	.01	.25	.005

COMPANY: KELLER
PROJECT NO: CCIMAINV#321
ATTENTION: J. F. IRVING, LEAD

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)960-5614 OR (604)968-4524

TYPE ROCK GEOCHEM * DATE RECEIVED: 12, 1988

(VALUES IN PPM)	AG	AS	BA	CU	FE	SB	ZN	AU-PPB
CNT5021	1.1	49	29	20	20	9	9	15
CML5018	.6	5	16	36	10	1	42	10
CML5019	.1	23	31	27	12	1	40	5
CML5020	.8	7	12	46	14	1	50	5
CML5022	.8	4	41	43	15	1	53	5
SCL6055	1.3	55	56	19	29	11	79	5
SCL6060	1.2	51	223	91	33	9	35	5
SDT1027	1.1	39	4315	13	18	5	61	5

SAMPLE NO.	AL2O3	BA	CAO	FE2O3	K2O	MGO	MNO2	NA2O	P2O5	SI02	SR	TI02
SCL6027	12.3	0.07	0.19	1.79	3.29	1.14	0.	0.78	0.11	76.38	0.01	0.2
SCL6028	15.06	0.203	0.19	1.71	3.08	2.57	0.	1.03	0.11	72.38	0.01	0.25
SCL6030	14.63	0.112	0.45	1.56	1.98	3.39	0.01	2.21	0.07	71.51	0.01	0.18
SCL6031	14.2	0.142	0.68	1.19	3.63	1.08	0.01	3.74	0.12	72.32	0.01	0.29
SCL6032	12.34	0.054	0.84	0.38	0.71	0.22	0.01	5.42	0.28	76.34	0.02	1.14
SCL6033	13.83	0.089	0.88	2.63	3.28	0.8	0.07	3.55	0.13	71.65	0.02	0.29
SCL6034	13.26	0.054	0.69	3.21	1.72	1.01	0.04	3.56	0.11	73.37	0.02	0.29
SCL6036	13.15	0.093	0.68	1.32	5.37	0.31	0.02	2.11	0.08	73.67	0.02	0.28
SCL6037	14.87	0.096	0.86	2.78	3.63	1.02	0.02	2.78	0.11	70.46	0.02	0.32
SCL6038	15.1	0.12	0.57	3.16	3.92	1.38	0.03	2.65	0.11	70.11	0.02	0.32
SCL6039	13.7	0.122	0.86	2.26	3.7	0.51	0.03	3.42	0.07	72.42	0.03	0.26
SCL6040	13.4	0.06	0.73	1.68	2.87	0.56	0.02	3.81	0.1	73.89	0.02	0.25
SCL6041	14.38	0.089	0.61	4.83	4.85	0.97	0.02	0.98	0.11	70.01	0.02	0.27
SCL6042	13.1	0.094	0.64	2.14	2.86	0.51	0.02	3.46	0.09	74.22	0.02	0.28
SCL6043	13.25	0.083	0.87	1.37	4.41	0.48	0.01	2.97	0.1	73.52	0.02	0.28
SCL6044	13.65	0.101	0.81	2.29	3.93	0.79	0.01	2.78	0.09	72.45	0.02	0.3
SCL6045	14.11	0.105	0.83	2.11	5.66	0.74	0.01	1.76	0.08	71.47	0.02	0.26
SCL6046	13.16	0.089	0.2	2.19	5.99	0.41	0.	0.99	0.11	74.16	0.01	0.26
SCL6047	13.66	0.118	0.37	1.54	2.83	0.24	0.01	4.56	0.1	74.2	0.01	0.28
SCL6048	11.66	0.092	1.13	1.2	4.4	0.29	0.02	2.37	0.1	75.94	0.01	0.25
SCL6049	13.11	0.096	0.78	1.71	5.77	0.3	0.03	1.63	0.09	73.49	0.02	0.25
SCL6050	13.35	0.105	0.36	2.58	4.7	0.4	0.01	1.75	0.1	74.13	0.01	0.25
SCL6051	11.99	0.115	0.67	0.79	5.38	0.25	0.	2.17	0.1	75.89	0.01	0.23
SCL6052	13.33	0.084	0.91	2.03	4.12	0.39	0.02	3.02	0.1	72.79	0.02	0.28
SCL6053	12.85	0.006	11.79	10.67	0.4	10.26	0.21	1.58	0.14	46.	0.01	0.96
SCL6054	13.66	0.103	0.36	3.05	2.93	1.19	0.03	3.18	0.08	71.81	0.01	0.3
SCL6055	14.09	0.067	0.22	1.77	1.99	0.6	0.01	4.46	0.09	73.58	0.01	0.3
SCL6056	13.19	0.096	0.49	2.44	3.35	0.41	0.02	3.56	0.07	73.06	0.01	0.27
SCL6057	14.29	0.052	0.81	1.53	1.24	1.11	0.01	5.09	0.09	71.71	0.01	0.3
SCL6058	15.4	0.067	0.61	1.83	2.42	0.42	0.02	4.92	0.11	71.24	0.01	0.28
SCL6059	12.48	0.114	0.26	1.61	4.65	0.62	0.	2.21	0.06	75.2	0.01	0.23
SCL6060	13.71	0.287	0.18	2.01	2.44	1.07	0.04	3.28	0.09	73.91	0.01	0.25
SCL6000	12.49	0.133	0.13	1.21	4.95	0.18	0.01	2.17	0.11	74.92	0.02	0.2
SCL6001	12.67	0.169	0.03	1.4	6.07	0.18	0.01	1.67	0.09	74.3	0.01	0.19
SCL6002	12.21	0.095	0.03	1.25	4.6	0.15	0.	2.4	0.07	76.32	0.01	0.19
SCL6003	12.11	0.094	0.04	1.74	5.44	0.09	0.03	1.63	0.06	75.57	0.01	0.19
SCL6004	12.43	0.097	0.02	1.5	4.84	0.2	0.	1.75	0.09	75.65	0.02	0.2
SCL6005	11.67	0.407	0.03	1.48	2.94	0.18	0.01	2.42	0.05	77.18	0.01	0.19
SCL6006	13.65	0.489	0.03	1.2	3.8	0.51	0.	2.19	0.08	75.5	0.01	0.21
SCL6007	4.95	0.123	0.66	0.77	0.71	1.77	0.01	1.18	0.36	85.54	0.01	0.2
SCL6008	14.26	0.125	0.34	1.	0.71	1.73	0.01	5.73	0.08	72.22	0.02	0.22
SCL6009	4.77	0.544	0.15	2.31	0.95	1.13	0.02	1.19	0.09	85.18	0.01	0.19
SCL6010	2.53	0.366	0.07	0.98	0.47	0.52	0.01	0.64	0.08	91.02	0.01	0.12
SCL6011	12.12	0.072	0.02	3.23	3.58	0.3	0.	0.11	0.09	76.31	0.01	0.2
SCL6012	11.95	0.083	0.02	4.36	2.69	0.45	0.	1.11	0.09	74.25	0.01	0.19
SCL6013	2.61	0.738	0.02	0.87	0.96	0.44	0.01	0.15	0.04	90.48	0.01	0.13
SCL6014	2.11	0.646	0.15	0.94	0.88	0.3	0.01	0.07	0.14	90.81	0.01	0.12
SCL6015	4.47	0.091	0.78	2.43	0.86	0.94	0.2	0.61	0.11	85.03	0.01	0.21
SCL6016	13.2	0.103	0.31	0.62	5.17	0.17	0.	2.96	0.08	74.4	0.02	0.2
SCL6017	15.53	0.173	0.25	2.87	3.96	1.	0.28	2.54	0.1	69.53	0.02	0.31
SCL6018	14.27	0.104	0.23	2.4	4.19	0.9	0.06	2.29	0.09	71.64	0.01	0.27
SCL6019	14.63	0.136	0.54	2.02	3.46	2.24	0.01	1.54	0.09	71.43	0.01	0.22
SCL6020	11.79	0.063	0.02	1.39	1.97	0.41	0.	3.1	0.06	78.15	0.02	0.19
SCL6021	0.9	0.049	0.04	0.26	0.28	0.15	0.	0.01	0.09	95.26	0.01	0.03
SCL6022	12.16	0.156	0.02	1.8	5.4	0.31	0.01	1.18	0.07	76.15	0.01	0.2
SCL6023	14.55	0.161	0.2	1.33	6.2	0.75	0.	1.47	0.06	72.31	0.01	0.23
SCL6024	10.42	0.103	0.13	1.45	3.89	0.21	0.01	2.05	0.07	78.81	0.01	0.22
SCL6025	14.18	0.052	0.81	3.47	2.44	1.13	0.06	3.29	0.11	70.45	0.02	0.3
SCL6026	14.02	0.053	0.74	3.01	2.62	0.63	0.06	3.35	0.09	71.69	0.01	0.32

SAMPLE NO.	ZR	TOT
SCL6027	0.	97.
SCL6028	0.009	96.63
SCL6030	0.005	96.16
SCL6031	0.012	97.45
SCL6032	0.012	97.79
SCL6033	0.014	97.26
SCL6034	0.012	97.47
SCL6036	0.011	97.12
SCL6037	0.017	97.
SCL6038	0.015	97.52
SCL6039	0.007	97.4
SCL6040	0.013	97.43
SCL6041	0.018	97.17
SCL6042	0.015	97.58
SCL6043	0.016	97.4
SCL6044	0.017	97.35
SCL6045	0.012	97.21
SCL6046	0.012	97.8
SCL6047	0.015	97.93
SCL6048	0.011	97.5
SCL6049	0.011	97.54
SCL6050	0.012	97.81
SCL6051	0.	97.62
SCL6052	0.015	97.24
SCL6053	0.005	94.88
SCL6054	0.005	96.73
SCL6055	0.	97.29
SCL6056	0.	97.14
SCL6057	0.	96.28
SCL6058	0.005	97.4
SCL6059	0.005	
SCL6060	0.	
SCL6000	0.011	96.66
SCL6001	0.008	96.97
SCL6002	0.006	97.69
SCL6003	0.008	97.32
SCL6004	0.005	97.12
SCL6005	0.	96.87
SCL6006	0.008	97.72
SCL6007	0.005	96.3
SCL6008	0.008	96.49
SCL6009	0.005	96.55
SCL6010	0.005	96.84
SCL6011	0.006	96.79
SCL6012	0.005	96.57
SCL6013	0.005	96.46
SCL6014	0.005	96.2
SCL6015	0.005	95.8
SCL6016	0.005	97.36
SCL6017	0.021	96.61
SCL6018	0.014	96.49
SCL6019	0.009	96.36
SCL6020	0.011	97.19
SCL6021	0.005	97.07
SCL6022	0.008	97.49
SCL6023	0.013	97.34
SCL6024	0.009	97.42
SCL6025	0.023	96.34
SCL6026	0.026	96.65

SAMPLE NO.	ROCK	LINE	DEP	AL2O3	CAO	BA	SI02	TIO2	FE2O3
ANB70087	5.1	7202.	9178.	13.29	0.32	0.129	75.91	0.22	1.13
ANB70088	5.1	7210.	9175.	12.68	0.14	0.042	76.97	0.2	0.99
ANB70090	4.1	7300.	9450.	15.29	11.55	0.005	47.68	1.38	10.56
ANB70091	5.1	7300.	9235.	14.28	0.08	0.113	73.45	0.23	0.86
ANB70092	5.1	7300.	9235.	11.45	0.16	0.086	77.	0.18	0.98
ANB70093	5.1	7300.	9200.	11.01	0.43	0.063	79.38	0.2	1.12
ANB70094	5.1	7540.	9600.	13.69	1.4	0.038	72.63	0.33	2.05
ANB70095	5.1	7550.	9600.	13.62	1.07	0.095	73.99	0.31	1.52
ANB70096	5.1	7600.	9585.	13.46	0.65	0.101	73.4	0.31	2.27
ANB70097	5.1	7575.	9585.	13.05	0.46	0.088	74.05	0.28	2.09
ANB70098	5.1	7495.	9400.	13.7	0.22	0.032	76.	0.26	0.44
ANB70099	5.1	7450.	9400.	11.99	0.09	0.063	78.66	0.23	0.34
ANB70100	5.1	7430.	9405.	12.93	0.1	0.039	77.2	0.25	0.5
ANB70101	5.1	7495.	9400.	12.59	0.09	0.111	77.11	0.24	0.32
ANB70102	5.1	7600.	9630.	13.6	0.44	0.081	73.91	0.3	2.03
ANB70103	5.1	7600.	9495.	15.12	0.08	0.103	72.07	0.3	1.08
ANB70104	5.1	7600.	9450.	12.69	0.16	0.096	76.08	0.24	1.56
ANB70105	3.3	7700.	9230.	9.35	2.91	0.334	74.28	0.5	3.82
ANB70106	3.1	7700.	9440.	13.72	0.44	0.108	72.43	0.28	3.16
ANB70107	3.1	7700.	9452.	13.53	0.57	0.075	73.66	0.27	2.02
ANB70108	3.1	7700.	9500.	14.52	0.74	0.06	71.83	0.28	2.77
ANB70109	5.1	7660.	9500.	12.17	0.08	0.037	79.34	0.24	1.95
ANB70110	3.1	7625.	9480.	13.52	0.9	0.072	72.41	0.28	3.28
ANB70111	3.1	7650.	9490.	13.05	0.09	0.064	76.58	0.25	3.15
ANB70112	5.1	7700.	9520.	12.65	0.28	0.077	75.	0.24	1.9
ANB70113	5.1	7700.	9550.	13.6	0.63	0.077	73.57	0.29	2.05
ANB70114	5.1	7700.	9575.	11.59	0.59	0.06	77.04	0.23	1.18
ANB70115	3.1	7700.	9632.	13.22	0.43	0.085	73.39	0.28	2.78
ANB70116	5.1	7795.	9680.	13.81	0.11	0.034	73.97	0.3	2.25
ANB70120	5.1	7790.	9625.	12.01	0.91	0.066	75.6	0.27	1.16
ANB70121	5.1	7810.	9540.	13.85	0.62	0.051	73.1	0.32	2.32
ANB70122	3.1	7770.	9477.	10.71	0.74	0.075	78.57	0.22	0.93
ANB70123	3.1	7770.	9475.	13.87	0.65	0.066	72.65	0.28	2.06
ANB70124	6.3	7800.	9175.	5.59	0.08	0.546	85.9	0.29	2.48
ANB70125	6.3	7900.	9225.	8.17	0.1	0.95	80.54	0.45	3.36
ANB70126	6.1	8040.	9250.	4.92	0.01	0.513	88.22	0.3	1.67
ANB70127	6.5	8035.	9275.	4.27	0.01	0.662	88.52	0.27	1.91
ANB70128	3.1	7900.	9525.	12.95	0.57	0.069	74.33	0.29	1.89
ANB70129	3.1	7895.	9600.	12.27	0.39	0.08	75.89	0.27	1.64
ANB70130	3.1	7850.	9625.	14.13	0.73	0.063	73.22	1.42	0.34
ANB70132	3.4	8000.	9660.	13.48	0.72	0.06	74.52	0.3	2.16
ANB70133	3.4	8000.	9658.	12.73	0.12	0.021	76.94	0.27	0.45
ANB70134	3.4	8000.	9645.	12.73	0.51	0.081	76.71	0.28	0.68
ANB70135	3.4	8050.	9625.	13.87	0.17	0.058	74.08	0.33	0.95
ANB70136	3.4	8040.	9600.	14.81	0.1	0.108	73.38	0.19	1.42
ANB70137	3.4	7990.	9585.	13.87	0.04	0.061	71.38	0.24	4.06
ANB70138	3.4	8000.	9575.	12.84	0.31	0.054	75.28	0.2	2.34
ANB70139	3.4	7990.	9510.	13.35	0.26	0.089	74.6	0.3	1.65
ANB70140	3.4	8100.	9575.	13.45	0.26	0.094	73.58	0.31	2.26
ANB70141	3.4	8025.	9575.	13.43	0.73	0.056	73.08	0.3	2.89
ANB70149	1.2	6820.	8635.	16.72	8.8	0.005	48.72	1.73	11.27
ANB70150	1.2	6815.	8585.	15.58	8.33	0.006	51.28	1.59	10.97
ANB70151	3.4	8200.	9975.	11.14	0.01	0.036	79.17	0.15	1.78
ANB70152	3.4	8180.	9910.	13.79	0.07	0.082	76.94	0.17	1.23
ANB70153	3.4	8200.	9420.	11.09	0.38	0.074	77.97	0.24	1.04
ANB70154	3.4	8175.	9350.	11.07	0.06	0.083	81.05	0.24	0.73
ANB70155	3.4	8300.	9460.	11.84	0.14	0.093	76.89	0.27	1.35
ANB70156	3.4	8305.	9930.	12.18	1.06	0.056	77.15	0.15	1.82
ANB70157	3.4	8300.	9990.	13.71	0.02	0.053	74.93	0.17	1.47
ANB70166	4.1	8400.	9525.	12.47	7.46	0.007	49.94	1.69	11.03

SAMPLE NO.	ROCK	LINE	DEP	AL2O3	CAO	BA	SI02	TIO2	FE2O3
ANB70167	6.5	8400.	9455.	13.28	0.77	0.074	73.19	0.86	4.12
ANB70168	3.4	8375.	9410.	5.1	0.04	0.017	89.27	0.12	0.89
ANB70169	3.1	8400.	9350.	13.98	0.65	0.066	72.57	0.3	2.78
ANB70191	3.7	9810.	9425.						
ANB70192	1.1	9700.	9720.	17.34	5.93	0.073	46.19	2.11	11.27
ANB70193	4.1	9600.	9965.	15.86	7.44	0.026	43.51	2.33	11.77
ANB70194	6.5	9405.	9915.	13.91	0.05	0.076	74.72	0.2	2.86
ANB70198	6.5	8830.	9980.	11.21	0.06	0.096	79.64	0.1	1.89
ANB70199	3.4	8500.	9080.	11.23	0.14	0.063	77.12	0.18	2.64
ANB70200	-99.	8530.	9040.						
ANB70201	3.4	8530.	9040.	11.13	0.09	0.091	77.9	0.18	0.67
ANB70202	3.4	8538.	9040.	16.99	0.04	0.545	70.44	0.28	1.55
ANB70203	3.4	8525.	8975.	10.68	0.31	0.503	76.35	0.17	2.61
ANB70204	6.1	8525.	8970.	5.84	0.15	0.514	84.58	0.24	2.2
ANB70205	3.4	8500.	8955.	6.2	0.22	1.542	83.39	0.25	1.89
ANB70206	3.4	8500.	8945.	3.65	0.04	0.733	89.44	0.17	0.99
ANB70207	3.4	8400.	8980.	15.61	1.38	0.179	70.29	0.25	0.84
ANB70208	3.4	8350.	8925.	12.	0.04	0.122	78.42	0.19	0.74
ANB70209	3.4	8385.	9100.	14.27	1.31	0.328	72.52	0.27	2.15
ANB70210	3.4	8320.	9250.	13.52	0.28	0.127	73.88	0.32	2.11
ANB70211	3.4	8300.	9060.	12.69	0.19	0.097	78.02	0.2	0.82
ANB70212	3.4	8300.	9000.	15.8	0.04	0.179	72.02	0.25	1.81
ANB70213	3.4	8000.	9375.	17.77	0.05	0.488	68.81	0.29	2.06
ANB70214	3.4	8000.	9420.	14.93	0.15	0.387	72.08	0.25	2.46
ANB70215	6.2	8100.	9300.	4.58	0.01	0.494	88.48	0.24	1.83
ANB70216	6.1	8210.	8885.	4.22	0.03	0.985	88.59	0.25	1.44
ANB70217	3.4	8210.	9075.	11.02	0.02	0.099	77.48	0.18	1.03
ANB70218	3.7	8180.	9150.	10.12	0.44	0.353	77.15	0.37	3.2
ANB70219	3.7	8200.	9200.	13.18	0.18	0.3	73.48	0.31	2.73
ANB70220	3.4	8180.	9275.	12.26	1.27	0.042	74.8	0.27	2.29
ANB70221	3.4	8175.	9400.	13.74	0.26	0.041	74.06	0.31	2.12
ANB70233	3.1	6750.	9575.	9.94	0.08	0.05	78.2	0.22	3.53
ANB70234	3.1	6750.	9575.	10.66	0.09	0.062	78.16	0.22	1.92

BLANK SPACES REPRESENT NUMBERS THAT ARE MISSING OR HAVE OTHERWISE BEEN CODED AS "SPECIAL VALUES". ALL Q'GAS PROGRAMS RECOGNIZE THESE VALUES AS MISSING AND TREAT THEM ACCORDINGLY.

COMPANY: MINNOVA INC.

MIN-EN LABS ICP REPORT

(ACT:F26) PAGE 1 OF 1

PROJECT NO: 215

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 8-1433L/P1

ATTENTION: I. PIRIE/L. STEVENS

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 14, 1988

(%)	SCL6053	SCL6054	SCL6055	SCL6056	SCL6057	SCL6058
AL2O3	12.85	13.66	14.09	13.19	14.29	15.40
BA	.006	.103	.067	.096	.052	.067
CAO	11.79	.36	.22	.49	.81	.61
FE2O3	10.67	3.05	1.77	2.44	1.53	1.83
K2O	.40	2.93	1.99	3.35	1.24	2.42
MGO	10.26	1.19	.60	.41	1.11	.42
MNO2	.21	.03	.01	.02	.01	.02
NA2O	1.58	3.18	4.46	3.56	5.09	4.92
P2O5	.14	.08	.09	.07	.09	.11
SI02	46.00	71.81	73.58	73.06	71.71	71.24
SR	.01	.01	.01	.01	.01	.01
TIO2	.96	.30	.30	.27	.30	.28
ZR	.005	.005	.005	.005	.005	.005
S	.02	.04	.11	.16	.03	.07
TOT(%)	94.88	96.73	97.29	97.14	96.28	97.40

COMPANY: MINNOVA INC.

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO: 215

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 8-1433R/P1

ATTENTION: I.PIRIE/L.STEVENS

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: SEPT 14, 1988

(PPM)	SCL6053	SCL6054	SCL6055	SCL6056	SCL6057	SCL6058
AG	1.5	1.1	1.4	1.8	1.8	1.3
AS	15	22	29	27	26	23
BA	11	102	67	43	55	61
BI	8	5	6	6	7	4
CU	9	7	9	15	10	10

PB	16	35	20	246	48	17
SB	1	1	3	2	3	2
ZN	29	50	19	85	40	22
AU-PPB	5	5	5	5	10	5

COMPANY: MINNOVA INC.
PROJECT NO: 215
ATTENTION: L. STEVENS

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 DR (604)988-4524 * TYPE ROCK GEOCHEM *

(ACT:F31) PAGE 1 OF 1
FILE NO: 8-1360/P1
DATE: SEPTEMBER 11, 1988

(VALUES IN PPM)	AG	AS	BA	B1	CU	PB	SB	ZN	AU-PPB
SCL6027	1.1	84	50	5	34	20	27	12	10
SCL6028	1.0	37	118	5	13	35	5	42	5
SCL6030	1.0	31	82	5	18	36	3	43	5
SCL6031	1.0	42	70	4	19	15	5	15	5
SCL6032	1.0	41	49	4	19	17	4	15	5
SCL6033	.9	34	48	4	17	28	3	85	5
SCL6034	.9	29	67	5	9	24	3	57	10
SCL6036	1.0	44	38	5	17	22	6	30	5
SCL6037	1.0	45	91	5	14	38	5	62	5
SCL6038	1.0	37	91	6	24	30	4	67	5
SCL6039	1.1	41	82	7	17	35	6	132	10
SCL6040	1.1	44	41	6	19	24	6	18	5
SCL6041	.9	35	72	4	7	13	5	15	5
SCL6042	1.0	38	84	5	21	22	2	199	40
SCL6043	1.0	39	38	5	16	29	4	27	5
SCL6044	1.1	46	49	7	15	27	6	67	10
SCL6045	1.0	42	44	4	15	15	5	13	5
SCL6046	1.1	49	49	6	31	20	6	10	5
SCL6047	1.0	43	70	4	16	15	5	18	5
SCL6048	1.1	51	28	6	18	18	6	16	5
SCL6049	1.1	47	33	6	68	19	6	10	5
SCL6050	1.0	47	65	5	39	16	5	15	5
SCL6051	1.0	41	38	5	20	12	6	10	10
SCL6052	1.0	40	39	4	16	23	4	28	5

(VALUES IN %)	AL2O3	BA	CAO	FE2O3	K2O	MGO	MND2	NA2O	P2O5	SI02	SR	TIO2
SCL6027	12.30	.070	.19	1.79	3.29	1.14	.01	.78	.11	76.38	.01	.20
SCL6028	15.06	.203	.19	1.71	3.08	2.57	.01	1.03	.11	72.38	.01	.25
SCL6030	14.63	.112	.45	1.56	1.98	3.39	.01	2.21	.07	71.51	.01	.18
SCL6031	14.20	.142	.68	1.19	3.63	1.08	.01	3.74	.12	72.32	.01	.29
SCL6032	12.34	.054	.84	.38	.71	.22	.01	5.42	.28	76.34	.02	1.14
SCL6033	13.83	.089	.88	2.63	3.28	.80	.07	3.55	.13	71.65	.02	.29
SCL6034	13.26	.054	.69	3.21	1.72	1.01	.04	3.56	.11	73.37	.02	.29
SCL6036	13.15	.093	.68	1.32	5.37	.31	.02	2.11	.08	73.67	.02	.28
SCL6037	14.87	.096	.86	2.78	3.63	1.02	.02	2.78	.11	70.46	.02	.32
SCL6038	15.10	.120	.57	3.16	3.92	1.38	.03	2.65	.11	70.11	.02	.32
SCL6039	13.70	.122	.86	2.26	3.70	.51	.03	3.42	.07	72.42	.03	.26
SCL6040	13.40	.060	.73	1.68	2.87	.56	.02	3.81	.10	73.89	.02	.25
SCL6041	14.38	.089	.61	4.83	4.85	.97	.02	.98	.11	70.01	.02	.27
SCL6042	13.10	.094	.64	2.14	2.86	.51	.02	3.46	.09	74.22	.02	.28
SCL6043	13.25	.083	.87	1.37	4.41	.48	.01	2.97	.10	73.52	.02	.28
SCL6044	13.65	.101	.81	2.29	3.93	.79	.01	2.78	.09	72.45	.02	.30
SCL6045	14.11	.105	.83	2.11	5.66	.74	.01	1.76	.08	71.47	.02	.26
SCL6046	13.16	.089	.20	2.19	5.99	.41	.01	.99	.11	74.16	.01	.26
SCL6047	13.66	.118	.37	1.54	2.83	.24	.01	4.56	.10	74.20	.01	.28
SCL6048	11.66	.092	1.13	1.20	4.40	.29	.02	2.37	.10	75.94	.01	.25
SCL6049	13.11	.096	.78	1.71	5.77	.30	.03	1.63	.09	73.49	.02	.25
SCL6050	13.35	.105	.36	2.58	4.70	.40	.01	1.75	.10	74.13	.01	.25
SCL6051	11.99	.115	.67	.79	5.38	.25	.01	2.17	.10	75.89	.01	.23
SCL6052	13.33	.084	.91	2.03	4.12	.39	.02	3.02	.10	72.79	.02	.28

COMPANY: MINNOVA INC.
PROJECT NO: 215
ATTENTION: L. STEVENS

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 DR (604)988-4524

(ACT:F26) PAGE 2 OF 2
FILE NO: 8-1360L/P1
DATE: SEPTEMBER 6, 1988

(VALUES IN %)	ZR	S	TOT(%)
SCL6027	.005	.74	97.00
SCL6028	.009	.02	96.63
SCL6030	.005	.05	96.16
SCL6031	.012	.03	97.45
SCL6032	.012	.01	97.79
SCL6033	.014	.01	97.26
SCL6034	.012	.12	97.47
SCL6036	.011	.03	97.12
SCL6037	.017	.01	97.00
SCL6038	.015	.02	97.52
SCL6039	.007	.01	97.40
SCL6040	.013	.01	97.43
SCL6041	.018	.01	97.17
SCL6042	.015	.14	97.58
SCL6043	.016	.02	97.40
SCL6044	.017	.13	97.35
SCL6045	.012	.04	97.21
SCL6046	.012	.23	97.80
SCL6047	.015	.01	97.93
SCL6048	.011	.01	97.50
SCL6049	.011	.26	97.54
SCL6050	.012	.05	97.81
SCL6051	.005	.03	97.62
SCL6052	.015	.14	97.24

COMPANY: MINNOVA INC.

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO: 215

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 8-1360/P1

ATTENTION: L. STEVENS

(604)980-5814 OR (604)988-4524 * TYPE ROCK GEOCHEM *

DATE: SEPTEMBER 6, 1988

(VALUES IN PPM)	AG	AS	BA	BI	CU	PB	SB	ZN	AU-PPB
SCL6027	1.1	84	50	5	34	20	27	12	10
SCL6028	1.0	37	118	5	13	35	5	42	5
SCL6030	1.0	31	82	5	18	36	3	43	5
SCL6031	1.0	42	70	4	19	15	5	15	5
SCL6032	1.0	41	49	4	19	17	4	15	5
SCL6033	.9	34	48	4	17	28	3	85	5
SCL6034	.9	29	67	5	9	24	3	57	10
SCL6036	1.0	44	38	5	17	22	6	30	5
SCL6037	1.0	45	91	5	14	38	5	62	5
SCL6038	1.0	37	91	6	24	30	4	67	5
SCL6039	1.1	41	82	7	17	35	6	132	10
SCL6040	1.1	44	41	6	19	24	6	18	5
SCL6041	.9	35	72	4	7	13	5	15	5
SCL6042	1.0	38	84	5	21	22	2	199	40
SCL6043	1.0	39	38	9	97	183	2781	200	1

COMPANY: MINNOVA INC.
PROJECT NO: 215
ATTENTION: L. STEVENS

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 8-1360/PZ
DATE: SEPTEMBER 6, 1988

(VALUES IN PPM)	AG	AS	BA	BI	CU	PB	SB	ZN	AU-PPB
SCT6029	1.1	47	3024	7	26	11	6	17	5
SCT6035	.9	32	86	5	28	36	2	70	5