

HOLE: R6 127 RQD LOG SHEET PROJECT: 312 1987

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
3.05	4.27	.93	31				
4.27	6.89	.41	31				
6.89	8.23	.70	12				
8.23	11.28	1.31	35				
11.28	12.99	.76	23				
12.99	14.33	.46	50				
14.33	17.37	1.42	16				
17.37	18.75	1.84	22				
18.75	20.42	.82	17				
20.42	23.47	1.32	19				
23.47	26.52	2.40	19				
26.52	29.26	1.90	20				
29.26	32.31	1.92	27				
32.31	35.36	1.69	46				
35.36	39.62	.12	104				
39.62	41.15	0	47				
41.15	41.76	0	25				
41.76	44.81	.90	52				
44.81	47.86	.59	95				
47.86	50.90	.71	18				
50.90	53.95	1.13	44				
53.95	57.00	.90	39				
57.00	60.05	1.06	44				
60.05	63.09	.13	62				
63.09	66.14	.93	47				
66.14	69.19	.51	61				
69.19	72.24	.49	53				
72.24	75.29	.75	48				
75.29	78.33	.70	52				
78.33	81.38	1.93	26				
81.38	84.43	1.06	43				
84.43	87.48	1.84	30				
87.48	90.53	1.61	31				
90.53	92.05	.40	25				
92.05	93.57	0	22				
93.57	96.62	1.03	35				
96.62	99.67	1.20	37				
99.67	101.50	.35	38				
101.50	102.72	.79	15				
102.72	105.77	1.45	30				
105.77	108.81	.36	49				
108.81	111.86	1.02	49				
111.86	113.39	.12	40				
113.39	114.91	.43	25				
114.91	117.96	0	74				
117.96	121.01	0	81				
121.01	124.53	.11	77				
124.53	127.10	.78	50				
127.10	130.15	1.43	41				
130.15	133.20	.95	39				

HOLE: Rg 127

RQD LOG SHEET

PROJECT: 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
133.20	136.20	.60	29				
136.25	139.29	.96	51				
139.29	142.34	1.14	42				
142.34	145.39	1.00	47				
145.39	148.44	.40	59				
148.44	151.49	1.10	72				
151.49	154.53	1.70	47				
154.53	157.58	1.02	49				
157.58	160.63	1.74	27				
160.63	163.68	2.12	28				
163.68	166.73	2.18	30				
166.73	169.77	1.75	37				
169.77	172.82	1.90	24				
172.82	175.87	1.67	35				
175.87	178.92	.80	51				
178.92	181.97	1.67	41				
181.97	185.01	.99	52				
185.01	188.06	.84	53	5	60°	8	
188.06	191.11	.54	51				
191.11	194.16	.36	83				
194.16	197.21	1.68	45	8	50°	10	
197.21	200.25	1.13	40	2	60°	9	
200.25	203.30	.89	47	4	70°	9	
203.30	206.38	.64	57				
206.38	209.40	1.44	39	3	60°	10	
209.40	212.45	.26	75+				
212.45	214.58	.2	67				
E U H							

HOLE: R6 128

RQD LOG SHEET

PROJECT: Rea 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
6.10	9.14	0	61				
9.14	10.97	0	29				
10.97	12.19	0	23				
12.19	14.02	0	21				
14.02	16.76	0	7				fault zone
16.76	18.29	0	28				
18.29	19.81	.12					
19.81	21.94	0					
21.94	23.16	0					
23.16	26.21	.42					
26.21	26.82	.30	11				
26.82	28.19	.11	27				
28.19	28.96	0	14				
28.96	31.70	.62	45				
31.70	32.77	.12	7				
32.77	34.74	.35					
34.74	35.05	0	13				
35.05	37.34	.14	27				
37.34	40.23	0					fault zone
40.23	41.45	.42	16				
41.45	43.59	.29	32				
43.59	46.63	.59	50				
46.63	49.68	1.34	51+				
49.68	50.60	.43	7				
50.60	51.82	.28	21				
51.82	53.09	0	13				
53.09	54.25	.29	19				
54.25	55.47	.44	15				
E.O.M.							

HOLE: RG 129

RQD LOG SHEET

PROJECT: Rea 312.

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
9.75	10.97	.12	20				
10.97	13.56	.11	52				
13.56	16.46	0	16				
16.46	17.07	0	9				
17.07	18.61	.29	33				
18.61	20.42	.11	8				
20.42	22.55	.25	47				
22.55	24.08	0	13				
24.08	25.91	.52	27				
25.91	27.58	.59	23				
27.58	28.96	0	30				
28.96	30.48	.11	44				
30.48	31.09	0	9				
31.09	31.70	0	22				
31.70	34.14	.11	71				
34.14	35.36	.12	33				
35.36	36.58	0	26				
36.58	37.49	.11	24				
37.49	38.41	.17	12				
38.41	39.62	.36	24				
39.62	41.46	1.01	32				
41.46	43.28	.13	49				
43.28	44.50	.28	30				
44.50	46.02	0	31				
46.02	47.55	.70	25				
47.55	48.31	.64	15				
48.31	50.60	2.12	17				
50.60	52.12	1.24	14				
52.12	53.64	1.58	3				
53.64	56.69	1.68	31				
56.69	58.83	.68	32				
58.83	60.05	.13	25				
60.05	61.42	.36	20				
61.42	62.79	.37	24				
62.79	65.84	.74	71+				
65.84	68.88	.67	74				
68.88	70.10	.27	32				
70.10	71.93						
71.93	73.76						
73.76	74.98						
74.98	77.72						
77.72	78.99						
78.99	81.69						
81.69	84.12						
84.12	84.73						
84.73	87.17	.96	36				
87.17	90.07	1.20	44				
90.07	93.12	1.97	26				
93.12	98.75	1.98	74				
98.75	101.19	1.16	31				

HOLE: *RG 129*

RQD LOG SHEET

PROJECT:

312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
<i>101.19</i>	<i>104.24</i>	<i>1.73</i>	<i>42</i>				
<i>104.24</i>	<i>105.46</i>	<i>.64</i>	<i>19</i>				
<i>105.46</i>	<i>108.51</i>	<i>2.10</i>	<i>38</i>				
<i>108.51</i>	<i>111.56</i>	<i>.32</i>	<i>76</i>				
<i>111.56</i>	<i>114.60</i>	<i>1.78</i>	<i>33</i>				
<i>E.O.H</i>							

HOLE: *RG 130*

RQD LOG SHEET

PROJECT: *REA - 312*

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
6.10	8.23	.85	13				
8.23	11.28	1.17	31				
11.28	14.33	.63	41				
14.33	17.37	.97	48				
17.37	20.42	.61	46				
20.42	23.47	1.72	34				
23.47	25.91	.74	46				
25.91	28.65	.36	44				
28.65	29.56	.66	12				
29.56	32.61	2.36	23				
32.61	35.66	1.44	37				
35.66	38.71	1.12	38				
38.71	39.93	.15	12				
39.93	41.15	.46	26				
41.15	44.20	1.87	28				
44.20	47.24	1.18	39				
47.24	50.14	.81	39				
50.14	53.04	.87	32				
53.04	53.95	1.09	3				
53.95	57.00	1.65	31				
57.00	60.04	1.20	38				
60.05	63.09	.75	52				
63.09	66.14	2.59	18				
66.14	69.19	2.41	26				
69.19	72.24	2.40	23				
72.24	75.29	2.77	14				
75.29	78.33	1.60	34				
78.33	81.38	1.56	33				
81.38	84.43	2.43	24				
84.43	87.48	2.46	20				
87.48	90.53	1.88	26				
90.53	93.57	1.49	32				
93.57	96.62	.80	56				
96.62	99.67	.95	41				
99.67	102.72	2.11	29				
102.72	105.77	2.41	16				
105.77	108.81	2.03	24				
108.81	111.86	1.92	25				
111.86	114.91	1.25	39				
114.91	117.96	1.03	43				
117.96	121.01	.13	66				
121.01	123.44	0	60				
123.44	125.27	0	42				
125.27	127.10	.37	36				
127.10	130.15	.41	53				
130.15	133.98	.42	66				
133.98	136.25	.11	99				
136.25	139.29	1.19	39				
139.29	142.34	1.20	37				
142.34	145.39	1.07	51				

HOLE: RG 130

RQD LOG SHEET

PROJECT: 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
145.39	146.91	0	23				
146.91	149.66	.11	51				
149.66	151.49	.96	45				
151.49	154.53	1.05	48				
154.53	157.58	.83	54				
157.58	160.63	1.55	39				
160.63	163.68	1.21	37				
163.68	166.73	2.31	18				
166.73	169.77	2.76	18				
169.77	172.82	2.88	16				
172.82	175.87	1.37	42				
175.87	178.92	1.02	55				
178.92	181.97	1.32	48				
181.97	185.01	1.45	56	8	60°	9	
185.01	187.15	.44	58	9	60°	8	
187.15	193.24	1.49	197	7	70°	6	Fault zone
193.24	194.16	.88	3	1	70°	13	
194.16	196.60	1.21	46	5	60°	10	
196.60	198.73	.36	60+	3	70°	6	Fault
198.73	200.30	.49	41	6	50°	7	
200.30	203.30	.51	80+	10	70°	5	Fault.
203.30	206.35	.29	81+				
206.35	209.40	.31	107+				
209.40	212.45	1.11	40				
EOH.							

HOLE: R6 131

RQD LOG SHEET

PROJECT: REA

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm m	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS		
							Tot	Act	Recov
9.14	9.75	0	5						
9.75	14.02	0	8						
14.02	15.54	0	10						
15.54	16.00	0	6						
16.00	16.31	0	9						
16.31	18.30	0	14						
18.30	20.12	0	17						
20.12	23.16	0	11						
23.16	23.77	0	15						
23.77	24.08	0	4						
24.08	24.69	0	10						
24.69	25.30	.15	14						
25.30	27.13	.10	16						
27.13	28.09	0	11						
28.09	29.57	.14	16						
29.57	32.61	.22	42						
32.61	34.75	1.01	25						
34.75	35.51	.15	19						
35.51	37.80	.15	48						
37.80	38.71	.11	27						
38.71	41.15	.36	38						
41.15	43.89	.63	60						
43.89	45.42	.19	28						
45.42	47.29	.26	41						
47.29	49.07	.36	24						
49.07	50.90	1.15	20						
50.90	52.73	.58	39						
52.73	55.78	.68	57						
55.78	57.06	.53	17						
57.06	60.05	.33	37	2	80°	7		1.80	
60.05	60.96	0	15	0	90°	6		.55	
60.96	62.79	0	14	2	80°	46		.75	
62.79	64.01	0	25	2	50°	7		.94	
64.01	65.84	.22	32	5	80°	7		1.65	
65.84	68.43	.52	34	2	80°	8		2.35	
68.43	69.95	.63	29	2	50°	9		1.55	
69.95	71.48	0	35	2	80°	7		1.78	
71.48	72.54	.11	17	0	90°	8		1.00	
72.54	75.29	1.85	29	7	70°	10		2.94	
75.29	78.18	1.15	43	4	50°	10		2.96	
78.18	80.47	.22	31	0	90°	8		1.95	
80.47	81.38	.11	18						
81.38	84.43	.49	55						
84.43	85.04	.13	10						
85.04	86.56	0	32						
86.56	89.31	.23	45						
89.31	90.53	.22	27						
90.53	93.57	.63	45						
93.57	96.93	.34	52						

E.D.H.

HOLE: RG 132

RQD LOG SHEET

PROJECT: REA GOLD #312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
4.88	5.18	.11	19				
5.18	8.23	1.01	45				
8.23	11.28	1.78	37				
11.28	14.33	1.67	32				
14.33	15.85	.41	28				
15.85	17.37	1.31	16				
17.37	18.59	.56	18				
18.59	20.42	.49	22				
20.42	23.47	1.55	33				
23.47	26.52	1.19	45				
26.52	27.13	.33	12				
27.13	29.57	1.01	39				
29.57	32.61	1.10	46				
32.61	33.83	.53	22				
33.83	35.66	1.37	18				
35.66	38.71	2.90	18				
38.71	41.76	2.70	14				
41.76	44.91	2.45	20				
44.81	47.85	2.91	21				
47.85	50.90	2.37	13				
50.90	53.34	.92	30				
53.34	56.39	1.47	32				
56.39	57.61	.12	26				
57.61	60.05	.78	43				
60.05	63.09	.76	41				
63.09	66.14	1.91	26				
66.14	69.19	1.34	40				
69.19	72.24	1.70	31				
72.24	75.29	2.37	18				
75.29	78.33	2.51	19				
78.33	80.16	.93	26				
80.16	83.21	1.17	40				
83.21	84.13	.14	19				
84.13	87.17	2.07	22				
87.17	90.22	2.52	18				
90.22	93.27	2.71	15				
93.27	96.32	1.54	27				
96.32	99.37	1.03	37				
99.37	102.11	.73	56				
102.11	105.16	.72	44				
105.16	108.20	.79	46				
108.20	111.25	2.33	23				
111.25	114.30	1.95	27				
114.30	117.35	1.18	40				
117.35	118.57	.72	25				
118.57	120.40	.46	21				
120.40	123.44	1.12	54				
123.44	125.58	.11	32				
125.58	128.93	.72	85				
128.93	131.98	1.63	35				

HOLE: 132

RQD LOG SHEET

PROJECT:

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
131.98	135.03	1.44	45	57			
135.03	138.07	0	113	64			
138.07	139.29	0	50	26			
139.29	142.34	0	68	83			
142.34	145.39	.40	61	88			
145.39	148.44	.84	52	79			
148.44	151.49	1.07	41	64			
151.49	154.53	.88	41	75			
154.53	157.58	1.00	52				
157.58	160.63	.95	54				
160.63	162.46	.27	28				
162.46	163.68	1.08	9				
163.68	166.73	1.31	36				
166.73	169.77	1.05	42				
169.77	172.82	.94	47				
172.82	175.87	1.08	33				
175.87	178.92	.99	28				
178.92	181.97	2.77	13				
181.97	185.01	2.79	10				
185.01	188.06	2.84	15				
188.06	191.11	1.92	27	6	20°	12	
191.11	194.16	.68	63	8	50°	7	fault zone
194.16	197.21	2.30	28	18	40°	12	
197.21	199.95	.66	57	7	40°	7	fault zone
199.95	203.00	.88	87	6	80°	6	
203.00	205.44	.24	76	3	60°	7	
205.44	208.48	.65	116	3	70°	6	
208.48	211.23	.34	91	2	60°	6	
211.23	213.06	0	46				
213.06	215.49	.79	34				
215.49	218.54	.77	410				
218.54	219.76	.88	15				
E.O.H.							

HOLE: RG 133

RQD LOG SHEET

PROJECT:

312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
3.05	4.88	.25	18				
4.88	5.49	.12	14				
5.49	6.40	0	14				
6.40	7.92	.72	16				
7.92	10.97	.22	62				
10.97	12.50	.13	28				
12.50	14.94	.22	52				
14.94	15.85	0	26				
15.85	17.07	0	25				
17.07	17.68	0	8				
17.68	18.90	0	11				
18.90	19.81	0	18				
19.81	22.25	0	55				
22.25	22.55	0	5				
22.55	24.08	0	38				
24.08	28.65	0	10				
24.69	25.60	0	14				
25.60	26.52	0	20				
26.52	28.65	.11	49				
28.65	30.18	0	35				
30.18	30.48	0	12				
30.48	32.31	0	41				
32.31	34.60	0	49				
34.60	35.37	0	19				
35.37	38.40	1.49	31				
38.40	41.45	.89	30				
41.45	43.89	.56	33				
43.89	46.94	1.93	30				
46.94	49.99	2.41	21				
49.99	52.12	.45	35				
52.12	53.49	0	38				
53.49	56.69	1.61	30				
56.69	59.74	1.90	34				
59.74	62.79	1.81	30				
62.79	64.47	0	28				
64.47	65.84	.66	12				
65.84	68.88	1.30	38				
68.88	71.93	.68	46				
71.93	74.98	.36	61				
74.98	78.03	.34	46				
78.03	78.94	0	15				
78.94	81.08	1.12	22				
81.08	83.97	.88	42				
83.97	87.02	.16	59				
87.02	90.22	.53	46				
90.22	93.27	.44	43				
93.27	94.49	0	17				
94.49	96.01	.11	29				
96.01	99.21	.25	58				
99.21	102.11	.15	54				

HOLE: RG 134

RQD LOG SHEET

PROJECT:

312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
3.05	4.88	.14	14				
4.88	7.62	.35	55				
7.62	10.06	.12	53				
10.06	11.28	0	25				
11.28	12.19	0	26				
12.19	14.33	0	58				
14.33	17.07	.13	67				
17.07	17.98	0	17				
17.98	20.42	0	55				
20.42	23.47	0	79				
23.47	25.30	0	34				
25.30	28.35	0	78				
28.35	28.96	0	12				
28.96	30.18	.30	38				
30.18	32.61	.29	41				
32.61	35.36	.22	53				
35.36	38.41	.11	65				
38.41	39.01	0	10				
39.01	39.62	0	17				
39.62	40.23	.16	12				
40.23	43.28	0	67				
43.28	43.89	0	18				
43.89	45.42	0	29				
45.42	46.03	0	17				
46.03	47.24	0	20				
47.24	50.29	.47	61				
50.29	52.73	.40	38				
52.73	54.25	0	29				
54.25	54.86	0	14				
54.86	57.00	.77	25				
57.00	60.05	0	53				
60.05	62.03	0	33				
62.03	64.92	0	41				
64.92	67.36	.17	66				
67.36	68.89	0	4				
68.89	72.39	0	67				
72.39	75.29	0	78				
75.29	77.11	.50	39				
77.11	78.33	.14	37				
78.33	81.08	.12	45				
81.08	82.91	0	30				
82.91	84.43	0	32				
84.43	87.48	.25	57				
87.48	90.53	.11	55				
90.53	93.57	.82	45				
93.57	96.62	.56	47				
96.62	99.37	.32	41				
99.37	102.41	2.19	20				
102.41	104.55	.42	34				
104.55	105.16	0	9				

HOLE: R6 134

RQD LOG SHEET

PROJECT: 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
105.16	105.77	.12	12				
105.77	107.29	0	33				
107.29	108.51	0	25				
108.51	110.34	0	41				
110.34	111.25	0	24				
111.25	114.30	.22	67				
114.30	117.35	.71	57				
117.35	120.40	.32	68				
120.40	122.83	.24	53				
122.83	125.88	.34	64				
125.88	126.80	0	38				
126.80	129.85	.14	63				
129.85	132.59	.53	44				
132.59	135.63	1.57	34				
135.63	138.07	.65	25				
138.07	139.29	.14	31				
139.29	141.73	0	57				
141.73	143.26	.12	19				
143.26	144.93	.24	27				
144.93	146.15	0	13				
146.15	148.44	.96	44				
148.44	151.49	.43	45				
151.49	154.23	0	23				
154.23	156.00	.23	41				
156.00	157.58	0	11				
157.58	160.63	.28	79				
160.63	166.73	.26	190				
166.73	169.97	0	82				
169.97	172.83	.54	70				
172.83	174.35	.12	30				
174.35	174.96	0	21				
174.96	176.63	.25	26	1	80°	7	
176.63	177.70	.62	64	12	70°	7	
177.70	180.44	0	48	2	70°	6	50% recovery
180.44	184.71						
184.71	190.65	1.03	73				
190.65	192.33	.51	24				
192.33	193.55	.11	12				
193.55	196.29	.68	50				
196.29	198.12	.39	26				
198.12	201.17	.37	38				
201.17	204.22	.33	41				

HOLE: RG 135

RQD LOG SHEET

PROJECT: 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
4.88	7.93	1.09	33				
7.93	10.97	1.23	43				
10.97	14.02	2.47	19				
14.02	14.94	0	12				
14.94	16.76	.25	29				
16.76	17.37	.41	9				
17.37	20.42	2.15	21				
20.42	22.25	.62	17				
22.25	23.47	.26	16				
23.47	26.52	.89	36				
26.52	27.74	.42	14				
27.74	29.57	1.42	17				
29.57	32.00	.75	34				
32.00	35.05	1.91	25				
35.05	38.10	2.46	20				
38.10	41.15	2.75	12				
41.15	44.20	2.63	19				
44.20	47.24	2.58	24				
47.24	50.29	2.79	14				
50.29	53.34	2.68	16				
53.34	55.47	1.10	19				
55.47	57.00	.29	19				
57.00	60.05	1.48	34				
60.05	63.09	.51	40				
63.09	66.14	.99	46				
66.14	67.97	.44	32				
67.97	69.19	0	21				
69.19	72.24	1.00	43				
72.24	75.29	1.34	34				
75.29	78.33	2.38	18				
78.33	81.38	1.11	45				
81.38	84.43	2.32	25				
84.43	87.48	2.21	24				
87.48	90.53	2.22	11				
90.53	92.96	.91	33				
92.96	96.01	2.87	12				
96.01	99.06	2.59	16				
99.06	102.11	2.64	17				
102.11	105.16	2.18	28				
105.16	108.20	2.05	18				
108.20	111.25	2.69	12				
111.25	112.17	.96	10				
112.17	114.91	2.34	10				
114.91	117.96	2.10	25				
117.96	121.01	.29	56				
121.01	123.44	.37	41				
123.44	125.58	.57	46				
125.58	127.10	.58	17				
127.10	130.15	2.52	19				
130.15	133.20	1.33	45				

HOLE: *RG 135*

RQD LOG SHEET

PROJECT: *312*

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm (m)	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
133.20	136.25	.70	73				
136.25	139.29	1.12	40				
139.29	142.34	1.90	34				
142.34	145.39	.87	50				
145.39	148.44	1.35	34				
148.44	151.49	.53	46				
151.49	154.53	1.17	42				
154.53	157.58	.61	53				
157.58	160.63	1.06	55				
160.63	163.07	2.08	22				
163.07	163.68	.78	6				
163.68	166.73	.85	42				
166.73	168.25	.50	21				
168.25	169.77	1.03	18				
169.77	171.91	.72	39				
171.91	174.96	1.16	33				
174.96	178.00	1.04	49				
178.00	181.05	1.98	31				
181.05	184.10	2.80	15				
184.10	185.93	1.18	14				
185.93	187.45	.96	12				
187.45	190.50	2.16	26				
190.50	193.55	1.85	23	5	60°	10	
193.55	195.38	.83	26	5	60°	3	<i>fault zone.</i>
195.38	197.21	1.28	29	6	60°	10	
197.21	199.34	.14	25				<i>high fault</i>
199.34	205.44	2.46	109	22	70°	8	<i>fault zone.</i>
205.44	208.48	\varnothing	75				
208.48	211.53	\varnothing	50				
211.53	214.58	.37	61				
214.58	217.78	.66	50				
217.78	220.98	2.16	30	2	70°	10	
220.98	227.98	4.12	66	9	75°	10	
227.98	230.12	.25	60				
230.12	233.17	\varnothing	86				
233.17	236.52	.49	59	5	75°	8	
236.52	238.96	1.57	37	12	70°	10	
238.96	239.33	.56	15	3	65°	10	
239.33	242.93	2.20	29	15	65°	10	
242.93	245.97	1.63	25				
245.97	248.41	.89	34				
<i>E.O.H.</i>							

HOLE: R6 137

RQD LOG SHEET

PROJECT: 312

FROM (m)	TO (m)	SUM OF LENGTHS >10.2cm	NO. OF FRACTURES	NO. OF VEINS	ANGLE	DEGREE OF BREAKAGE NO.	COMMENTS
4.27	4.88	0	9				
4.88	7.92	.54	44				
7.92	10.97	.38	29				
10.97	12.50	.42	23				
12.50	14.02	.23	17				
14.02	17.06	.64	40				
17.06	20.12	.44	43				
20.12	22.86	.11	39				
22.86	26.21	.24	27				
26.21	28.65	.24	30				
28.65	31.39	.46	45				
31.39	32.61	0	17				
32.61	35.66	.87	42				
35.66	38.71	1.02	34				
38.71	41.45	.48	39				
41.45	44.81	1.27	46				
44.81	47.85	.32	74	8	60°	5	fault
47.85	50.90	.36	56	5	70°	6	"
50.90	53.95	.80	47	5	60°	8	"
53.95	57.00	1.35	55	5	50°	8	
57.00	60.04	1.88	33	6	60°	10	
60.04	63.09	.98	43	8	50°	9	
63.09	66.14	2.14	41	6	60°	10	
66.14	69.19	2.06	36	8	50°	10	
69.19	72.23	1.59	30				
72.23	74.07	1.50	32				
74.07	75.29	.63	17				
75.29	78.33	.14	64				
78.33	80.92	0	54				
80.92	83.82	1.18	47				
83.82	87.17	.55	35				
87.17	87.78	.12	8				
EDH							