

KERRY

OK Project
824716

We hereby certify the following results for samples submitted.

Sample Number	CU %	PB %	ZN %	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
DKPA 1000	.010	4.07	.07	36.5	1.06	.03	0.001
DKPA 1001	.011	4.92	.18	30.2	0.88	.01	0.001
DKPA 1002	.008	5.20	.01	36.2	1.06	.02	0.001
DKPA 1003	.012	10.00	.01	42.2	1.23	.02	0.001
DKPA 1004	.014	1.13	.12	12.0	0.35	.01	0.001
DKPA 1005	.008	.52	.02	4.0	0.12	.01	0.001
DKPA 1006	.026	16.30	.03	129.0	3.76	.01	0.001
DKPA 1007	.061	11.50	.02	82.6	2.41	.02	0.001
DKPA 1008	.014	.02	.01	3.2	0.09	.01	0.001
DKPA 1009	.022	13.40	.02	78.0	2.28	.01	0.001
DKPA 1010	.014	23.10	.01	149.5	4.36	.01	0.001
DKPA 1011	.008	2.30	.02	14.8	0.43	.02	0.001
DKPA 1012	.016	23.30	.01	220.0	6.42	.01	0.001
DKPA 1013	.009	6.70	.01	55.2	1.61	.01	0.001
DKPA 1014	.024	16.70	.02	122.0	3.56	.02	0.001
DKPA 1015	.012	6.92	.01	57.5	1.68	.02	0.001

Project:DK #339
Attention:K.CURTIS/I.PIRIE

Date:OCT 7/88
Type:ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	CU %	PB %	ZN %	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
DKPA 1000	.010	4.07	.07	36.5	1.06	.03	0.001
DKPA 1001	.011	4.92	.18	30.2	0.88	.01	0.001
DKPA 1002	.008	5.20	.01	36.2	1.06	.02	0.001
DKPA 1003	.012	10.00	.01	42.2	1.23	.02	0.001
DKPA 1004	.014	1.13	.12	12.0	0.35	.01	0.001
DKPA 1005	.008	.52	.02	4.0	0.12	.01	0.001
DKPA 1006	.026	16.30	.03	129.0	3.76	.01	0.001
DKPA 1007	.061	11.50	.02	82.6	2.41	.02	0.001
DKPA 1008	.014	.02	.01	3.2	0.09	.01	0.001
DKPA 1009	.022	13.40	.02	78.0	2.28	.01	0.001
DKPA 1010	.014	23.10	.01	149.5	4.36	.01	0.001
DKPA 1011	.008	2.30	.02	14.8	0.43	.02	0.001
DKPA 1012	.016	23.30	.01	220.0	6.42	.01	0.001
DKPA 1013	.009	6.70	.01	55.2	1.61	.01	0.001
DKPA 1014	.024	16.70	.02	122.0	3.56	.02	0.001
DKPA 1015	.012	6.92	.01	57.5	1.68	.02	0.001