

824789  
Silver Dawn

ROCK CREEK RESOURCES LTD.  
#608 - 475 HOWE STREET  
VANCOUVER, B.C. V6C 2B3  
(604) 689-4653

July 13, 1990

Trading Symbol:RCL.V

## \* NEWS RELEASE \*

The Company is pleased to announce very encouraging results from its' 1990 diamond drilling program on the Silver Dawn property located in Rock Creek, B.C. Drilling was concentrated around the Imperial Pit consisting of 3015 feet for 13 drill holes. Mineralization was intersected in every hole with significant intersections encountered in drill holes DDH90-3, DDH90-5, DDH90-9 and DDH90-13. Some holes returned several intersections. The high grade mineralization occurs within a dark silicious breccia hosted within an iron magnesium carbonate. The breccias as well as the host appear to be relatively flat lying. All samples were analyzed by ICP and AA for 31 elements. Samples which returned significant values were re-run by fire assay. A summary of the mineralized intersections by drill holes are:

| <u>Drill Hole #</u> | <u>Width</u> | <u>Au</u><br><u>ou/ton</u> | <u>Ag</u><br><u>ou/ton</u> |                  |
|---------------------|--------------|----------------------------|----------------------------|------------------|
| DDH90-1             | 3.75 ft      | .038                       | 2.01                       |                  |
| DDH90-2             | 6.00 ft      | .020                       | 1.98                       |                  |
| DDH90-3a            | 3.75 ft      | .052                       | 4.68                       |                  |
| DDH90-3b            | 7.00 ft      | .039                       | 4.90                       |                  |
| DDH90-4             | 3.25 ft      | .032                       | 0.92                       |                  |
| DDH90-5a            | 7.00 ft      | .029                       | 1.47                       |                  |
| DDH90-5b            | 3.00 ft      | .051                       | 8.69                       |                  |
| DDH90-5c            | 5.00 ft      | .121                       | 37.14                      |                  |
| DDH90-5d            | 13.00 ft     | .044                       | 7.33                       |                  |
| DDH90-6             | 5.00 ft      | .015                       | 0.79                       |                  |
| DDH90-7             | 2.25 ft      | .014                       | 2.33                       |                  |
| DDH90-8             | 3.00 ft      | .163                       | 17.82                      |                  |
| DDH90-9a            | 5.75 ft      | .088                       | 11.03                      |                  |
| DDH90-9b            | 15.00 ft     | .022                       | 2.37                       |                  |
| DDH90-9c            | 23.50 ft     | .043                       | 5.49                       |                  |
| DDH90-10            | 1.75 ft      | .034                       | 6.53                       |                  |
| DDH90-11            | 6.00 ft      | .069                       | 4.33                       |                  |
| DDH90-12            | 3.50 ft      | .035                       | 0.73                       | not fire assayed |
| DDH90-13a           | 5.50 ft      | .035                       | 12.44                      |                  |
| DDH90-13b           | 2.00 ft      | .146                       | 13.32                      |                  |
| DDH90-13c           | 6.00 ft      | .059                       | 4.28                       |                  |
| DDH90-13d           | 11.00 ft     | .015                       | 2.38                       |                  |

The Company is currently negotiating with several parties on additional financing to conduct the second phase of drilling on the property.

ROCK CREEK RESOURCES LTD.  
 #608 - 475 HOWE STREET  
 VANCOUVER, B.C. V6C 2B3  
 (604) 689-4653

July 25, 1990

Trading Symbol:RCL.V

**\*\* NEWS RELEASE \*\***


Further to the Company's news release dated July 13, 1990 the Company would like to issue a more detailed release including the Lead and Zinc values. Drilling consisted of 3015 feet for 13 drill holes. Mineralization was intersected in every hole with some holes having several intersections. The high grade mineralization occurs within a dark silicious breccia hosted within an iron magnesium carbonate ( black lead ). The breccias as well as the host appear to be relatively flat lying. All samples were analyzed by ICP and AA for 31 elements. Samples which returned significant values were re-run by fire assay. A summary of the mineralized intersections by each hole has been calculated using a weighted average across the mineralized sections.

| Drill Hole<br>Number | No. of<br>Intersections | Width    | Au<br>oz/ton | Ag<br>oz/ton | Pb<br>%    | Zn<br>%     |
|----------------------|-------------------------|----------|--------------|--------------|------------|-------------|
| DDH90-1              | 4                       | 4.50 ft  | .038         | 1.96         | .28        | .53         |
| DDH90-2              | 3                       | 6.25 ft  | .031         | 2.11         | .32        | .47         |
| DDH90-3              | 8                       | 8.25 ft  | .057         | 6.08         | .96        | 2.05        |
| DDH90-4              | 6                       | 8.75 ft  | .031         | 0.90         | .13        | .44         |
| DDH90-5              | 14                      | 26.00 ft | .054         | 17.17        | 1.54       | 2.39        |
| DDH90-6              | 1                       | 5.00 ft  | .015         | 0.79         | .15        | .32         |
| DDH90-7              | 5                       | 13.75 ft | .020         | 1.29         | .25        | 1.02        |
| DDH90-8              | 7                       | 21.50 ft | .036         | 2.95         | .24        | .83         |
| DDH90-9              | 13                      | 25.10 ft | .072         | 9.05         | .95        | 1.69        |
| DDH90-10             | 4                       | 12.60 ft | .024         | 1.07         | .57        | .92         |
| DDH90-11             | 3                       | 2.10 ft  | .195         | 12.08        | 1.81       | 4.05        |
| DDH90-12             | 4                       | 7.40 ft  | .033         | 0.71         | .18        | .41         |
| DDH90-13             | 12                      | 23.00 ft | .040         | 8.04         | 1.61       | 1.73        |
| <b>Summary</b>       |                         |          | <b>.045</b>  | <b>6.50</b>  | <b>.82</b> | <b>1.38</b> |

The results of the drilling to date has shown that the mineral deposit lends itself to possible open pit mining methods since the mineralation occurs from 25 to 150 feet from the surface. The area drilled covers an area of only 200 feet by 200 feet and is open for extension. The drilled areas represent a very small part of one of the anomalous areas. There are at least five other anomalous areas yet to be drilled. The Company is planning a further 10,000 foot drilling program to further expand on the current area and to

test the other anomalous areas. Several major groups have expressed interest in either a possible joint venture or a financing for the Company. Management is very pleased with the results to date.

ON BEHALF OF THE BOARD OF DIRECTORS,



HARRY CHEW  
Director

The Vancouver Stock Exchange has neither approved nor disapproved of the contents contained in this news release.