

C.F. MINERAL RESEARCH LTD.
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL (604) 763-1815
(604) 860-8525

*Westbank &
Kelowna results*

825087
Rainbow

MINNOVA INC.
PROJECT:

C.F.M. 89-724

21/07/89

SAMPLE NUMBER	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
JR-1	8.600		
JR-1		-150HM	10.06
JR-1		-150HP	9.84
JR-1		-150HN	4.98
JR-2	9.000		
JR-2		-150HM	7.16
JR-2		-150HP	9.55
JR-2		-150HN	4.34
JR-3	8.200		
JR-3		-150HM	1.17
JR-3		-150HP	2.44
JR-3		-150HN	1.08
JR-4	11.000		
JR-4		-150HM	2.10
JR-4		-150HP	3.05
JR-4		-150HN	2.02
JR-5	9.700		
JR-5		-150HM	4.54
JR-5		-150HP	6.42
JR-5		-150HN	4.15
JR-6	8.300		
JR-6		-150HM	7.98
JR-6		-150HP	28.89
JR-6		-150HN	8.27
JR-7	6.900		
JR-7		-150HM	3.59
JR-7		-150HP	7.54
JR-7		-150HN	3.97
JR-8	8.300		
JR-8		-150HM	1.66
JR-8		-150HP	3.01
JR-8		-150HN	2.30

MINNOVA INC.

C.F.M. 89-724

21/07/89

SAMPLE NUMBER	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
JR-9	7.200		
JR-9		-150HM	1.14
JR-9		-150HP	2.98
JR-9		-150HN	1.22
JR-10	7.100		
JR-10		-150HM	2.68
JR-10		-150HP	2.71
JR-10		-150HN	2.07
BK-2	9.900		
BK-2		-150HM	3.22
BK-2		-150HP	5.92
BK-2		-150HN	1.44
BK-3	6.400		
BK-3		-150HM	6.59
BK-3		-150HP	7.07
BK-3		-150HN	2.98
BK-4	8.600		
BK-4		-150HM	6.34
BK-4		-150HP	18.34
BK-4		-150HN	2.66
BK-5	22.300		
BK-5		-150HM	8.96
BK-5		-150HP	10.18
BK-5		-150HN	4.51

Please note: There was only one double bag sample in this batch - BK-5 +20 fraction = 9.2kg

C.F.MINERAL RESEARCH LTD.
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

MINNOVA INC.
PROJECT:

C.F.M. 89-723

28/06/89

SAMPLE NUMBER	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-1	7.000		
WB-1		-150HM	4.01
WB-1		-150HP	2.75
WB-1		-150HN	1.51
WB-2	8.700		
WB-2		-150HM	3.50
WB-2		-150HP	2.05
WB-2		-150HN	1.18
WB-3	8.100		
WB-3		-150HM	5.93
WB-3		-150HP	6.26
WB-3		-150HN	0.98
WB-4	8.300		
WB-4		-150HM	12.49
WB-4		-150HP	17.29
WB-4		-150HN	5.31
WB-5	6.900		
WB-5		-150HM	6.65
WB-5		-150HP	4.81
WB-5		-150HN	5.08
WB-8	8.600		
WB-8		-150HM	10.66
WB-8		-150HP	8.52
WB-8		-150HN	5.40
BK-1	9.400		
BK-1		-150HM	8.98
BK-1		-150HP	6.73
BK-1		-150HN	2.84
BK-6	10.700		
BK-6		-150HM	10.54
BK-6		-150HP	14.14
BK-6		-150HN	7.75

C.F. MINERAL RESEARCH LTD
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

MINNOVA INC.
PROJECT:

C.F.M. 89-724

21/07/89

CODE	SAMPLE NO.	FRACTION	VIAL WEIGHT (gms)
277V	JR-1	-150HN	4.960
278V	JR-2	-150HN	4.360
279V	JR-3	-150HN	1.086
280V	JR-4	-150HN	2.042
281V	JR-5	-150HN	4.128
282V	JR-6	-150HN	8.258
283V	JR-7	-150HN	3.970
284V	JR-8	-150HN	2.285
285V	JR-9	-150HN	1.197
286V	JR-10	-150HN	2.026
287V	BK-2	-150HN	1.410
288V	BK-3	-150HN	2.924
289V	BK-4	-150HN	2.637
290V	BK-5	-150HN	4.486

C.F.MINERAL RESEARCH LTD.
 263 LAKE AVENUE
 KELOWNA, BRITISH COLUMBIA
 CANADA V1Y 5W6

TEL(604)763-1815
 (604)860-8525

MINOVA INC.
 PROJECT:

C.F.M. 89-722

28/06/89

SAMPLE NUMBER	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-6	9.000		
WB-6		-150HM	25.16
WB-6		-150HP	16.36
WB-6		-150HN	6.08
WB-9	8.100		
WB-9		-150HM	7.81
WB-9		-150HP	4.13
WB-9		-150HN	2.57
WB-10	8.400		
WB-10		-150HM	5.41
WB-10		-150HP	3.87
WB-10		-150HN	2.66
WB-11	7.900		
WB-11		-150HM	6.16
WB-11		-150HP	2.97
WB-11		-150HN	1.22
WB-12	8.000		
WB-12		-150HM	13.28
WB-12		-150HP	11.84
WB-12		-150HN	8.79
WB-13	8.000		
WB-13		-150HM	7.43
WB-13		-150HP	5.65
WB-13		-150HN	2.87
WB-14	8.400		
WB-14		-150HM	14.64
WB-14		-150HP	7.61
WB-14		-150HN	5.60
WB-15	9.500		
WB-15		-150HM	9.81
WB-15		-150HP	5.60
WB-15		-150HN	3.09

MINOVA INC.

C.F.M. 89-722

28/06/89

SAMPLE NUMBER	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-16	10.600		
WB-16		-150HM	59.44
WB-16		-150HP	25.73
WB-16		-150HN	14.40
WB-17	10.000		
WB-17		-150HM	9.23
WB-17		-150HP	7.17
WB-17		-150HN	3.32
WB-18	8.400		
WB-18		-150HM	6.98
WB-18		-150HP	5.92
WB-18		-150HN	3.10
WB-19	8.900		
WB-19		-150HM	7.42
WB-19		-150HP	15.14
WB-19		-150HN	3.40

C.F. MINERAL RESEARCH LTD
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

MINOVA INC.
PROJECT:

C.F.M. 89-722

28/06/89

CODE	SAMPLE NO.	FRACTION	VIAL WEIGHT (gms)
174V	WB-6	-150HN	6.098
175V	WB-9	-150HN	2.615
176V	WB-10	-150HN	2.676
177V	WB-11	-150HN	1.247
178V	WB-12	-150HN	8.824
179V	WB-13	-150HN	2.931
180V	WB-14	-150HN	5.650
181V	WB-15	-150HN	3.099
182V	WB-16	-150HN	14.344
183V	WB-17	-150HN	3.313
184V	WB-18	-150HN	3.109
185V	WB-19	-150HN	3.399

263 LAKE AVENUE
 KELOWNA, BRITISH COLUMBIA
 CANADA V1Y 5W6

(604)860-8525

MINNOVA
 PROJECT:

C.F.M. 89-749

03/10/89

SAMPLE NO.	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-20	14.100		
WB-20		+20	2860.00
WB-20		-150HM	9.90
WB-20		-150HP	15.34
WB-20		-150HN	1.35
WB-21	24.400		
WB-21		+20	10100.00
WB-21		-150HM	4.17
WB-21		-150HP	5.76
WB-21		-150HN	2.00
WB-22	10.300		
WB-22		+20	0.00
WB-22		-150HM	13.92
WB-22		-150HP	6.46
WB-22		-150HN	3.97
WB-23	8.500		
WB-23		+20	0.00
WB-23		-150HM	11.13
WB-23		-150HP	11.43
WB-23		-150HN	7.53
WB-24	9.500		
WB-24		+20	0.00
WB-24		-150HM	5.62
WB-24		-150HP	4.33
WB-24		-150HN	3.03
WB-25	7.400		
WB-25		+20	0.00
WB-25		-150HM	4.48
WB-25		-150HP	5.22
WB-25		-150HN	1.59
WB-26	9.000		
WB-26		+20	0.00
WB-26		-150HM	16.37
WB-26		-150HP	13.71
WB-26		-150HN	6.98

C.F.MINERAL RESEARCH LTD.

TEL(604)763-1815

263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

(604)860-8525

MINNOVA
PROJECT:

C.F.M. 89-749

03/10/89

SAMPLE NO.	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-26	9.000		
WB-26		-150HN	6.98
WB-27	11.900		
WB-27		+20	4000.00
WB-27		-150HM	7.84
WB-27		-150HP	5.37
WB-27		-150HN	2.31
WB-28	2.400		
WB-28		+20	0.00
WB-28		-150HM	4.42
WB-28		-150HP	1.75
WB-28		-150HN	0.63
WB-29	8.600		
WB-29		+20	0.00
WB-29		-150HM	15.77
WB-29		-150HP	11.67
WB-29		-150HN	5.15
WB-30	6.600		
WB-30		+20	0.00
WB-30		-150HM	6.26
WB-30		-150HP	9.98
WB-30		-150HN	1.91
WB-31	6.500		
WB-31		+20	0.00
WB-31		-150HM	9.94
WB-31		-150HP	5.61
WB-31		-150HN	2.99
WB-32	11.700		
WB-32		+20	2800.00
WB-32		-150HM	34.46
WB-32		-150HP	14.66
WB-32		-150HN	6.45
WB-33	9.700		
WB-33		+20	0.00

C.F.MINERAL RESEARCH LTD.

TEL(604)763-1815

263 LAKE AVENUE
 KELOWNA, BRITISH COLUMBIA
 CANADA V1Y 5W6

(604)860-8525

MINNOVA
 PROJECT:

C.F.M. 89-749

03/10/89

SAMPLE NO.	ORIGINAL WEIGHT (KG)	FRACTION	WEIGHT (GMS)
-----	-----	-----	-----
WB-33	9.700		
WB-33		-150HM	20.05
WB-33		-150HP	8.86
WB-33		-150HN	6.32
WB-34	5.400		
WB-34		+20	0.00
WB-34		-150HM	5.47
WB-34		-150HP	6.66
WB-34		-150HN	1.57
WB-35	7.600		
WB-35		+20	0.00
WB-35		-150HM	5.37
WB-35		-150HP	9.74
WB-35		-150HN	4.42
WB-36	5.900		
WB-36		+20	0.00
WB-36		-150HM	8.39
WB-36		-150HP	2.79
WB-36		-150HN	1.77
WB-37	6.600		
WB-37		+20	0.00
WB-37		-150HM	3.08
WB-37		-150HP	1.57
WB-37		-150HN	0.73

C.F. MINERAL RESEARCH LTD
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

MINNOVA
PROJECT:

C.F.M. 89-749

03/10/89

CODE	SAMPLE NO.	FRACTION	VIAL WEIGHT (gms)
100T	WB-20	-150HN	1.339
101T	WB-21	-150HN	1.990
102T	WB-22	-150HN	3.946
103T	WB-23	-150HN	7.510
104T	WB-24	-150HN	3.021
105T	WB-25	-150HN	1.550
106T	WB-26	-150HN	6.978
107T	WB-27	-150HN	2.307
108T	WB-28	-150HN	0.620
109T	WB-29	-150HN	5.142
110T	WB-30	-150HN	1.887
111T	WB-31	-150HN	2.962
112T	WB-32	-150HN	6.380
113T	WB-33	-150HN	6.273
114T	WB-34	-150HN	1.558
115T	WB-35	-150HN	4.354
116T	WB-36	-150HN	1.785
117T	WB-37	-150HN	0.706

C.F. MINERAL RESEARCH LTD
263 LAKE AVENUE
KELOWNA, BRITISH COLUMBIA
CANADA V1Y 5W6

TEL(604)763-1815
(604)860-8525

MINNOVA INC.
PROJECT:


C.F.M. 89-723

28/06/89

CODE	SAMPLE NO.	FRACTION	VIAL WEIGHT (gms)
186V	WB-1	-150HN	1.533
187V	WB-2	-150HN	1.203
188V	WB-3	-150HN	0.973
189V	WB-4	-150HN	5.307
190V	WB-5	-150HN	5.092
191V	WB-8	-150HN	5.420
192V	BK-1	-150HN	2.870
193V	BK-6	-150HN	7.758



4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901



P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

AUTHORITY: I. PIRIE

22-DEC-89
PAGE: 1 OF 5
COPY: 1 OF 2

MINNOVA INC.
311 WATER STREET
VANCOUVER, B.C. V6B 1B8

WORK ORDER: 6438D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: PULP

S A M P L E N U M B E R		CU PPM	PB PPM	ZN PPM	AG PPM
-150HN:WB-20	-100T	13.0	4.0	14.0	0.8
-150HN:WB-21	-101T	13.0	51.0	17.0	<0.2
-150HN:WB-22	-102T	10.0	3.0	12.0	<0.2
-150HN:WB-23	-103T	10.0	1.0	8.0	<0.2
-150HN:WB-24	-104T	10.0	7.0	12.0	<0.2
-150HN:WB-25	-105T	80.0	7.0	41.0	<0.2
-150HN:WB-26	-106T	29.0	4.0	20.0	<0.2
-150HN:WB-27	-107T	16.0	6.0	14.0	<0.2
-150HN:WB-28	-108T	62.0	4.0	26.0	0.8
-150HN:WB-29	-109T	12.0	3.0	9.0	4.8
-150HN:WB-30	-110T	27.0	5.0	13.0	0.6
-150HN:WB-31	-111T	22.0	13.0	15.0	9.4
-150HN:WB-32	-112T	16.0	4.0	10.0	<0.2
-150HN:WB-33	-113T	10.0	2.0	11.0	<0.2
-150HN:WB-34	-114T	18.0	14.0	23.0	4.0
-150HN:WB-35	-115T	16.0	2.0	13.0	<0.2
-150HN:WB-36	-116T	24.0	3.0	16.0	0.2
-150HN:WB-37	-117T	220.0	67.0	124.0	0.3
-150HN:RCG-001	-118T	19.0	11.0	14.0	1.7
-150HN:RCG-002	-119T	14.0	20.0	15.0	<0.2
-150HN:RCG-003	-120T	13.0	69.0	11.0	0.3
-150HN:RCG-005	-121T	18.0	9.0	15.0	<0.2
-150HN:RCG-006	-122T	14.0	11.0	20.0	<0.2
-150HN:RCG-009	-123T	22.0	10.0	16.0	<0.2
-150HN:RCG-011	-124T	29.0	8.0	20.0	<0.2
-150HN:RCG-014	-125T	37.0	49.0	21.0	7.3
-150HN:RCG-015	-126T	24.0	6.0	29.0	2.1
-150HN:RCG-020	-127T	45.0	128.0	26.0	0.8
-150HN:RCG-023	-128T	30.0	19.0	25.0	6.8
-150HN:RCG-025	-129T	12.0	10.0	17.0	<0.2

BARRINGER*Laboratories (Alberta) Ltd.*4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E6K3
PHONE: (403) 250-1901**BARRINGER***Laboratories (NWT) Ltd.*P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

22-DEC-89

PAGE: 2 OF 5

COPY: 1 OF 2

AUTHORITY: I. PIRIE

MINNOVA INC.311 WATER STREET
VANCOUVER, B.C. V6B 1B8

WORK ORDER: 6438D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

S A M P L E N U M B E R		CU PPM	PB PPM	ZN PPM	AG PPM
-150HN:RCG-026	-130T	17.0	6.0	15.0	<0.2
-150HN:RCG-027	-131T	69.0	6.0	15.0	0.4
-150HN:RCG-028	-132T	2400.0	42.0	236.0	8.0
-150HN:RCG-029	-133T	7700.0	11.0	41.0	7.7
-150HN:RCG-030	-134T	101.0	61.0	98.0	4.1
-150HN:RCG-031	-135T	17.0	6.0	20.0	1.5
-150HN:RCG-032	-136T	16.0	2.0	11.0	<0.2
-150HN:RCG-034	-137T	27.0	4.0	12.0	6.4
-150HN:RCG-035	-138T	22.0	15.0	22.0	2.8
-150HN:RCG-037	-139T	17.0	4.0	24.0	12.0
-150HN:RCG-038	-140T	11.0	3.0	24.0	0.2
-150HN:RCG-039	-141T	22.0	33.0	18.0	<0.2
-150HN:RCG-042	-142T	169.0	106.0	81.0	3.7
-150HN:RCG-004	-143T	18.0	11.0	18.0	<0.2
-150HN:RCG-007	-144T	18.0	4.0	18.0	<0.2
-150HN:RCG-008	-145T	10.0	3.0	11.0	1.3
-150HN:RCG-010	-146T	33.0	5.0	35.0	<0.2
-150HN:RCG-012	-147T	10.0	5.0	15.0	<0.2
-150HN:RCG-013	-148T	24.0	5.0	22.0	<0.2
-150HN:RCG-016	-149T	27.0	17.0	35.0	1.7
-150HN:RCG-017	-150T	21.0	5.0	21.0	3.1
-150HN:RCG-018	-151T	15.0	2.0	12.0	<0.2
-150HN:RCG-019	-152T	26.0	16.0	24.0	<0.2
-150HN:RCG-021	-153T	22.0	10.0	23.0	<0.2
-150HN:RCG-022	-154T	16.0	5.0	16.0	<0.2
-150HN:RCG-033	-155T	20.0	7.0	14.0	<0.2
-150HN:RCG-040	-156T	33.0	8.0	19.0	<0.2
-150HN:RCG-041	-157T	78.0	96.0	41.0	1.1

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

AUTHORITY: I. PIRIE

MINNOVA INC.

311 WATER STREET
 VANCOUVER, B.C. V6B 1B8

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

22-DEC-89

PAGE: 3 OF 5

COPY: 1 OF 2

WORK ORDER: 6438D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

S A M P L E N U M B E R		HG PPB
-150HN:WB-20	-100T	<5.0
-150HN:WB-21	-101T	5.0
-150HN:WB-22	-102T	<5.0
-150HN:WB-23	-103T	<5.0
-150HN:WB-24	-104T	<5.0
-150HN:WB-25	-105T	14.0
-150HN:WB-26	-106T	<5.0
-150HN:WB-27	-107T	54.0
-150HN:WB-28	-108T	14.0
-150HN:WB-29	-109T	16.0
-150HN:WB-30	-110T	14.0
-150HN:WB-31	-111T	9.0
-150HN:WB-32	-112T	<5.0
-150HN:WB-33	-113T	<5.0
-150HN:WB-34	-114T	31.0
-150HN:WB-35	-115T	<5.0
-150HN:WB-36	-116T	5.0
-150HN:WB-37	-117T	30.0
-150HN:RCG-001	-118T	<5.0
-150HN:RCG-002	-119T	5.0
-150HN:RCG-003	-120T	<5.0
-150HN:RCG-005	-121T	<5.0
-150HN:RCG-006	-122T	7.0
-150HN:RCG-009	-123T	11.0
-150HN:RCG-011	-124T	17.0
-150HN:RCG-014	-125T	<5.0
-150HN:RCG-015	-126T	<5.0
-150HN:RCG-020	-127T	<5.0
-150HN:RCG-023	-128T	<5.0
-150HN:RCG-025	-129T	<5.0

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

22-DEC-89

PAGE: 4 OF 5

COPY: 1 OF 2

AUTHORITY: I. PIRIE

MINNOVA INC.

311 WATER STREET
 VANCOUVER, B.C. V6B 1B8

WORK ORDER: 6438D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

SAMPLE NUMBER		HG PPB
-150HN:RCG-026	-130T	<5.0
-150HN:RCG-027	-131T	<5.0
-150HN:RCG-028	-132T	5.0
-150HN:RCG-029	-133T	42.0
-150HN:RCG-030	-134T	179.0
-150HN:RCG-031	-135T	7.0
-150HN:RCG-032	-136T	<5.0
-150HN:RCG-034	-137T	43.0
-150HN:RCG-035	-138T	<5.0
-150HN:RCG-037	-139T	<5.0
-150HN:RCG-038	-140T	<5.0
-150HN:RCG-039	-141T	15.0
-150HN:RCG-042	-142T	25.0
-150HN:RCG-004	-143T	<5.0
-150HN:RCG-007	-144T	<5.0
-150HN:RCG-008	-145T	<5.0
-150HN:RCG-010	-146T	<5.0
-150HN:RCG-012	-147T	<5.0
-150HN:RCG-013	-148T	<5.0
-150HN:RCG-016	-149T	<5.0
-150HN:RCG-017	-150T	<5.0
-150HN:RCG-018	-151T	<5.0
-150HN:RCG-019	-152T	136.0
-150HN:RCG-021	-153T	<5.0
-150HN:RCG-022	-154T	14.0
-150HN:RCG-033	-155T	783.0
-150HN:RCG-040	-156T	11.0
-150HN:RCG-041	-157T	225.0



4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: I. PIRIE

MINNOVA INC.
311 WATER STREET
VANCOUVER, B.C. V6B 1B8




P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

22-DEC-89
PAGE: 5 OF 5
COPY: 1 OF 2

WORK ORDER: 6438D-89


*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SIGNED: 
C. Douglas Read,
LABORATORY MANAGER

FOOTNOTES:
P=QUESTIONABLE PRECISION; *=INTERFERENCE; TR=TRACE; ND=NOT DETECTED;
IS=INSUFFICIENT SAMPLE; NA=NOT ANALYZED; MS=MISSING SAMPLE

ACTIVATION LABORATORIES LTD



Invoice No.: 1317
Work Order: 1313
Invoice Date: 23-OCT-89
Date Submitted: 10-OCT-89
Your Reference: 89-749
Account Number: M-1


MINOVA INC.
311 WATER ST.
VANCOUVER, B.C.
CANADA
V6B 1B8
ATTN: I. PIRIE

CERTIFICATE OF ANALYSIS

INAA package, elements and detection limits:

AU	5.	PPB	AG	5.	PPM	AS	2.	PPM	BA	200.	PPM
BR	5.	PPM	CA	1.	%	CO	5.	PPM	CR	10.	PPM
CS	2.	PPM	FE	0.02	%	HF	1.	PPM	HG	5.	PPM
IR	40.	PPB	MO	20.	PPM	NA	500.	PPM	NI	200.	PPM
RB	50.	PPM	SB	0.2	PPM	SC	0.1	PPM	SE	20.	PPM
SR	0.2	%	TA	1.	PPM	TH	0.5	PPM	U	0.5	PPM
W	4.	PPM	ZN	100.	PPM	LA	1.	PPM	CE	3.	PPM
ND	10.	PPM	SM	0.1	PPM	EU	0.2	PPM	TB	2.	PPM
YB	0.2	PPM	LU	0.1	PPM						

CERTIFIED BY :


DR. ERIC L. HOFFMAN

Activation Laboratories Ltd. Work Order: 1313 Report: 1317

Sample description	AU PPB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CD PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PPB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %
WB-20-150HN	1400	<5	7	770	27	12	14	410	<2	2.78	490	<5	<40	INT	11500	<200	98	1.3	45	<20	<0.2
WB-21-150HN	1290	<6	9	3000	31	20	12	280	<2	3.44	1400	<5	<40	INT	8740	<380	<50	2.7	50	<21	<0.2
WB-22-150HN	4130	<5	<2	490	19	13	9	290	<2	3.10	720	<5	<40	INT	12400	<200	<50	<0.2	34	<20	<0.2
WB-23-150HN	966	<5	3	770	11	6	<5	110	<2	0.90	330	<5	<40	INT	19700	<200	<50	<0.2	7.7	<20	0.2
WB-24-150HN	8	<5	<2	700	22	<2	7	200	<2	3.06	460	<5	<40	INT	19100	<200	<50	<0.2	21	25	<0.2
WB-25-150HN	12	<5	7	1300	16	<2	6	190	<2	1.28	560	<5	<40	INT	10400	<200	<50	3.1	23	<20	<0.2
WB-26-150HN	2280	<5	<2	<200	15	5	13	140	6	3.78	330	<5	<40	INT	16300	<200	<50	1.0	26	<20	<0.2
WB-27-150HN	4440	<5	8	<200	22	<2	7	97	<2	1.81	490	<5	<40	INT	20500	<200	<50	1.8	14	<20	0.3
WB-28-150HN	1940	<5	7	1700	35	12	9	220	<2	2.11	900	<5	<40	INT	12600	<210	<50	3.5	32	<20	<0.2
WB-29-150HN	7960	<5	<2	<200	14	<2	<5	200	<2	3.11	910	<5	<40	INT	12700	<200	<50	1.5	28	<20	<0.2
WB-30-150HN	1300	<6	<2	1400	17	11	<5	120	<2	1.64	920	<5	<40	INT	14700	<240	<50	3.5	28	<20	<0.2
WB-31-150HN	41900	<5	<2	<200	<5	<2	10	230	<2	2.87	930	<6	<40	INT	13300	<200	<50	2.0	32	<20	<0.2
WB-32-150HN	282	<5	8	<200	14	<2	7	240	5	1.78	890	<5	<40	INT	10800	380	<50	1.8	25	<20	<0.2
WB-33-150HN	1300	<5	4	770	13	<1	6	150	<2	2.60	450	<5	<40	INT	15800	<200	<50	1.5	20	<20	<0.2
WB-34-150HN	9100	<5	<2	1200	18	9	5	360	<2	1.20	350	<5	<40	INT	15100	<200	<50	1.0	20	<20	<0.2
WB-35-150HN	1690	<5	<2	810	23	11	17	370	<2	5.07	62	<5	<40	<20	11400	<200	<50	0.6	49	<20	<0.2
WB-36-150HN	1000	<6	2	780	24	18	<5	140	<2	1.85	990	<5	<40	INT	14200	<250	<50	<0.2	30	<20	<0.2
WB-37-150HN	12600	<5	100	3200	29	<2	19	260	<2	3.34	790	<5	<40	INT	13000	<200	<50	4.8	27	<20	<0.2

Sample description	TA PPM	TH PPM	U PPM	W PPM	ZN PPM	LA PPM	CE PPM	ND PPM	SM PPM	EU PPM	TB PPM	YB PPM	LU PPM	Mass g
WB-20-150HN	18	160	64	34	<200	620	1000	520	97	15.3	12	31.6	3.8	1.339
WB-21-150HN	31	390	610	<7	<200	770	1100	500	110	30.8	19	75.7	10.8	1.990
WB-22-150HN	21	95	71	32	<200	240	560	320	51	13.6	8	41.3	4.78	3.946
WB-23-150HN	15	59	33	15	<200	150	360	210	35	9.8	7	26.4	3.30	7.510
WB-24-150HN	14	79	50	21	<200	190	420	240	39	10.9	7	29.4	2.00	3.021
WB-25-150HN	42	210	120	44	<200	460	970	490	120	26.6	20	73.7	7.9	1.550
WB-26-150HN	7	73	29	<4	<200	170	320	160	26	5.8	4	20.5	2.81	6.978
WB-27-150HN	6	74	44	23	<200	210	440	250	34	8.3	5	35.3	4.25	2.307
WB-28-150HN	22	230	98	46	<200	470	1000	570	110	18.0	14	67.8	8.9	0.6200
WB-29-150HN	16	160	67	170	<200	400	790	380	58	11.4	8	48.7	6.28	5.142
WB-30-150HN	33	270	130	170	<200	490	910	600	110	24.7	21	72.8	8.1	1.887
WB-31-150HN	27	210	100	110	<200	370	760	410	64	15.2	12	55.4	5.95	2.962
WB-32-150HN	34	210	91	46	<200	490	960	520	84	21.0	15	66.9	7.89	6.380
WB-33-150HN	10	67	35	14	<200	160	330	170	29	7.0	4	27.5	4.77	6.273
WB-34-150HN	22	130	95	200	<200	300	590	390	76	17.7	13	33.2	2.6	1.558
WB-35-150HN	6	36	13	17	<200	190	370	160	29	5.3	3	11.2	0.95	4.354
WB-36-150HN	40	240	140	46	<200	470	920	610	110	27.8	18	62.1	7.3	1.785
WB-37-150HN	20	210	110	160	<200	350	730	430	81	16.2	14	55.5	9.6	0.7060

ACTLABS

ACTIVATION LABORATORIES LTD

P.O. Box 1420, 383 Elgin St., Unit 17, Brantford, Ontario, Canada N3T 5T6

Telephone (519) 758-0310 ■ Fax (519) 758-8766

Invoice No.: 1003
Work Order: 982
Invoice Date: 14-JUL-89
Date Submitted: 30-JUN-89
Your Reference: C.F.M. 89-722
Account Number: M-1

MINNOVA INC.
311 WATER ST.
VANCOUVER, B.C.
CANADA
V6B 1B8


ATTN: I. PIRIE

CERTIFICATE OF ANALYSIS

INAA package, elements and detection limits:

AU	5.	PPB	AG	5.	PPM	AS	2.	PPM	BA	200.	PPM
BR	1.	PPM	CA	1.	%	CO	5.	PPM	CR	10.	PPM
CS	2.	PPM	FE	0.02	%	HF	1.	PPM	HG	5.	PPM
IR	40.	PPB	MO	20.	PPM	NA	500.	PPM	NI	200.	PPM
RB	50.	PPM	SB	0.2	PPM	SC	0.1	PPM	SE	20.	PPM
SR	0.2	%	TA	1.	PPM	TH	0.5	PPM	U	0.5	PPM
W	4.	PPM	ZN	100.	PPM	LA	1.	PPM	CE	3.	PPM
ND	10.	PPM	SM	0.1	PPM	EU	0.2	PPM	TB	2.	PPM
YB	0.2	PPM	LU	0.1	PPM						

CERTIFIED BY :



DR. ERIC L. HOFFMAN

\$

Sample description	AU PPB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CO PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PPB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %	TA PPM
WB-6-150HN	1520	<5	<2	360	16	13	20	470	<2	4.66	150	<5	<40	INT	7790	<200	<50	0.5	62	<20	<0.2	15
WB-9-150HN	15800	<5	<2	<200	25	9	22	400	<2	5.01	540	<5	<40	INT	11600	<200	<50	1.4	56	<20	<0.2	17
WB-10-150HN	16	<5	<2	<200	28	6	15	320	<2	4.85	440	<5	<40	INT	11500	<200	<50	0.9	50	<20	<0.2	13
WB-11-150HN	1800	<5	2	270	10	5	6	130	<2	2.48	420	<5	<40	INT	5840	<200	<50	0.5	24	<20	<0.2	12
WB-12-150HN	2670	<5	<2	520	17	10	9	240	<2	3.22	340	<5	<40	INT	12600	<200	<50	0.8	32	<20	<0.2	18
WB-13-150HN	11000	<5	<2	<200	18	11	19	700	<2	4.39	480	<5	<40	INT	8780	<200	<50	1.2	64	<20	<0.2	13
WB-14-150HN	29100	<5	10	<200	20	8	8	140	4	3.15	670	<5	<40	INT	15800	<200	<50	1.5	29	<20	<0.2	15
WB-15-150HN	3700	<5	6	<200	18	12	14	650	<2	4.13	590	<5	<40	INT	7150	<200	<50	<0.2	56	<20	<0.2	22
WB-16-150HN	2850	<5	7	800	24	9	13	290	<2	5.18	520	<5	<40	INT	12100	<200	<50	2.4	42	<20	<0.2	17
WB-17-150HN	11800	<5	<2	<200	20	7	6	110	4	1.65	700	<5	<40	INT	18700	<200	<50	2.1	16	<20	<0.2	23
WB-18-150HN	60	<5	<2	<200	18	9	6	100	<2	1.34	630	<5	<40	INT	19500	<200	<50	1.5	20	<20	<0.2	17
WB-19-150HN	75	<5	<2	<200	18	10	21	790	4	7.19	280	<5	<40	INT	7500	<200	<50	2.1	70	<20	<0.2	14

Sample description	TH PPM	U PPM	W PPM	ZN PPM	LA PPM	CE PPM	ND PPM	SM PPM	EU PPM	TB PPM	YB PPM	LU PPM	Mass g
WE-6-150HN	71	24	23	<100	250	430	250	40	8.7	5	18.6	3.2	6.098
WE-9-150HN	170	77	79	<100	250	520	310	46	12.4	8	40.3	6.4	2.161
WE-10-150HN	120	60	72	<100	190	390	240	37	10.0	6	32.6	5.2	2.676
WE-11-150HN	98	55	33	<100	170	330	140	35	10.3	4	23.1	3.0	1.247
WE-12-150HN	71	37	22	<100	210	420	220	41	11.4	8	29.3	4.2	8.824
WE-13-150HN	180	81	11	<100	440	810	400	61	11.7	9	33.4	4.6	2.931
WE-14-150HN	160	71	62	<100	280	510	270	41	9.6	9	36.6	5.2	5.650
WE-15-150HN	160	70	38	<100	330	690	400	63	15.1	10	43.3	6.3	3.099
WE-16-150HN	100	37	<4	<100	320	480	250	45	11.4	8	34.0	6.6	14.34
WE-17-150HN	200	71	92	<100	300	610	300	49	11.3	10	50.1	9.9	3.313
WE-18-150HN	170	66	89	<100	290	600	260	48	10.6	9	44.8	4.7	3.109
WE-19-150HN	150	37	<4	<100	700	1000	380	56	9.3	7	25.2	4.0	3.399

ACTLABS

ACTIVATION LABORATORIES LTD

P.O. Box 1420, 383 Elgin St., Unit 17, Brantford, Ontario, Canada N3T 5T6

Telephone (519) 758-0310 ■ Fax (519) 758-8766

Invoice No.: 1004
Work Order: 983
Invoice Date: 14-JUL-89
Date Submitted: 30-JUN-89
Your Reference: C.F.M. 89-723
Account Number: M-1


MINOVA INC.
311 WATER ST.
VANCOUVER, B.C.
CANADA
V6B 1B8
ATTN: I. PIRIE

CERTIFICATE OF ANALYSIS

INAA package, elements and detection limits:

AU	5.	PPB	AG	5.	PPM	AS	2.	PPM	BA	200.	PPM
BR	1.	PPM	CA	1.	%	CO	5.	PPM	CR	10.	PPM
CS	2.	PPM	FE	0.02	%	HF	1.	PPM	HG	5.	PPM
IR	40.	PPB	MO	20.	PPM	NA	500.	PPM	NI	200.	PPM
RB	50.	PPM	SB	0.2	PPM	SC	0.1	PPM	SE	20.	PPM
SR	0.2	%	TA	1.	PPM	TH	0.5	PPM	U	0.5	PPM
W	4.	PPM	ZN	100.	PPM	LA	1.	PPM	CE	3.	PPM
ND	10.	PPM	SM	0.1	PPM	EU	0.2	PPM	TB	2.	PPM
YB	0.2	PPM	LU	0.1	PPM						

CERTIFIED BY :



DR. ERIC L. HOFFMAN

Sample description	AU PPB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CO PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PPB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %	TA PPM
WB-1-150HN	3870	<5	<2	<200	11	6	7	380	<2	1.94	130	<5	<40	INT	5180	<200	<50	0.4	23	<20	<0.2	14
WB-2-150HN	<5	<5	<2	<200	11	6	5	430	<2	1.91	190	<5	<40	INT	6540	<200	<50	0.7	26	<20	<0.2	14
WB-3-150HN	<5	<5	<2	<200	11	5	6	290	<2	1.81	230	<5	<40	INT	7100	<200	<50	<0.5	25	<20	<0.2	14
WB-4-150HN	2900	<5	<2	940	21	12	7	210	<2	2.03	100	<5	<40	INT	19900	<200	<50	<0.4	16	<20	<0.2	9
WB-5-150HN	1500	<5	<2	<200	11	17	26	450	<2	6.75	52	<5	<40	<20	5620	<200	<50	<0.2	79	<20	<0.2	9
WB-8-150HN	3200	<5	3	660	16	9	13	350	<2	4.16	220	<5	<40	INT	13700	<200	<50	<0.2	41	<20	<0.2	11
BK-1-150HN	<14	<7	<2	<210	25	<4	19	220	<2	6.88	1400	<5	<40	INT	6200	510	<50	<0.3	40	<20	<0.2	22
BK-6-150HN	182	<5	<2	<200	14	13	6	91	<2	1.20	950	<5	<40	INT	3180	<200	<50	<0.2	19	<20	<0.2	22


Sample description	TH	U	W	ZN	LA	CE	ND	SM	EU	TB	YB	LU	Mass	Original	Au
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	g	kg	µgm
WB-1-150HN	45	34	280	<200	120	260	130	39	11.1	4	17.5	2.0	1.533	7.0	8
WB-2-150HN	62	43	240	<200	140	270	120	37	10.4	4	17.8	1.9	1.203	8.7	<1
WB-3-150HN	14	54	220	<200	140	290	140	38	11.0	4	20.7	2.5	0.9730	8.1	<1
WB-4-150HN	58	17	12	<100	260	470	270	40	8.4	5	15.9	2.3	5.307	8.3	19
WB-5-150HN	31	8.3	5	<100	140	280	150	28	6.4	4	11.7	1.8	5.092	6.9	11
WB-8-150HN	83	35	54	<100	210	400	180	34	8.1	6	20.8	3.2	5.420	8.6	20
BK-1-150HN	330	120	<4	350	1200	1800	770	110	20.2	16	70.6	8.4	2.870	9.4	<1
BK-6-150HN	240	67	<4	<100	790	1100	540	82	17.0	13	52.9	8.5	7.758	10.7	1

ACTLABS

ACTIVATION LABORATORIES LTD

P.O. Box 1420, 383 Elgin St., Unit 17, Brantford, Ontario, Canada N3T 5T6

Telephone (519) 758-0310 ■ Fax (519) 758-8766



Invoice No.: 1084
Work Order: 1066
Invoice Date: 09-AUG-89
Date Submitted: 22-JUL-89
Your Reference: C.F.M. 89-724
Account Number: M-1

MINOVA INC.
311 WATER ST.
VANCOUVER, B.C.
CANADA
V6B 1B8
ATTN: I. PIRIE

CERTIFICATE OF ANALYSIS

INAA package, elements and detection limits:

AU	5.	PPB	AG	5.	PPM	AS	2.	PPM	BA	200.	PPM
BR	5.	PPM	CA	1.	%	CO	5.	PPM	CR	10.	PPM
CS	2.	PPM	FE	0.02	%	HF	1.	PPM	HG	5.	PPM
IR	40.	PPB	MO	20.	PPM	NA	500.	PPM	NI	200.	PPM
RB	50.	PPM	SB	0.2	PPM	SC	0.1	PPM	SE	20.	PPM
SR	0.2	%	TA	1.	PPM	TH	0.5	PPM	U	0.5	PPM
W	4.	PPM	ZN	200.	PPM	LA	1.	PPM	CE	3.	PPM
ND	10.	PPM	SM	0.1	PPM	EU	0.2	PPM	TB	2.	PPM
YB	0.2	PPM	LU	0.1	PPM						

CERTIFIED BY :

A handwritten signature in black ink, appearing to read "E. Hoffman".

DR. ERIC L. HOFFMAN

Activation Laboratories Ltd.

Work Order: 1066 Report: 1084

Sample description	AU PPB	AG PPM	AS PPM	BA PPM	BR PPM	CA %	CO PPM	CR PPM	CS PPM	FE %	HF PPM	HG PPM	IR PPB	MO PPM	NA PPM	NI PPM	RB PPM	SB PPM	SC PPM	SE PPM	SR %	TA PPM
JR-1-150HN	2240	<6	<2	<200	32	7	12	88	7	2.22	1300	<5	<40	INT	4990	<200	<50	<0.2	24	<20	<0.2	33
JR-2-150HN	65	<5	<2	1600	32	10	<5	80	<2	1.47	1200	<5	<40	INT	8930	<200	<50	<0.2	17	<20	<0.2	23
JR-3-150HN	210	<5	<2	<200	24	24	7	130	<2	1.34	980	<5	<40	INT	3850	<200	<50	1.0	23	<20	<0.2	57
JR-4-150HN	443	<6	<2	<200	20	<3	<5	92	<2	1.02	1300	<5	<40	INT	9110	<210	<50	0.9	22	<20	<0.2	34
JR-5-150HN	1000	<5	<2	1000	21	24	15	460	5	2.49	1200	<5	<40	INT	6680	<200	110	0.9	29	<20	<0.2	20
JR-6-150HN	376	<7	<2	<200	22	11	<5	110	<2	1.23	570	<5	<40	INT	7880	<200	<50	<0.2	13	<20	<0.2	16
JR-7-150HN	29	<5	11	<200	18	19	10	200	<2	2.78	650	<5	<40	INT	6000	<200	130	<0.2	20	<20	<0.2	22
JR-8-150HN	3880	<6	<2	<200	23	<2	15	1200	<2	2.60	740	<5	<40	INT	5920	<200	<50	0.9	50	<20	<0.2	15
JR-9-150HN	10390	<5	<2	<200	31	9	15	1200	<2	2.77	730	<5	<40	INT	5710	<200	<50	1.1	52	<20	<0.2	29
JR-10-150HN	793	<7	14	<220	37	<5	26	930	<2	3.81	610	<5	<40	INT	5180	<220	<50	<0.2	54	<20	<0.2	14
BK-2-150HN	1590	<6	<3	<270	73	<4	10	200	<2	3.97	1400	<5	<40	INT	5730	<290	<50	<0.3	37	<20	<0.2	25
BK-3-150HN	800	<6	<3	1300	22	<3	<5	170	<2	2.90	950	<6	<40	INT	5410	<200	<50	1.1	26	<20	<0.2	32
BK-4-150HN	97	<6	17	<200	18	26	<5	140	<2	1.37	870	<6	<40	INT	2850	<200	<50	2.0	21	<20	<0.2	42
BK-5-150HN	1500	<5	<2	<200	22	13	9	120	<2	2.50	870	<5	<40	INT	4730	<200	<50	<0.2	23	<20	<0.2	28

Activation Laboratories Ltd.

Work Order: 1066 Report: 1084

Sample description	TH PPM	U PPM	W PPM	ZN PPM	LA PPM	CE PPM	ND PPM	SM PPM	EU PPM	TB PPM	YB PPM	LU PPM	Mass g
JR-1-150HN	210	120	<4	<200	700	1200	680	110	30.0	19	86.7	11.0	4.960
JR-2-150HN	210	100	<4	<200	610	1100	610	100	24.9	17	80.3	13.4	4.360
JR-3-150HN	200	160	40	<200	680	1300	860	210	53.2	37	113	18.8	1.086
JR-4-150HN	270	160	39	<200	920	1300	690	160	35.0	28	82.3	11.8	2.042
JR-5-150HN	320	100	19	<200	830	1400	640	110	20.1	16	70.6	12.4	4.128
JR-6-150HN	300	71	<4	<200	920	1200	540	75	11.4	11	32.9	5.9	8.258
JR-7-150HN	260	96	<4	<200	750	1300	620	100	20.1	15	57.4	9.7	3.970
JR-8-150HN	240	97	<5	<200	700	970	410	100	19.3	16	47.4	7.4	2.285
JR-9-150HN	190	160	<4	<200	520	840	470	110	21.9	15	55.3	8.4	1.197
JR-10-150HN	350	330	<6	<200	1000	1300	630	130	21.4	20	45.7	9.1	2.026
BK-2-150HN	330	130	34	<200	1300	1800	820	180	36.2	26	93.2	13.6	1.410
BK-3-150HN	310	93	<4	<200	1000	1700	850	130	26.5	20	78.2	12.0	2.924
BK-4-150HN	190	92	20	<200	670	1300	720	130	35.9	21	91.7	13.0	2.637
BK-5-150HN	230	91	<4	<200	750	1300	580	100	22.1	15	67.0	10.2	4.486

BARRINGER*Laboratories (Alberta) Ltd.*4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901**BARRINGER***Laboratories (NWT) Ltd.*P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

12-AUG-89

PAGE: 1 OF 2

COPY: 1 OF 2

AUTHORITY: IAN PIRIE

MINNOVA INC.

311 WATER STREET

VANCOUVER, B.C. V6B 1B8

WORK ORDER: 6282D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT**SAMPLE TYPE: PULP**

S A M P L E N U M B E R		CU PPM	PB PPM	ZN PPM	AG PPM
-150HN:WB-1	-186V	16.0	<1.0	15.0	6.6
-150HN:WB-2	-187V	19.0	1.0	15.0	<0.2
-150HN:WB-3	-188V	16.0	24.0	12.0	<0.2
-150HN:WB-4	-189V	13.0	2.0	16.0	<0.2
-150HN:WB-5	-190V	5.0	1.0	12.0	<0.2
-150HN:WB-8	-191V	10.0	<1.0	17.0	1.2
-150HN:BK-1	-192V	13.0	<1.0	20.0	<0.2
-150HN:BK-6	-193V	7.0	53.0	9.0	<0.2
-150HN:WB-6	-174V	8.0	<1.0	9.0	3.4
-150HN:WB-9	-175V	16.0	2.0	13.0	3.4
-150HN:WB-10	-176V	18.0	1.0	22.0	<0.2
-150HN:WB-11	-177V	16.0	<1.0	40.0	<0.2
-150HN:WB-12	-178V	8.0	1.0	11.0	<0.2
-150HN:WB-13	-179V	12.0	4.0	24.0	0.2
-150HN:WB-14	-180V	14.0	3.0	23.0	<0.2
-150HN:WB-15	-181V	12.0	2.0	10.0	5.2
-150HN:WB-16	-182V	10.0	3.0	17.0	<0.2
-150HN:WB-17	-183V	13.0	18.0	13.0	4.4
-150HN:WB-18	-184V	22.0	<1.0	14.0	<0.2
-150HN:WB-19	-185V	10.0	1.0	47.0	<0.2

BARRINGER

Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: IAN PIRIE

MINNOVA INC.

311 WATER STREET
VANCOUVER, B.C. V6B 1B8

BARRINGER

Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

12-AUG-89

PAGE: 2 OF 2

COPY: 1 OF 2

WORK ORDER: 6282D-89


*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: PULP

SAMPLE NUMBER	HG PPB
-150HN:WB-1	-186V 35.0
-150HN:WB-2	-187V 30.0
-150HN:WB-3	-188V 25.0
-150HN:WB-4	-189V 10.0
-150HN:WB-5	-190V 5.0
-150HN:WB-8	-191V 10.0
-150HN:BK-1	-192V 20.0
-150HN:BK-6	-193V 5.0
-150HN:WB-6	-174V 20.0
-150HN:WB-9	-175V 15.0
-150HN:WB-10	-176V 15.0
-150HN:WB-11	-177V 25.0
-150HN:WB-12	-178V 15.0
-150HN:WB-13	-179V 10.0
-150HN:WB-14	-180V 20.0
-150HN:WB-15	-181V 15.0
-150HN:WB-16	-182V 20.0
-150HN:WB-17	-183V 20.0
-150HN:WB-18	-184V 10.0
-150HN:WB-19	-185V 10.0

SIGNED: _____


C. Douglas Read,
LABORATORY MANAGER

FOOTNOTES:

P=QUESTIONABLE PRECISION; * = INTERFERENCE; TR=TRACE; ND=NOT DETECTED;
IS=INSUFFICIENT SAMPLE; NA=NOT ANALYZED; MS=MISSING SAMPLE

BARRINGER*Laboratories (Alberta) Ltd.*

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
 PHONE: (403) 250-1901

AUTHORITY: IAN PIRIE

MINNOVA INC.

311 WATER STREET
 VANCOUVER, B.C. V6B 1B8

BARRINGER*Laboratories (NWT) Ltd.*

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
 PHONE: (403) 920-4500

18-SEP-89

PAGE: 1 OF 2

COPY: 1 OF 2

WORK ORDER: 6315D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: HVY MINERAL SEP

SAMPLE NUMBER		CU PPM	PB PPM	ZN PPM	AG PPM
-150HN:JR-1	-277V	14.0	5.0	18.0	0.3
-150HN:JR-2	-278V	13.0	5.0	19.0	<0.2
-150HN:JR-3	-279V	14.0	12.0	18.0	0.5
-150HN:JR-4	-280V	11.0	6.0	15.0	<0.2
-150HN:JR-5	-281V	17.0	7.0	17.0	0.2
-150HN:JR-6	-282V	21.0	5.0	22.0	<0.2
-150HN:JR-7	-283V	26.0	5.0	15.0	<0.2
-150HN:JR-8	-284V	16.0	5.0	22.0	<0.2
-150HN:JR-9	-285V	9.0	9.0	17.0	0.9
-150HN:JR-10	-286V	25.0	26.0	27.0	0.2
-150HN:BK-2	-287V	31.0	4.0	27.0	0.6
-150HN:BK-3	-288V	12.0	17.0	17.0	<0.2
-150HN:BK-4	-289V	17.0	5.0	14.0	<0.2
-150HN:BK-5	-290V	20.0	13.0	18.0	0.4

BARRINGER

Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

BARRINGER

Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

18-SEP-89

PAGE: 2 OF 2

COPY: 1 OF 2

AUTHORITY: IAN PIRIE

MINNOVA INC.

311 WATER STREET
VANCOUVER, B.C. V6B 1B8

WORK ORDER: 6315D-89

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: HVY MINERAL SEP

SAMPLE NUMBER		HG PPB
-150HN:JR-1	-277V	30.0
-150HN:JR-2	-278V	20.0
-150HN:JR-3	-279V	25.0
-150HN:JR-4	-280V	20.0
-150HN:JR-5	-281V	15.0
-150HN:JR-6	-282V	15.0
-150HN:JR-7	-283V	15.0
-150HN:JR-8	-284V	15.0
-150HN:JR-9	-285V	25.0
-150HN:JR-10	-286V	15.0
-150HN:BK-2	-287V	25.0
-150HN:BK-3	-288V	15.0
-150HN:BK-4	-289V	30.0
-150HN:BK-5	-290V	15.0

SIGNED: _____

C. Douglas Read
C. Douglas Read,
LABORATORY MANAGER

FOOTNOTES:

P=QUESTIONABLE PRECISION; * = INTERFERENCE; TR=TRACE; ND=NOT DETECTED;
IS=INSUFFICIENT SAMPLE; NA=NOT ANALYZED; MS=MISSING SAMPLE