

TABLE 1

SUMMARY OF SURFACE DRILL HOLE ORE ZONE INTERCEPTS

<u>DRILL HOLE NO.</u>	<u>AZIMUTH</u>	<u>DIP</u>	<u>INTERVAL</u> (Feet)	<u>GRADE</u> (WEIGHTED AVERAGE) (ounces/ton/foot)
86- 90	135°	-25°	26.0-30.0	1.60/4.0
86- 91	135°	-38°	32.0-35.5	1.63/3.5
86- 92	160°	-25°	42.0-47.0	1.00/5.0
86- 93	160°	-37°	51.0-53.5	0.16/2.5
86- 94	115°	-25°	22.6-25.0	0.22/2.4
86- 95	115°	-40°	29.0-32.0	0.11/3.0
86- 96	070°	-70°	28.3-30.3	0.26/2.0
86- 97	070°	-87°	STOPPED SHORT.	-
86- 98	070°	-40°	31.6-38.4 (incl. 31.6-35.0)	0.14/6.8 0.20/3.4
86- 99	070°	-55°	49.7-56.5	0.29/6.8
86-100	070°	-75°	77.0-82.0	0.22/5.0
86-101	070°	-45°	67.5-74.0	0.10/6.5
86-102	070°	-55°	-	-
86-103	047°	-28°	120.1-123.6	0.18/3.5
86-104	047°	-35°	147.3-150.5	9.26/3.2
86-105	047°	-42°	158.0-161.0	0.04/3.0
86-106	035°	-33°	154.6-158.5	1.41/3.9
86-107	106°	-48°	-	-
86-108	106°	-54°	-	-
86-109	070°	-57°	72.0-74.0	0.09/2.0