

825394

LAMB - Geochem Results - Rocks



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: JEAN PAUTLERPage No.: 1-A
Tot. Pages: 1
Date: 30-MAY-88
Invoice #: I-8815815
P.O. #: NONE

Rocks

CERTIFICATE OF ANALYSIS - A8815815

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|----------------------|-----------|-----------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|
| Lamb 1 16213 q vn | 205 238 | 10 | 1.02 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.10 | < 0.5 | 7 | 119 | 53 | 2.69 | < 10 | < 1 | 0.01 | < 10 | 0.81 | 313 |
| 16215 q vn | 205 238 | 35 | 0.11 | 0.2 | 5 | 40 | < 0.5 | 366 | 2.94 | 55.0 | 2 | 137 | 66 | 1.03 | < 10 | < 1 | 0.06 | < 10 | 0.08 | 572 |
| 16216 " | 205 238 | 5 | 0.05 | < 0.2 | < 5 | 10 | < 0.5 | 10 | 0.22 | 1.0 | 1 | 126 | 34 | 1.02 | < 10 | < 1 | 0.02 | < 10 | 0.04 | 991 |
| 16217 " | 205 238 | 15 | 0.05 | 8.4 | < 5 | 30 | < 0.5 | 192 | 1.32 | 2.0 | 1 | 150 | 17 | 0.57 | < 10 | < 1 | 0.02 | < 10 | 0.04 | 329 |
| 16218 " | 205 238 | 10 | 0.04 | < 0.2 | < 5 | < 10 | < 0.5 | 98 | 0.12 | 3.0 | 1 | 155 | 29 | 0.72 | < 10 | < 1 | < 0.01 | < 10 | 0.01 | 79 |
| 16219 SK. | 205 238 | < 5 | 1.84 | < 0.2 | < 5 | 130 | < 0.5 | 2 | 0.60 | < 0.5 | 18 | 20 | 72 | 4.20 | < 10 | < 1 | 1.04 | 10 | 1.26 | 583 |
| 16220 SK | 205 238 | 5 | 1.18 | < 0.2 | < 5 | 200 | < 0.5 | 2 | 0.71 | < 0.5 | 24 | 27 | 366 | 6.18 | 10 | < 1 | 0.71 | 10 | 0.85 | 541 |
| 16222 w CS SK | 205 238 | 15 | 0.20 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 15.00 | 0.5 | 6 | 23 | 25 | 2.01 | < 10 | < 1 | 0.03 | < 10 | 0.18 | 489 |
| 16223 q lensed L | 205 238 | 25 | 0.01 | 1.2 | < 5 | < 10 | < 0.5 | 48 | 12.05 | 0.5 | < 1 | 65 | 6 | 0.27 | < 10 | < 1 | < 0.01 | < 10 | 0.05 | 110 |
| 16224 w SK, py | 205 238 | 5 | 0.76 | < 0.2 | < 5 | 20 | < 0.5 | 4 | 0.98 | < 0.5 | 10 | 14 | 153 | 2.77 | < 10 | < 1 | 0.23 | 20 | 0.57 | 233 |
| 16225 boxed g/cal SK | 205 238 | 5 | 1.04 | 0.2 | < 5 | 10 | < 0.5 | < 2 | 10.75 | < 0.5 | 15 | 51 | 75 | 2.43 | < 10 | < 1 | 0.04 | < 10 | 1.05 | 1810 |
| 16226 CS. ,po | 205 238 | 15 | 2.86 | < 0.2 | < 5 | 50 | < 0.5 | < 2 | 10.60 | < 0.5 | 5 | 21 | 32 | 0.65 | < 10 | < 1 | 0.01 | < 10 | 0.09 | 147 |
| 239501 | 205 238 | < 5 | 0.44 | < 0.2 | < 5 | 60 | < 0.5 | < 2 | 0.69 | < 0.5 | 4 | 21 | 31 | 2.10 | < 10 | < 1 | 0.15 | 10 | 0.21 | 464 |
| 239502 | 205 238 | 5 | 1.00 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 1.68 | < 0.5 | 9 | 8 | 92 | 2.95 | < 10 | < 1 | 0.17 | 10 | 0.61 | 449 |
| 239503 | 205 238 | < 5 | 2.10 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 7.56 | < 0.5 | 3 | 51 | 3 | 1.73 | < 10 | < 1 | 0.01 | < 10 | 0.22 | 430 |
| 239504 | 205 238 | < 5 | 0.23 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 14.20 | < 0.5 | 3 | 11 | 9 | 0.69 | < 10 | < 1 | 0.03 | < 10 | 0.19 | 502 |
| 239505 metasts | 205 238 | < 5 | 4.25 | < 0.2 | < 5 | 1390 | < 0.5 | < 2 | 0.27 | < 0.5 | 6 | 12 | 12 | 8.30 | 20 | 1 | 3.19 | 20 | 1.82 | 1140 |
| 239506 | 205 238 | 5 | 1.00 | < 0.2 | 20 | 90 | < 0.5 | < 2 | 1.40 | < 0.5 | 7 | 34 | 16 | 3.00 | < 10 | < 1 | 0.41 | 20 | 0.69 | 614 |
| 239507 | 205 238 | < 5 | 0.43 | < 0.2 | < 5 | 40 | < 0.5 | < 2 | 0.11 | < 0.5 | 1 | 38 | < 1 | 0.91 | < 10 | < 1 | 0.26 | < 10 | 0.20 | 218 |
| 239508 | 205 238 | < 5 | 1.14 | < 0.2 | < 5 | 100 | 0.5 | < 2 | 0.71 | < 0.5 | 33 | 13 | 33 | 5.70 | < 10 | < 1 | 0.06 | 20 | 1.99 | 867 |
| 239509 | 205 238 | < 5 | 1.06 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.74 | < 0.5 | 32 | 24 | 22 | 5.21 | < 10 | < 1 | 0.04 | 20 | 2.52 | 725 |
| 239510 | 205 238 | < 5 | 1.28 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.88 | < 0.5 | 32 | 23 | 40 | 5.46 | < 10 | < 1 | 0.06 | 20 | 2.51 | 738 |
| 239511 | 205 238 | < 5 | 1.09 | < 0.2 | < 5 | 40 | < 0.5 | < 2 | 0.86 | < 0.5 | 31 | 63 | 21 | 5.43 | < 10 | < 1 | 0.06 | 20 | 2.33 | 717 |
| 239512 | 205 238 | 5 | 1.47 | < 0.2 | < 5 | 210 | < 0.5 | < 2 | 12.70 | < 0.5 | 7 | 30 | 18 | 2.16 | < 10 | < 1 | 0.66 | < 10 | 0.89 | 322 |
| 239513 | 205 238 | < 5 | 0.84 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 0.84 | < 0.5 | 26 | 40 | 29 | 4.17 | < 10 | < 1 | 0.04 | 20 | 1.80 | 504 |
| 239514 | 205 238 | < 5 | 1.30 | < 0.2 | < 5 | 160 | < 0.5 | < 2 | 0.25 | < 0.5 | 4 | 25 | 22 | 2.66 | < 10 | < 1 | 0.79 | 10 | 0.80 | 260 |
| 239515 | 205 238 | < 5 | 3.44 | < 0.2 | < 5 | 510 | < 0.5 | < 2 | 1.56 | < 0.5 | 8 | 56 | 9 | 3.52 | < 10 | < 1 | 1.20 | 10 | 0.61 | 427 |
| 239516 | 205 238 | < 5 | 2.95 | < 0.2 | < 5 | 390 | < 0.5 | < 2 | 0.69 | < 0.5 | 14 | 62 | 66 | 4.05 | 10 | 1 | 0.68 | 20 | 1.68 | 490 |
| 239517 | 205 238 | 5 | 0.49 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 3.42 | < 0.5 | 6 | 28 | 19 | 1.45 | < 10 | < 1 | 0.06 | < 10 | 0.34 | 257 |
| 239518 | 205 238 | < 5 | 2.27 | < 0.2 | < 5 | 80 | < 0.5 | < 2 | 0.83 | < 0.5 | 15 | 63 | 37 | 4.04 | < 10 | < 1 | 1.06 | 10 | 1.32 | 452 |
| 239551 | 205 238 | < 5 | 0.07 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.25 | < 0.5 | < 1 | 153 | 11 | 0.37 | < 10 | < 1 | 0.03 | < 10 | 0.03 | 90 |
| 239552 | 205 238 | < 5 | 1.53 | < 0.2 | < 5 | 110 | < 0.5 | < 2 | 1.26 | < 0.5 | 21 | 32 | 55 | 3.70 | < 10 | < 1 | 0.63 | 10 | 1.02 | 379 |
| 239553 | 205 238 | < 5 | 1.52 | < 0.2 | < 5 | 350 | < 0.5 | < 2 | 0.80 | < 0.5 | 24 | 35 | 201 | 4.65 | < 10 | < 1 | 0.85 | 10 | 1.12 | 499 |
| 239554 | 205 238 | 10 | 1.73 | < 0.2 | < 5 | 460 | < 0.5 | < 2 | 0.77 | < 0.5 | 26 | 11 | 234 | 5.82 | 10 | 1 | 1.17 | 10 | 1.21 | 577 |
| 239555 | 205 238 | < 5 | 2.57 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | >15.00 | < 0.5 | 10 | 18 | 24 | 2.83 | < 10 | < 1 | 0.41 | < 10 | 0.76 | 508 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 30-MAY-88
Invoice #: I-8815815
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8815815

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|------|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 16213 | 205 | 238 | < 1 | 0.01 | 2 | 150 | 8 | < 5 | 7 | 3 | 0.05 | < 10 | < 10 | 84 | < 5 | 37 |
| 16215 | 205 | 238 | 1 | < 0.01 | 3 | 100 | 12 | < 5 | 1 | 20 | < 0.01 | < 10 | < 10 | 7 | 5 | 1015 |
| 16216 | 205 | 238 | < 1 | < 0.01 | 5 | 70 | < 2 | < 5 | < 1 | 2 | < 0.01 | < 10 | < 10 | 3 | < 5 | 29 |
| 16217 | 205 | 238 | 11 | < 0.01 | 3 | 30 | 26 | < 5 | < 1 | 9 | < 0.01 | < 10 | < 10 | 3 | 5 | 31 |
| 16218 | 205 | 238 | < 1 | < 0.01 | 3 | 10 | < 2 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 2 | 525 | 163 |
| 16219 | 205 | 238 | < 1 | 0.06 | 5 | 970 | 2 | < 5 | 2 | 17 | 0.17 | < 10 | < 10 | 96 | 15 | 82 |
| 16220 | 205 | 238 | 12 | 0.07 | 4 | 1210 | < 2 | < 5 | 7 | 10 | 0.33 | < 10 | < 10 | 119 | 5 | 51 |
| 16222 | 205 | 238 | < 1 | 0.02 | 1 | 430 | 4 | 5 | 3 | 53 | 0.08 | < 10 | < 10 | 20 | 10 | 18 |
| 16223 | 205 | 238 | < 1 | < 0.01 | 1 | 110 | 2 | 5 | < 1 | 84 | < 0.01 | < 10 | < 10 | 3 | 10 | 18 |
| 16224 | 205 | 238 | 1 | 0.05 | 4 | 1540 | < 2 | < 5 | 4 | 18 | 0.12 | < 10 | < 10 | 77 | 5 | 40 |
| 16225 | 205 | 238 | < 1 | < 0.01 | 2 | 130 | 6 | 5 | 13 | 118 | 0.01 | < 10 | < 10 | 99 | 10 | 50 |
| 16226 | 205 | 238 | < 1 | 0.45 | 2 | 220 | 2 | < 5 | 1 | 154 | 0.13 | < 10 | < 10 | 8 | 5 | 10 |
| 239501 | 205 | 238 | < 1 | 0.09 | 1 | 590 | 4 | < 5 | 2 | 44 | 0.09 | < 10 | < 10 | 69 | < 5 | 36 |
| 239502 | 205 | 238 | < 1 | 0.11 | 3 | 2000 | 2 | < 5 | 4 | 71 | 0.10 | < 10 | < 10 | 115 | < 5 | 36 |
| 239503 | 205 | 238 | < 1 | 0.01 | 2 | 130 | < 2 | < 5 | 9 | 57 | 0.11 | < 10 | < 10 | 49 | 5 | 16 |
| 239504 | 205 | 238 | < 1 | 0.02 | 1 | 430 | 6 | 5 | 4 | 73 | 0.12 | < 10 | < 10 | 17 | < 5 | 17 |
| 239505 | 205 | 238 | < 1 | 0.03 | < 1 | 1020 | < 2 | < 5 | 31 | 24 | 0.46 | < 10 | < 10 | 85 | < 5 | 114 |
| 239506 | 205 | 238 | 2 | 0.04 | 4 | 1010 | 2 | < 5 | 7 | 55 | 0.06 | < 10 | < 10 | 44 | < 5 | 66 |
| 239507 | 205 | 238 | < 1 | 0.03 | < 1 | 200 | 8 | < 5 | < 1 | 8 | 0.05 | < 10 | < 10 | 10 | < 5 | 29 |
| 239508 | 205 | 238 | < 1 | 0.13 | 47 | 1470 | 8 | < 5 | 3 | 41 | 0.28 | < 10 | < 10 | 64 | < 5 | 83 |
| 239509 | 205 | 238 | < 1 | 0.28 | 44 | 1130 | 2 | < 5 | 1 | 57 | 0.13 | < 10 | < 10 | 57 | < 5 | 60 |
| 239510 | 205 | 238 | < 1 | 0.34 | 41 | 1400 | 8 | < 5 | 1 | 68 | 0.36 | < 10 | < 10 | 74 | < 5 | 76 |
| 239511 | 205 | 238 | < 1 | 0.21 | 47 | 1500 | < 2 | < 5 | 1 | 61 | 0.27 | < 10 | < 10 | 105 | < 5 | 72 |
| 239512 | 205 | 238 | < 1 | 0.06 | 10 | 260 | < 2 | < 5 | 9 | 63 | 0.17 | < 10 | < 10 | 54 | 10 | 42 |
| 239513 | 205 | 238 | < 1 | 0.18 | 45 | 1330 | < 2 | < 5 | 1 | 47 | 0.15 | < 10 | < 10 | 73 | < 5 | 48 |
| 239514 | 205 | 238 | < 1 | 0.11 | 1 | 480 | < 2 | < 5 | 9 | 11 | 0.17 | < 10 | < 10 | 58 | < 5 | 37 |
| 239515 | 205 | 238 | < 1 | 0.27 | 3 | 490 | 2 | < 5 | 13 | 46 | 0.22 | < 10 | < 10 | 68 | 5 | 63 |
| 239516 | 205 | 238 | < 1 | 0.16 | 22 | 820 | 2 | < 5 | 5 | 66 | 0.15 | < 10 | < 10 | 94 | < 5 | 63 |
| 239517 | 205 | 238 | < 1 | 0.07 | 2 | 430 | 6 | 5 | 6 | 41 | 0.14 | < 10 | < 10 | 32 | 5 | 35 |
| 239518 | 205 | 238 | < 1 | 0.14 | 14 | 530 | 4 | < 5 | 12 | 22 | 0.24 | < 10 | < 10 | 152 | 5 | 77 |
| 239551 | 205 | 238 | 1 | < 0.01 | 4 | 20 | 4 | < 5 | < 1 | 2 | < 0.01 | < 10 | < 10 | 3 | < 5 | 3 |
| 239552 | 205 | 238 | 1 | 0.07 | 17 | 1010 | < 2 | < 5 | 6 | 16 | 0.33 | < 10 | < 10 | 124 | 5 | 49 |
| 239553 | 205 | 238 | 3 | 0.08 | 9 | 870 | < 2 | < 5 | 8 | 9 | 0.38 | < 10 | < 10 | 178 | < 5 | 52 |
| 239554 | 205 | 238 | < 1 | 0.07 | 6 | 1170 | < 2 | < 5 | 7 | 9 | 0.37 | < 10 | < 10 | 218 | < 5 | 62 |
| 239555 | 205 | 238 | 2 | 0.22 | 3 | 640 | < 2 | < 5 | 5 | 322 | 0.12 | < 10 | < 10 | 52 | 5 | 24 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 1-JUN-88
Invoice #: I-8815972
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8815972

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|---|-----------|-----|---------------|------|-----------------|--------|--------|--------|----------------|--------|-----------------|--------|--------|-----------------|------|--------|--------|------|--------|------|--------|
| | | | FA+AA | | | | | | | | | | | | | | | | | | |
| <i>N. Lambly</i> <i>Espersen</i> 16227 <i>g vhs in sk</i> | 205 | 238 | 20 | 0.52 | 12.2 | 10 | 10 | < 0.5 | 110 | 1.03 | 10.0 | 15 | 40 | 143 | 4.30 | < 10 | < 1 | 0.03 | 10 | 0.49 | 469 |
| 16235 | 205 | 238 | 15 | 1.84 | < 0.2 | 10 | 80 | < 0.5 | < 2 | 0.92 | < 0.5 | 10 | 42 | 44 | 2.97 | < 10 | < 1 | 0.51 | 10 | 0.68 | 148 |
| 16236 | 205 | 238 | 15 | 1.29 | < 0.2 | < 5 | 150 | < 0.5 | < 2 | 1.00 | < 0.5 | 19 | 22 | 111 | 4.55 | < 10 | < 1 | 0.33 | 10 | 0.88 | 406 |
| 16237 | 205 | 238 | 15 | 0.43 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.15 | < 0.5 | 8 | 14 | 105 | 2.33 | < 10 | < 1 | 0.11 | < 10 | 0.05 | 61 |
| 239519 | 205 | 238 | 10 | 2.73 | < 0.2 | < 5 | 140 | < 0.5 | < 2 | 0.12 | < 0.5 | 11 | 35 | 11 | 4.39 | < 10 | < 1 | 0.33 | < 10 | 1.47 | 81 |
| 239520 | 205 | 238 | 10 | 0.67 | < 0.2 | < 5 | 60 | < 0.5 | < 2 | 0.29 | < 0.5 | 2 | 13 | 8 | 1.22 | < 10 | < 1 | 0.22 | 10 | 0.15 | 324 |
| 239521 | 205 | 238 | 15 | 0.62 | < 0.2 | < 5 | 80 | < 0.5 | < 2 | 0.28 | < 0.5 | 4 | 8 | 18 | 1.51 | < 10 | < 1 | 0.28 | < 10 | 0.30 | 238 |
| 239522 | 205 | 238 | 10 | 0.41 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 3.89 | < 0.5 | 8 | 21 | 117 | 1.47 | < 10 | < 1 | 0.04 | < 10 | 0.04 | 187 |
| 239523 | 205 | 238 | 30 | 0.31 | 2.4 | 5 | 10 | < 0.5 | < 2 | 0.73 | < 0.5 | 48 | 25 | 1925 | 5.43 | < 10 | < 1 | 0.03 | 10 | 0.11 | 189 |
| 239524 <i>HFS</i> | 205 | 238 | 15 | 2.29 | < 0.2 | < 5 | 240 | < 0.5 | < 2 | 1.18 | < 0.5 | 23 | 23 | 67 | 4.19 | < 10 | < 1 | 0.54 | 20 | 1.79 | 561 |
| 239525 | 205 | 238 | 10 | 1.23 | < 0.2 | 5 | 90 | < 0.5 | < 2 | 0.14 | < 0.5 | 6 | 22 | 20 | 2.16 | < 10 | < 1 | 0.88 | 10 | 0.70 | 443 |
| 239526 | 205 | 238 | 10 | 1.95 | < 0.2 | 5 | 460 | < 0.5 | < 2 | 0.44 | < 0.5 | 12 | 21 | 30 | 4.24 | < 10 | < 1 | 0.77 | 20 | 1.08 | 748 |
| 239527 | 205 | 238 | 25 | 5.04 | 0.4 | 20 | < 10 | < 0.5 | < 2 | 4.20 | < 0.5 | 23 | 28 | 510 | 4.25 | < 10 | < 1 | 0.05 | < 10 | 0.63 | 468 |
| 239528 | 205 | 238 | 5 | 1.11 | < 0.2 | < 5 | 70 | < 0.5 | 4 | 0.53 | < 0.5 | 12 | 22 | 163 | 2.92 | < 10 | < 1 | 0.25 | 10 | 0.50 | 310 |
| 239529 | 205 | 238 | < 5 | 0.26 | < 0.2 | 5 | < 10 | < 0.5 | 2 | 0.12 | < 0.5 | 6 | 30 | 11 | 1.50 | < 10 | < 1 | 0.08 | < 10 | 0.17 | 69 |
| 239532 | 205 | 238 | 5 | 0.45 | < 0.2 | < 5 | 20 | < 0.5 | 2 | >15.00 | < 0.5 | 2 | 7 | 11 | 0.36 | < 10 | 2 | 0.01 | < 10 | 0.12 | 268 |
| 239533 | 205 | 238 | 5 | 1.06 | < 0.2 | < 5 | 240 | < 0.5 | < 2 | 0.68 | < 0.5 | 20 | 19 | 237 | 3.20 | < 10 | < 1 | 0.25 | 10 | 0.67 | 283 |
| 239534 | 205 | 238 | 5 | 3.07 | < 0.2 | 10 | 220 | < 0.5 | < 2 | 1.05 | < 0.5 | 14 | 61 | 60 | 4.25 | < 10 | < 1 | 1.07 | 10 | 1.05 | 197 |
| 239556 | 205 | 238 | 45 | 1.03 | 0.2 | < 5 | 10 | < 0.5 | < 2 | 1.58 | < 0.5 | 10 | 31 | 57 | 2.15 | < 10 | < 1 | 0.10 | 10 | 0.13 | 88 |
| 239557 | 205 | 238 | 10 | 1.99 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 2.81 | < 0.5 | 58 | 37 | 237 | 7.39 | < 10 | < 1 | 0.17 | 10 | 1.25 | 603 |
| 239558 | 205 | 238 | 10 | 1.76 | 0.4 | 5 | 30 | 0.5 | < 2 | 1.85 | < 0.5 | 28 | 70 | 358 | 9.06 | 10 | < 1 | 0.29 | 10 | 1.49 | 505 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 1-JUN-88
Invoice #: I-8815972
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8815972

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|---------------|-----|-----|-----|--------|------|------|-----|---------------|----------------|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 16227 | 205 | 238 | < 1 | < 0.01 | 19 | 110 | 38 | < 5 | 4 | 10 | 0.02 | < 10 | < 10 | 64 | 60 | 325 |
| 16235 | 205 | 238 | 4 | 0.15 | 25 | 360 | 10 | < 5 | 8 | 69 | 0.15 | < 10 | < 10 | 95 | < 5 | 61 |
| 16236 | 205 | 238 | < 1 | 0.12 | 12 | 1080 | 6 | < 5 | 10 | 42 | 0.13 | < 10 | < 10 | 185 | < 5 | 51 |
| 16237 | 205 | 238 | 1 | 0.14 | 8 | 70 | 10 | < 5 | < 1 | 35 | 0.02 | < 10 | < 10 | 13 | < 5 | 4 |
| 239519 | 205 | 238 | < 1 | 0.01 | 15 | 110 | 2 | < 5 | 3 | 10 | 0.08 | < 10 | < 10 | 31 | < 5 | 68 |
| 239520 | 205 | 238 | < 1 | 0.13 | 4 | 150 | 4 | < 5 | < 1 | 72 | 0.04 | < 10 | < 10 | 23 | < 5 | 21 |
| 239521 | 205 | 238 | 10 | 0.09 | 3 | 540 | < 2 | < 5 | 1 | 8 | 0.11 | < 10 | < 10 | 29 | < 5 | 29 |
| 239522 | 205 | 238 | 1 | 0.02 | 19 | 890 | 2 | < 5 | < 1 | 36 | 0.05 | < 10 | < 10 | 13 | < 5 | 14 |
| 239523 | 205 | 238 | 22 | 0.01 | 26 | 380 | 8 | < 5 | 1 | 16 | 0.06 | < 10 | < 10 | 11 | < 5 | 82 |
| 239524 | 205 | 238 | < 1 | 0.13 | 18 | 1420 | < 2 | < 5 | 11 | 31 | 0.18 | < 10 | < 10 | 152 | < 5 | 51 |
| 239525 | 205 | 238 | < 1 | 0.04 | 11 | 360 | < 2 | < 5 | 8 | 8 | 0.18 | < 10 | < 10 | 34 | < 5 | 59 |
| 239526 | 205 | 238 | < 1 | 0.11 | 9 | 1320 | < 2 | < 5 | 7 | 11 | 0.22 | < 10 | < 10 | 100 | < 5 | 61 |
| 239527 | 205 | 238 | < 1 | 0.12 | 24 | 7130 | 12 | < 5 | 4 | 65 | 0.03 | < 10 | < 10 | 47 | 5 | 37 |
| 239528 | 205 | 238 | < 1 | 0.10 | 12 | 780 | 2 | < 5 | 4 | 25 | 0.14 | < 10 | < 10 | 64 | < 5 | 34 |
| 239529 | 205 | 238 | < 1 | < 0.01 | 14 | 20 | 6 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 5 | < 5 | 22 |
| 239532 | 205 | 238 | < 1 | 0.02 | 2 | 280 | < 2 | < 5 | < 1 | 145 | 0.04 | < 10 | < 10 | 4 | < 5 | 9 |
| 239533 | 205 | 238 | < 1 | 0.04 | 13 | 830 | < 2 | < 5 | 4 | 12 | 0.15 | < 10 | < 10 | 98 | 15 | 31 |
| 239534 | 205 | 238 | < 1 | 0.24 | 35 | 270 | 2 | < 5 | 14 | 90 | 0.23 | < 10 | < 10 | 140 | 5 | 99 |
| 239556 | 205 | 238 | 1 | 0.08 | 23 | 420 | 2 | < 5 | 1 | 54 | 0.11 | < 10 | < 10 | 26 | < 5 | 22 |
| 239557 | 205 | 238 | < 1 | 0.22 | 26 | 2510 | < 2 | < 5 | 18 | 188 | 0.26 | < 10 | < 10 | 352 | 10 | 61 |
| 239558 | 205 | 238 | < 1 | 0.21 | 24 | 710 | < 2 | < 5 | 21 | 117 | 0.33 | < 10 | < 10 | 530 | 10 | 54 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

RECEIVED

JUN - 7 1988

Page No. : 1-A
Tot. Pages: 1
Date : 6-JUN-88
Invoice #: I-8816161
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816161

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--|-----------|-----------------|------|------------|------------|--------|--------|--------|-------|-------------|--------|--------|--------|-------|--------|--------|--------|--------|------|--------|
| 16239 L ₁ py ₁ sil | 205 238 | 5 | 0.29 | < 0.2 | 10 | 30 | < 0.5 | < 2 | 9.86 | < 0.5 | 9 | 24 | 16 | 2.52 | < 10 | < 1 | 0.04 | < 10 | 0.09 | 218 |
| 16240 " " | 205 238 | 10 | 0.19 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 9.21 | < 0.5 | 10 | 14 | 22 | 2.64 | < 10 | < 1 | 0.03 | < 10 | 0.18 | 201 |
| 16241 SK | 205 238 | < 5 | 1.52 | < 0.2 | < 5 | 20 | 0.5 | < 2 | 6.45 | < 0.5 | 3 | 98 | 4 | 1.73 | < 10 | < 1 | 0.03 | < 10 | 0.09 | 1225 |
| 16242 CS SK | 205 238 | < 5 | 0.60 | 0.2 | < 5 | 40 | < 0.5 | < 2 | 7.01 | < 0.5 | 15 | 21 | 49 | 3.70 | < 10 | < 1 | 0.11 | < 10 | 0.58 | 147 |
| 16243 CS SK popy | 205 238 | < 5 | 1.23 | 0.4 | 10 | 60 | < 0.5 | < 2 | 1.44 | < 0.5 | 20 | 38 | 71 | 5.87 | < 10 | < 1 | 0.15 | < 10 | 1.64 | 348 |
| 16244 " " | 205 238 | < 5 | 0.36 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 12.90 | 0.5 | 9 | 26 | 22 | 2.82 | < 10 | < 1 | 0.02 | < 10 | 0.05 | 284 |
| 16245 " " | 205 238 | < 5 | 0.83 | 0.4 | < 5 | 50 | < 0.5 | < 2 | 2.42 | < 0.5 | 12 | 71 | 55 | 3.47 | < 10 | < 1 | 0.13 | < 10 | 0.48 | 118 |
| 16246 SK py po | 205 238 | 5 | 1.32 | 0.4 | < 5 | 20 | < 0.5 | < 2 | 10.15 | < 0.5 | 3 | 43 | 10 | 6.97 | 10 | < 1 | 0.02 | < 10 | 0.05 | 3200 |
| 16247 g ₁ vn ₁ py | 205 238 | < 5 | 0.23 | 0.4 | 5 | 10 | < 0.5 | < 2 | 0.56 | < 0.5 | 3 | 606 | 56 | 4.53 | < 10 | < 1 | 0.02 | < 10 | 0.03 | 462 |
| 16248 fol SK | 205 238 | < 5 | 3.68 | 0.2 | 10 | 600 | < 0.5 | < 2 | 0.23 | < 0.5 | 26 | 57 | 43 | 4.50 | 10 | 1 | 2.41 | 10 | 3.28 | 517 |
| 16249 SK/sil ₆ py | 205 238 | 10 | 0.91 | <u>6.2</u> | <u>115</u> | 50 | < 0.5 | 4 | 12.75 | <u>23.5</u> | 11 | 87 | 28 | 11.85 | 10 | < 1 | 0.20 | < 10 | 0.21 | 3630 |
| 239535 | 205 238 | < 5 | 1.67 | 0.2 | 10 | 550 | < 0.5 | < 2 | 0.42 | < 0.5 | 7 | 48 | 31 | 3.32 | < 10 | 2 | 1.15 | < 10 | 1.19 | 589 |
| 239536 | 205 238 | < 5 | 1.87 | 0.8 | < 5 | 970 | < 0.5 | < 2 | 1.10 | 1.5 | 15 | 83 | 59 | 4.69 | < 10 | 1 | 1.03 | 10 | 1.25 | 662 |
| 239951 CS SK popy | 205 238 | < 5 | 1.88 | 0.2 | < 5 | 10 | < 0.5 | < 2 | 13.10 | 0.5 | 6 | 43 | 18 | 1.52 | < 10 | < 1 | 0.02 | < 10 | 0.25 | 359 |
| 239952 SK " | 205 238 | < 5 | 1.65 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 7.90 | 0.5 | 8 | 50 | 52 | 2.07 | < 10 | 1 | 0.03 | < 10 | 0.20 | 308 |
| 239953 m ₁ sk ₁ po | 205 238 | < 5 | 0.83 | 0.2 | < 5 | 30 | < 0.5 | < 2 | 0.80 | < 0.5 | 7 | 88 | 110 | 3.43 | < 10 | < 1 | 0.13 | 10 | 0.33 | 216 |
| 239954 SK py po | 205 238 | < 5 | 1.10 | 0.4 | < 5 | 30 | < 0.5 | < 2 | 1.40 | < 0.5 | 8 | 68 | 48 | 3.12 | < 10 | < 1 | 0.15 | 10 | 0.43 | 113 |
| 239955 m ₁ b ₁ man ₁ py | 205 238 | < 5 | 0.05 | < 0.2 | 5 | < 10 | < 0.5 | < 2 | 4.65 | < 0.5 | < 1 | 261 | 3 | 0.28 | < 10 | 1 | < 0.01 | < 10 | 0.03 | 98 |
| 239956 SK po | 205 238 | < 5 | 2.45 | 0.4 | < 5 | 20 | < 0.5 | < 2 | 4.80 | < 0.5 | 8 | 84 | 39 | 2.13 | < 10 | 2 | 0.06 | < 10 | 0.07 | 80 |
| 239958 SK py po | 205 238 | < 5 | 1.17 | 0.8 | 5 | 20 | < 0.5 | < 2 | 1.41 | < 0.5 | 11 | 82 | 72 | 2.53 | < 10 | < 1 | 0.19 | 10 | 0.37 | 97 |

Skew Zone

NO 3 Rd

N. Lamb

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B14C-07
Comments: CC: JEAN PAULIER

RECEIVED

JUN - 7 1988

KER

Page No. : 1-B
Tot. Pages: 1
Date : 6-JUN-88
Invoice #: I-8816161
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816161

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|--------|--------|-------|-----------------|--------|--------|--------|--------|--------|-------|-------|----------------|----------------|
| 16239 | 205 238 | < 1 | 0.07 | 5 | 670 | 30 | 5 | 1 | 147 | 0.20 | < 10 | < 10 | 22 | < 5 | 14 |
| 16240 | 205 238 | < 1 | 0.03 | 6 | 680 | 10 | < 5 | 2 | 114 | 0.12 | < 10 | < 10 | 24 | < 5 | 9 |
| 16241 | 205 238 | < 1 | 0.08 | 4 | 850 | 10 | < 5 | 4 | 51 | 0.15 | < 10 | < 10 | 37 | < 5 | 43 |
| 16242 | 205 238 | 4 | 0.05 | 9 | 1300 | 6 | < 5 | 3 | 16 | 0.24 | < 10 | < 10 | 56 | < 5 | 37 |
| 16243 | 205 238 | < 1 | 0.15 | 9 | 1490 | 4 | < 5 | 7 | 11 | 0.40 | < 10 | < 10 | 124 | < 5 | 40 |
| 16244 | 205 238 | 3 | 0.03 | 11 | 500 | < 2 | 5 | 1 | 98 | 0.14 | < 10 | < 10 | 15 | < 5 | 17 |
| 16245 | 205 238 | 7 | 0.11 | 11 | 1480 | 4 | < 5 | 2 | 28 | 0.42 | < 10 | < 10 | 46 | < 5 | 25 |
| 16246 | 205 238 | 13 | 0.01 | 1 | 210 | < 2 | < 5 | 2 | 13 | 0.03 | < 10 | < 10 | 133 | 345 | 18 |
| 16247 | 205 238 | 2 | 0.01 | 10 | 20 | 8 | < 5 | < 1 | 4 | 0.01 | < 10 | < 10 | 22 | 50 | 8 |
| 16248 | 205 238 | < 1 | 0.04 | 5 | 620 | < 2 | < 5 | 27 | 18 | 0.41 | < 10 | < 10 | 124 | < 5 | 82 |
| 16249 | 205 238 | 2 | 0.01 | 1 | 170 | 1435 | < 5 | 2 | 210 | 0.01 | < 10 | < 10 | 63 | 145 | 653 |
| 239535 | 205 238 | 1 | 0.04 | 8 | 490 | 12 | < 5 | 10 | 10 | 0.26 | < 10 | < 10 | 85 | < 5 | 67 |
| 239536 | 205 238 | < 1 | 0.13 | 6 | 1260 | 68 | < 5 | 12 | 38 | 0.33 | < 10 | < 10 | 154 | < 5 | 106 |
| 239951 | 205 238 | < 1 | 0.02 | 2 | 470 | 2 | < 5 | 5 | 134 | 0.19 | < 10 | < 10 | 50 | < 5 | 43 |
| 239952 | 205 238 | < 1 | 0.06 | 5 | 420 | 12 | < 5 | 4 | 80 | 0.19 | < 10 | < 10 | 40 | < 5 | 47 |
| 239953 | 205 238 | 4 | 0.11 | 5 | 970 | < 2 | < 5 | 2 | 43 | 0.16 | < 10 | < 10 | 70 | < 5 | 14 |
| 239954 | 205 238 | 3 | 0.20 | 6 | 1590 | 18 | < 5 | 3 | 66 | 0.22 | < 10 | < 10 | 29 | < 5 | 24 |
| 239955 | 205 238 | < 1 | < 0.01 | 3 | 20 | 4 | < 5 | < 1 | 68 | < 0.01 | < 10 | < 10 | 1 | < 5 | 4 |
| 239956 | 205 238 | < 1 | 0.16 | 6 | 1160 | 6 | < 5 | 1 | 247 | 0.15 | < 10 | < 10 | 17 | < 5 | 12 |
| 239958 | 205 238 | < 1 | 0.12 | 8 | 1160 | < 2 | < 5 | 2 | 56 | 0.23 | < 10 | < 10 | 55 | < 5 | 22 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02, B24C-07

Comments: ATTN: RAY DUJARDIN JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 12-JUN-88
Invoice #: I-8816376
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816376

Lamb

Skewck

Skarnck

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--------------------|-----------|-----|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|--------|--------|
| | FA+AA | | | | | | | | | | | | | | | | | | | | |
| 239959 | 205 | 238 | 5 | 4.41 | 0.4 | 5 | 40 | 0.5 | < 2 | 3.39 | 0.5 | 6 | 97 | 18 | 2.55 | < 10 | < 1 | 0.26 | 10 | 0.56 | 87 |
| 239962 | 205 | 238 | < 5 | 0.05 | < 0.2 | 5 | < 10 | < 0.5 | < 2 | 0.03 | < 0.5 | < 1 | 168 | 1 | 0.22 | < 10 | < 1 | < 0.01 | < 10 | < 0.01 | 22 |
| 239963 | 205 | 238 | < 5 | 0.56 | < 0.2 | < 5 | 40 | < 0.5 | < 2 | 1.48 | < 0.5 | 10 | 66 | 66 | 1.50 | < 10 | < 1 | 0.01 | 20 | 0.06 | 136 |
| 239965 | 205 | 238 | < 5 | 0.02 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.07 | < 0.5 | 1 | 251 | 3 | 0.26 | < 10 | < 1 | < 0.01 | < 10 | 0.01 | 35 |
| 239967 | 205 | 238 | < 5 | 0.38 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 1.40 | < 0.5 | 2 | 113 | 47 | 0.66 | < 10 | < 1 | 0.04 | 10 | 0.19 | 117 |

CERTIFICATION :

PCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02, B24C-07

Comments: ATTN: RAY DUJARDIN CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 12-JUN-88
Invoice #: I-8816376
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816376

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239959 | 205 | 238 | 3 | 0.12 | 9 | 440 | < 2 | < 5 | 4 | 324 | 0.14 | < 10 | < 10 | 25 | 5 | 44 |
| 239962 | 205 | 238 | < 1 | < 0.01 | 2 | < 10 | < 2 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 1 | < 5 | < 1 |
| 239963 | 205 | 238 | < 1 | 0.05 | 15 | 610 | 6 | < 5 | 2 | 21 | 0.23 | < 10 | < 10 | 31 | < 5 | 11 |
| 239965 | 205 | 238 | < 1 | < 0.01 | 2 | 90 | < 2 | < 5 | < 1 | 4 | < 0.01 | < 10 | < 10 | 1 | < 5 | < 1 |
| 239967 | 205 | 238 | 1 | 0.04 | 2 | 1850 | 2 | < 5 | 1 | 100 | 0.05 | < 10 | < 10 | 29 | < 5 | 5 |

61
64
100

CERTIFICATION : BC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


Project: 314C-07

Comments: CC: JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 14-JUN-88
Invoice #: I-8816590
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816590

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|---|-----------|-----------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|--------|
| Dughal 239979 ^{Ry} g vns in L | 205 238 | 15 | 0.20 | 3.2 | < 5 | 20 | 0.5 | < 2 | 0.07 | 0.5 | 11 | 106 | 293 | > 15.00 | < 10 | < 1 | 0.08 | 10 | 0.04 | 93 |
| 239980 L ₂ po L | 205 238 | < 5 | 3.70 | < 0.2 | 10 | 30 | 0.5 | < 2 | 6.09 | 0.5 | 12 | 70 | 19 | 2.77 | < 10 | < 1 | 0.33 | < 10 | 0.80 | 204 |
| Dughal Dr. 239981 g vns py | 205 238 | 5 | 0.27 | < 0.2 | < 5 | 40 | < 0.5 | < 2 | 0.24 | 1.0 | 1 | 234 | 28 | 1.48 | < 10 | < 1 | 0.08 | 10 | 0.07 | 293 |
| 239982 L-cs po | 205 238 | 15 | 5.83 | < 0.2 | < 5 | 70 | 1.0 | < 2 | 3.91 | 0.5 | 14 | 105 | 55 | 3.38 | 10 | < 1 | 0.25 | < 10 | 0.75 | 129 |
| 239983 g vns in L | 205 238 | < 5 | 0.27 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.34 | < 0.5 | 4 | 187 | 40 | 1.31 | < 10 | 1 | < 0.01 | < 10 | 0.07 | 50 |
| 239984 g vns in cs | 205 238 | 20 | 0.08 | 9.0 | < 5 | < 10 | < 0.5 | 86 | 0.12 | < 0.5 | 2 | 173 | 18 | 0.57 | < 10 | < 1 | < 0.01 | < 10 | 0.06 | 56 |
| 239985 g vns HFS | 205 238 | < 5 | 0.08 | 3.2 | < 5 | 220 | < 0.5 | 2 | 0.87 | 0.5 | 2 | 186 | 5 | 0.51 | < 10 | < 1 | < 0.01 | < 10 | 0.05 | 141 |
| 239986 - g vns | 205 238 | 15 | 0.01 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.03 | < 0.5 | < 1 | 238 | 5 | 0.39 | < 10 | < 1 | < 0.01 | < 10 | < 0.01 | 41 |
| Sandberg Rd. 239987 - SK py | 205 238 | < 5 | 0.75 | < 0.2 | < 5 | 20 | 0.5 | < 2 | 7.31 | 0.5 | 13 | 84 | 50 | 7.87 | 10 | < 1 | < 0.01 | < 10 | 0.05 | 1990 |
| 239988 SK, py | 205 238 | < 5 | 0.83 | < 0.2 | 10 | 20 | 0.5 | < 2 | 7.21 | < 0.5 | 25 | 73 | 63 | 8.27 | 10 | < 1 | < 0.01 | < 10 | 0.03 | 2070 |
| 239989 CS SK po | 205 238 | < 5 | 0.81 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 1.51 | < 0.5 | 7 | 79 | 27 | 2.12 | < 10 | < 1 | 0.04 | 20 | 0.28 | 356 |
| 239990 SIL 2 | 205 238 | 10 | 0.29 | < 0.2 | < 5 | 350 | < 0.5 | < 2 | 0.33 | < 0.5 | 5 | 175 | 53 | 1.82 | < 10 | < 1 | 0.06 | 10 | 0.28 | 732 |
| 239991 SIL po | 205 238 | < 5 | 1.80 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 1.38 | 0.5 | 9 | 93 | 42 | 2.11 | < 10 | < 1 | 0.27 | 10 | 0.61 | 135 |
| NO3 Rd 239994 g vns | 205 238 | < 5 | 0.40 | 8.4 | 10 | 50 | < 0.5 | 64 | 0.09 | < 0.5 | 3 | 229 | 17 | 1.38 | < 10 | < 1 | 0.19 | < 10 | 0.26 | 226 |
| 239995 Bi p dy | 205 238 | 10 | 0.70 | 0.2 | < 5 | 30 | < 0.5 | < 2 | 0.22 | < 0.5 | 4 | 59 | 61 | 2.43 | < 10 | < 1 | 0.14 | 10 | 0.42 | 259 |



CERTIFICATION : BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: 324C-07
Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 14-JUN-88
Invoice #: I-8816590
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816590

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|---------------|-----|-----|-----|--------|------|------|-----|------------|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239979 | 205 | 238 | 15 | 0.02 | 9 | 110 | 58 | < 5 | 1 | 2 | < 0.01 | < 10 | < 10 | 3 | < 5 | 13 |
| 239980 | 205 | 238 | 2 | 0.19 | 16 | 480 | < 2 | < 5 | 4 | 107 | 0.17 | < 10 | < 10 | 42 | < 5 | 45 |
| 239981 | 205 | 238 | 2 | 0.02 | 6 | 50 | 16 | < 5 | < 1 | 5 | < 0.01 | < 10 | < 10 | 2 | < 5 | 18 |
| 239982 | 205 | 238 | < 1 | 0.34 | 8 | 160 | 2 | < 5 | 6 | 166 | 0.12 | < 10 | < 10 | 36 | 5 | 35 |
| 239983 | 205 | 238 | < 1 | 0.01 | 7 | 100 | < 2 | < 5 | < 1 | 8 | 0.01 | < 10 | < 10 | 7 | < 5 | 3 |
| 239984 | 205 | 238 | 1 | < 0.01 | 5 | 10 | 54 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 4 | <u>40</u> | 5 |
| 239985 | 205 | 238 | < 1 | < 0.01 | 4 | 20 | 32 | < 5 | < 1 | 19 | < 0.01 | < 10 | < 10 | 4 | < 5 | 25 |
| 239986 | 205 | 238 | < 1 | < 0.01 | 6 | < 10 | 2 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 1 | < 5 | 1 |
| 239987 | 205 | 238 | < 1 | < 0.01 | 2 | 560 | 4 | < 5 | 1 | 8 | 0.02 | < 10 | < 10 | 41 | <u>95</u> | 32 |
| 239988 | 205 | 238 | < 1 | < 0.01 | 3 | 360 | < 2 | < 5 | 1 | 5 | 0.02 | < 10 | < 10 | 49 | <u>145</u> | 24 |
| 239989 | 205 | 238 | 10 | 0.03 | 4 | 760 | < 2 | < 5 | 2 | 23 | 0.08 | < 10 | < 10 | 27 | 5 | 35 |
| 239990 | 205 | 238 | < 1 | < 0.01 | 9 | 1170 | 4 | < 5 | 3 | 23 | < 0.01 | < 10 | < 10 | 24 | < 5 | 16 |
| 239991 | 205 | 238 | 13 | 0.13 | 24 | 420 | 2 | < 5 | 7 | 29 | 0.12 | < 10 | < 10 | 72 | < 5 | 65 |
| 239994 | 205 | 238 | 4 | 0.01 | 5 | 270 | 48 | < 5 | 2 | 4 | 0.03 | < 10 | < 10 | 12 | 5 | 16 |
| 239995 | 205 | 238 | 9 | 0.04 | 4 | 810 | 6 | < 5 | 4 | 7 | 0.03 | < 10 | < 10 | 14 | < 5 | 25 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02, B24A-07
Comments: CC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 15-JUN-88
Invoice #: I-8816592
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816592

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Au ppb | Pd ppb | Pt ppb | Al | Ag | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga | Hg | K |
|----------------------|-----------|-----|--------|--------|--------|--------|------|-------|-----|------|-------|-----|-------|-------|-----|-----|-----|------|------|-----|--------|
| | FA+AA | AFS | FA+AA | AFS | AFS | AFS | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % |
| Lamb 5 239537 HFS | 205 | 238 | 15 | — | — | — | 0.75 | < 0.2 | 5 | 120 | < 0.5 | < 2 | 0.33 | < 0.5 | 12 | 74 | 84 | 2.00 | < 10 | < 1 | 0.09 |
| 239538 | 205 | 238 | 10 | — | — | — | 0.47 | < 0.2 | 10 | 20 | 0.5 | < 2 | 0.75 | < 0.5 | 9 | 47 | 112 | 2.41 | < 10 | < 1 | 0.15 |
| 239541 | 205 | 238 | < 5 | — | — | — | 0.36 | < 0.2 | 5 | 50 | 0.5 | < 2 | 0.18 | < 0.5 | < 1 | 81 | 14 | 1.41 | < 10 | < 1 | 0.10 |
| 239901 | 205 | 238 | < 5 | — | — | — | 0.04 | < 0.2 | 10 | 10 | < 0.5 | < 2 | 0.09 | < 0.5 | 19 | 306 | 240 | 1.68 | < 10 | < 1 | < 0.01 |
| 239902 | 205 | 238 | < 5 | — | — | — | 1.03 | < 0.2 | 5 | 20 | < 0.5 | < 2 | 0.96 | < 0.5 | 38 | 26 | 447 | 3.67 | < 10 | < 1 | 0.05 |
| 239903 | 205 | 238 | 10 | — | — | — | 1.30 | 0.2 | 5 | 40 | < 0.5 | < 2 | 2.81 | 5.0 | 10 | 125 | 162 | 3.23 | < 10 | < 1 | 0.06 |
| 239904 | 205 | 238 | < 5 | — | — | — | 3.32 | < 0.2 | 5 | 30 | < 0.5 | < 2 | 2.31 | < 0.5 | 17 | 40 | 120 | 1.93 | < 10 | < 1 | 0.04 |
| 239905 | 205 | 238 | — | < 2 | < 2 | 5 | 1.73 | < 0.2 | < 5 | 50 | < 0.5 | < 2 | 1.88 | < 0.5 | 14 | 31 | 107 | 4.27 | < 10 | < 1 | 0.18 |
| 239906 SK | 205 | 238 | < 5 | — | — | — | 1.43 | < 0.2 | < 5 | 10 | 0.5 | < 2 | 9.72 | < 0.5 | 7 | 108 | 4 | 4.56 | < 10 | < 1 | 0.01 |
| 239907 CS po | 205 | 238 | 5 | — | — | — | 1.58 | < 0.2 | 5 | 40 | 0.5 | < 2 | 3.25 | 0.5 | 13 | 137 | 25 | 3.30 | < 10 | 2 | 0.08 |
| 239908 SK | 205 | 238 | 10 | — | — | — | 2.59 | < 0.2 | < 5 | 30 | 0.5 | < 2 | 1.62 | < 0.5 | 15 | 78 | 35 | 3.69 | < 10 | 1 | 0.49 |
| 239909 GDI py | 205 | 238 | < 5 | — | — | — | 1.85 | 0.2 | < 5 | 1270 | 1.5 | < 2 | 12.40 | 1.0 | 12 | 48 | 81 | 2.30 | < 10 | < 1 | 0.39 |
| 239910 SK po | 205 | 238 | < 5 | — | — | — | 0.64 | < 0.2 | 10 | 30 | < 0.5 | 2 | 1.08 | < 0.5 | 12 | 117 | 93 | 3.15 | < 10 | < 1 | 0.04 |
| 239911 SK L-CS | 205 | 238 | 10 | — | — | — | 2.08 | < 0.2 | < 5 | 50 | 1.0 | < 2 | 11.80 | 0.5 | 8 | 106 | 4 | 7.53 | 10 | < 1 | 0.01 |
| 239996 | 205 | 238 | 10 | — | — | — | 0.65 | < 0.2 | < 5 | 10 | 0.5 | < 2 | 1.34 | < 0.5 | 15 | 81 | 106 | 3.72 | < 10 | < 1 | 0.04 |
| 239997 | 205 | 238 | 10 | — | — | — | 0.06 | < 0.2 | 10 | 10 | < 0.5 | < 2 | 0.15 | < 0.5 | < 1 | 203 | 5 | 0.30 | < 10 | < 1 | 0.02 |
| 239998 | 205 | 238 | < 5 | — | — | — | 0.06 | < 0.2 | 10 | 10 | < 0.5 | < 2 | 0.18 | < 0.5 | < 1 | 261 | 171 | 0.88 | < 10 | < 1 | < 0.01 |
| 239999 | 205 | 238 | — | 6 | 4 | < 5 | 1.11 | < 0.2 | < 5 | 20 | 0.5 | < 2 | 1.16 | < 0.5 | 25 | 25 | 300 | 5.23 | < 10 | < 1 | 0.10 |
| 240000 | 205 | 238 | < 5 | — | — | — | 0.08 | 0.2 | 15 | < 10 | < 0.5 | < 2 | 1.44 | < 0.5 | 14 | 173 | 166 | 1.37 | < 10 | < 1 | < 0.01 |

CERTIFICATION :

BC 8



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02, B24A-07
Comments: CC: JEAN FAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 15-JUN-88
Invoice #: I-8816592
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816592

| SAMPLE DESCRIPTION | PREP CODE | | La | Mg | Mn | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|------|------|------|------|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239537 | 205 | 238 | 10 | 0.48 | 292 | < 1 | 0.07 | 8 | 330 | 6 | < 5 | 4 | 8 | 0.10 | < 10 | < 10 | 58 | < 5 | 29 |
| 239538 | 205 | 238 | 10 | 0.37 | 520 | < 1 | 0.08 | 1 | 870 | 4 | < 5 | 2 | 33 | 0.10 | < 10 | < 10 | 72 | < 5 | 37 |
| 239541 | 205 | 238 | 10 | 0.12 | 289 | < 1 | 0.06 | 2 | 160 | 8 | < 5 | 1 | 37 | 0.04 | < 10 | < 10 | 48 | < 5 | 14 |
| 239901 | 205 | 238 | < 10 | 0.01 | 38 | 117 | < 0.01 | 13 | 10 | 2 | < 5 | < 1 | 4 | < 0.01 | < 10 | < 10 | 1 | 5 | 2 |
| 239902 | 205 | 238 | 10 | 0.86 | 196 | 1 | 0.06 | 32 | 320 | 4 | < 5 | 8 | 51 | 0.21 | < 10 | < 10 | 131 | < 5 | 45 |
| 239903 | 205 | 238 | 10 | 0.73 | 392 | 9 | 0.03 | 41 | 670 | 20 | < 5 | 10 | 115 | 0.11 | < 10 | < 10 | 255 | 5 | 487 |
| 239904 | 205 | 238 | 10 | 0.21 | 123 | 2 | 0.29 | 13 | 550 | 10 | < 5 | 3 | 215 | 0.12 | < 10 | < 10 | 33 | 5 | 12 |
| 239905 | 205 | 238 | 10 | 1.59 | 311 | < 1 | 0.23 | 6 | 290 | 2 | < 5 | 30 | 57 | 0.30 | < 10 | < 10 | 331 | 5 | 33 |
| 239906 | 205 | 238 | < 10 | 0.11 | 1320 | 3 | 0.02 | 2 | 360 | < 2 | 5 | 4 | 26 | 0.04 | < 10 | < 10 | 55 | 55 | 28 |
| 239907 | 205 | 238 | 10 | 0.74 | 1240 | < 1 | 0.01 | 2 | 1200 | 12 | 5 | 3 | 50 | 0.07 | < 10 | < 10 | 33 | 5 | 53 |
| 239908 | 205 | 238 | 10 | 1.03 | 111 | 30 | 0.17 | 13 | 370 | 2 | < 5 | 7 | 73 | 0.17 | < 10 | < 10 | 46 | 5 | 52 |
| 239909 | 205 | 238 | < 10 | 3.34 | 1230 | 4 | 0.01 | 33 | 620 | < 2 | < 5 | 5 | 517 | 0.05 | < 10 | < 10 | 104 | 5 | 216 |
| 239910 | 205 | 238 | 10 | 0.16 | 222 | 6 | 0.06 | 4 | 660 | < 2 | < 5 | 2 | 25 | 0.20 | < 10 | < 10 | 38 | 5 | 22 |
| 239911 | 205 | 238 | < 10 | 0.06 | 2290 | < 1 | < 0.01 | < 1 | 380 | < 2 | 5 | 2 | 6 | 0.02 | < 10 | < 10 | 77 | 40 | 17 |
| 239996 | 205 | 238 | 10 | 0.15 | 253 | 9 | 0.05 | 4 | 1000 | 6 | < 5 | 3 | 30 | 0.28 | < 10 | < 10 | 44 | < 5 | 13 |
| 239997 | 205 | 238 | < 10 | 0.03 | 122 | < 1 | < 0.01 | 2 | 20 | 6 | < 5 | < 1 | 6 | < 0.01 | < 10 | < 10 | 1 | 5 | 3 |
| 239998 | 205 | 238 | < 10 | 0.05 | 47 | 16 | < 0.01 | 5 | 10 | < 2 | < 5 | < 1 | 5 | < 0.01 | < 10 | < 10 | 1 | 5 | 2 |
| 239999 | 205 | 238 | 10 | 0.90 | 326 | 7 | 0.08 | 11 | 1160 | 2 | < 5 | 13 | 42 | 0.21 | < 10 | < 10 | 133 | < 5 | 39 |
| 240000 | 205 | 238 | < 10 | 0.06 | 68 | 4150 | < 0.01 | 10 | 80 | < 2 | < 5 | 1 | 37 | < 0.01 | < 10 | < 10 | < 1 | 10 | 3 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 20-JUN-88
Invoice # : I-8816851
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8816851

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--------------------|-----------|-----|--------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| | FA+AA | | | | | | | | | | | | | | | | | | | | |
| 239542 | 205 | 238 | < 5 | 1.72 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 1.14 | < 0.5 | 30 | 28 | 174 | 4.14 | < 10 | < 1 | 0.11 | 10 | 1.15 | 466 |
| 239543 | 205 | 238 | < 5 | 2.20 | < 0.2 | < 5 | 60 | 1.0 | < 2 | 2.82 | < 0.5 | 28 | 55 | 152 | 5.26 | 10 | < 1 | 1.37 | 10 | 1.76 | 1015 |
| 239912 | 205 | 238 | < 5 | 3.45 | 0.2 | < 5 | 30 | < 0.5 | < 2 | 2.91 | < 0.5 | 7 | 53 | 18 | 1.76 | 10 | < 1 | 0.25 | < 10 | 0.40 | 148 |
| 239915 | 205 | 238 | < 5 | 1.37 | < 0.2 | < 5 | 90 | < 0.5 | < 2 | 1.26 | < 0.5 | 6 | 64 | 16 | 2.25 | < 10 | < 1 | 0.55 | 10 | 1.08 | 325 |
| 239917 | 205 | 238 | < 5 | 0.33 | < 0.2 | 5 | 10 | < 0.5 | < 2 | 0.18 | < 0.5 | 3 | 225 | 6 | 0.94 | < 10 | < 1 | 0.03 | < 10 | 0.22 | 223 |
| 239918 | 205 | 238 | < 5 | 0.36 | < 0.2 | 30 | 100 | < 0.5 | < 2 | 0.10 | < 0.5 | 5 | 236 | 8 | 2.19 | < 10 | 1 | 0.20 | 10 | 0.04 | 79 |
| 239919 | 205 | 238 | < 5 | 0.61 | < 0.2 | 50 | 210 | < 0.5 | < 2 | 0.15 | < 0.5 | 4 | 182 | 6 | 2.02 | < 10 | < 1 | 0.29 | 10 | 0.07 | 62 |

Digital
area
Ingram
Ck.

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 20-JUN-88
Invoice #: I-8816851
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816851

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239542 | 205 | 238 | < 1 | 0.06 | 13 | 1540 | 8 | < 5 | 3 | 23 | 0.14 | < 10 | < 10 | 96 | < 5 | 49 |
| 239543 | 205 | 238 | < 1 | 0.21 | 11 | 2280 | 8 | < 5 | 11 | 92 | 0.24 | < 10 | < 10 | 173 | < 5 | 87 |
| 239912 | 205 | 238 | < 1 | 0.42 | 5 | 840 | 20 | < 5 | 1 | 98 | 0.17 | < 10 | < 10 | 10 | < 5 | 35 |
| 239915 | 205 | 238 | < 1 | 0.14 | 6 | 440 | 12 | < 5 | 4 | 23 | 0.22 | < 10 | < 10 | 31 | < 5 | 43 |
| 239917 | 205 | 238 | 173 | 0.02 | 1 | 130 | 14 | < 5 | 1 | 8 | 0.01 | < 10 | < 10 | 28 | 600 | 14 |
| 239918 | 205 | 238 | 4 | 0.01 | 15 | 190 | 14 | < 5 | 1 | 184 | < 0.01 | < 10 | < 10 | 19 | 5 | 9 |
| 239919 | 205 | 238 | 13 | 0.01 | 14 | 360 | < 2 | < 5 | 2 | 142 | < 0.01 | < 10 | < 10 | 33 | < 5 | 19 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: ATTN: RAY DUJARDIN SC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 21-JUN-88
Invoice #: I-8816922
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816922

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--|-----------|-----------------|------|--------------|--------|--------|--------|------------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|
| Prospector's Lambly 239544 wr. Hfs po | 205 238 | <u>65</u> | 1.28 | 0.4 | < 5 | 70 | < 0.5 | 14 | 0.37 | < 0.5 | 10 | 134 | 49 | 2.96 | < 10 | < 1 | 0.48 | 10 | 0.67 | 254 |
| " 239921 es hfs po | 205 238 | < 5 | 0.71 | < 0.2 | 5 | 20 | < 0.5 | 2 | 8.90 | 0.5 | 11 | 30 | 56 | 1.82 | < 10 | < 1 | 0.18 | < 10 | 0.46 | 671 |
| " 239922 Di py | 205 238 | < 5 | 1.52 | < 0.2 | < 5 | 250 | < 0.5 | 4 | 0.87 | < 0.5 | 21 | 30 | 188 | 4.23 | < 10 | < 1 | 0.47 | 10 | 1.01 | 457 |
| " 239923 g strel-Di | 205 238 | < 5 | 1.35 | 0.2 | < 5 | 60 | < 0.5 | 4 | 0.29 | < 0.5 | 15 | 200 | 303 | 3.48 | < 10 | < 1 | 0.07 | < 10 | 0.87 | 560 |
| " 239924 g un py | 205 238 | < 5 | 0.15 | < 0.2 | < 5 | < 10 | < 0.5 | 4 | 0.08 | < 0.5 | < 1 | 196 | 39 | 0.97 | < 10 | 1 | 0.01 | < 10 | 0.08 | 89 |
| " 239925 g un bx | 205 238 | < 5 | 0.62 | < 0.2 | 10 | 40 | < 0.5 | 6 | 0.13 | < 0.5 | 13 | 184 | 221 | 5.75 | < 10 | < 1 | 0.06 | < 10 | 0.30 | 231 |
| " 239926 g un py | 205 238 | < 5 | 0.31 | < 0.2 | < 5 | 10 | < 0.5 | <u>34</u> | 0.04 | < 0.5 | 5 | 242 | 49 | 1.80 | < 10 | < 1 | 0.01 | < 10 | 0.24 | 139 |
| " 239927 Di py | 205 238 | < 5 | 0.89 | < 0.2 | < 5 | 30 | < 0.5 | 2 | 0.84 | < 0.5 | 15 | 42 | 82 | 3.06 | < 10 | < 1 | 0.05 | 10 | 0.36 | 192 |
| " 239928 | 205 238 | < 5 | 0.58 | < 0.2 | < 5 | 10 | < 0.5 | 4 | 1.25 | < 0.5 | 50 | 42 | 73 | 6.08 | < 10 | < 1 | 0.06 | 10 | 0.28 | 108 |
| " 239929 es mb | 205 238 | < 5 | 0.53 | 0.2 | 15 | 40 | < 0.5 | < 2 | 2.49 | < 0.5 | 7 | 42 | 29 | 1.65 | 10 | < 1 | 0.07 | < 10 | 0.31 | 216 |
| Dughald N Lambly 239930 es py | 205 238 | < 5 | 0.72 | 0.2 | < 5 | 200 | < 0.5 | < 2 | 0.55 | < 0.5 | 6 | 72 | 22 | 1.75 | < 10 | < 1 | 0.23 | 10 | 0.48 | 216 |
| " 239931 gtz un | 205 238 | <u>50</u> | 0.06 | 9.6 | 5 | 10 | < 0.5 | <u>56</u> | 0.07 | < 0.5 | 1 | 272 | 16 | 1.09 | < 10 | < 1 | < 0.01 | < 10 | 0.03 | 52 |
| " 239932 Gidi po | 205 238 | 5 | 1.60 | 0.6 | < 5 | 30 | < 0.5 | < 2 | 1.54 | < 0.5 | 8 | 23 | 11 | 3.77 | 10 | 1 | 0.53 | 10 | 0.83 | 1080 |
| Prospector's Lambly 239933 g un. | 205 238 | < 5 | 0.13 | <u>102.0</u> | 5 | < 10 | < 0.5 | <u>234</u> | 0.08 | < 0.5 | 4 | 275 | 11 | 1.09 | < 10 | < 1 | 0.03 | < 10 | 0.07 | 79 |
| " 239934 es? Hfs py, po | 205 238 | < 5 | 1.13 | <u>2.6</u> | 5 | 60 | < 0.5 | < 2 | 0.41 | < 0.5 | 13 | 22 | 67 | 4.95 | < 10 | 1 | 0.71 | 10 | 0.96 | 573 |

CERTIFICATION :

BC f



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: ATTN: RAY DUJARDIN CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 21-JUN-88
Invoice #: I-8816922
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8816922

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| 239544 | 205 | 238 | 42 | 0.06 | 33 | 590 | < 2 | < 5 | 11 | 8 | 0.18 | < 10 | < 10 | 99 | 15 | 96 |
| 239921 | 205 | 238 | < 1 | 0.03 | 7 | 510 | 14 | 5 | 4 | 70 | 0.15 | < 10 | < 10 | 38 | 10 | 40 |
| 239922 | 205 | 238 | < 1 | 0.06 | 10 | 1190 | 4 | 5 | 14 | 9 | 0.25 | < 10 | < 10 | 174 | 10 | 50 |
| 239923 | 205 | 238 | < 1 | 0.02 | 7 | 310 | 6 | 5 | 7 | 4 | 0.13 | < 10 | < 10 | 110 | 10 | 46 |
| 239924 | 205 | 238 | < 1 | < 0.01 | 4 | 70 | < 2 | 5 | 1 | 2 | 0.04 | < 10 | < 10 | 14 | 10 | 7 |
| 239925 | 205 | 238 | < 1 | 0.01 | < 1 | 450 | < 2 | < 5 | 6 | 5 | 0.11 | < 10 | < 10 | 68 | 55 | 27 |
| 239926 | 205 | 238 | < 1 | < 0.01 | 6 | 30 | 12 | < 5 | 2 | 1 | < 0.01 | < 10 | < 10 | 31 | 480 | 11 |
| 239927 | 205 | 238 | 1 | 0.08 | 6 | 1190 | < 2 | < 5 | 3 | 44 | 0.22 | < 10 | < 10 | 42 | 10 | 22 |
| 239928 | 205 | 238 | < 1 | 0.04 | 17 | 1310 | 6 | 5 | 6 | 66 | 0.31 | < 10 | < 10 | 63 | 15 | 14 |
| 239929 | 205 | 238 | < 1 | 0.05 | 7 | 510 | 2 | < 5 | 4 | 18 | 0.18 | < 10 | < 10 | 31 | 5 | 30 |
| 239930 | 205 | 238 | < 1 | 0.09 | 9 | 470 | 8 | < 5 | 4 | 19 | 0.17 | < 10 | < 10 | 42 | 5 | 27 |
| 239931 | 205 | 238 | 1 | < 0.01 | 3 | 100 | 58 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 5 | 370 | 9 |
| 239932 | 205 | 238 | < 1 | 0.03 | 2 | 1290 | < 2 | < 5 | 4 | 63 | 0.13 | < 10 | < 10 | 78 | 25 | 66 |
| 239933 | 205 | 238 | 12 | 0.01 | 5 | 170 | 554 | < 5 | < 1 | 8 | 0.01 | < 10 | < 10 | 11 | 10 | 8 |
| 239934 | 205 | 238 | 84 | 0.04 | 3 | 1330 | 18 | < 5 | 9 | 18 | 0.16 | < 10 | < 10 | 118 | 25 | 82 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B24, B02
 Comments: ATTN: RAY DUJARDIN GC: JEAN PAUTLER

Page No. : 1-A
 Tot. Pages: 1
 Date : 25-JUN-88
 Invoice #: I-8817251
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817251

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm | |
|---|------------|-----------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|--------|--------|----|
| 239845 | 205 238 | < 5 | 0.41 | < 0.2 | < 5 | 70 | < 0.5 | < 2 | 0.50 | < 0.5 | 2 | 51 | 3 | 1.19 | < 10 | < 1 | 0.14 | 10 | 0.17 | 737 | |
| Shear ↓ 239851 guns | 205 238 | 20 | 0.20 | 2.6 | 50 | 20 | < 0.5 | < 2 | 0.06 | 2.0 | 2 | 113 | 15 | 1.24 | < 10 | 1 | 0.06 | < 10 | 0.03 | 331 | |
| 239852 | 205 238 | 10 | 0.14 | 0.4 | 15 | 10 | < 0.5 | < 2 | 0.24 | < 0.5 | 3 | 146 | 21 | 0.95 | < 10 | < 1 | 0.06 | < 10 | 0.03 | 219 | |
| 239853 | 205 238 | 5 | 0.04 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.35 | < 0.5 | 2 | 138 | 4 | 0.40 | < 10 | < 1 | 0.02 | < 10 | < 0.01 | 57 | |
| 239854 | 205 238 | < 5 | 0.05 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.31 | < 0.5 | 1 | 170 | 4 | 0.39 | < 10 | < 1 | 0.01 | < 10 | < 0.01 | 138 | |
| Fortune Shear Lamb Lamb Fortune Lamb | 239855 gun | 205 238 | 2750 | 0.01 | < 0.2 | < 5 | < 10 | < 0.5 | 116 | < 0.01 | < 0.5 | < 1 | 221 | 15 | 1.05 | < 10 | < 1 | < 0.01 | < 10 | < 0.01 | 30 |
| 239856 | 205 238 | 20 | 0.08 | < 0.2 | 5 | 10 | < 0.5 | 4 | 0.01 | 1.0 | 2 | 159 | 10 | 0.57 | < 10 | < 1 | 0.02 | < 10 | 0.02 | 164 | |
| 239857 | 205 238 | 5 | 0.13 | < 0.2 | < 5 | 10 | < 0.5 | 2 | 0.09 | < 0.5 | 1 | 194 | 12 | 0.57 | < 10 | < 1 | 0.05 | < 10 | 0.04 | 140 | |
| 239858 | 205 238 | 10 | 0.29 | < 0.2 | < 5 | 10 | < 0.5 | 2 | 0.25 | < 0.5 | 2 | 59 | 28 | 1.26 | < 10 | 1 | 0.07 | 10 | 0.08 | 173 | |
| 239859 | 205 238 | >10000 | 0.01 | 2.4 | 15 | < 10 | < 0.5 | 1815 | < 0.01 | < 0.5 | 1 | 113 | 19 | 1.07 | < 10 | < 1 | < 0.01 | < 10 | < 0.01 | 42 | |
| 239920 | 205 238 | 70 | 0.62 | < 0.2 | < 5 | 180 | < 0.5 | 26 | 0.58 | < 0.5 | 19 | 23 | 529 | 3.57 | < 10 | < 1 | 0.32 | 10 | 0.35 | 146 | |
| 239935 | 205 238 | 70 | 0.08 | 1.8 | 35 | 10 | < 0.5 | 16 | 0.81 | 2.5 | 2 | 123 | 20 | 1.49 | < 10 | < 1 | 0.04 | 10 | 0.06 | 691 | |
| Shear 239936 host of above | 205 238 | 30 | 0.55 | 0.6 | 10 | 70 | < 0.5 | 4 | 0.45 | 2.0 | 5 | 21 | 39 | 2.50 | < 10 | < 1 | 0.13 | 10 | 0.22 | 648 | |
| 239937 | 205 238 | 125 | 0.37 | < 0.2 | < 5 | 20 | < 0.5 | 20 | 0.56 | 5.0 | 2 | 167 | 8 | 1.01 | < 10 | < 1 | 0.02 | < 10 | 0.31 | 253 | |
| Pr Lane 239938 Hfs, py | 205 238 | 5 | 0.79 | < 0.2 | < 5 | 30 | < 0.5 | 2 | 0.41 | < 0.5 | 4 | 24 | 56 | 2.41 | < 10 | < 1 | 0.19 | 20 | 0.37 | 452 | |
| 239939 | 205 238 | < 5 | 0.21 | 5.6 | < 5 | 10 | < 0.5 | 62 | 0.07 | < 0.5 | 2 | 128 | 14 | 0.58 | < 10 | < 1 | 0.08 | < 10 | 0.17 | 167 | |
| 239940 | 205 238 | 5 | 1.47 | < 0.2 | < 5 | 20 | 0.5 | < 2 | 6.48 | < 0.5 | 7 | 46 | 1 | 2.29 | 10 | < 1 | < 0.01 | < 10 | 0.09 | 751 | |
| 239941 | 205 238 | 5 | 0.55 | < 0.2 | < 5 | 50 | < 0.5 | 2 | 0.28 | 0.5 | 4 | 43 | 94 | 2.21 | < 10 | < 1 | 0.22 | 20 | 0.21 | 212 | |
| S. Lamb 239942 CS Pb | 205 238 | 5 | 0.61 | < 0.2 | < 5 | 40 | < 0.5 | 2 | 0.88 | < 0.5 | 7 | 40 | 84 | 3.02 | < 10 | < 1 | 0.16 | 10 | 0.32 | 267 | |
| 239943 | 205 238 | < 5 | 0.03 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 4.16 | < 0.5 | < 1 | 147 | 2 | 0.21 | < 10 | < 1 | < 0.01 | < 10 | 0.04 | 48 | |
| N Lamb 239944 a Gdi, py | 205 238 | 5 | 0.56 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.77 | < 0.5 | 21 | 16 | 385 | 5.23 | < 10 | < 1 | 0.05 | 10 | 0.32 | 404 | |
| 239945 Gdi, B | 205 238 | 5 | 0.16 | < 0.2 | < 5 | < 10 | < 0.5 | 2 | 0.23 | < 0.5 | 2 | 128 | 22 | 0.71 | < 10 | < 1 | 0.02 | < 10 | 0.11 | 255 | |
| 239946 | 205 238 | < 5 | 0.03 | < 0.2 | < 5 | < 10 | < 0.5 | 2 | 0.02 | < 0.5 | 1 | 144 | 4 | 0.27 | < 10 | < 1 | < 0.01 | < 10 | 0.01 | 38 | |
| 239947 Hfs, py, po | 205 238 | 5 | 0.62 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 1.21 | < 0.5 | 18 | 52 | 132 | 4.43 | < 10 | < 1 | 0.07 | 10 | 0.40 | 405 | |
| 239948 SK | 205 238 | < 5 | 0.75 | < 0.2 | < 5 | 30 | 0.5 | < 2 | 4.27 | < 0.5 | 4 | 50 | 3 | 2.02 | 10 | < 1 | 0.01 | < 10 | 0.23 | 1810 | |
| S. Lamb Lee 239949 SK po | 205 238 | 10 | 5.05 | < 0.2 | < 5 | 510 | 0.5 | < 2 | 3.00 | < 0.5 | 11 | 63 | 23 | 2.46 | < 10 | < 1 | 0.45 | 10 | 1.11 | 130 | |
| 239950 Pyrite | 205 238 | < 5 | 0.48 | < 0.2 | < 5 | 190 | < 0.5 | < 2 | 0.38 | < 0.5 | 42 | 256 | 25 | 3.85 | < 10 | < 1 | 0.25 | < 10 | 5.83 | 554 | |

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24, B02

Comments: ATTN: RAY DUJARDIN CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 25-JUN-88
Invoice #: I-8817251
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817251

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239545 | 205 | 238 | < 1 | 0.05 | 1 | 150 | 2 | < 5 | < 1 | 37 | 0.05 | < 10 | < 10 | 32 | < 5 | 32 |
| 239851 | 205 | 238 | 1 | 0.01 | 5 | 240 | 140 | < 5 | < 1 | 5 | < 0.01 | < 10 | < 10 | 2 | < 5 | 88 |
| 239852 | 205 | 238 | < 1 | 0.01 | 2 | 200 | < 2 | < 5 | < 1 | 7 | < 0.01 | < 10 | < 10 | 1 | < 5 | 20 |
| 239853 | 205 | 238 | 2 | < 0.01 | 2 | 160 | 8 | < 5 | < 1 | 9 | < 0.01 | < 10 | < 10 | 1 | < 5 | 15 |
| 239854 | 205 | 238 | 1 | < 0.01 | 2 | 170 | < 2 | < 5 | < 1 | 7 | < 0.01 | < 10 | < 10 | 2 | < 5 | 22 |
| 239855 | 205 | 238 | 2 | < 0.01 | 4 | 10 | < 2 | < 5 | < 1 | < 1 | < 0.01 | < 10 | < 10 | 1 | < 5 | 3 |
| 239856 | 205 | 238 | < 1 | < 0.01 | 2 | 60 | < 2 | < 5 | < 1 | 2 | < 0.01 | < 10 | < 10 | 2 | < 5 | 25 |
| 239857 | 205 | 238 | 5 | 0.02 | 3 | 110 | 2 | < 5 | < 1 | 9 | 0.02 | < 10 | < 10 | 8 | < 5 | 7 |
| 239858 | 205 | 238 | 13 | 0.04 | 1 | 470 | 2 | < 5 | 1 | 23 | 0.06 | < 10 | < 10 | 24 | < 5 | 10 |
| 239859 | 205 | 238 | 4 | < 0.01 | 2 | 50 | 2 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 3 | < 5 | 3 |
| 239920 | 205 | 238 | 3 | 0.05 | 4 | 2220 | < 2 | < 5 | 4 | 6 | 0.12 | < 10 | < 10 | 21 | < 5 | 21 |
| 239935 | 205 | 238 | < 1 | 0.02 | 2 | 150 | 42 | < 5 | < 1 | 19 | < 0.01 | < 10 | < 10 | 1 | < 5 | 116 |
| 239936 | 205 | 238 | 2 | 0.06 | < 1 | 910 | 16 | < 5 | 1 | 21 | < 0.01 | < 10 | < 10 | 7 | < 5 | 134 |
| 239937 | 205 | 238 | 8 | 0.02 | 2 | 120 | 12 | < 5 | 2 | 7 | 0.04 | < 10 | < 10 | 21 | < 5 | 120 |
| 239938 | 205 | 238 | 7 | 0.06 | 1 | 990 | 8 | < 5 | 4 | 10 | 0.07 | < 10 | < 10 | 13 | < 5 | 64 |
| 239939 | 205 | 238 | 27 | 0.01 | 3 | 180 | 40 | < 5 | 1 | 4 | 0.02 | < 10 | < 10 | 17 | < 5 | 18 |
| 239940 | 205 | 238 | 1 | 0.01 | 5 | 800 | < 2 | 5 | 9 | 30 | 0.20 | < 10 | < 10 | 63 | < 5 | 60 |
| 239941 | 205 | 238 | 9 | 0.06 | 1 | 940 | < 2 | < 5 | 6 | 13 | 0.11 | < 10 | < 10 | 25 | < 5 | 27 |
| 239942 | 205 | 238 | < 1 | 0.05 | 5 | 660 | < 2 | < 5 | 4 | 10 | 0.26 | < 10 | < 10 | 35 | < 5 | 35 |
| 239943 | 205 | 238 | < 1 | < 0.01 | 3 | 40 | < 2 | < 5 | < 1 | 15 | < 0.01 | < 10 | < 10 | 1 | < 5 | 1 |
| 239944 | 205 | 238 | 32 | 0.04 | 4 | 990 | < 2 | < 5 | 2 | 26 | 0.11 | < 10 | < 10 | 42 | < 5 | 30 |
| 239945 | 205 | 238 | 2 | 0.02 | 2 | 300 | 2 | < 5 | 1 | 6 | 0.04 | < 10 | < 10 | 13 | < 5 | 6 |
| 239946 | 205 | 238 | < 1 | < 0.01 | 2 | 20 | < 2 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 2 | < 5 | 1 |
| 239947 | 205 | 238 | 3 | 0.06 | 8 | 660 | < 2 | < 5 | 7 | 10 | 0.42 | < 10 | < 10 | 106 | < 5 | 41 |
| 239948 | 205 | 238 | < 1 | 0.01 | 4 | 270 | < 2 | < 5 | 1 | 16 | 0.04 | < 10 | < 10 | 56 | < 5 | 54 |
| 239949 | 205 | 238 | 3 | 0.21 | 15 | 200 | < 2 | < 5 | 5 | 107 | 0.18 | < 10 | < 10 | 44 | < 5 | 34 |
| 239950 | 205 | 238 | < 1 | 0.04 | 213 | 250 | < 2 | < 5 | 3 | 24 | 0.05 | < 10 | < 10 | 24 | < 5 | 38 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 29-JUN-88
Invoice #: I-8817544
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817544

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA-AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|-----------------------------|-----------|-----------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|
| Lamb 2 239546 um | 205 238 | 5 | 0.06 | 0.2 | < 5 | < 10 | < 0.5 | 2 | 0.05 | < 0.5 | 1 | 366 | 2 | 0.39 | < 10 | < 1 | < 0.01 | < 10 | 0.04 | 68 |
| Lamb 2 239547 um | 205 238 | 10 | 0.26 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.16 | < 0.5 | 2 | 93 | 35 | 0.88 | < 10 | < 1 | 0.05 | < 10 | 0.13 | 146 |
| " 239564 um | 205 238 | 15 | 1.18 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 2.56 | < 0.5 | 20 | 84 | 625 | 2.56 | 10 | 1 | 0.19 | 10 | 1.00 | 480 |
| " 239565 g un | 205 238 | 15 | 0.03 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.08 | < 0.5 | 4 | 235 | 32 | 0.39 | < 10 | 1 | < 0.01 | < 10 | 0.02 | 102 |
| " 239566 Hfs | 205 238 | 10 | 0.74 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 1.37 | < 0.5 | 12 | 67 | 63 | 2.48 | < 10 | < 1 | 0.12 | 10 | 0.35 | 147 |
| Bakce 239860 Bakce | 205 238 | 10 | 3.65 | < 0.2 | 50 | 30 | < 0.5 | < 2 | 3.30 | < 0.5 | 38 | 239 | 49 | 5.56 | 10 | < 1 | 0.03 | < 10 | 5.50 | 1065 |
| " 239861 | 205 238 | 5 | 0.39 | < 0.2 | 10 | 30 | < 0.5 | < 2 | 1.15 | < 0.5 | 6 | 118 | 30 | 1.18 | < 10 | 1 | 0.05 | < 10 | 0.23 | 541 |
| Lamb 2 239862 cs po | 205 238 | 10 | 0.40 | 0.2 | < 5 | 20 | < 0.5 | < 2 | 1.13 | 0.5 | 13 | 33 | 286 | 4.23 | < 10 | < 1 | 0.03 | < 10 | 0.29 | 154 |
| " 239863 hfs py | 205 238 | < 5 | 0.18 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.61 | < 0.5 | 14 | 64 | 141 | 4.22 | < 10 | < 1 | < 0.01 | < 10 | 0.07 | 99 |
| " 239864 Di py | 205 238 | < 5 | 1.36 | 0.4 | < 5 | 20 | < 0.5 | < 2 | 2.12 | < 0.5 | 36 | 24 | 584 | 3.68 | 10 | 1 | 0.11 | 10 | 0.62 | 446 |
| " 239865 g un | 205 238 | < 5 | 0.94 | < 0.2 | 5 | < 10 | < 0.5 | < 2 | 5.84 | < 0.5 | 8 | 105 | 92 | 2.10 | 20 | 1 | 0.01 | < 10 | 0.10 | 373 |
| " 239866 cs | 205 238 | 20 | 0.82 | 0.8 | 20 | 20 | < 0.5 | < 2 | 1.47 | < 0.5 | 5 | 77 | 16 | 1.22 | 10 | < 1 | 0.16 | 10 | 0.35 | 328 |
| " 239867 11-sk | 205 238 | < 5 | 0.76 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 2.14 | < 0.5 | 12 | 27 | 293 | 1.55 | 10 | < 1 | 0.02 | 10 | 0.24 | 333 |
| " 239868 Di py | 205 238 | 5 | 1.88 | 0.2 | < 5 | 80 | < 0.5 | < 2 | 2.18 | < 0.5 | 38 | 30 | 756 | 5.42 | 10 | < 1 | 0.27 | 10 | 1.14 | 659 |
| Q un shou 239869 silc | 205 238 | 10 | 1.35 | < 0.2 | < 5 | 20 | < 0.5 | 2 | 0.43 | < 0.5 | 11 | 73 | 40 | 2.84 | < 10 | 1 | 0.08 | < 10 | 1.22 | 494 |
| Lamb 2 239870 g un | 205 238 | < 5 | 0.11 | 21.2 | < 5 | 10 | < 0.5 | 238 | 0.03 | < 0.5 | 1 | 190 | 15 | 0.54 | < 10 | < 1 | 0.01 | < 10 | 0.05 | 46 |
| " 239871 a G Di py | 205 238 | < 5 | 1.74 | < 0.2 | < 5 | 30 | < 0.5 | 2 | 0.38 | < 0.5 | 8 | 79 | 33 | 2.95 | < 10 | < 1 | 0.26 | < 10 | 1.46 | 355 |
| Lamb 2 239872 silc | 205 238 | < 5 | 5.63 | < 0.2 | < 5 | 30 | 1.0 | < 2 | 3.37 | < 0.5 | 8 | 85 | 9 | 1.78 | 10 | 1 | 0.64 | < 10 | 1.36 | 48 |
| " 239873 g un | 205 238 | 15 | 0.08 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.02 | < 0.5 | 1 | 145 | 14 | 0.57 | < 10 | < 1 | < 0.01 | < 10 | 0.03 | 119 |
| " 239874 g y g un | 205 238 | 235 | 0.10 | 0.6 | < 5 | < 10 | < 0.5 | < 2 | 0.02 | < 0.5 | 19 | 152 | 181 | 3.34 | < 10 | < 1 | < 0.01 | < 10 | 0.03 | 46 |
| " 239875 silc | 205 238 | 10 | 0.61 | < 0.2 | < 5 | 420 | < 0.5 | < 2 | 0.47 | < 0.5 | 22 | 98 | 146 | 2.54 | < 10 | < 1 | 0.30 | < 10 | 0.53 | 204 |
| " 239876 cs-hfs | 205 238 | 10 | 1.47 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 2.32 | < 0.5 | 11 | 63 | 187 | 3.12 | 10 | < 1 | 0.04 | < 10 | 0.12 | 580 |

JUN 30 1988
KERR ADDISON MINES LTD.

CERTIFICATION : BC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 29-JUN-88
Invoice #: I-8817544
P.O. #: NONE


CERTIFICATE OF ANALYSIS A8817544

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239546 | 205 | 238 | 1 | 0.01 | 5 | 30 | 4 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 2 | 15 | 1 |
| 239547 | 205 | 238 | < 1 | 0.01 | 1 | 280 | 2 | < 5 | < 1 | 9 | 0.03 | < 10 | < 10 | 15 | < 5 | 9 |
| 239564 | 205 | 238 | < 1 | 0.15 | 33 | 4000 | < 2 | < 5 | 9 | 98 | 0.12 | < 10 | < 10 | 87 | < 5 | 40 |
| 239565 | 205 | 238 | < 1 | < 0.01 | 6 | 160 | 2 | < 5 | < 1 | 2 | 0.01 | < 10 | < 10 | 8 | < 5 | 3 |
| 239566 | 205 | 238 | 1 | 0.06 | 27 | 1790 | 2 | < 5 | 2 | 21 | 0.18 | < 10 | < 10 | 56 | < 5 | 31 |
| 239860 | 205 | 238 | < 1 | 0.01 | 214 | 350 | < 2 | 5 | 7 | 114 | < 0.01 | < 10 | < 10 | 61 | < 5 | 69 |
| 239861 | 205 | 238 | < 1 | 0.01 | 12 | 190 | 4 | < 5 | 1 | 13 | 0.02 | < 10 | < 10 | 9 | < 5 | 24 |
| 239862 | 205 | 238 | 458 | 0.01 | 11 | 600 | 12 | < 5 | 2 | 17 | 0.15 | < 10 | < 10 | 33 | < 5 | 42 |
| 239863 | 205 | 238 | 12 | 0.02 | 17 | 320 | < 2 | < 5 | 3 | 2 | 0.36 | < 10 | < 10 | 86 | < 5 | 73 |
| 239864 | 205 | 238 | < 1 | 0.09 | 4 | 3160 | 6 | < 5 | 6 | 213 | 0.18 | < 10 | < 10 | 71 | < 5 | 38 |
| 239865 | 205 | 238 | 1 | 0.08 | 5 | 390 | < 2 | < 5 | 1 | 157 | 0.09 | < 10 | < 10 | 12 | 20 | 7 |
| 239866 | 205 | 238 | 3 | 0.02 | 2 | 330 | 14 | < 5 | 6 | 35 | 0.11 | < 10 | < 10 | 40 | 5 | 49 |
| 239867 | 205 | 238 | 2 | 0.03 | 15 | 1750 | < 2 | < 5 | 2 | 157 | 0.07 | < 10 | < 10 | 42 | < 5 | 33 |
| 239868 | 205 | 238 | 1 | 0.14 | 8 | 2780 | < 2 | < 5 | 7 | 257 | 0.21 | < 10 | < 10 | 123 | 5 | 62 |
| 239869 | 205 | 238 | 2 | 0.03 | 6 | 680 | 2 | < 5 | 7 | 13 | 0.17 | < 10 | < 10 | 79 | < 5 | 51 |
| 239870 | 205 | 238 | 2 | 0.01 | 3 | 60 | 122 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 6 | < 5 | 3 |
| 239871 | 205 | 238 | 13 | 0.03 | 6 | 610 | 2 | < 5 | 4 | 12 | 0.10 | < 10 | < 10 | 67 | < 5 | 82 |
| 239872 | 205 | 238 | < 1 | 0.16 | 10 | 60 | 2 | < 5 | 11 | 73 | 0.21 | < 10 | < 10 | 57 | < 5 | 30 |
| 239873 | 205 | 238 | 2 | < 0.01 | 2 | 30 | < 2 | < 5 | < 1 | 1 | < 0.01 | < 10 | < 10 | 5 | < 5 | 2 |
| 239874 | 205 | 238 | 21 | < 0.01 | 5 | 10 | < 2 | < 5 | < 1 | < 1 | 0.01 | < 10 | < 10 | 5 | < 5 | 3 |
| 239875 | 205 | 238 | < 1 | 0.03 | 58 | 660 | < 2 | < 5 | 2 | 8 | 0.16 | < 10 | < 10 | 44 | < 5 | 20 |
| 239876 | 205 | 238 | 3 | 0.10 | 6 | 1380 | < 2 | < 5 | 4 | 46 | 0.14 | < 10 | < 10 | 56 | 5 | 12 |

RECEIVED
JUN 30 1988
KERR ADDISON MINES LTD.
PER _____

CERTIFICATION :

PC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments:

Page No.: 1-A
Tot. Pages: 1
Date: 4-JUL-88
Invoice #: I-8817734
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817734

| SAMPLE DESCRIPTION | PREP CODE | Au ppb FA+AA | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--------------------|-----------|-----------------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|--------|--------|--------|------|--------|
| 239548 | 205 238 | < 5 | 0.42 | < 0.2 | < 5 | 90 | < 0.5 | < 2 | 0.11 | < 0.5 | 4 | 15 | 113 | 2.54 | < 10 | 1 | 0.11 | < 10 | 0.17 | 179 |
| 239567 Arg. py | 205 238 | 40 | 1.23 | < 0.2 | 15 | 70 | < 0.5 | < 2 | 0.35 | 1.0 | 8 | 49 | 41 | 2.85 | < 10 | < 1 | 0.37 | 10 | 0.68 | 306 |
| 239568 Arg. py | 205 238 | < 5 | 0.10 | < 0.2 | 5 | 10 | < 0.5 | < 2 | 0.02 | < 0.5 | 1 | 46 | 5 | 0.40 | < 10 | 1 | 0.04 | < 10 | 0.01 | 105 |
| 239569 cs py | 205 238 | < 5 | 1.04 | < 0.2 | < 5 | 70 | < 0.5 | < 2 | 1.96 | < 0.5 | 8 | 44 | 41 | 1.83 | < 10 | < 1 | 0.01 | 10 | 0.36 | 382 |
| 239570 g bld | 205 238 | < 5 | 0.19 | 1.2 | < 5 | 10 | < 0.5 | < 2 | 0.04 | < 0.5 | 5 | 89 | 138 | 1.57 | < 10 | 1 | 0.03 | < 10 | 0.15 | 65 |
| 239571 Gdi shear | 205 238 | 15 | 0.46 | < 0.2 | < 5 | 110 | < 0.5 | 2 | 0.58 | < 0.5 | 26 | 36 | 140 | 2.57 | < 10 | < 1 | 0.05 | 20 | 0.38 | 128 |
| 239877 g vns | 205 238 | < 5 | 1.40 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 1.50 | 0.5 | 10 | 41 | 16 | 2.48 | < 10 | 1 | 0.15 | 20 | 0.59 | 516 |
| 239878 Gdi shear | 205 238 | < 5 | 0.31 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.42 | < 0.5 | 4 | 70 | 33 | 1.15 | < 10 | 1 | 0.03 | 10 | 0.04 | 115 |
| 239879 Arg. py | 205 238 | 160 | 0.99 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 5.27 | < 0.5 | 7 | 41 | 1 | 1.67 | 10 | < 1 | 0.08 | < 10 | 0.87 | 1185 |
| 239880 Arg. py | 205 238 | 30 | 0.15 | 1.4 | 10 | 20 | < 0.5 | < 2 | 0.06 | < 0.5 | 1 | 75 | 2 | 0.36 | < 10 | 2 | 0.05 | < 10 | 0.02 | 27 |
| 239881 Arg. py | 205 238 | < 5 | 3.01 | < 0.2 | 745 | 210 | < 0.5 | < 2 | 1.50 | < 0.5 | 8 | 55 | 67 | 2.25 | < 10 | < 1 | 0.37 | 10 | 0.62 | 195 |
| 239882 Hfs g vns | 205 238 | < 5 | 0.33 | < 0.2 | 35 | 40 | < 0.5 | < 2 | 0.20 | < 0.5 | 1 | 75 | 18 | 0.86 | < 10 | < 1 | 0.13 | < 10 | 0.10 | 81 |
| 239883 Hfs g vns | 205 238 | < 5 | 1.50 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 1.91 | < 0.5 | 23 | 31 | 128 | 3.18 | < 10 | < 1 | 0.06 | 10 | 0.40 | 226 |
| 239885 cs py | 205 238 | < 5 | 1.22 | 1.0 | < 5 | 10 | < 0.5 | < 2 | 6.48 | 2.0 | 9 | 22 | 19 | 3.30 | 20 | 1 | 0.09 | < 10 | 1.07 | 1060 |
| 239886 | 205 238 | < 5 | 1.02 | < 0.2 | < 5 | 170 | < 0.5 | < 2 | 0.78 | < 0.5 | 21 | 9 | 56 | 5.47 | < 10 | < 1 | 0.48 | 20 | 1.05 | 457 |
| 239887 | 205 238 | 5 | 1.17 | < 0.2 | 5 | 10 | < 0.5 | < 2 | 3.40 | < 0.5 | 10 | 28 | 87 | 2.33 | < 10 | < 1 | 0.02 | < 10 | 0.10 | 140 |
| 239888 | 205 238 | < 5 | 0.12 | < 0.2 | < 5 | < 10 | < 0.5 | < 2 | 0.07 | < 0.5 | 2 | 66 | 19 | 1.00 | < 10 | < 1 | 0.03 | < 10 | 0.04 | 28 |
| 239889 | 205 238 | < 5 | 0.17 | 0.8 | < 5 | 20 | < 0.5 | < 2 | 0.10 | < 0.5 | 2 | 37 | 69 | 2.51 | < 10 | < 1 | 0.06 | 10 | 0.03 | 70 |
| 239890 | 205 238 | < 5 | 1.23 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 2.95 | < 0.5 | 6 | 30 | 21 | 2.09 | < 10 | 1 | 0.15 | 10 | 0.27 | 161 |
| 239891 | 205 238 | < 5 | 0.23 | 1.4 | < 5 | 30 | < 0.5 | < 2 | 0.12 | 2.0 | 1 | 48 | 28 | 1.20 | < 10 | < 1 | 0.10 | 20 | 0.05 | 265 |
| 239892 | 205 238 | < 5 | 6.52 | < 0.2 | < 5 | 100 | 1.5 | < 2 | 3.54 | < 0.5 | 9 | 46 | 12 | 2.43 | 10 | < 1 | 0.73 | 10 | 1.59 | 104 |
| 239893 g vns | 205 238 | 85 | 0.21 | 33.0 | 35 | 10 | < 0.5 | 42 | 1.38 | < 0.5 | 2 | 82 | 15 | 0.41 | < 10 | < 1 | 0.03 | 10 | 0.06 | 114 |
| 239894 cs | 205 238 | 35 | 1.02 | 1.6 | < 5 | 50 | < 0.5 | 2 | 1.25 | 13.5 | 11 | 28 | 64 | 3.19 | < 10 | 1 | 0.14 | 20 | 0.64 | 500 |
| 239895 L. g vns | 205 238 | < 5 | 0.10 | < 0.2 | < 5 | < 10 | < 0.5 | 2 | 0.15 | < 0.5 | 2 | 82 | 8 | 0.37 | < 10 | < 1 | < 0.01 | < 10 | 0.08 | 86 |
| 239898 Arg. py | 205 238 | < 5 | 0.28 | 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.31 | 0.5 | 8 | 62 | 64 | 2.27 | < 10 | < 1 | 0.01 | 10 | 0.12 | 114 |
| 239899 cs po | 205 238 | < 5 | 0.14 | 6.4 | < 5 | < 10 | < 0.5 | 10 | 0.10 | 1.5 | 5 | 85 | 18 | 1.34 | < 10 | < 1 | 0.01 | < 10 | 0.07 | 385 |

Oka Conn
Lamb
Akd
W

Oka Conn

Lamb
Dust

"
"
"
"

Sandling
5 of Lamb
Pros. Care
Lamb

RECEIVED
JUL 5 1988
KERR ADDISON MINES LTD.

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments:

Page No. : 1-B
Tot. Pages: 1
Date : 4-JUL-88
Invoice #: I-8817734
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817734

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|--------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239548 | 205 | 238 | 1 | 0.01 | < 1 | 120 | 126 | 15 | < 1 | 12 | 0.04 | < 10 | < 10 | 81 | < 5 | 26 |
| 239567 | 205 | 238 | 33 | 0.05 | 43 | 480 | 10 | < 5 | 6 | 27 | 0.07 | < 10 | < 10 | 128 | 5 | 103 |
| 239568 | 205 | 238 | 1 | 0.02 | 2 | 10 | 16 | < 5 | < 1 | 2 | < 0.01 | < 10 | 10 | 2 | < 5 | 5 |
| 239569 | 205 | 238 | 8 | 0.04 | 21 | 460 | 2 | < 5 | 2 | 24 | 0.09 | < 10 | < 10 | 33 | 5 | 45 |
| 239570 | 205 | 238 | 2 | 0.01 | 4 | 80 | 4 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 4 | < 5 | 6 |
| 239571 | 205 | 238 | 1 | 0.04 | 51 | 1190 | 4 | < 5 | 2 | 12 | 0.26 | < 10 | < 10 | 26 | < 5 | 15 |
| 239877 | 205 | 238 | 2 | 0.02 | 6 | 550 | 24 | < 5 | 6 | 64 | 0.02 | < 10 | < 10 | 60 | 5 | 57 |
| 239878 | 205 | 238 | 8 | 0.01 | 2 | 60 | 44 | < 5 | 2 | 13 | < 0.01 | < 10 | < 10 | 5 | < 5 | 12 |
| 239879 | 205 | 238 | 1 | 0.02 | 4 | 420 | 6 | 5 | 7 | 82 | 0.05 | < 10 | < 10 | 40 | 5 | 37 |
| 239880 | 205 | 238 | 8 | 0.01 | 1 | 60 | 28 | < 5 | < 1 | 8 | < 0.01 | < 10 | < 10 | 5 | < 5 | 6 |
| 239881 | 205 | 238 | 9 | 0.24 | 18 | 830 | 8 | 5 | 8 | 158 | 0.08 | < 10 | < 10 | 67 | < 5 | 39 |
| 239882 | 205 | 238 | 1 | 0.01 | 1 | 180 | 2 | < 5 | 1 | 19 | 0.05 | < 10 | < 10 | 26 | < 5 | 15 |
| 239883 | 205 | 238 | 1 | 0.06 | 20 | 1340 | 4 | < 5 | 4 | 33 | 0.30 | < 10 | < 10 | 67 | 5 | 19 |
| 239885 | 205 | 238 | < 1 | 0.01 | 2 | 420 | 12 | < 5 | 10 | 124 | 0.01 | < 10 | < 10 | 47 | 10 | 163 |
| 239886 | 205 | 238 | 2 | 0.05 | 2 | 1660 | < 2 | < 5 | 4 | 12 | 0.29 | < 10 | < 10 | 104 | 5 | 54 |
| 239887 | 205 | 238 | 6 | 0.20 | 8 | 410 | < 2 | < 5 | 1 | 65 | 0.14 | < 10 | < 10 | 13 | 5 | 10 |
| 239888 | 205 | 238 | 1 | 0.01 | 3 | 50 | 6 | < 5 | < 1 | 7 | 0.02 | < 10 | < 10 | 2 | < 5 | 2 |
| 239889 | 205 | 238 | 2 | 0.02 | < 1 | 190 | 38 | < 5 | < 1 | 2 | < 0.01 | < 10 | < 10 | 1 | < 5 | 12 |
| 239890 | 205 | 238 | 3 | 0.17 | 6 | 410 | < 2 | < 5 | 1 | 64 | 0.11 | < 10 | < 10 | 20 | 5 | 16 |
| 239891 | 205 | 238 | 4 | 0.01 | < 1 | 60 | 76 | < 5 | < 1 | 4 | < 0.01 | < 10 | < 10 | < 1 | < 5 | 44 |
| 239892 | 205 | 238 | 4 | 0.44 | 11 | 190 | 4 | < 5 | 6 | 161 | 0.13 | < 10 | < 10 | 46 | 10 | 56 |
| 239893 | 205 | 238 | < 1 | 0.01 | 13 | 380 | 64 | < 5 | < 1 | 13 | 0.01 | < 10 | < 10 | 7 | < 5 | 32 |
| 239894 | 205 | 238 | 3 | 0.04 | 14 | 520 | 4 | < 5 | 6 | 23 | 0.09 | < 10 | < 10 | 47 | 5 | 812 |
| 239895 | 205 | 238 | < 1 | < 0.01 | 6 | 20 | 8 | < 5 | < 1 | 5 | < 0.01 | < 10 | < 10 | 7 | < 5 | 12 |
| 239898 | 205 | 238 | 4 | 0.02 | 10 | 460 | 6 | < 5 | 5 | 9 | 0.10 | < 10 | < 10 | 33 | < 5 | 26 |
| 239899 | 205 | 238 | < 1 | < 0.01 | 5 | 40 | 40 | < 5 | 1 | 3 | < 0.01 | < 10 | < 10 | 5 | < 5 | 32 |

CERTIFICATION :

BCF



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02-07

Comments: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 15-JUL-88
Invoice #: I-8818593
P.O. #: AKW

CERTIFICATE OF ANALYSIS A8818593

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|--------------------------|-----------|-----|--------|------|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|------|--------|--------|--------|--------|---------|--------|
| | FA+AA | | | | | | | | | | | | | | | | | | | | |
| 239809 <i>sil po</i> | 205 | 238 | 10 | 0.29 | 0.6 | < 5 | 30 | < 0.5 | < 2 | 0.65 | 0.5 | 10 | 49 | 398 | 2.40 | < 10 | < 1 | 0.06 | < 10 | 0.29 | 74 |
| 239810 <i>q vns</i> | 205 | 238 | < 5 | 0.54 | 2.0 | < 5 | 20 | < 0.5 | 6 | 0.17 | 0.5 | < 1 | 100 | 7 | 1.22 | < 10 | < 1 | 0.11 | < 10 | 0.33 | 593 |
| 239811 <i>a mb, gstr</i> | 205 | 238 | < 5 | 0.11 | 0.2 | < 5 | 20 | < 0.5 | < 2 | 0.17 | < 0.5 | 40 | 484 | 7 | 2.67 | < 10 | < 1 | < 0.01 | < 10 | 5.68 | 499 |
| 239812 | 205 | 238 | < 5 | 0.08 | < 0.2 | < 5 | 10 | < 0.5 | < 2 | 0.03 | < 0.5 | < 1 | 109 | 2 | 0.28 | < 10 | < 1 | < 0.01 | < 10 | 0.18 | 118 |
| 239813 | 205 | 238 | < 5 | 0.34 | < 0.2 | < 5 | 110 | < 0.5 | < 2 | 0.16 | < 0.5 | 4 | 127 | 7 | 1.89 | < 10 | < 1 | 0.04 | < 10 | 0.21 | 127 |
| 239814 | 205 | 238 | 10 | 0.11 | < 0.2 | < 5 | 30 | < 0.5 | < 2 | 0.05 | < 0.5 | < 1 | 95 | 11 | 0.51 | < 10 | < 1 | 0.02 | < 10 | 0.09 | 75 |
| 239815 <i>um, mal</i> | 205 | 238 | < 5 | 0.09 | 0.4 | 60 | 10 | < 0.5 | < 2 | 0.06 | < 0.5 | 105 | 208 | 10 | 4.25 | < 10 | < 1 | < 0.01 | < 10 | > 15.00 | 808 |
| 239816 | 205 | 238 | < 5 | 0.50 | < 0.2 | < 5 | 40 | < 0.5 | < 2 | 0.50 | < 0.5 | 5 | 73 | 79 | 1.17 | < 10 | < 1 | 0.04 | < 10 | 0.62 | 154 |
| 239817 | 205 | 238 | < 5 | 0.27 | 0.4 | < 5 | 440 | < 0.5 | < 2 | 0.08 | 0.5 | 1 | 213 | 36 | 5.05 | < 10 | < 1 | 0.37 | < 10 | 0.22 | 61 |
| 239818 | 205 | 238 | < 5 | 3.88 | 0.4 | < 5 | 420 | 0.5 | 2 | 0.95 | 0.5 | 24 | 187 | 154 | 5.02 | < 10 | < 1 | 2.14 | 20 | 2.61 | 575 |
| 239819 | 205 | 238 | < 5 | 0.14 | 0.4 | 5 | 40 | < 0.5 | < 2 | 0.07 | < 0.5 | 4 | 164 | 18 | 0.61 | < 10 | < 1 | 0.04 | < 10 | 0.09 | 245 |
| 239820 | 205 | 238 | < 5 | 0.15 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | 0.24 | < 0.5 | < 1 | 161 | 9 | 0.38 | < 10 | < 1 | 0.01 | < 10 | 0.17 | 104 |
| 239821 | 205 | 238 | < 5 | 0.02 | < 0.2 | < 5 | 20 | < 0.5 | < 2 | > 15.00 | < 0.5 | 5 | 5 | 1 | 0.24 | < 10 | < 1 | < 0.01 | < 10 | 7.40 | 754 |
| 239822 | 235 | 238 | < 5 | 2.75 | 0.2 | < 5 | 480 | < 0.5 | 4 | 0.96 | 1.0 | 23 | 125 | 19 | 3.65 | < 10 | < 1 | 0.27 | 20 | 2.09 | 1450 |
| 239549 <i>um, py</i> | 205 | 238 | < 5 | 0.44 | 0.4 | < 5 | 20 | < 0.5 | < 2 | 0.50 | < 0.5 | 87 | 2350 | 14 | 3.69 | < 10 | < 1 | < 0.01 | < 10 | 13.10 | 562 |
| 239550 <i>B, mal</i> | 205 | 238 | < 5 | 3.36 | 0.2 | < 5 | 80 | 0.5 | 2 | 1.02 | 1.0 | 18 | 90 | 5 | 5.06 | 10 | < 1 | 0.20 | 50 | 3.13 | 286 |

H. Hoag
RON
RUSH

CERTIFICATION : *BCJ*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02-07
Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 15-JUL-88
Invoice #: I-8818593
P.O. #: AKW

CERTIFICATE OF ANALYSIS A8818593

| SAMPLE DESCRIPTION | PREP CODE | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Sc ppm | Sr ppm | Ti % | Tl ppm | U ppm | V ppm | W ppm | Zn ppm |
|--------------------|-----------|--------|--------|-------------|-------|--------|--------|--------|--------|--------|--------|-------|-------|------------|--------|
| 239809 | 205 238 | 24 | 0.05 | 28 | 570 | 106 | < 5 | 3 | 11 | 0.27 | < 10 | < 10 | 44 | < 5 | 33 |
| 239810 | 205 238 | 3 | 0.01 | < 1 | 210 | 44 | < 5 | < 1 | 10 | 0.01 | < 10 | < 10 | 22 | <u>120</u> | 46 |
| 239811 ? | 205 238 | 1 | < 0.01 | <u>662</u> | 50 | 10 | < 5 | 3 | 10 | < 0.01 | < 10 | < 10 | 10 | 15 | 6 |
| 239812 | 205 238 | < 1 | < 0.01 | <u>16</u> | 90 | < 2 | < 5 | < 1 | 3 | < 0.01 | < 10 | < 10 | 1 | < 5 | 6 |
| 239813 | 205 238 | 1 | 0.04 | 19 | 910 | 8 | < 5 | 3 | 17 | 0.01 | < 10 | < 10 | 31 | < 5 | 24 |
| 239814 | 205 238 | < 1 | < 0.01 | 12 | 130 | 6 | < 5 | < 1 | 4 | 0.01 | < 10 | < 10 | 10 | < 5 | 17 |
| 239815 <i>um</i> | 205 238 | < 1 | < 0.01 | <u>1965</u> | < 10 | 4 | < 5 | 4 | 2 | < 0.01 | < 10 | < 10 | 3 | 15 | 21 |
| 239816 | 205 238 | < 1 | 0.09 | 23 | 320 | 10 | < 5 | 1 | 37 | < 0.01 | < 10 | < 10 | 17 | < 5 | 11 |
| 239817 | 205 238 | 7 | 0.02 | 20 | 1050 | 8 | < 5 | 1 | 102 | 0.04 | < 10 | < 10 | 40 | 10 | 15 |
| 239818 | 205 238 | 11 | 0.19 | 104 | 1170 | 6 | < 5 | 14 | 78 | 0.36 | < 10 | < 10 | 280 | 15 | 140 |
| 239819 | 205 238 | 3 | 0.01 | 22 | 290 | 4 | < 5 | < 1 | 6 | < 0.01 | < 10 | < 10 | 7 | < 5 | 16 |
| 239820 | 205 238 | < 1 | < 0.01 | 8 | 50 | 10 | < 5 | < 1 | 12 | 0.01 | < 10 | < 10 | 7 | < 5 | 9 |
| 239821 | 205 238 | < 1 | < 0.01 | 1 | 80 | 8 | < 5 | < 1 | 390 | < 0.01 | < 10 | < 10 | 2 | < 5 | 17 |
| 239822 | 235 238 | 1 | 0.03 | 111 | 1070 | 4 | < 5 | 6 | 128 | 0.21 | < 10 | < 10 | 79 | 10 | 57 |
| 239549 <i>um</i> | 205 238 | 1 | < 0.01 | <u>1635</u> | < 10 | 8 | < 5 | 5 | 17 | < 0.01 | 10 | < 10 | 23 | <u>70</u> | 56 |
| 239550 | 205 238 | 1 | 0.03 | 20 | 2440 | 20 | < 5 | 13 | 52 | 0.35 | < 10 | < 10 | 151 | 15 | 78 |

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02-07

Comments: CC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 19-JUL-88
Invoice #: I-8818661
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8818661

| SAMPLE DESCRIPTION | PREP CODE | | Au ppb | Al % | Ag ppm | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm | Hg ppm | K % | La ppm | Mg % | Mn ppm |
|---------------------------------------|-----------|-----|--------|------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|------|--------|--------|------|--------|------|--------|
| | | | FA+AA | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % | ppm |
| <i>Sample</i> 239601 <i>Mb, po</i> | 205 | 238 | 5 | 0.58 | 0.4 | 15 | 490 | 1.0 | < 2 | 3.34 | 5.5 | 17 | 53 | 15 | 5.00 | < 10 | < 1 | 0.18 | 40 | 1.24 | 696 |
| <i>Lamb8</i> 239841 <i>Mb, po</i> | 205 | 238 | < 5 | 0.26 | < 0.2 | 5 | 10 | 0.5 | < 2 | 12.55 | < 0.5 | 1 | 13 | 13 | 1.33 | < 10 | < 1 | 0.01 | < 10 | 0.44 | 489 |

CERTIFICATION :

BCJ



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B02-07
Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 19-JUL-88
Invoice #: I-8818661
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8818661

| SAMPLE DESCRIPTION | PREP CODE | | Mo | Na | Ni | P | Pb | Sb | Sc | Sr | Ti | Tl | U | V | W | Zn |
|--------------------|-----------|-----|-----|------|-----|------|-----|-----|-----|-----|--------|------|------|-----|-----|-----|
| | | | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| 239601 | 205 | 238 | < 1 | 0.02 | 6 | 2300 | 20 | 5 | 6 | 217 | < 0.01 | < 10 | < 10 | 84 | 5 | 267 |
| 239841 | 205 | 238 | < 1 | 0.02 | 7 | 380 | 4 | 5 | 5 | 63 | 0.05 | < 10 | < 10 | 23 | < 5 | 54 |

CERTIFICATION : 