


Longitudinal grid detailed samples

M. Kitzer

Aug 5 '90

825528

	Line	Slope	Color	feature
ORLMS098	0+25 ^{BLE} 2+00 N	2	3	2
ORLMS099	0+50 ^E 2+00 N	2	3	2
100	0+75 ^E 2+00 N	2	2	2
101	0+75 ^E 2+50 N	2	2	2
102	0+50 ^E 2+50 N	2	2	2
103	0+25 ^E 2+50 N	2	2	2
104	0+25 2+75 N	2	2	2
105	0+50 2+75 N	2	2	2
106	0+75 2+75 N	2	2	2
107	0+75 ^E 3+00 N	2	2	2
108	0+25 ^E 3+00 N	2	2	2
109	0+25 ^E 3+25 N	2	2	2
110	0+25 ^E 3+50 N	2	2	2
111	0+50 ^E 3+50 N	2	2	2
112	0+75 ^E 3+50 N	2	2	2
113	75 4+00 N	2	2	2
114	50 4+00 N	2	2	2
115	25 4+00 N	2	2	2
116	75 3+75	2	2	2
117	50 3+75	2	2	2
118	75 3+75	2	2	2



THE LINES ARE $\approx 150m$ 3 ± 25^N
 apart. I will now try to get the
 samples in the appropriate places.
 Also lengths are different. shoot E-W
 you arrive on the $\pm 25m$
 ahead of where you should be
 so I will list the BL number
 and shot east west.

M. Kirker

	Longhorn grid	detailed	samples.	Aug 5 '90
	Line	slope	color	texture.
ORLMSH9	4+25 ⁷⁵	2	2	2
120	50	2	2	2
121	25	2	2	2+3
122	4+150 ²⁵	2	2	2
123	50	2	2	2
124	75	2	2	2+3
125	4+75 ⁷⁵	2	2	2
126	50	2	2	2
127	25	2	2	2
128	5+50 ²⁵	2	2	3
129	50	2	2	2+3
130	75	2	2	2
131	5+25 ²⁵	2	2	2
132	50	2	2	2
133	75	2	2	2+3
134	5+50 ²⁵	2	2	2
135	50	2	2	2
136	75	2	2	2
137				
138				
139				
140				

22	525	3	3	B	4	
23	550	3	3	B	2	
24	575	2	3	B	2	
25	600	2	3	B	2	
26	625	2	3/7	B	4	
27	650	2	3	B	2	
28	675	2	3	B	2	
29	700	MIKE DID IT				
30	7	100E +	650N	B	3	
31	600	2	3	B	3	
32	550	1	3	B	3	
33	500	1	3	B	3	
34	450	1	3	B	2	
35	400	1	3	B	3	
36	350	1	3	B	2	
37	300	2	3	B	3	
38	250	2	3	B	3	
39	200	2	3	B	3	
40	150	2	3	B	3	
41	100	2	3	B	3	
42	50	2	3	B	3	
43	=	100W	100N	B	.	
44	150	3	3	B		

45	200	2	3	D	2
46	250	2	3	B	2
47	300	2	3	B	1
48	350	2	3	B	2
49	400	2	3	B	2
50	450	3	3	B	2
51	500	3	3	B	1
52	550	2	3	B	1
83	600	2	3	B	2/1
54	650	2	3	B	2
55	700	2	3	B	2

$$R \quad W \quad 1+25 \quad 700N \quad = 58$$

57	=W+75	3	3	B	2
58	+50	3	3	B	2
59	+25	2	3	B	1