

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

826600

Texada
92F/09

A9620898

Comments: ATTN: COLIN BURGE

CERTIFICATE

A9620898

(BBX) - INMET MINING CORPORATION

Project: 683
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 29-JUN-96.

RECEIVED JUL 04 1996

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	22	Geochem ring to approx 150 mesh
226	22	0-3 Kg crush and split
3202	22	Rock - save entire reject
233	22	Assay AQ ICP digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	22	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
997	1	Au g/t: 1 assay ton, grav.	FA-GRAVIMETRIC	0.07	1000.0
4001	22	Ag ppm: A30 ICP package	ICP-AES	1	200
4002	22	Al %: A30 ICP package	ICP-AES	0.01	15.00
4003	22	As ppm: A30 ICP package	ICP-AES	10	50000
4004	22	Ba ppm: A30 ICP package	ICP-AES	20	200000
4005	22	Be ppm: A30 ICP package	ICP-AES	5	100
4006	22	Bi ppm: A30 ICP package	ICP-AES	10	50000
4007	22	Ca %: A30 ICP package	ICP-AES	0.01	30.0
4008	22	Cd ppm: A30 ICP package	ICP-AES	5	1000
4009	22	Co ppm: A30 ICP package	ICP-AES	5	50000
4010	22	Cr ppm: A30 ICP package	ICP-AES	10	20000
4011	22	Cu ppm: A30 ICP package	ICP-AES	5	50000
4012	22	Fe %: A30 ICP package	ICP-AES	0.01	30.0
4013	22	Hg ppm: A30 ICP package	ICP-AES	10	10000
4014	22	K %: A30 ICP package	ICP-AES	0.01	20.0
4015	22	Mg %: A30 ICP package	ICP-AES	0.01	30.0
4016	22	Mn ppm: A30 ICP package	ICP-AES	10	50000
4017	22	Mo ppm: A30 ICP package	ICP-AES	5	50000
4018	22	Na %: A30 ICP package	ICP-AES	0.01	20.0
4019	22	Ni ppm: A30 ICP package	ICP-AES	5	50000
4020	22	P ppm: A30 ICP package	ICP-AES	100	10000
4021	22	Pb ppm: A30 ICP package	ICP-AES	5	50000
4022	22	Sb ppm: A30 ICP package	ICP-AES	10	10000
4023	22	Sc ppm: A30 ICP package	ICP-AES	5	10000
4024	22	Sr ppm: A30 ICP package	ICP-AES	5	10000
4025	22	Ti %: A30 ICP package	ICP-AES	0.01	10.00
4026	22	Tl ppm: A30 ICP package	ICP-AES	20	10000
4027	22	U ppm: A30 ICP package	ICP-AES	20	10000
4028	22	V ppm: A30 ICP package	ICP-AES	20	50000
4029	22	W ppm: A30 ICP package	ICP-AES	20	10000
4030	22	Zn ppm: A30 ICP package	ICP-AES	5	50000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION
 3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

Project : 683
 Comments: ATTN: COLIN BURGE

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 29-JUN-96
 Invoice No. : I9620898
 P.O. Number :
 Account : BBX

CERTIFICATE OF ANALYSIS A9620898

SAMPLE	PREP CODE		Au ppb	Au FA	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	Mg	Mn	Mo
	FA+AA	g/t	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	%	ppm	ppm
TI-96-001	205	226	15	-----	< 1	1.49	80	< 20	< 5	< 10	7.67	< 5	30	40	85	>30.0	< 10	0.03	0.39	1800	< 5
TI-96-002	205	226	50	-----	4	0.51	10	< 20	< 5	< 10	3.61	< 5	60	20	2080	>30.0	< 10	0.04	0.34	1030	< 5
TI-96-003	205	226	10	-----	3	2.07	10	60	< 5	< 10	4.12	< 5	45	60	80	9.50	< 10	0.07	0.35	240	< 5
TI-96-004	205	226	< 5	-----	< 1	1.22	< 10	100	< 5	< 10	2.50	< 5	< 5	100	55	2.28	< 10	0.43	0.51	360	< 5
TI-96-005	205	226	150	-----	8	0.62	80	< 20	< 5	< 10	5.62	< 5	125	10	10900	>30.0	< 10	0.05	0.60	1120	< 5
TI-96-006	205	226	5	-----	< 1	1.54	< 10	120	< 5	< 10	1.73	< 5	15	60	350	5.25	< 10	0.22	0.67	430	< 5
TI-96-007	205	226	< 5	-----	< 1	1.41	10	80	< 5	< 10	1.51	< 5	15	60	40	4.44	< 10	0.21	0.74	620	< 5
TI-96-008	205	226	10	-----	1	0.26	30	< 20	< 5	< 10	6.11	< 5	40	30	500	>30.0	< 10	0.01	0.64	2320	< 5
TI-96-009	205	226	135	-----	6	1.94	20	60	< 5	< 10	3.51	< 5	50	30	7440	13.75	< 10	0.16	0.68	690	< 5
TI-96-010	205	226	7020	-----	7	0.29	120	< 20	< 5	< 10	1.81	< 5	230	40	5480	>30.0	< 10	0.03	0.07	1470	< 5
TI-96-011	205	226	20	-----	< 1	7.09	10	40	< 5	< 10	4.32	< 5	10	40	95	4.53	< 10	0.05	0.45	280	< 5
TI-96-012	205	226	>10000	17.70	28	0.08	430	< 20	< 5	30	3.46	15	30	170	46000	>30.0	< 10	< 0.01	0.05	280	< 5
TI-96-013	205	226	7270	-----	8	0.01	50	< 20	< 5	< 10	0.41	< 5	155	130	7110	>30.0	< 10	< 0.01	0.04	60	< 5
TI-96-014	205	226	2340	-----	< 1	0.08	50	< 20	< 5	10	0.16	< 5	15	60	295	>30.0	< 10	0.02	0.11	530	< 5
TI-96-015	205	226	25	-----	< 1	2.80	20	20	< 5	10	1.87	< 5	40	150	120	6.45	< 10	0.11	1.70	430	< 5
TI-96-016	205	226	85	-----	< 1	1.15	10	< 20	< 5	< 10	1.13	< 5	35	260	610	7.35	< 10	0.09	1.11	340	< 5
TI-96-017	205	226	20	-----	< 1	2.26	< 10	40	< 5	< 10	2.48	< 5	30	130	140	3.39	< 10	0.20	1.15	370	< 5
TI-96-018	205	226	4210	-----	35	0.03	10	< 20	< 5	10	>30.0	< 5	5	10	14430	0.61	< 10	0.01	0.08	2550	< 5
TI-96-019	205	226	3200	-----	8	0.74	110	< 20	< 5	< 10	3.87	< 5	490	90	4790	>30.0	< 10	0.01	0.14	860	< 5
TI-96-020	205	226	35	-----	< 1	2.55	30	40	< 5	< 10	2.43	< 5	25	30	110	7.08	< 10	0.18	0.99	580	< 5
TI-96-021	205	226	20	-----	1	1.15	< 10	< 20	< 5	< 10	17.55	< 5	10	20	465	1.66	< 10	0.01	3.35	420	< 5
TI-96-022	205	226	25	-----	< 1	1.06	< 10	< 20	< 5	< 10	18.00	< 5	5	10	400	1.84	< 10	0.03	3.89	410	< 5

RECEIVED JUN 29 1996

Chai D Ma

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION
 3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

Page Number :1-B
 Total Pages :1
 Certificate Date: 29-JUN-96
 Invoice No. :I9620898
 P.O. Number :
 Account :BBX

Project : 683
 Comments: ATTN: COLIN BURGE

CERTIFICATE OF ANALYSIS A9620898

SAMPLE	PREP CODE		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
TI-96-001	205	226	0.07	15	200	5	< 10	< 5	35	0.06	< 20	< 20	20	40	155
TI-96-002	205	226	0.08	25	< 100	< 5	< 10	< 5	70	< 0.01	20	< 20	< 20	60	145
TI-96-003	205	226	0.17	20	1700	50	10	< 5	325	0.26	20	< 20	80	< 20	140
TI-96-004	205	226	0.12	5	500	15	< 10	< 5	70	0.04	< 20	< 20	20	< 20	30
TI-96-005	205	226	0.08	15	200	15	< 10	< 5	40	0.02	< 20	< 20	< 20	40	220
TI-96-006	205	226	0.18	5	1400	5	< 10	< 5	120	0.23	20	< 20	120	< 20	55
TI-96-007	205	226	0.17	5	1600	< 5	< 10	< 5	70	0.28	20	< 20	140	< 20	55
TI-96-008	205	226	0.05	5	100	5	< 10	< 5	65	< 0.01	20	< 20	< 20	40	65
TI-96-009	205	226	0.31	10	1600	5	< 10	< 5	190	0.17	< 20	< 20	60	< 20	165
TI-96-010	205	226	0.07	30	< 100	< 5	< 10	< 5	5	< 0.01	< 20	< 20	< 20	60	155
TI-96-011	205	226	1.05	5	400	< 5	< 10	< 5	375	0.21	< 20	< 20	160	< 20	20
TI-96-012	205	226	0.03	10	100	10	< 10	< 5	5	< 0.01	< 20	< 20	< 20	20	795
TI-96-013	205	226	0.04	30	< 100	15	10	< 5	< 5	< 0.01	< 20	< 20	< 20	20	35
TI-96-014	205	226	0.06	60	< 100	50	30	< 5	< 5	< 0.01	20	< 20	40	20	70
TI-96-015	205	226	0.23	100	700	5	< 10	< 5	60	0.59	20	< 20	200	< 20	55
TI-96-016	205	226	0.13	85	800	5	< 10	< 5	25	0.48	< 20	< 20	200	< 20	45
TI-96-017	205	226	0.14	70	700	10	< 10	5	55	0.39	< 20	< 20	120	< 20	55
TI-96-018	205	226	0.04	< 5	< 100	< 5	< 10	< 5	20	< 0.01	20	< 20	< 20	< 20	55
TI-96-019	205	226	0.04	15	< 100	15	< 10	< 5	30	< 0.01	< 20	< 20	20	< 20	270
TI-96-020	205	226	0.19	5	1800	5	< 10	< 5	120	0.23	< 20	< 20	80	< 20	115
TI-96-021	205	226	0.03	10	< 100	< 5	< 10	< 5	110	< 0.01	< 20	< 20	< 20	< 20	155
TI-96-022	205	226	0.04	10	50	< 5	< 10	< 5	110	< 0.01	< 20	< 20	< 20	< 20	150

RECEIVED JUN 14 1996

Phai D Ma

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

PETER/LOGAN
 12/96

A964353

Comments: ATTN:COLIN BURGE

RECEIVED DEC 23 1996

CERTIFICATE **A9643537**

(BBX) - INMET MINING CORPORATION

Project: 683
 P.O. #: 683


Samples submitted to our lab in Vancouver, BC.
 This report was printed on 19-DEC-96.

SAMPLE PREPARATION		
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	48	Geochem ring to approx 150 mesh
226	48	0-3 Kg crush and split
3202	48	Rock - save entire reject
229	48	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES					
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	48	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
997	1	Au g/t: 1 assay ton, grav.	FA-GRAVIMETRIC	0.07	1000.0
2118	48	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	48	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	48	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	48	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	48	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	48	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	48	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	48	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	48	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	48	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	48	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	48	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	48	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	48	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	48	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	48	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	48	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	48	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	48	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	48	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	48	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	48	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	48	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	48	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	48	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	48	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	48	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	48	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	48	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	48	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	48	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	48	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

Project:
Comments: ATTN:COLIN BURGE

Page Number : 1-A
Total Pages : 1
Certificate Date: 19-DEC-96
Invoice No. : 19643536
P.O. Number : 683
Account : BBX


RECEIVED

CERTIFICATE OF ANALYSIS

A9643536

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
39320S	201 202	< 5	< 0.2	0.33	< 2	10	0.5	2	>15.00	2.0	< 1	1	1	0.26	< 10	< 1	< 0.01	< 10	0.08	685
39521C	201 202	10	0.2	3.59	10	60	0.5	< 2	9.77	1.5	13	7	35	3.13	10	< 1	0.02	< 10	1.05	1560
39522S	201 202	< 5	< 0.2	2.37	4	50	< 0.5	< 2	0.56	< 0.5	8	11	10	2.66	< 10	< 1	0.03	< 10	0.42	485
39523S	201 202	< 5	< 0.2	3.70	8	60	0.5	2	0.75	0.5	9	17	14	3.38	< 10	< 1	0.02	< 10	0.30	495

CERTIFICATION: *Kevin ...*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

Project :
Comments: ATTN:COLIN BURGE

Page Number :1-B
Total Pages :1
Certificate Date: 19-DEC-96
Invoice No. :19643536
P.O. Number :683
Account :BBX

RECEIVED DEC 23 1996

CERTIFICATE OF ANALYSIS A9643536

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
39320s	201	202	< 1	< 0.01	1	350	20	< 2	< 1	320	< 0.01	< 10	10	< 1	< 10	76
39521s	201	202	1	0.05	11	700	44	4	10	155	0.07	< 10	< 10	127	< 10	222
39522s	201	202	1	< 0.01	7	890	14	< 2	2	26	0.12	< 10	< 10	66	< 10	124
39523s	201	202	1	< 0.01	11	1080	54	< 2	3	28	0.13	< 10	< 10	70	< 10	304

CERTIFICATION: Harold Beckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

A964353

Comments: ATTN:COLIN BURGE

CERTIFICATE

A9643536

(BBX) - INMET MINING CORPORATION

Project: 683
 P.O.#: 683

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 19-DEC-96.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	4	Dry, sieve to -80 mesh
202	4	save reject
229	4	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	4	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	4	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	4	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	4	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	4	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	4	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	4	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	4	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	4	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	4	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	4	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	4	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	4	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	4	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	4	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	4	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	4	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	4	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	4	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	4	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	4	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	4	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	4	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	4	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	4	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	4	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	4	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	4	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	4	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	4	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	4	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	4	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	4	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

Page Number :1-A
 Total Pages :2
 Certificate Date: 19-DEC-96
 Invoice No. :I9643537
 P.O. Number :683
 Account :BBX

Project :
 Comments: ATTN:COLIN BURGE


RECEIVED 150 23 1996

CERTIFICATE OF ANALYSIS

A9643537

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
ctf 39314 Vol	205 226	40	-----	< 0.2	2.23	< 2	100	< 0.5	< 2	1.85	< 0.5	12	34	64	4.31	< 10	< 1	0.44	10	0.78
39315 Vol	205 226	10	-----	< 0.2	1.89	< 2	110	< 0.5	< 2	1.61	< 0.5	7	43	17	3.95	< 10	< 1	0.28	10	0.57
39316 Vol	205 226	5	-----	< 0.2	1.66	2	70	< 0.5	< 2	1.65	< 0.5	5	26	8	3.55	< 10	< 1	0.19	10	0.46
39317 Vol	205 226	5	-----	< 0.2	1.95	< 2	50	0.5	< 2	2.04	< 0.5	6	18	10	4.48	< 10	< 1	0.15	10	0.47
39318 Vol	205 226	< 5	-----	< 0.2	1.61	2	70	< 0.5	< 2	1.37	< 0.5	3	41	13	2.71	< 10	< 1	0.19	10	0.34
39319 Spectacle	205 226	< 5	-----	< 0.2	3.14	< 2	260	< 0.5	< 2	1.97	< 0.5	19	27	62	3.48	< 10	< 1	0.82	10	1.78
39320 Vol skarn	205 226	1380	-----	1.0	0.18	16	10	< 0.5	< 2	0.09	0.5	78	6	1455	>15.00	20	< 1	0.01	< 10	0.06
39321 Marble	205 226	>10000	18.38	1.4	0.09	6	< 10	< 0.5	< 2	>15.00	3.0	< 1	69	46	1.30	< 10	< 1	0.01	< 10	0.23
39322 Marble	205 226	20	-----	0.2	0.09	< 2	< 10	< 0.5	< 2	>15.00	< 0.5	< 1	2	9	0.22	< 10	< 1	0.01	< 10	0.54
39323 Vol	205 226	600	-----	< 0.2	1.72	4	30	0.5	< 2	2.44	< 0.5	< 1	27	6	0.59	< 10	< 1	0.06	< 10	0.45
39324 Vol	205 226	10	-----	< 0.2	3.87	6	80	0.5	< 2	2.28	< 0.5	< 1	53	5	0.74	< 10	< 1	0.37	< 10	0.32
39325 Vol	205 226	< 5	-----	< 0.2	5.26	< 2	80	0.5	< 2	2.74	< 0.5	2	110	10	1.70	10	< 1	0.86	10	0.69
ctf 39326 Vol	205 226	< 5	-----	< 0.2	3.88	8	120	0.5	< 2	1.95	< 0.5	1	81	11	2.66	10	< 1	0.53	< 10	0.60
39327 Vol	205 226	15	-----	< 0.2	2.50	2	80	0.5	< 2	1.77	< 0.5	2	38	6	2.69	< 10	< 1	0.17	10	0.38
39328 Vol	205 226	< 5	-----	< 0.2	3.88	4	20	< 0.5	< 2	2.92	< 0.5	< 1	37	8	0.49	< 10	< 1	0.04	< 10	0.12
39329 Vol skarn	205 226	1660	-----	2.0	0.07	50	< 10	< 0.5	< 2	0.50	< 0.5	18	5	22	>15.00	30	< 1	< 0.01	< 10	0.03
39330 Vol	205 226	15	-----	< 0.2	1.50	< 2	60	< 0.5	< 2	1.44	< 0.5	3	34	1	3.42	< 10	< 1	0.14	10	0.48
39331 Vol	205 226	10	-----	< 0.2	4.95	< 2	190	1.0	< 2	2.90	< 0.5	8	16	62	3.39	10	< 1	0.76	10	0.94
39332 Vol	205 226	< 5	-----	< 0.2	2.53	< 2	70	< 0.5	< 2	1.62	< 0.5	7	26	41	3.41	< 10	< 1	0.22	10	0.76
39333 Vol	205 226	< 5	-----	< 0.2	1.96	< 2	30	0.5	< 2	1.88	< 0.5	7	15	13	4.16	< 10	< 1	0.12	10	0.67
39334 Cem	205 226	70	-----	< 0.2	3.03	< 2	140	< 0.5	< 2	1.26	< 0.5	10	116	222	5.35	10	< 1	0.98	< 10	2.77
39335 Cem	205 226	85	-----	< 0.2	3.70	40	90	0.5	< 2	2.02	< 0.5	14	22	18	4.23	10	< 1	0.41	10	1.27
39336 Cem	205 226	30	-----	< 0.2	2.50	< 2	20	< 0.5	< 2	1.26	< 0.5	33	122	206	5.67	10	< 1	0.06	< 10	1.48
39337 Cem	205 226	15	-----	< 0.2	1.59	2	20	< 0.5	< 2	1.12	< 0.5	27	151	79	5.23	< 10	< 1	0.09	< 10	1.36
39338 Cem	205 226	15	-----	< 0.2	2.72	6	80	< 0.5	< 2	1.17	< 0.5	7	16	28	4.79	10	< 1	0.51	10	1.44
myrmekitic 39339 Cem	205 226	15	-----	< 0.2	1.67	6	40	< 0.5	< 2	0.91	< 0.5	23	79	54	5.61	< 10	< 1	0.18	< 10	1.39
39340 IP	205 226	< 5	-----	< 0.2	1.62	< 2	10	< 0.5	< 2	0.83	< 0.5	< 1	58	< 1	3.08	< 10	< 1	0.03	< 10	0.77
39341 Little Dilly	205 226	25	-----	< 0.2	0.68	< 2	50	< 0.5	< 2	0.60	< 0.5	1	117	3	1.78	< 10	< 1	0.09	10	0.38
39342 Cornell	205 226	15	-----	< 0.2	3.02	< 2	60	< 0.5	< 2	2.39	< 0.5	9	46	53	4.06	< 10	< 1	0.20	< 10	0.95
39343 Prescott	205 226	< 5	-----	< 0.2	0.64	< 2	60	< 0.5	< 2	0.96	< 0.5	3	59	12	2.68	< 10	< 1	0.09	10	0.27
39344 Prescott	205 226	< 5	-----	< 0.2	1.25	< 2	70	< 0.5	< 2	1.18	< 0.5	8	30	30	3.79	< 10	< 1	0.15	10	0.67
39345 Yellow kid	205 226	< 5	-----	< 0.2	0.97	< 2	50	< 0.5	< 2	1.57	< 0.5	7	56	23	3.12	< 10	< 1	0.11	10	0.69
39346 Paxton	205 226	25	-----	< 0.2	1.29	6	40	< 0.5	< 2	1.07	< 0.5	12	17	293	4.26	< 10	< 1	0.10	10	0.56
39515 Yew Cem	205 226	30	-----	< 0.2	2.50	8	< 10	< 0.5	< 2	1.10	< 0.5	38	151	405	5.19	10	< 1	0.09	< 10	2.42
39516 Cem	205 226	15	-----	< 0.2	1.78	< 2	10	< 0.5	< 2	1.23	< 0.5	17	118	97	5.56	10	< 1	0.18	< 10	1.85
39517 Cem	205 226	15	-----	< 0.2	1.25	< 2	30	< 0.5	< 2	0.66	< 0.5	3	127	30	4.59	< 10	< 1	0.14	< 10	1.04
39518 Cem	205 226	20	-----	< 0.2	3.67	< 2	70	< 0.5	< 2	2.43	< 0.5	10	20	46	4.70	< 10	< 1	0.37	10	0.53
39519 Cem	205 226	5	-----	< 0.2	3.07	< 2	30	< 0.5	< 2	1.83	< 0.5	11	73	91	3.70	< 10	< 1	0.13	< 10	1.32
39588 Vol	205 226	< 5	-----	< 0.2	1.46	14	10	< 0.5	< 2	2.08	0.5	6	21	24	1.56	< 10	< 1	0.07	10	0.70
39589 Vol	205 226	< 5	-----	< 0.2	1.66	8	70	< 0.5	< 2	1.15	< 0.5	7	25	42	3.24	< 10	< 1	0.25	10	0.49

CERTIFICATION: David S. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

Page Number :1-B
Total Pages :2
Certificate Date: 19-DEC-86
Invoice No. :19643537
P.O. Number :683
Account :BBX

Project :
Comments: ATTN:COLIN BURGE


RECEIVED DEC 23 1986

CERTIFICATE OF ANALYSIS

A9643537

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
39314	205 226	470	2	0.20	4	1790	2	< 2	3	196	0.15	< 10	< 10	145	< 10	50
39315	205 226	360	2	0.17	3	1560	2	< 2	1	179	0.14	< 10	< 10	107	< 10	34
39316	205 226	330	1	0.20	3	1680	4	< 2	3	200	0.12	< 10	< 10	98	< 10	30
39317	205 226	435	1	0.22	4	2380	4	< 2	5	220	0.11	< 10	< 10	132	< 10	34
39318	205 226	265	2	0.22	1	1390	4	< 2	3	179	0.11	< 10	< 10	75	< 10	30
39319	205 226	585	1	0.26	8	1740	2	< 2	5	180	0.17	< 10	< 10	111	< 10	60
39320	205 226	900	< 1	< 0.01	7	60	< 2	< 2	< 1	14	< 0.01	< 10	< 10	3	< 10	58
39321	205 226	365	< 1	< 0.01	< 1	20	328	34	< 1	228	< 0.01	< 10	< 10	1	< 10	162
39322	205 226	75	< 1	< 0.01	< 1	120	24	4	< 1	413	< 0.01	< 10	< 10	2	< 10	< 2
39323	205 226	320	1	0.44	1	930	24	2	2	141	0.14	< 10	< 10	37	< 10	30
39324	205 226	275	2	0.45	1	620	8	2	1	119	0.11	< 10	< 10	24	< 10	28
39325	205 226	245	4	0.44	2	620	8	< 2	3	169	0.08	< 10	< 10	42	< 10	34
39326	205 226	300	5	0.50	< 1	600	8	< 2	5	189	0.16	< 10	< 10	25	< 10	32
39327	205 226	400	2	0.33	1	1290	4	2	3	160	0.13	< 10	< 10	61	< 10	30
39328	205 226	185	2	0.60	< 1	1510	8	2	1	322	0.12	< 10	< 10	29	< 10	26
39329	205 226	630	< 1	< 0.01	3	30	< 2	< 2	< 1	14	< 0.01	< 10	20	< 1	< 10	30
39330	205 226	395	1	0.25	3	1450	< 2	< 2	4	178	0.12	< 10	< 10	84	< 10	36
39331	205 226	370	2	0.55	3	2430	4	2	7	259	0.17	< 10	< 10	141	< 10	40
39332	205 226	545	2	0.28	2	1760	2	< 2	4	161	0.12	< 10	< 10	83	< 10	58
39333	205 226	415	1	0.29	3	2380	< 2	< 2	5	198	0.12	< 10	< 10	129	< 10	34
39334	205 226	575	1	0.12	99	730	< 2	6	5	39	0.50	< 10	< 10	180	< 10	86
39335	205 226	440	1	0.37	3	2080	4	2	2	186	0.14	< 10	< 10	92	< 10	52
39336	205 226	320	1	0.19	72	750	< 2	2	4	63	0.30	< 10	< 10	189	< 10	34
39337	205 226	365	1	0.16	78	720	< 2	2	6	39	0.35	< 10	< 10	181	< 10	36
39338	205 226	370	1	0.19	5	2010	< 2	2	2	98	0.17	< 10	< 10	93	< 10	36
39339	205 226	285	3	0.10	54	1220	< 2	2	4	54	0.35	< 10	< 10	106	< 10	26
39340	205 226	1285	2	0.12	< 1	980	2	2	3	41	0.12	< 10	< 10	9	< 10	60
39341	205 226	355	4	0.08	2	540	2	< 2	1	43	0.09	< 10	< 10	41	< 10	24
39342	205 226	390	1	0.37	12	1330	2	2	8	358	0.18	< 10	< 10	166	< 10	32
39343	205 226	245	3	0.07	3	1270	< 2	2	1	59	0.11	< 10	< 10	90	< 10	14
39344	205 226	490	1	0.07	4	1560	< 2	< 2	3	102	0.13	< 10	< 10	119	< 10	32
39345	205 226	545	3	0.07	3	1200	< 2	2	4	78	0.11	< 10	< 10	93	< 10	34
39346	205 226	425	1	0.07	7	1360	< 2	< 2	3	82	0.16	< 10	< 10	173	< 10	46
39515	205 226	410	3	0.09	96	810	< 2	2	6	37	0.37	< 10	< 10	134	< 10	56
39516	205 226	530	< 1	0.21	61	600	< 2	2	8	40	0.31	< 10	< 10	160	< 10	70
39517	205 226	250	2	0.07	45	580	< 2	2	6	42	0.34	< 10	< 10	136	< 10	34
39518	205 226	285	1	0.40	1	1960	< 2	2	1	372	0.12	< 10	< 10	153	< 10	34
39519	205 226	350	1	0.27	52	510	2	2	2	55	0.35	< 10	< 10	124	< 10	38
39588	205 226	420	1	0.10	3	1880	4	< 2	4	169	0.10	< 10	< 10	48	< 10	120
39589	205 226	400	1	0.16	3	1400	12	< 2	2	112	0.12	< 10	< 10	59	< 10	38

CERTIFICATION: *John A. Beckler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

Page Number :2-A
Total Pages :2
Certificate Date: 19-DEC-96
Invoice No. :19643537
P.O. Number :683
Account :BBX

Project :
Comments: ATTN:COLIN BURGE

CERTIFICATE OF ANALYSIS

A9643537

RECEIVED DEC 23 1996

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
39590 Vol	205 226	< 5	-----	< 0.2	3.43	2	90	< 0.5	< 2	2.37	< 0.5	13	23	9	4.36	10	< 1	0.41	< 10	1.13
39591 Vol	205 226	< 5	-----	< 0.2	5.91	< 2	140	0.5	< 2	3.08	0.5	7	31	14	4.08	10	< 1	0.75	< 10	0.97
39592 Vol	205 226	< 5	-----	< 0.2	1.47	6	70	< 0.5	< 2	0.98	< 0.5	2	57	12	1.94	< 10	< 1	0.16	10	0.31
39593 Vol	205 226	< 5	-----	< 0.2	4.00	< 2	40	< 0.5	< 2	2.60	0.5	13	25	69	3.23	10	< 1	0.04	< 10	0.96
39594 Vol	205 226	10	-----	< 0.2	1.58	2	40	< 0.5	< 2	1.59	< 0.5	4	29	6	3.73	< 10	< 1	0.12	10	0.27
39595 Vol	205 226	< 5	-----	< 0.2	1.71	10	40	0.5	< 2	3.10	< 0.5	1	50	4	1.72	< 10	< 1	0.07	10	0.38
39596 Vol	205 226	< 5	-----	0.2	2.43	24	30	< 0.5	< 2	1.76	< 0.5	22	22	368	3.33	< 10	< 1	0.04	10	0.33
39597 Vol	205 226	< 5	-----	< 0.2	2.17	8	40	< 0.5	< 2	1.98	< 0.5	8	20	28	2.61	< 10	< 1	0.08	10	0.62

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
VANCOUVER, BC
V6B 1B8

Project :

Comments: ATTN:COLIN BURGE

Page Number :2-B
Total Pages :2
Certificate Date: 19-DEC-96
Invoice No. : I9643537
P.O. Number :683
Account :BBX

CERTIFICATE OF ANALYSIS

RECEIVED DEC 23 1996
A9643537

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
39590	205	226	370	1	0.34	9	1350	2	2	8	243	0.21	< 10	< 10	176	< 10	44
39591	205	226	625	4	0.66	1	900	10	2	5	499	0.15	< 10	< 10	96	< 10	148
39592	205	226	365	1	0.20	1	690	< 2	2	1	113	0.09	< 10	< 10	27	< 10	26
39593	205	226	690	1	0.28	< 1	1010	2	< 2	8	168	0.15	< 10	< 10	42	< 10	116
39594	205	226	290	2	0.28	1	1910	2	< 2	2	199	0.13	< 10	< 10	95	< 10	34
39595	205	226	895	2	0.12	< 1	740	12	< 2	1	120	0.09	< 10	< 10	22	< 10	44
39596	205	226	265	1	0.46	4	1500	< 2	2	2	192	0.13	< 10	< 10	35	< 10	18
39597	205	226	320	1	0.38	4	2050	8	< 2	4	179	0.10	< 10	< 10	93	< 10	36

CERTIFICATION: Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

Project : 683
 Comments: ATTN: COLIN BURGE

Page Number 1-A
 Total Pages 1
 Certificate Date 28-JUN-96
 Invoice No. 1-9620898
 P.O. Number :
 Account :

* denote stock

CERTIFICATE OF ANALYSIS A9620898

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm
Mgite Mgite TI-96-001	205 226	15	----	< 1	1.49	80	< 20	< 5	< 10	7.67	< 5	30	40	85	>30.0	< 10	0.03	0.39	1800	< 5
TI-96-002	205 226	90	----	4	0.51	10	< 20	< 5	< 10	3.61	< 5	60	20	2080	>30.0	< 10	0.04	0.34	1030	< 5
TI-96-003 *	205 226	10	----	3	2.07	10	60	< 5	< 10	4.12	< 5	45	60	80	9.50	< 10	0.07	0.35	240	< 5
TI-96-004 *	205 226	< 5	----	< 1	1.22	< 10	100	< 5	< 10	2.50	< 5	< 5	100	55	2.28	< 10	0.43	0.51	360	< 5
Mgite TI-96-005	205 226	150	----	8	0.62	80	< 20	< 5	< 10	5.62	< 5	125	10	10900	>30.0	< 10	0.05	0.60	1120	< 5
TI-96-006 *	205 226	5	----	< 1	1.54	< 10	120	< 5	< 10	1.73	< 5	15	60	350	5.25	< 10	0.22	0.67	430	< 5
TI-96-007 *	205 226	< 5	----	< 1	1.41	10	80	< 5	< 10	1.51	< 5	15	60	40	4.44	< 10	0.21	0.74	620	< 5
Mgite TI-96-008	205 226	10	----	1	0.26	30	< 20	< 5	< 10	6.11	< 5	40	30	500	>30.0	< 10	0.01	0.64	2320	< 5
Mgite TI-96-009 *	205 226	135	----	6	1.94	20	60	< 5	< 10	3.51	< 5	50	30	7440	13.75	< 10	0.16	0.68	690	< 5
TI-96-010	205 226	7020	----	7	0.29	120	< 20	< 5	< 10	1.81	< 5	230	40	5480	>30.0	< 10	0.03	0.07	1470	< 5
TI-96-011 *	205 226	20	----	< 1	7.09	10	40	< 5	< 10	4.32	< 5	10	40	95	4.53	< 10	0.05	0.45	280	< 5
Mgite TI-96-012	205 226	>10000	17.70	28	0.08	430	< 20	< 5	30	3.46	15	30	170	46000	>30.0	< 10	< 0.01	0.05	280	< 5
Mgite TI-96-013	205 226	7270	----	8	0.01	50	< 20	< 5	< 10	0.41	< 5	155	130	7110	>30.0	< 10	< 0.01	0.04	60	< 5
Mgite TI-96-014	205 226	2340	----	< 1	0.08	50	< 20	< 5	10	0.16	< 5	15	60	295	>30.0	< 10	0.02	0.11	530	< 5
TI-96-015 * ?	205 226	25	----	< 1	2.80	20	20	< 5	10	1.87	< 5	40	150	120	6.45	< 10	0.11	1.70	430	< 5
TI-96-016 * ?	205 226	85	----	< 1	1.15	10	< 20	< 5	< 10	1.13	< 5	35	260	610	7.35	< 10	0.09	1.11	340	< 5
TI-96-017 * ?	205 226	20	----	< 1	2.26	< 10	40	< 5	< 10	2.48	< 5	30	130	140	3.39	< 10	0.20	1.15	370	< 5
Bornite TI-96-018	205 226	4210	----	35	0.03	10	< 20	< 5	10	>30.0	< 5	5	10	14430	0.61	< 10	0.01	0.08	2550	< 5
TI-96-019	205 226	3200	----	8	0.74	110	< 20	< 5	< 10	3.87	< 5	490	90	4790	>30.0	< 10	0.01	0.14	860	< 5
Mgite TI-96-020	205 226	35	----	< 1	2.55	30	40	< 5	< 10	2.43	< 5	25	30	110	7.08	< 10	0.18	0.99	580	< 5
TI-96-021 *	205 226	20	----	1	1.15	< 10	< 20	< 5	< 10	17.55	< 5	10	20	465	1.66	< 10	0.01	3.35	420	< 5
TI-96-022 *	205 226	25	----	< 1	1.06	< 10	< 20	< 5	< 10	18.00	< 5	5	10	400	1.84	< 10	0.03	3.89	410	< 5

PRELIMINARY = STOCKS

CERTIFICATION: _____

06/29/96 12:00PM CHEMEX LABS VAX-FAX2

PAGE 002



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: INMET MINING CORPORATION

3RD FLOOR, 311 WATER ST.
 VANCOUVER, BC
 V6B 1B8

Project: 683
 Comments: ATTN: COLIN BURGE

Page Number 1-B
 Total Pages 1
 Certificate Date 28-JUN-96
 Invoice No. I-9620898
 P.O. Number :
 Account :

CERTIFICATE OF ANALYSIS A9620898

SAMPLE DESCRIPTION	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
TI-96-001	205 226	0.07	15	200	5 < 10	< 5		35	0.06	< 20	< 20	20	40	155
TI-96-002	205 226	0.08	25 < 100		< 5 < 10	< 5		70	< 0.01	20	< 20	< 20	60	145
TI-96-003	205 226	0.17	20	1700	50	10	< 5	325	0.26	20	< 20	80	< 20	140
TI-96-004	205 226	0.12	5	500	15 < 10	< 5		70	0.04	< 20	< 20	20	< 20	30
TI-96-005	205 226	0.08	15	200	15 < 10	< 5		40	0.02	< 20	< 20	< 20	40	220
TI-96-006	205 226	0.18	5	1400	5 < 10	< 5		120	0.23	20	< 20	120	< 20	55
TI-96-007	205 226	0.17	5	1600	< 5 < 10	< 5		70	0.28	20	< 20	140	< 20	55
TI-96-008	205 226	0.05	5	100	5 < 10	< 5		65	< 0.01	20	< 20	< 20	40	65
TI-96-009	205 226	0.31	10	1600	5 < 10	< 5		190	0.17	< 20	< 20	60	< 20	165
TI-96-010	205 226	0.07	30 < 100		< 5 < 10	< 5		5	< 0.01	< 20	< 20	< 20	60	155
TI-96-011	205 226	1.05	5	400	< 5 < 10	< 5		375	0.21	< 20	< 20	160	< 20	20
TI-96-012	205 226	0.03	10	100	10 < 10	< 5		5	< 0.01	< 20	< 20	< 20	20	795
TI-96-013	205 226	0.04	30 < 100		15	10	< 5	< 5	< 0.01	< 20	< 20	< 20	20	35
TI-96-014	205 226	0.06	60 < 100		50	30	< 5	< 5	< 0.01	20	< 20	40	20	70
TI-96-015	205 226	0.23	100	700	5 < 10	< 5		60	0.59	20	< 20	200	< 20	55
TI-96-016	205 226	0.13	85	800	5 < 10	< 5		25	0.48	< 20	< 20	200	< 20	45
TI-96-017	205 226	0.14	70	700	10 < 10	< 5		55	0.39	< 20	< 20	120	< 20	55
TI-96-018	205 226	0.04	< 5 < 100		< 5 < 10	< 5		20	< 0.01	20	< 20	< 20	< 20	55
TI-96-019	205 226	0.04	15 < 100		15 < 10	< 5		30	< 0.01	< 20	< 20	20	< 20	270
TI-96-020	205 226	0.19	5	1800	5 < 10	< 5		120	0.23	< 20	< 20	80	< 20	115
TI-96-021	205 226	0.03	10 < 100		< 5 < 10	< 5		110	< 0.01	< 20	< 20	< 20	< 20	155
TI-96-022	205 226	0.04	10	50	< 5 < 10	< 5		110	< 0.01	< 20	< 20	< 20	< 20	150

Yellow = intrusives

LAKE OMTLEK
GILLIES BA
VOLUNTEER
STURT
Mystery/cemetery
Rose & Belle

PRELIMINARY

CERTIFICATION: _____