

(VALUES IN PPM)	AG	CO	CU	NI	PB	ZN	AU-PPB
8501	.4	6	121	16	25	106	5
8504	1.3	13	1325	25	33	3478	10
8505	1.6	19	254	39	17	162	5
8507	1.4	20	643	65	16	144	5
8508	.7	22	571	75	17	86	5
8509	.3	19	466	67	28	49	5
8512	.7	11	848	28	31	140	10
8513	1.1	20	561	40	23	62	5
8514	.5	13	140	46	19	58	5
8515	1.3	15	751	43	24	218	10
8516	1.3	15	98	35	21	69	5
8517	2.4	20	1351	20	24	349	5
8518	1.1	14	292	24	25	513	5
8519	2.6	24	3823	14	33	723	10
8520	1.9	24	1527	31	37	1187	5
8521	1.5	23	1335	27	26	137	5
8522	.9	18	106	22	20	69	5
8523	1.1	17	749	51	22	80	10
8527	.4	11	110	29	22	50	5

NF-87-01

NF-87-02

NF-87-03

NF-87-04

826664
NORTH FORKS
924/12

RECEIVED
OCT 20 1987
Ans'd

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

TE: (604) 980-5814 OR (604) 980-4524

TELEX: VIA USA 7601067 UC

Certificate of ASSAY

Company: MINNOVA INC.
Project: 203
Attention: I PIRIE

File: 7-1595/P2
Date: OCT 13/87
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG		AU		CU %	ZN %		
	G/TONNE	OZ/TON	G/TONNE	OZ/TON			m.	int.
8502	10.1	0.29	.05	0.001	.880	.39	87-1	98.9 - 99.64 .74
8503	15.7	0.46	.09	0.003	1.370	4.16		99.6 - 100.71 1.06
8506	22.3	0.65	.86	0.025	5.400	.41	87-2	73.1 - 73.37 .27
8510	12.5	0.36	.20	0.006	2.530	.64		78.3 - 79.25 .95
8511	20.8	0.61	.07	0.002	4.480	1.60		79.25 - 80.01 .76
8524	14.8	0.43	.17	0.005	3.420	.42	87-4	157.52 - 158.25 .73
8525	32.1	0.94	.21	0.006	7.930	.68		158.25 - 159.23 .98
8526	2.2	0.06	.08	0.002	.432	.06		159.23 - 159.68 .45

.05 x .74 .021
.09 x 1.06 .053

IP *76288*
.127
.065
.027
.095
.057
.017

RECEIVED
.17
OCT 20 1987
Ans'd

Certified by



MIN-EN LABORATORIES LTD.

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

E: (604) 980-5814 OR (604) 988-4524

TELEX: VIA USA 7601067 UC


Certificate of GEOCHEM

Company: MINNOVA INC.
Project: 203
Attention: I PIRIE

File: 7-1595/P2
Date: OCT 13/87
Type: ROCK GEOCHEM

We hereby certify the following results for samples submitted.

Sample Number	PB PPM	NI PPM	CO PPM
8502	42	56	54
8503	32	50	138
8506	41	100	167
8510	52	52	190
8511	39	46	153
8524	54	50	114
8525	48	44	160
8526	26	51	48



Certified by _____

MIN-EN LABORATORIES LTD.

(VALUES IN %)	AL2O3	BA	CAO	FE2O3	K2O	MGO	MNO2	NA2O	SiO2	SR	TiO2	ZR	TOT(%)
22101	20.89	.006	9.22	8.83	2.01	3.91	.16	3.31	47.37	.02	.86	.005	96.58
22102	14.67	.024	6.42	11.79	1.56	4.55	.37	2.40	52.44	.02	2.04	.017	96.29
22103	6.87	.022	.46	3.46	1.75	1.03	.07	.45	83.12	.01	.33	.005	97.57
22104	18.40	.007	6.65	11.75	1.79	4.19	.33	2.82	50.24	.01	1.05	.005	97.23
22105	17.71	.006	7.25	11.88	1.36	5.10	.28	2.85	49.54	.01	1.12	.005	97.11
22106	16.22	.005	13.41	9.82	.25	7.56	.27	1.80	46.81	.01	1.04	.005	97.19
22107	18.27	.005	7.82	11.24	1.49	4.84	.29	3.93	48.14	.01	1.15	.005	97.17
22108	16.82	.005	12.24	8.62	.23	7.81	.21	2.26	47.25	.02	.87	.005	96.34
22109	15.53	.005	12.38	9.48	.23	7.78	.24	2.22	47.65	.01	1.04	.005	96.55
22110	16.37	.007	8.96	12.08	1.32	5.88	.32	2.96	47.22	.01	1.61	.009	96.75
22111	15.93	.005	12.12	9.79	.59	7.04	.26	2.18	47.90	.01	1.06	.005	96.91
22112	17.75	.005	10.05	11.38	.77	5.00	.29	3.12	47.09	.01	1.33	.005	96.78
22113	15.51	.005	10.68	11.79	.96	6.03	.28	2.55	47.71	.01	1.41	.005	96.94
22114	14.13	.005	10.50	8.75	.26	12.13	.22	1.82	48.98	.01	.41	.005	97.21
22115	15.61	.005	9.36	12.28	1.87	6.78	.25	2.26	47.36	.01	1.28	.005	97.08
22116	16.38	.005	8.21	11.49	2.03	6.75	.26	2.53	48.01	.02	1.26	.005	96.95
22117	15.93	.005	11.58	9.97	.63	7.68	.24	2.32	47.50	.02	1.01	.005	96.88
22118	16.68	.005	7.71	11.05	2.63	5.54	.34	2.91	48.84	.01	1.12	.005	96.84
22119	16.42	.005	11.29	9.47	.66	8.01	.23	2.52	47.24	.01	1.01	.005	96.86
22120	16.75	.005	9.26	10.16	2.42	6.42	.27	2.00	48.67	.01	1.04	.005	97.01
22121	16.27	.005	10.63	9.92	.65	6.99	.27	2.52	48.85	.01	.78	.005	96.91
22122	15.08	.005	7.90	12.44	1.79	6.85	.24	2.51	48.58	.01	1.40	.005	96.82
22123	15.72	.005	10.86	10.80	.87	6.66	.26	2.88	48.09	.01	1.01	.005	97.16
22124	16.69	.005	9.87	11.10	1.46	5.35	.32	3.20	47.45	.02	1.40	.005	96.86
22125	16.62	.005	8.74	11.31	1.51	5.35	.31	3.04	48.90	.01	1.20	.005	97.00
22126	14.70	.005	10.48	11.61	.25	7.08	.29	2.58	48.61	.01	1.26	.005	96.88
22127	15.90	.005	10.05	9.28	.46	9.00	.22	2.68	48.32	.01	.97	.005	96.88
22128	16.54	.008	6.99	11.17	2.73	5.60	.28	2.43	50.26	.01	1.18	.005	97.19

NF-1

NF-2

NF-3

NF-4

RECEIVED
 OCT 28 1987
 Ansd

COMPANY: MINNOVA INC.

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO: 203

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1542

ATTENTION: I. PIRIE

(604)980-5814 OR (604)988-4524

* TYPE ROCK GEOCHEM * DATE: OCT 10, 1987

(VALUES IN PPM)	AG	AS	B	CU	PB	SB	ZN	AU-PPB
22101	1.4	9	21	98	32	2	105	5
22102	1.0	1	13	54	19	2	95	5
22103	2.8	12	1	49	21	43	63	10
22104	1.3	7	18	108	21	5	99	10
22105	1.3	4	15	92	19	2	87	5
22106	5.8	13	1	21	29	40	22	5
22107	1.4	1	10	97	21	2	107	5
22108	1.3	1	1	62	9	2	24	5
22109	1.6	6	1	49	13	2	24	5
22110	2.1	3	12	52	16	2	80	5
22111	1.9	5	4	41	12	2	38	5
22112	1.7	6	13	56	17	2	78	5
22113	2.5	12	11	168	19	2	64	5
22114	.2	16	3	71	18	4	33	5
22115	2.7	14	22	29	19	3	97	5
22116	2.4	13	20	86	17	4	94	5
22117	1.8	13	6	144	19	2	44	5
22118	2.1	15	16	113	20	2	93	5
22119	1.6	12	6	96	15	1	43	5
22120	1.9	19	18	96	17	1	93	10
22121	1.4	11	6	114	16	2	49	5
22122	2.7	14	19	79	20	5	87	5
22123	1.8	10	7	90	19	3	55	5
22124	2.3	15	10	54	17	3	73	5
22125	2.1	11	70	67	19	3	82	5
22126	1.8	7	1	30	16	2	36	5
22127	.9	18	3	84	20	2	38	5
22128	1.8	10	14	81	23	3	99	10

97.78-

NF-1

NF-2

NF 87-3

NF-87-4

RECEIVED
OCT 23 1987