



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B03(D)C-07 B27C-07
Comments: JEAN PAUTIER

WART
92I
826684

Page No.: 1-A
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821752
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821752

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
128654 H	255	238	10	0.35	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	2	207	5	0.53	< 10	< 1	0.21	< 10	0.13	118
128656 H	255	238	35	4.21	0.8	145	20	< 0.5	< 2	1.75	< 0.5	55	12	766	12.80	< 10	2	0.07	10	1.74	502
128657 H	255	238	5	2.36	0.4	40	20	< 0.5	< 2	1.45	< 0.5	32	108	872	3.08	< 10	< 1	0.05	< 10	0.80	210
128658 H	255	238	30	2.42	0.4	35	10	< 0.5	< 2	2.19	< 0.5	18	81	5190	2.44	< 10	< 1	0.04	< 10	0.65	418
128659 H	255	238	30	4.30	0.8	175	20	< 0.5	< 2	0.84	< 0.5	16	8	103	>15.00	< 10	1	0.12	< 10	3.05	772
128701 H	255	238	< 5	3.48	0.4	40	10	< 0.5	< 2	2.87	< 0.5	75	10	171	7.74	< 10	2	0.03	< 10	1.69	394

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07 B27C-07
Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 30-AUG-88
Invoice #: I-8821752
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821752

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
128654 H	255	238	< 1	0.05	10	130	< 2	< 5	< 1	31	0.03	< 10	< 10	12	< 5	5
128656 H	255	238	1	0.05	54	1170	< 2	10	24	109	0.69	< 10	< 10	756	< 5	99
128657 H	255	238	2	0.09	29	20	< 2	< 5	7	60	0.05	< 10	< 10	26	< 5	41
128658 H	255	238	< 1	0.09	14	500	< 2	< 5	9	76	0.22	< 10	< 10	59	10	146
128659 H	255	238	3	0.02	2	50	< 2	5	53	36	0.43	10	20	652	< 5	104
128701 H	255	238	< 1	0.09	6	170	< 2	10	14	174	0.63	< 10	< 10	509	5	57

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07
Comments: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821766
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821766

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
128669 H	255 238	< 5	0.59	1.0	10	2390	< 0.5	2	0.69	< 0.5	6	112	5	1.90	< 10	< 1	0.27	20	0.13	762
128670 H	255 238	1300	0.26	52.0	255	40	< 0.5	2	0.19	37.5	4	264	995	2.34	< 10	< 1	0.11	< 10	0.04	142
128671 H	255 238	3850	0.11	>200	1930	30	< 0.5	22	0.02	89.0	< 1	28	7100	4.73	< 10	2	0.04	< 10	0.01	23
128672 H	255 238	620	0.85	22.6	125	40	< 0.5	2	0.12	3.0	2	76	248	1.30	< 10	< 1	0.40	20	0.09	86
128673 H	255 238	7350	0.17	170.0	805	20	< 0.5	2	0.02	>99.9	41	167	3960	11.50	< 10	< 1	0.01	< 10	0.01	59
128674 H	255 238	1870	0.15	28.6	140	10	< 0.5	< 2	0.02	94.5	3	286	694	3.14	< 10	< 1	0.06	< 10	0.01	96
128675 H	255 238	290	2.43	25.0	60	< 10	< 0.5	< 2	1.02	2.0	439	131	3450	>15.00	< 10	< 1	0.02	10	0.87	704
128676 H	255 238	>10000	0.12	52.0	700	< 10	< 0.5	26	0.20	>99.9	13	260	2350	6.57	< 10	< 1	0.02	< 10	0.07	329
128677 H	255 238	740	0.16	>200	705	10	< 0.5	< 2	1.54	>99.9	13	177	6440	3.72	20	33	0.04	< 10	0.42	6590
128679 H	255 238	40	0.15	50.0	10	870	< 0.5	< 2	10.40	7.5	9	195	86	2.61	< 10	< 1	0.01	< 10	2.68	1450
128680 H	255 238	25	0.46	30.0	145	1220	< 0.5	< 2	11.60	4.0	21	99	1615	4.85	< 10	< 1	0.14	< 10	4.57	1070
128681 H	255 238	20	0.28	11.2	< 5	1860	< 0.5	< 2	8.41	2.0	17	136	512	3.44	< 10	< 1	0.09	< 10	3.66	799
128682 H	255 238	40	0.26	6.8	30	220	< 0.5	< 2	13.55	0.5	11	128	1585	3.37	< 10	< 1	0.03	< 10	5.65	821
128683 H	255 238	45	2.39	1.8	15	20	< 0.5	< 2	6.20	< 0.5	8	139	36	2.29	< 10	< 1	< 0.01	< 10	0.94	651
128684 H	255 238	15	0.40	1.8	20	400	< 0.5	< 2	>15.00	< 0.5	16	19	73	4.41	< 10	< 1	0.06	< 10	4.07	2270

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07

Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 30-AUG-88
Invoice #: I-8821766
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821766

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
128669 H	255	238	< 1	0.03	3	500	242	< 5	2	65	< 0.01	< 10	< 10	12	< 5	58
128670 H	255	238	12	0.01	5	90	>10000	1945	< 1	16	< 0.01	< 10	< 10	5	< 5	1060
128671 H	255	238	8	0.01	< 1	30	>10000	5440	< 1	30	< 0.01	< 10	10	< 1	30	2600
128672 H	255	238	8	0.01	2	300	>10000	295	1	17	< 0.01	< 10	< 10	6	< 5	467
128673 H	255	238	3	0.01	5	290	>10000	4030	< 1	4	< 0.01	10	10	< 1	140	>10000
128674 H	255	238	1	< 0.01	5	50	>10000	480	< 1	5	< 0.01	< 10	< 10	< 1	10	8050
128675 H	255	238	36	0.01	7	520	196	10	8	21	0.08	10	20	77	585	239
128676 H	255	238	6	0.01	2	70	>10000	250	< 1	6	< 0.01	10	10	1	5	6850
128677 H	255	238	4	0.01	4	490	>10000	4620	3	28	< 0.01	30	40	9	170	>10000
128679 H	255	238	< 1	0.02	5	120	604	25	4	150	< 0.01	< 10	< 10	30	< 5	464
128680 H	255	238	< 1	0.04	41	1170	328	35	15	244	< 0.01	< 10	< 10	49	10	336
128681 H	255	238	< 1	0.02	33	1430	304	5	10	351	< 0.01	< 10	< 10	41	< 5	185
128682 H	255	238	< 1	0.02	34	2590	88	5	3	244	< 0.01	< 10	< 10	73	5	114
128683 H	255	238	< 1	0.01	10	1590	44	< 5	7	909	0.15	< 10	< 10	94	< 5	36
128684 H	255	238	< 1	0.01	14	210	22	5	5	272	< 0.01	< 10	10	47	5	77

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07
Comments: AC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821768
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821768

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
P 128678	235	238	< 5	2.26	0.4	20	160	< 0.5	< 2	1.25	< 0.5	26	208	30	6.25	< 10	< 1	0.18	10	2.21	1195

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221


To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07
Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821768
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821768

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P 128678	235 238	< 1	0.06	52	1240	< 2	5	10	95	0.18	< 10	< 10	158	< 5	91

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07 B27C-07
Comments: ✓ JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821751
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821751

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
S 128655	201	238	5	2.20	0.6	60	10	< 0.5	< 2	1.99	< 0.5	43	17	528	6.21	10	< 1	0.02	10	1.13	1150

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07 B27C-07
Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821751
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821751

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
S 128655	201	238	1	0.02	70	1410	10	5	13	204	0.20	< 10	10	192	5	75

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B05(D)C-07
Comments: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821362
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821362

SAMPLE DESCRIPTION	PREP CODE		Au	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppb RUSH	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
239700	255	238	< 5	2.66	< 0.2	15	530	< 0.5	< 2	0.62	< 0.5	9	40	63	3.32	< 10	< 1	1.38	10	2.20	1325
ST-J-1	255	238	< 5	6.95	< 0.2	15	150	< 0.5	< 2	4.08	0.5	9	49	233	5.69	20	< 1	0.44	10	1.02	525
ST-J-2	255	238	< 5	7.17	< 0.2	40	120	< 0.5	< 2	4.19	< 0.5	9	58	234	5.52	20	< 1	0.41	10	0.98	503
ST-J-3	255	238	< 5	0.91	< 0.2	15	50	< 0.5	< 2	0.21	< 0.5	4	35	55	3.43	< 10	< 1	0.35	< 10	0.55	187
ST-J-5	255	238	< 5	0.32	< 0.2	5	10	< 0.5	< 2	14.95	< 0.5	10	12	74	2.60	20	< 1	0.09	< 10	0.08	669
ST-J-6	255	238	10	2.79	< 0.2	15	20	< 0.5	< 2	5.46	1.0	15	42	205	5.90	10	< 1	0.07	< 10	0.26	818
ST-J-7	255	238	380	2.93	4.4	20	20	< 0.5	2	14.30	15.5	12	54	246	3.64	20	< 1	0.05	< 10	0.22	3400
ST-J-8	255	238	< 5	0.17	< 0.2	< 5	20	< 0.5	< 2	2.01	< 0.5	< 1	179	55	0.60	< 10	< 1	0.01	10	0.10	301
ST-J-9	255	238	< 5	1.26	< 0.2	10	50	< 0.5	< 2	0.44	< 0.5	13	29	128	4.30	< 10	< 1	0.84	10	1.61	130
ST-J-10	255	238	170	1.20	9.4	25	20	< 0.5	< 2	>15.00	2.5	9	26	1920	1.48	30	< 1	0.10	< 10	0.36	946
ST-J-11	255	238	< 5	0.03	1.4	< 5	< 10	< 0.5	< 2	0.40	1.5	< 1	315	20	0.31	< 10	< 1	< 0.01	< 10	0.01	85
ST-G-1	255	238	< 5	0.02	< 0.2	< 5	< 10	< 0.5	< 2	0.13	< 0.5	< 1	192	8	0.19	< 10	< 1	< 0.01	< 10	< 0.01	27
ST-G-2	255	238	< 5	2.68	< 0.2	< 5	10	< 0.5	< 2	2.43	< 0.5	11	49	150	2.29	< 10	< 1	0.16	20	0.74	328

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821362
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821362

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
239700	255	238	2	0.10	11	1030	2	< 5	11	30	0.22	< 10	< 10	170	5	107
ST-J-1	255	238	3	0.66	13	1400	10	< 5	11	146	0.11	< 10	< 10	141	15	114
ST-J-2	255	238	3	0.68	11	1390	10	< 5	10	152	0.11	< 10	< 10	138	20	125
ST-J-3	255	238	7	0.05	3	1350	8	< 5	1	23	0.04	< 10	< 10	21	< 5	30
ST-J-5	255	238	< 1	0.06	8	670	< 2	5	1	90	< 0.01	< 10	< 10	6	5	73
ST-J-6	255	238	8	0.29	5	1080	34	< 5	4	70	0.21	< 10	< 10	117	20	163
ST-J-7	255	238	< 1	0.33	4	770	1575	< 5	2	127	0.17	< 10	< 10	64	15	2990
ST-J-8	255	238	< 1	0.01	7	20	4	< 5	1	16	< 0.01	< 10	< 10	6	< 5	32
ST-J-9	255	238	5	0.05	4	1150	6	< 5	3	11	0.02	< 10	< 10	60	< 5	29
ST-J-10	255	238	1	0.04	2	490	8	45	6	168	0.07	< 10	< 10	65	10	140
ST-J-11	255	238	< 1	0.01	2	10	194	< 5	< 1	15	< 0.01	< 10	< 10	2	< 5	89
ST-G-1	255	238	< 1	< 0.01	< 1	30	6	< 5	< 1	1	< 0.01	< 10	< 10	1	< 5	< 1
ST-G-2	255	238	4	0.29	6	1290	2	< 5	7	153	0.19	< 10	< 10	93	< 5	35

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)-C07
Comments: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 2
Date: 30-AUG-88
Invoice #: I-8821718
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821718

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CU-1 000E	201 238	< 5	4.20	0.4	45	80	0.5	< 2	2.05	< 0.5	28	37	246	6.33	20	2	0.16	10	1.05	758
CU-1 025E	201 238	< 5	3.82	0.4	20	90	< 0.5	< 2	1.77	< 0.5	28	35	296	4.97	20	< 1	0.26	10	0.98	862
CU-1 050E	201 238	< 5	3.02	0.4	5	120	0.5	2	1.57	< 0.5	20	49	121	4.67	20	< 1	0.11	20	1.53	637
CU-1 075E	201 238	10	3.96	0.2	25	100	0.5	2	2.03	< 0.5	27	44	257	5.25	10	< 1	0.22	10	1.10	893
CU-1 100E	201 238	< 5	3.75	0.4	25	90	1.0	< 2	1.92	< 0.5	24	47	305	5.65	10	1	0.13	10	1.24	649
CU-1 125E	201 238	< 5	2.82	0.4	10	100	0.5	< 2	1.50	< 0.5	20	49	145	4.89	10	< 1	0.10	10	1.38	623
CU-1 150E	201 238	< 5	3.42	0.4	15	100	1.0	< 2	1.48	< 0.5	19	52	213	4.86	10	< 1	0.10	10	0.99	568
CU-1 175E	201 238	< 5	3.39	0.4	40	120	0.5	< 2	2.35	< 0.5	23	51	289	5.40	10	1	0.08	10	1.30	578
CU-1 200E	201 238	< 5	3.90	0.4	30	90	0.5	< 2	2.23	< 0.5	29	58	422	5.47	10	< 1	0.13	10	1.43	654
CU-2 000E	201 238	< 5	4.46	0.4	45	40	1.0	< 2	2.02	< 0.5	70	2	279	6.17	10	< 1	0.14	10	1.13	838
CU-2 025E	201 238	< 5	7.84	0.6	65	10	0.5	< 2	4.91	< 0.5	51	< 1	293	4.48	< 10	< 1	0.14	< 10	0.98	477
CU-2 050E	201 238	< 5	6.53	0.4	60	10	< 0.5	< 2	4.72	< 0.5	39	< 1	291	4.51	< 10	< 1	0.06	< 10	0.87	309
CU-2 075E	201 238	< 5	6.78	0.4	60	10	0.5	< 2	4.54	< 0.5	72	1	231	5.54	< 10	< 1	0.10	< 10	1.05	490
CU-2 100E	201 238	< 5	5.57	0.2	50	30	< 0.5	< 2	3.23	< 0.5	57	8	163	5.68	10	< 1	0.12	< 10	1.01	672
CU-2 125E	201 238	< 5	6.01	0.2	55	40	< 0.5	< 2	3.49	< 0.5	90	< 1	150	6.55	10	< 1	0.06	< 10	1.44	433
CU-2 150E	201 238	< 5	3.35	0.2	25	70	< 0.5	< 2	1.93	< 0.5	24	31	234	6.27	10	< 1	0.10	10	0.98	620
CU-2 175E	201 238	< 5	3.14	0.4	25	60	0.5	< 2	2.19	< 0.5	22	36	298	6.16	10	< 1	0.08	10	1.10	582
CU-2 200E	201 238	< 5	3.96	0.4	30	80	< 0.5	< 2	2.86	< 0.5	31	55	423	6.34	10	1	0.09	10	1.63	680
CU-2 225E	201 238	< 5	3.97	0.2	25	90	< 0.5	< 2	1.94	< 0.5	27	64	292	5.33	20	< 1	0.21	10	1.22	912
CU-2 250E	201 238	< 5	4.13	0.4	25	90	0.5	< 2	2.20	< 0.5	22	34	238	4.80	10	< 1	0.13	10	0.91	777
CU-2 275E	201 238	< 5	3.72	0.4	30	60	0.5	< 2	2.44	< 0.5	29	48	493	6.05	10	< 1	0.08	10	1.53	540
CU-2 300E	201 238	< 5	3.56	0.2	25	100	< 0.5	< 2	1.66	< 0.5	21	58	230	5.04	10	< 1	0.14	10	1.10	633
CU-3 000E	201 238	< 5	3.47	0.4	60	200	1.0	2	1.72	< 0.5	13	16	74	3.92	10	< 1	0.29	20	0.94	704
CU-3 025E	201 238	< 5	4.11	0.2	100	110	0.5	< 2	4.60	< 0.5	17	19	119	4.42	10	< 1	0.17	< 10	1.35	698
CU-3 050E	201 238	< 5	4.15	0.2	315	90	0.5	< 2	6.29	< 0.5	16	15	101	4.24	< 10	< 1	0.21	< 10	1.26	741
CU-3 075E	201 238	< 5	3.67	0.4	70	20	0.5	< 2	7.61	1.0	23	7	224	4.99	< 10	< 1	0.10	< 10	0.93	1840
CU-3 125E	201 238	< 5	2.04	0.4	40	70	0.5	2	1.35	< 0.5	15	9	101	2.76	10	< 1	0.09	10	0.65	805
CU-3 150E	201 238	< 5	2.95	0.4	45	40	0.5	< 2	1.43	< 0.5	38	7	272	5.37	20	< 1	0.07	10	0.98	640
CU-3 175E	201 238	< 5	2.22	0.2	30	60	1.0	2	1.55	< 0.5	18	12	158	2.91	20	< 1	0.08	10	0.65	1050
CU-3 200E	201 238	< 5	4.16	0.4	35	50	1.0	< 2	1.99	< 0.5	37	27	542	6.52	20	< 1	0.13	10	1.22	833
CU-3 225E	201 238	< 5	4.36	0.4	55	50	1.0	< 2	1.95	< 0.5	46	28	358	6.45	20	< 1	0.10	10	1.38	690
CU-3 250E	201 238	< 5	3.82	0.4	65	40	1.5	< 2	1.89	< 0.5	45	27	424	6.14	20	< 1	0.07	10	1.29	627
CU-3 275E	201 238	< 5	5.69	0.6	65	30	1.0	< 2	3.97	< 0.5	33	9	343	3.83	10	< 1	0.11	< 10	0.73	810
CU-3 300E	201 238	< 5	4.04	0.4	35	30	1.5	< 2	3.18	< 0.5	23	13	224	4.74	20	< 1	0.07	< 10	0.87	812
CU-3 325E	201 238	< 5	5.50	0.2	60	40	< 0.5	< 2	3.37	< 0.5	40	16	224	5.70	20	< 1	0.11	< 10	0.90	734
CU-4 000E	201 238	< 5	2.89	0.4	5	120	< 0.5	2	1.01	< 0.5	11	19	42	3.02	10	< 1	0.28	10	0.72	470
CU-4 025E	201 238	< 5	2.52	0.2	10	50	< 0.5	< 2	1.01	< 0.5	16	19	69	3.19	< 10	< 1	0.12	10	0.94	532
CU-4 050E	201 238	< 5	3.19	0.2	15	380	< 0.5	< 2	2.39	< 0.5	11	10	39	2.42	10	< 1	0.17	10	0.85	603
CU-4 075E	201 238	< 5	3.66	0.6	30	60	< 0.5	< 2	2.16	< 0.5	27	32	363	6.49	10	< 1	0.14	10	1.64	767
CU-4 100E	201 238	15	2.63	0.6	35	60	< 0.5	< 2	10.50	< 0.5	22	26	296	4.59	< 10	< 1	0.09	< 10	1.43	488

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)-C07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 2
Date: 30-AUG-88
Invoice #: I-8821718
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821718

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
CU-1 000E	201 238	< 1	0.04	29	470	2	5	16	127	0.34	< 10	< 10	349	< 5	94
CU-1 025E	201 238	< 1	0.03	34	600	< 2	< 5	13	125	0.25	< 10	< 10	222	< 5	99
CU-1 050E	201 238	< 1	0.07	45	1030	< 2	< 5	13	163	0.25	< 10	< 10	168	< 5	74
CU-1 075E	201 238	< 1	0.04	42	720	< 2	< 5	15	114	0.28	< 10	< 10	236	< 5	119
CU-1 100E	201 238	1	0.05	45	570	< 2	5	15	124	0.31	< 10	< 10	284	< 5	80
CU-1 125E	201 238	< 1	0.05	40	740	2	< 5	13	124	0.25	< 10	< 10	219	< 5	68
CU-1 150E	201 238	< 1	0.03	40	420	< 2	< 5	15	98	0.27	< 10	< 10	214	< 5	84
CU-1 175E	201 238	< 1	0.05	46	680	< 2	5	15	132	0.28	< 10	< 10	269	< 5	71
CU-1 200E	201 238	< 1	0.04	56	710	< 2	< 5	16	119	0.26	< 10	< 10	242	< 5	86
CU-2 000E	201 238	< 1	0.03	12	700	6	5	19	156	0.36	< 10	< 10	344	< 5	207
CU-2 025E	201 238	< 1	0.04	12	590	< 2	5	17	235	0.18	< 10	< 10	254	< 5	81
CU-2 050E	201 238	< 1	0.07	10	1590	< 2	5	12	200	0.12	< 10	< 10	296	< 5	50
CU-2 075E	201 238	< 1	0.05	8	680	< 2	5	13	168	0.17	< 10	< 10	318	< 5	74
CU-2 100E	201 238	< 1	0.04	13	570	< 2	5	17	160	0.22	< 10	< 10	287	< 5	97
CU-2 125E	201 238	< 1	0.24	2	480	< 2	< 5	13	287	0.15	< 10	< 10	296	< 5	75
CU-2 150E	201 238	< 1	0.04	29	490	4	< 5	14	119	0.32	< 10	< 10	360	< 5	75
CU-2 175E	201 238	< 1	0.04	32	620	< 2	5	13	123	0.30	< 10	< 10	356	< 5	68
CU-2 200E	201 238	< 1	0.05	56	790	2	5	15	136	0.32	< 10	< 10	339	< 5	80
CU-2 225E	201 238	< 1	0.03	61	720	6	< 5	15	110	0.29	< 10	< 10	231	< 5	107
CU-2 250E	201 238	< 1	0.03	33	420	4	< 5	15	111	0.28	< 10	< 10	196	< 5	109
CU-2 275E	201 238	< 1	0.06	53	660	< 2	< 5	15	127	0.28	< 10	< 10	354	10	68
CU-2 300E	201 238	< 1	0.03	54	550	4	< 5	15	111	0.26	< 10	< 10	213	< 5	91
CU-3 000E	201 238	< 1	0.04	15	510	14	< 5	12	202	0.05	< 10	< 10	89	< 5	93
CU-3 025E	201 238	1	0.03	21	560	14	< 5	18	128	0.13	< 10	< 10	136	< 5	138
CU-3 050E	201 238	8	0.01	14	710	28	< 5	18	85	0.05	< 10	< 10	101	< 5	121
CU-3 075E	201 238	2	0.01	9	820	48	5	13	146	0.21	< 10	< 10	92	< 5	448
CU-3 125E	201 238	< 1	0.02	12	1540	6	< 5	8	74	0.14	< 10	< 10	70	< 5	110
CU-3 150E	201 238	< 1	0.03	13	670	114	5	13	95	0.25	< 10	< 10	227	< 5	319
CU-3 175E	201 238	< 1	0.02	16	1260	8	< 5	12	94	0.18	< 10	< 10	62	< 5	131
CU-3 200E	201 238	1	0.03	29	540	18	5	18	124	0.33	< 10	< 10	327	< 5	149
CU-3 225E	201 238	< 1	0.04	28	760	2	5	16	121	0.29	< 10	< 10	307	< 5	148
CU-3 250E	201 238	< 1	0.04	27	730	6	5	15	128	0.28	< 10	< 10	303	< 5	109
CU-3 275E	201 238	< 1	0.02	15	940	8	< 5	11	166	0.17	< 10	< 10	156	< 5	92
CU-3 300E	201 238	< 1	0.03	15	410	2	5	16	152	0.33	< 10	< 10	213	< 5	74
CU-3 325E	201 238	< 1	0.04	19	490	6	5	18	186	0.32	10	< 10	273	< 5	108
CU-4 000E	201 238	< 1	0.02	16	440	< 2	< 5	10	126	0.09	< 10	< 10	87	< 5	84
CU-4 025E	201 238	< 1	0.02	17	410	< 2	< 5	10	84	0.05	< 10	< 10	91	< 5	73
CU-4 050E	201 238	< 1	0.03	13	500	2	< 5	7	376	0.02	< 10	< 10	54	< 5	70
CU-4 075E	201 238	< 1	0.07	41	580	< 2	5	22	137	0.25	< 10	< 10	310	< 5	101
CU-4 100E	201 238	< 1	0.05	28	470	< 2	5	15	176	0.18	< 10	< 10	210	< 5	71

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)-C07
Comments: CC: JEAN PAUTLER

Page No. : 2-A
Tot. Pages: 2
Date : 30-AUG-88
Invoice #: I-8821718
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821718

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
CU-4 125E	201 238	< 5	3.46	< 0.2	105	40	1.5	< 2	6.98	< 0.5	18	12	153	4.79	< 10	< 1	0.11	< 10	1.35	1035
CU-4 150E	201 238	< 5	4.03	< 0.2	160	50	2.0	< 2	7.90	< 0.5	25	15	156	4.86	< 10	< 1	0.13	< 10	1.90	1165
CU-4 175E	201 238	60	4.50	0.6	105	100	3.0	< 2	2.71	< 0.5	19	22	186	5.61	10	< 1	0.32	10	1.47	910
CU-4 200E	201 238	< 5	3.29	0.8	175	110	0.5	< 2	2.32	< 0.5	21	18	139	5.14	10	1	0.22	10	1.11	1055
CU-4 225E	201 238	20	4.32	< 0.2	2930	50	< 0.5	< 2	6.62	< 0.5	19	19	140	5.68	< 10	< 1	0.12	< 10	2.35	780
CU-4 250E	201 238	< 5	5.18	0.4	240	60	0.5	< 2	2.90	< 0.5	21	17	115	5.00	10	< 1	0.16	10	1.90	742
CU-4 275E	201 238	< 5	4.11	< 0.2	420	40	< 0.5	< 2	5.79	< 0.5	24	18	187	5.19	< 10	1	0.06	< 10	2.26	817
CU-4 300E	201 238	< 5	5.45	0.4	140	40	< 0.5	< 2	3.88	< 0.5	27	18	264	5.33	10	< 1	0.16	< 10	1.10	756
CU-4 325E	201 238	< 5	3.57	0.2	60	30	0.5	< 2	4.55	1.5	18	11	160	4.89	< 10	< 1	0.08	< 10	0.81	1315
CU-4 350E	201 238	< 5	2.76	0.4	35	40	< 0.5	< 2	3.52	1.5	15	13	130	3.85	< 10	< 1	0.08	< 10	0.69	1355
CU-4 375E	201 238	< 5	2.44	0.8	35	70	< 0.5	< 2	2.40	0.5	15	11	106	3.06	10	< 1	0.10	10	0.67	952
CU-4 400E	201 238	< 5	4.60	1.2	45	30	< 0.5	< 2	2.17	< 0.5	47	13	790	7.95	< 10	1	0.06	10	1.70	627
CU-4 425E	201 238	< 5	3.07	0.8	35	40	< 0.5	< 2	2.21	< 0.5	15	9	342	4.55	< 10	< 1	0.09	10	0.64	850
CU-4 450E	201 238	< 5	3.55	0.8	50	40	< 0.5	< 2	2.30	< 0.5	39	22	1020	5.12	< 10	< 1	0.10	10	1.18	893
CU-4 475E	201 238	< 5	4.33	0.6	60	20	< 0.5	< 2	1.97	< 0.5	38	39	369	6.95	< 10	< 1	0.05	10	1.48	396

CERTIFICATION :

P. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)-C07
Comments: CC: JEAN PAUTLER

Page No.: 2-B
Tot. Pages: 2
Date: 30-AUG-88
Invoice #: I-8821718
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821718

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
CU-4 125E	201 238	1	0.02	15	710	14	< 5	16	98	0.17	< 10	< 10	115	< 5	349
CU-4 150E	201 238	1	0.02	20	840	18	5	18	173	0.15	< 10	< 10	125	< 5	391
CU-4 175E	201 238	< 1	0.04	34	660	8	5	23	94	0.18	< 10	< 10	138	< 5	163
CU-4 200E	201 238	1	0.02	19	1270	30	< 5	27	75	0.09	< 10	< 10	102	< 5	230
CU-4 225E	201 238	12	0.02	24	1270	10	< 5	26	69	0.18	< 10	< 10	161	< 5	150
CU-4 250E	201 238	4	0.02	26	620	< 2	< 5	22	67	0.29	< 10	< 10	118	< 5	109
CU-4 275E	201 238	9	0.02	35	590	12	5	16	81	0.23	< 10	< 10	118	< 5	109
CU-4 300E	201 238	< 1	0.02	19	590	< 2	< 5	19	109	0.22	< 10	< 10	140	< 5	97
CU-4 325E	201 238	2	0.02	12	940	28	5	13	94	0.22	< 10	< 10	93	< 5	781
CU-4 350E	201 238	1	0.02	14	740	20	< 5	10	66	0.18	< 10	< 10	72	< 5	424
CU-4 375E	201 238	1	0.03	14	1470	6	< 5	8	81	0.15	< 10	< 10	64	< 5	180
CU-4 400E	201 238	1	0.05	28	430	16	5	22	132	0.38	< 10	< 10	425	25	156
CU-4 425E	201 238	< 1	0.02	14	370	2	< 5	19	96	0.18	< 10	< 10	83	< 5	100
CU-4 450E	201 238	< 1	0.03	39	580	6	5	16	124	0.31	< 10	< 10	217	15	151
CU-4 475E	201 238	< 1	0.04	30	290	2	< 5	17	132	0.32	< 10	< 10	325	15	79

CERTIFICATION : B. Cagli



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

217 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B04D-C07
Comments: JEAN PAUTLER


Page No. : 1-A
Tot. Pages: 2
Date : 30-AUG-88
Invoice #: I-8821717
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821717

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SKT1 08+50W	201 238	< 5	2.97	0.4	35	50	0.5	< 2	2.54	< 0.5	11	11	52	3.76	10	< 1	0.07	10	1.40	831
SKT1 08+75W	201 238	15	3.13	0.8	75	10	< 0.5	< 2	4.45	< 0.5	25	5	348	4.84	< 10	< 1	0.03	< 10	2.49	1745
SKT1 09+00W	201 238	< 5	3.28	0.4	35	10	< 0.5	< 2	7.20	< 0.5	15	8	178	5.22	< 10	< 1	0.01	< 10	1.36	2000
SKT1 09+25W	201 238	5	3.19	0.4	25	50	0.5	< 2	3.97	< 0.5	9	6	42	4.69	< 10	< 1	0.03	< 10	0.96	1180
SKT1 09+50W	201 238	< 5	4.98	0.2	30	20	0.5	< 2	3.40	< 0.5	8	10	9	2.44	< 10	< 1	0.08	< 10	1.23	367
SKT1 09+75W	201 238	5	3.53	0.6	60	10	< 0.5	< 2	4.60	1.0	16	6	257	4.28	< 10	< 1	0.04	< 10	1.10	908
SKT1 10+00W	201 238	35	4.02	1.0	40	10	< 0.5	< 2	3.28	< 0.5	66	< 1	1455	8.20	< 10	2	0.05	< 10	1.65	518
SKT1 10+25W	201 238	60	3.96	1.0	80	20	< 0.5	< 2	4.03	< 0.5	122	23	1325	11.45	< 10	4	0.04	< 10	2.31	1050
SKT1 10+50W	201 238	5	3.49	0.6	55	20	< 0.5	< 2	3.42	< 0.5	55	9	1120	8.06	< 10	1	0.03	< 10	1.88	690
SKT1 10+75W	201 238	5	3.48	0.6	50	60	0.5	< 2	2.49	< 0.5	32	30	719	6.68	< 10	< 1	0.06	10	1.38	632
SKT1 11+00W	201 238	10	3.51	0.6	40	50	< 0.5	< 2	2.86	< 0.5	27	27	821	5.60	10	1	0.06	< 10	1.23	697
SKT1 11+25W	201 238	< 5	4.28	0.8	85	< 10	< 0.5	< 2	14.50	< 0.5	40	22	3890	5.49	< 10	1	< 0.01	< 10	2.41	1350
SKT1 11+50W	201 238	30	3.78	0.8	90	30	< 0.5	< 2	2.99	< 0.5	92	13	1185	6.90	< 10	< 1	0.11	< 10	1.93	764
SKT1 11+75W	201 238	45	3.19	1.4	205	30	< 0.5	< 2	1.77	< 0.5	44	19	799	11.95	< 10	1	0.03	< 10	1.44	779
SKT1 12+00W	201 238	15	4.05	0.6	35	30	< 0.5	< 2	2.89	< 0.5	36	24	1010	6.81	< 10	< 1	0.04	< 10	1.42	544
SKT1 12+25W	201 238	5	3.65	0.4	20	60	< 0.5	< 2	3.26	< 0.5	27	29	397	6.65	< 10	< 1	0.06	< 10	1.72	680
SKT1 12+50W	201 238	< 5	5.09	0.6	40	80	< 0.5	< 2	2.78	< 0.5	21	23	329	5.01	< 10	< 1	0.07	< 10	1.04	544
SKT1 12+75W	201 238	< 5	3.67	0.8	25	30	< 0.5	< 2	2.72	< 0.5	20	9	540	4.43	< 10	< 1	0.06	< 10	0.91	789
SKT1 13+00W	201 238	10	4.88	0.4	50	60	< 0.5	< 2	3.75	< 0.5	24	16	202	5.27	< 10	1	0.06	< 10	0.95	1210
SKT2 10+00W	201 238	15	3.77	0.6	55	40	0.5	< 2	2.33	< 0.5	49	20	596	9.12	10	< 1	0.14	10	1.81	877
SKT2 10+25W	201 238	10	3.82	0.2	55	60	1.5	< 2	2.12	< 0.5	41	21	747	7.75	20	< 1	0.12	10	1.42	567
SKT2 10+50W	201 238	< 5	3.50	0.4	30	90	1.5	4	1.75	< 0.5	21	31	159	4.78	20	< 1	0.24	10	0.84	744
SKT2 10+75W	201 238	10	3.40	0.6	60	60	0.5	< 2	2.05	< 0.5	34	25	617	7.23	20	< 1	0.08	10	1.26	623
SKT2 11+00W	201 238	15	4.24	0.4	75	50	0.5	< 2	2.80	< 0.5	56	14	1360	8.67	10	< 1	0.05	< 10	1.93	1200
SKT2 11+25W	201 238	10	3.37	0.4	75	50	0.5	< 2	2.04	< 0.5	34	19	637	8.08	10	< 1	0.06	10	1.26	549
SKT2 11+50W	201 238	35	2.88	0.6	465	20	2.0	< 2	1.62	< 0.5	168	10	2300	7.91	10	< 1	0.03	10	2.44	924
SKT2 11+75W	201 238	15	5.40	0.6	80	40	0.5	< 2	3.55	< 0.5	64	6	1195	6.10	< 10	< 1	0.08	< 10	1.39	587
SKT2 12+00W	201 238	30	4.40	0.8	30	80	< 0.5	< 2	1.96	< 0.5	32	25	653	6.24	10	< 1	0.09	10	1.63	885
SKT2 12+25W	201 238	115	2.55	11.0	1180	30	1.0	< 2	1.00	< 0.5	105	7	828	11.70	10	< 1	0.09	10	0.40	347
SKT2 12+50W	201 238	20	4.53	0.8	200	60	0.5	< 2	1.63	< 0.5	43	22	702	8.14	10	1	0.10	10	1.83	1175
SKT2 12+75W	201 238	35	5.20	0.8	55	30	< 0.5	< 2	3.03	< 0.5	59	9	3320	7.27	10	< 1	0.13	< 10	1.65	651
SKT2 13+00W	201 238	10	3.85	0.4	35	80	< 0.5	2	2.62	< 0.5	23	26	194	5.84	10	< 1	0.13	10	1.01	940
SKT3 08+75W	201 238	5	3.27	0.4	40	40	< 0.5	< 2	4.47	< 0.5	15	8	128	4.24	10	< 1	0.06	< 10	0.62	1430
SKT3 09+00W	201 238	10	3.30	0.6	50	20	< 0.5	< 2	3.15	< 0.5	31	15	591	6.53	10	< 1	0.04	< 10	1.60	802
SKT3 09+25W	201 238	15	3.40	0.6	45	30	< 0.5	< 2	3.50	< 0.5	31	17	530	7.81	10	< 1	0.05	< 10	1.37	640
SKT3 09+50W	201 238	< 5	4.46	0.2	25	70	< 0.5	< 2	1.56	< 0.5	43	27	498	6.77	10	< 1	0.21	10	1.32	973
SKT3 09+75W	201 238	20	4.19	0.2	30	30	< 0.5	< 2	2.67	< 0.5	105	9	399	8.66	10	< 1	0.10	< 10	1.77	756
SKT3 10+00W	201 238	10	5.33	0.2	85	30	< 0.5	< 2	3.19	< 0.5	73	1	178	9.49	10	1	0.08	< 10	1.91	719
SKT3 10+25W	201 238	5	5.86	0.6	50	60	< 0.5	< 2	2.30	< 0.5	46	14	1000	7.33	10	< 1	0.15	< 10	2.37	714
SKT3 10+50W	201 238	< 5	3.87	0.4	25	90	< 0.5	< 2	1.82	< 0.5	29	34	241	6.75	10	< 1	0.13	10	1.18	980

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08D-C07
Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 2
Date : 30-AUG-88
Invoice #: I-8821717
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821717

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SECT1 08+50W	201 238	1	0.02	11	460	6	< 5	18	66	0.20	< 10	< 10	92	< 5	125
SECT1 08+75W	201 238	1	0.01	14	860	4	< 5	19	95	0.23	< 10	< 10	116	< 5	165
SECT1 09+00W	201 238	< 1	0.01	12	370	4	< 5	15	35	0.18	< 10	< 10	111	< 5	81
SECT1 09+25W	201 238	< 1	0.02	9	300	< 2	< 5	20	60	0.19	< 10	< 10	98	< 5	86
SECT1 09+50W	201 238	< 1	0.01	7	370	< 2	< 5	15	216	0.19	< 10	< 10	90	< 5	45
SECT1 09+75W	201 238	1	0.02	12	520	8	< 5	14	130	0.22	< 10	< 10	132	< 5	525
SECT1 10+00W	201 238	< 1	0.04	48	390	2	< 5	17	152	0.37	< 10	< 10	472	< 5	113
SECT1 10+25W	201 238	3	0.03	48	320	2	10	33	111	0.30	< 10	< 10	554	< 5	121
SECT1 10+50W	201 238	1	0.04	28	500	2	< 5	22	160	0.38	< 10	< 10	466	< 5	101
SECT1 10+75W	201 238	< 1	0.03	35	650	< 2	< 5	16	120	0.29	< 10	< 10	294	< 5	107
SECT1 11+00W	201 238	< 1	0.02	31	580	2	< 5	16	119	0.28	< 10	< 10	228	< 5	126
SECT1 11+25W	201 238	1	0.01	64	250	2	5	7	248	0.13	< 10	< 10	48	< 5	222
SECT1 11+50W	201 238	5	0.02	25	390	22	< 5	23	131	0.21	< 10	< 10	206	< 5	150
SECT1 11+75W	201 238	8	0.02	34	240	< 2	5	23	120	0.25	< 10	< 10	429	< 5	95
SECT1 12+00W	201 238	< 1	0.03	41	390	< 2	< 5	16	171	0.30	< 10	< 10	374	< 5	94
SECT1 12+25W	201 238	< 1	0.06	29	620	< 2	< 5	19	142	0.28	< 10	< 10	332	< 5	84
SECT1 12+50W	201 238	< 1	0.03	25	340	< 2	< 5	16	148	0.23	< 10	< 10	192	< 5	103
SECT1 12+75W	201 238	1	0.02	15	820	< 2	< 5	16	229	0.37	< 10	< 10	187	< 5	128
SECT1 13+00W	201 238	1	0.02	20	320	12	< 5	14	113	0.25	< 10	< 10	139	< 5	231
SECT2 10+05W	201 238	< 1	0.02	24	520	< 2	5	33	122	0.34	< 10	10	488	< 5	115
SECT2 10+25W	201 238	< 1	0.04	29	540	4	< 5	28	110	0.24	< 10	< 10	435	< 5	87
SECT2 10+50W	201 238	< 1	0.03	31	560	< 2	< 5	15	87	0.25	< 10	< 10	176	< 5	131
SECT2 10+75W	201 238	< 1	0.04	31	510	4	< 5	19	106	0.28	< 10	< 10	397	< 5	98
SECT2 11+00W	201 238	< 1	0.09	30	380	< 2	< 5	35	112	0.23	< 10	< 10	456	< 5	107
SECT2 11+25W	201 238	< 1	0.03	27	490	< 2	< 5	20	134	0.30	< 10	< 10	505	< 5	88
SECT2 11+50W	201 238	1	0.02	37	530	< 2	5	26	118	0.22	< 10	< 10	204	< 5	161
SECT2 11+75W	201 238	< 1	0.05	31	280	< 2	< 5	19	206	0.17	< 10	< 10	283	< 5	84
SECT2 12+00W	201 238	< 1	0.02	30	360	< 2	< 5	27	83	0.20	< 10	< 10	233	< 5	122
SECT2 12+25W	201 238	15	0.01	30	620	30	10	10	61	0.20	< 10	< 10	307	< 5	115
SECT2 12+50W	201 238	< 1	0.04	31	680	< 2	5	39	102	0.16	< 10	< 10	441	< 5	94
SECT2 12+75W	201 238	< 1	0.03	54	900	< 2	< 5	24	162	0.33	< 10	< 10	403	< 5	137
SECT2 13+00W	201 238	< 1	0.04	28	350	2	< 5	18	109	0.27	< 10	< 10	248	< 5	111
SECT3 08+75W	201 238	< 1	0.02	11	560	4	< 5	14	99	0.21	< 10	< 10	85	< 5	272
SECT3 09+00W	201 238	< 1	0.03	36	570	< 2	< 5	19	129	0.30	< 10	< 10	335	< 5	108
SECT3 09+25W	201 238	< 1	0.03	26	480	< 2	< 5	24	143	0.39	< 10	< 10	505	< 5	77
SECT3 09+50W	201 238	< 1	0.07	32	370	< 2	5	30	88	0.15	< 10	< 10	275	< 5	100
SECT3 09+75W	201 238	2	0.05	12	260	< 2	< 5	29	109	0.28	< 10	< 10	447	< 5	74
SECT3 10+00W	201 238	5	0.12	8	210	< 2	5	35	152	0.32	< 10	< 10	435	< 5	91
SECT3 10+25W	201 238	< 1	0.08	37	360	< 2	5	31	183	0.24	< 10	< 10	392	< 5	104
SECT3 10+50W	201 238	< 1	0.05	33	360	< 2	< 5	22	91	0.27	< 10	< 10	352	< 5	111

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08D-C07
Comments: CC: JEAN PAUTLER

Page No.: 2-A
Tot. Pages: 2
Date: 30-AUG-88
Invoice #: I-8821717
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821717

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SKT3 10+79W	201 238	15	4.59	0.6	30	60	0.5	< 2	1.67	< 0.5	41	10	614	7.95	10	< 1	0.10	10	2.01	987
SKT3 11+00W	201 238	< 5	4.44	0.4	35	80	< 0.5	< 2	1.87	< 0.5	34	33	604	7.85	10	1	0.07	10	1.87	669
SKT3 11+29W	201 238	5	4.65	0.4	25	70	1.0	< 2	2.02	< 0.5	38	25	676	7.49	20	< 1	0.11	10	1.63	678
SKT3 11+50W	201 238	5	4.25	0.4	20	90	1.0	2	1.99	< 0.5	27	38	375	6.55	20	< 1	0.07	10	1.27	622
SKT3 11+79W	201 238	< 5	4.01	0.4	30	70	0.5	< 2	1.95	< 0.5	26	38	387	7.71	20	< 1	0.09	10	1.13	660
SKT3 12+00W	201 238	< 5	5.92	0.4	40	80	0.5	< 2	2.28	< 0.5	38	19	1445	6.95	20	< 1	0.18	10	1.63	996
SKT3 12+29W	201 238	< 5	4.54	0.4	50	90	0.5	< 2	2.06	< 0.5	39	17	723	7.44	10	< 1	0.19	10	1.40	1140
SKT3 12+50W	201 238	< 5	4.19	0.4	35	70	1.0	< 2	2.26	< 0.5	42	15	908	7.11	20	< 1	0.15	10	1.70	1015
SKT3 12+79W	201 238	< 5	4.33	0.2	50	70	0.5	< 2	1.63	< 0.5	32	19	562	6.98	10	< 1	0.14	10	1.33	1085
SKT3 13+00W	201 238	< 5	4.39	0.2	380	60	< 0.5	< 2	1.98	< 0.5	35	13	897	6.92	10	< 1	0.12	10	1.57	694

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08D-C07
Comments: CC: JEAN PAUTLER

Page No. : 2-B
Tot. Pages: 2
Date : 30-AUG-88
Invoice #: I-8821717
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821717

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SCT3 10+7.5W	201	238	< 1	0.04	17	310	< 2	< 5	42	93	0.11	< 10	10	441	< 5	92
SCT3 11+00W	201	238	< 1	0.06	37	390	< 2	5	29	135	0.29	< 10	< 10	467	< 5	83
SCT3 11+2.5W	201	238	< 1	0.04	29	380	< 2	< 5	27	125	0.27	< 10	< 10	442	< 5	98
SCT3 11+50W	201	238	< 1	0.05	39	340	< 2	5	21	126	0.31	< 10	< 10	364	< 5	86
SCT3 11+7.5W	201	238	< 1	0.05	32	310	< 2	5	22	111	0.33	< 10	10	477	< 5	85
SCT3 12+00W	201	238	< 1	0.04	30	390	< 2	5	34	135	0.27	< 10	< 10	389	< 5	115
SCT3 12+2.5W	201	238	< 1	0.05	28	450	4	< 5	33	81	0.24	< 10	< 10	423	< 5	126
SCT3 12+50W	201	238	< 1	0.03	34	430	< 2	< 5	29	93	0.29	< 10	< 10	379	< 5	134
SCT3 12+7.5W	201	238	< 1	0.03	30	350	2	5	23	79	0.21	< 10	< 10	270	< 5	150
SCT3 13+00W	201	238	< 1	0.03	30	410	< 2	5	29	94	0.25	< 10	< 10	308	< 5	126

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07
Comments: JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 30-AUG-88
Invoice #: I-8821767
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821767

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			RUSH	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
SWL&S 0+44.5E	201	238	35	3.84	2.2	35	150	< 0.5	< 2	0.74	1.5	20	49	98	5.45	< 10	< 1	0.15	20	1.35	739

CERTIFICATION :

B. C. J.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221


To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07 B08(D)C-07
Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 30-AUG-88
Invoice #: I-8821767
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821767

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SMLS 0+44.5E	201	238	3	0.02	31	890	958	10	13	54	0.21	< 10	< 10	130	< 5	560

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07 B27C-07
Comments: CC: JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 2-SEP-88
Invoice #: I-8821753
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821753

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
128660 H	205	238	< 5	0.25	0.4	15	1850	< 0.5	2	0.11	< 0.5	4	31	5	0.90	< 10	< 1	0.04	< 10	0.02	60
128661 H	205	238	< 5	0.33	< 0.2	75	170	< 0.5	< 2	0.10	< 0.5	29	28	6	4.99	< 10	< 1	0.12	< 10	0.05	121
128662 H	205	238	< 5	2.03	0.4	140	560	0.5	< 2	2.37	< 0.5	16	40	80	3.07	10	< 1	0.09	20	0.89	257
128663 H	205	238	< 5	2.70	< 0.2	15	420	0.5	< 2	3.53	< 0.5	11	38	29	3.04	10	< 1	0.15	20	1.16	578
128664 H	205	238	< 5	1.31	0.2	125	40	< 0.5	< 2	1.66	< 0.5	2	29	9	14.05	10	< 1	0.07	10	0.12	100
128665 H	205	238	< 5	2.21	< 0.2	4450	210	0.5	< 2	1.95	< 0.5	5	22	6	6.77	10	< 1	0.07	20	0.59	385
128666 H	205	238	10	2.39	0.2	105	200	0.5	< 2	2.18	< 0.5	6	33	57	3.33	10	1	0.08	10	0.27	93
128667 H	205	238	5	3.74	< 0.2	225	80	< 0.5	< 2	2.72	< 0.5	10	16	19	5.25	10	< 1	0.13	10	0.81	346
128668 H	205	238	< 5	2.87	< 0.2	275	80	0.5	< 2	2.81	< 0.5	6	37	57	4.75	10	< 1	0.07	20	1.04	322

CERTIFICATION : B. Carlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B08(D)C-07 B27C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 2-SEP-88
Invoice #: I-8821753
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821753

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
128660 H	205	238	< 1	< 0.01	6	90	128	25	1	419	< 0.01	< 10	< 10	9	< 5	287
128661 H	205	238	3	< 0.01	60	90	12	< 5	2	136	< 0.01	50	< 10	15	5	371
128662 H	205	238	1	0.06	22	1480	56	< 5	6	55	0.35	< 10	< 10	94	< 5	53
128663 H	205	238	2	0.08	15	1590	26	< 5	7	53	0.33	< 10	< 10	99	5	78
128664 H	205	238	2	0.05	14	1110	4	< 5	3	28	0.09	710	10	29	20	111
128665 H	205	238	7	0.03	9	2190	6	80	6	214	0.31	40	< 10	66	10	32
128666 H	205	238	23	0.04	13	1930	10	< 5	7	89	0.18	30	< 10	76	5	22
128667 H	205	238	1	0.04	8	940	2	5	11	108	0.26	10	< 10	120	5	59
128668 H	205	238	3	0.05	15	1530	6	< 5	10	108	0.32	< 10	< 10	119	5	28

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1
 Project: B26C-07
 Comments: JEAN PAUTLER

Page No. : 1-A
 Tot. Pages: 3
 Date : 2-SEP-88
 Invoice #: I-8822039
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Au ppb FAAA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L24+00E 10+00N	201 238	< 5	1.96	0.2	5	60	1.0	2	0.35	< 0.5	9	35	27	2.74	< 10	< 1	0.04	< 10	0.43	315
L24+00E 10+25N	201 238	10	2.13	0.2	< 5	70	1.0	2	0.38	< 0.5	10	35	47	2.78	< 10	< 1	0.05	< 10	0.48	572
L24+00E 10+50N	201 238	< 5	1.95	0.2	10	50	1.0	2	0.39	< 0.5	10	34	50	2.94	< 10	< 1	0.05	< 10	0.44	451
L24+00E 10+75N	201 238	210	2.02	0.2	5	70	0.5	4	0.38	< 0.5	11	52	38	3.22	< 10	< 1	0.04	< 10	0.50	444
L24+00E 11+00N	201 238	< 5	1.71	0.2	5	40	0.5	2	0.21	< 0.5	6	26	9	2.20	< 10	< 1	0.03	< 10	0.23	141
L24+00E 11+25N	201 238	5	1.66	0.2	10	90	0.5	2	0.38	< 0.5	8	36	20	2.58	< 10	< 1	0.03	< 10	0.32	297
L24+00E 11+50N	201 238	< 5	1.66	0.2	< 5	80	0.5	4	0.51	< 0.5	13	40	64	3.00	< 10	< 1	0.07	< 10	0.74	268
L24+00E 11+75N	201 238	10	1.76	0.2	5	130	< 0.5	4	1.00	< 0.5	13	38	84	2.74	10	< 1	0.08	10	0.81	450
L24+00E 12+00N	201 238	< 5	1.90	0.2	5	160	< 0.5	4	1.23	< 0.5	14	38	109	2.83	10	< 1	0.10	10	0.89	610
L24+00E 12+00N	201 238	< 5	1.85	0.2	< 5	130	< 0.5	< 2	0.83	< 0.5	16	41	90	3.19	< 10	< 1	0.09	10	0.91	958
L24+00E 12+25N	201 238	10	1.76	0.4	< 5	150	< 0.5	2	1.13	< 0.5	14	38	97	2.84	< 10	< 1	0.09	10	0.88	731
L24+00E 12+50N	201 238	< 5	1.67	0.2	< 5	110	< 0.5	< 2	0.80	< 0.5	14	39	75	2.92	< 10	< 1	0.09	10	0.83	853
L24+00E 12+75N	201 238	< 5	1.82	0.2	< 5	110	< 0.5	< 2	0.70	< 0.5	12	43	67	2.78	< 10	< 1	0.10	10	0.83	484
L24+00E 13+00N	201 238	< 5	1.70	0.2	< 5	80	< 0.5	< 2	0.70	< 0.5	11	64	37	3.53	< 10	< 1	0.07	< 10	0.82	315
L24+00E 13+25N	201 238	< 5	1.93	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	9	46	29	3.07	< 10	< 1	0.04	< 10	0.56	262
L24+00E 13+50N	201 238	< 5	1.65	0.2	< 5	70	< 0.5	< 2	0.53	< 0.5	9	56	21	3.27	< 10	< 1	0.04	< 10	0.54	319
L24+00E 13+75N	201 238	< 5	1.54	0.2	10	60	< 0.5	< 2	0.44	< 0.5	8	36	19	2.50	< 10	< 1	0.03	< 10	0.44	263
L24+00E 14+00N	201 238	< 5	1.22	0.2	5	40	< 0.5	< 2	0.64	< 0.5	8	54	21	2.95	< 10	< 1	0.04	< 10	0.53	234
L24+00E 14+25N	201 238	< 5	1.24	0.2	< 5	40	< 0.5	< 2	0.58	< 0.5	7	48	13	2.70	< 10	< 1	0.07	< 10	0.45	200
L24+00E 14+50N	201 238	< 5	1.70	0.2	5	80	< 0.5	< 2	0.49	< 0.5	9	42	23	2.87	< 10	< 1	0.06	< 10	0.61	337
L24+00E 14+75N	201 238	< 5	1.17	0.2	< 5	50	< 0.5	< 2	0.58	< 0.5	8	54	23	2.83	< 10	< 1	0.04	< 10	0.56	256
L24+00E 15+00N	201 238	< 5	1.56	0.2	< 5	60	< 0.5	< 2	0.46	< 0.5	8	43	17	2.79	< 10	< 1	0.03	< 10	0.44	304
L24+00E 15+25N	201 238	< 5	1.49	0.2	10	70	< 0.5	2	0.46	< 0.5	8	41	21	2.74	< 10	< 1	0.04	< 10	0.51	336
L24+00E 15+50N	201 238	< 5	1.52	0.2	< 5	80	< 0.5	< 2	0.34	< 0.5	8	35	19	2.33	< 10	< 1	0.05	< 10	0.42	687
L24+00E 15+75N	201 238	< 5	1.46	0.2	< 5	60	< 0.5	< 2	0.27	< 0.5	7	36	12	2.13	< 10	< 1	0.03	< 10	0.30	540
L24+00E 16+00N	201 238	< 5	1.74	0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	9	88	23	2.48	< 10	< 1	0.03	< 10	0.42	468
L24+00E 16+25N	201 238	< 5	1.78	0.2	5	60	< 0.5	< 2	0.36	< 0.5	7	46	19	2.35	< 10	< 1	0.04	< 10	0.35	406
L24+00E 16+50N	201 238	5	2.08	0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	8	37	27	2.52	< 10	< 1	0.05	< 10	0.45	483
L24+00E 16+75N	201 238	< 5	2.16	0.2	< 5	150	< 0.5	< 2	0.44	< 0.5	6	34	32	2.25	< 10	< 1	0.09	< 10	0.51	269
L24+00E 17+00N	201 238	5	1.53	0.2	< 5	60	< 0.5	< 2	0.36	< 0.5	5	26	8	1.96	< 10	1	0.06	< 10	0.36	307
L24+00E 17+25N	201 238	< 5	1.67	0.2	5	80	< 0.5	< 2	0.46	< 0.5	7	32	16	2.29	< 10	1	0.11	10	0.50	358
L24+00E 17+50N	201 238	5	2.36	0.2	5	220	< 0.5	< 2	0.95	< 0.5	19	35	183	3.84	10	1	0.11	10	1.04	1355
L24+00E 17+75N	201 238	< 5	1.01	0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	5	14	7	1.47	< 10	< 1	0.07	< 10	0.27	358
L24+00E 18+00N	201 238	< 5	1.04	0.2	5	90	< 0.5	< 2	0.26	< 0.5	5	16	9	1.58	< 10	< 1	0.07	< 10	0.28	203
L24+00E 18+25N	201 238	< 5	1.31	0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	7	23	16	1.98	< 10	< 1	0.10	< 10	0.38	309
L24+00E 18+50N	201 238	< 5	1.28	0.2	< 5	100	< 0.5	2	0.46	< 0.5	7	29	15	2.23	< 10	< 1	0.10	< 10	0.44	365
L24+00E 18+75N	201 238	< 5	1.73	0.2	5	120	< 0.5	< 2	0.44	< 0.5	8	29	24	2.38	10	< 1	0.08	< 10	0.52	357
L24+00E 19+00N	201 238	< 5	1.10	0.2	5	70	< 0.5	< 2	0.34	< 0.5	6	21	11	1.76	< 10	< 1	0.06	< 10	0.36	200
L24+00E 19+25N	201 238	< 5	1.11	0.2	< 5	70	< 0.5	< 2	0.33	< 0.5	6	23	17	1.77	< 10	< 1	0.09	< 10	0.39	322
L24+00E 19+50N	201 238	< 5	1.01	0.2	< 5	60	< 0.5	< 2	0.35	< 0.5	6	22	13	1.68	< 10	< 1	0.09	< 10	0.40	244

CERTIFICATION :

B. C. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 3
Date: 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L24+00E 10+00N	201 238	< 1	0.02	18	1170	< 2	< 5	3	17	0.15	10	< 10	72	5	60
L24+00E 10+25N	201 238	< 1	0.02	18	1620	4	< 5	4	21	0.14	< 10	< 10	69	< 5	73
L24+00E 10+50N	201 238	1	0.02	15	990	2	< 5	3	26	0.14	20	10	77	< 5	59
L24+00E 10+75N	201 238	< 1	0.02	21	1660	< 2	< 5	3	17	0.13	10	10	81	< 5	74
L24+00E 11+00N	201 238	< 1	0.02	11	1530	2	< 5	2	10	0.11	< 10	< 10	54	< 5	56
L24+00E 11+25N	201 238	< 1	0.02	15	1980	4	< 5	3	18	0.11	< 10	< 10	61	< 5	60
L24+00E 11+50N	201 238	< 1	0.01	20	570	< 2	< 5	5	26	0.13	10	< 10	77	< 5	45
L24+00E 11+75N	201 238	< 1	0.01	22	1180	< 2	< 5	7	45	0.10	< 10	< 10	71	< 5	49
L24+00E 12+00N	201 238	< 1	0.01	22	1350	< 2	< 5	8	56	0.10	10	< 10	71	< 5	58
L24+00E 12+00N	201 238	< 1	0.01	22	1230	2	< 5	8	40	0.12	< 10	< 10	80	< 5	63
L24+00E 12+25N	201 238	1	0.01	22	1280	< 2	< 5	8	51	0.11	< 10	< 10	72	< 5	56
L24+00E 12+50N	201 238	1	0.01	18	1140	2	< 5	7	39	0.11	< 10	< 10	74	< 5	57
L24+00E 12+75N	201 238	< 1	0.02	21	1000	2	< 5	7	36	0.14	< 10	< 10	73	< 5	53
L24+00E 13+00N	201 238	< 1	0.01	24	1270	< 2	< 5	5	29	0.16	< 10	< 10	96	< 5	52
L24+00E 13+25N	201 238	< 1	0.01	21	1320	2	< 5	4	22	0.16	< 10	< 10	84	< 5	54
L24+00E 13+50N	201 238	< 1	0.01	22	1150	< 2	< 5	3	20	0.15	< 10	< 10	92	< 5	46
L24+00E 13+75N	201 238	< 1	0.02	16	850	< 2	< 5	3	20	0.14	< 10	< 10	70	< 5	39
L24+00E 14+00N	201 238	< 1	0.01	17	650	< 2	< 5	3	25	0.16	< 10	< 10	91	< 5	30
L24+00E 14+25N	201 238	< 1	0.01	13	480	< 2	< 5	3	24	0.17	< 10	< 10	83	< 5	27
L24+00E 14+50N	201 238	< 1	0.01	20	640	< 2	< 5	3	19	0.16	< 10	< 10	79	< 5	41
L24+00E 14+75N	201 238	< 1	0.01	16	680	< 2	< 5	4	21	0.15	< 10	< 10	87	10	29
L24+00E 15+00N	201 238	< 1	0.01	17	1130	4	< 5	3	17	0.13	< 10	< 10	78	10	45
L24+00E 15+25N	201 238	< 1	0.01	16	1120	2	< 5	3	18	0.14	< 10	< 10	76	10	44
L24+00E 15+50N	201 238	< 1	0.01	15	1090	< 2	< 5	3	15	0.11	< 10	< 10	59	10	53
L24+00E 15+75N	201 238	1	0.01	18	1180	2	< 5	2	11	0.11	< 10	< 10	55	5	55
L24+00E 16+00N	201 238	7	0.02	65	1380	4	< 5	4	17	0.14	< 10	< 10	65	5	59
L24+00E 16+25N	201 238	1	0.02	26	1180	6	< 5	3	17	0.14	< 10	< 10	63	10	54
L24+00E 16+50N	201 238	< 1	0.02	15	1230	< 2	< 5	4	19	0.15	< 10	< 10	67	5	58
L24+00E 16+75N	201 238	1	0.02	17	740	< 2	< 5	4	27	0.15	< 10	< 10	56	5	53
L24+00E 17+00N	201 238	< 1	0.02	11	820	2	< 5	3	19	0.13	< 10	< 10	52	5	38
L24+00E 17+25N	201 238	1	0.02	13	1280	2	< 5	4	26	0.15	10	< 10	60	5	47
L24+00E 17+50N	201 238	2	0.02	17	1040	4	< 5	9	61	0.13	< 10	< 10	92	15	78
L24+00E 17+75N	201 238	< 1	0.02	7	950	2	< 5	2	13	0.10	< 10	< 10	37	5	38
L24+00E 18+00N	201 238	< 1	0.02	8	970	< 2	< 5	2	15	0.09	< 10	< 10	38	5	29
L24+00E 18+25N	201 238	< 1	0.02	13	990	2	< 5	3	22	0.12	< 10	< 10	49	5	36
L24+00E 18+50N	201 238	< 1	0.01	12	500	< 2	< 5	3	22	0.14	< 10	< 10	61	5	35
L24+00E 18+75N	201 238	1	0.02	16	560	2	< 5	3	21	0.15	< 10	< 10	61	10	58
L24+00E 19+00N	201 238	< 1	0.02	11	860	2	< 5	2	20	0.11	10	10	46	< 5	33
L24+00E 19+25N	201 238	< 1	0.02	10	910	4	< 5	3	19	0.11	10	10	47	10	42
L24+00E 19+50N	201 238	1	0.02	9	910	2	< 5	2	21	0.11	10	10	47	5	32

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No. : 2-A
Tot. Pages: 3
Date : 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L24+00E 19+75N	201 238	< 5	1.05	< 0.2	< 5	80	< 0.5	< 2	0.50	< 0.5	6	22	13	1.82	< 10	< 1	0.13	< 10	0.44	386
L24+00E 20+00N	201 238	< 5	0.91	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	5	16	11	1.54	< 10	< 1	0.09	< 10	0.36	176
L25+00E 10+00N	201 238	< 5	1.20	0.2	5	70	< 0.5	< 2	0.45	< 0.5	7	41	19	2.43	< 10	< 1	0.05	< 10	0.49	312
L25+00E 10+25N	201 238	< 5	1.49	0.4	5	100	< 0.5	< 2	0.59	< 0.5	10	40	49	2.61	< 10	< 1	0.07	10	0.71	476
L25+00E 10+50N	201 238	< 5	1.80	0.6	< 5	120	< 0.5	< 2	0.75	< 0.5	11	40	74	2.75	< 10	< 1	0.11	10	0.87	337
L25+00E 10+75N	201 238	< 5	1.39	< 0.2	< 5	170	0.5	< 2	1.05	< 0.5	12	26	86	2.62	< 10	< 1	0.10	10	0.81	1315
L25+00E 11+00N	201 238	< 5	1.67	0.2	5	160	0.5	< 2	1.07	< 0.5	12	40	92	2.90	< 10	1	0.10	10	0.83	1225
L25+00E 11+25N	201 238	< 5	1.77	0.2	5	140	0.5	< 2	1.05	< 0.5	12	40	85	2.76	< 10	< 1	0.10	10	0.88	727
L25+00E 11+50N	201 238	< 5	1.61	0.2	< 5	90	0.5	< 2	0.86	< 0.5	12	47	59	3.27	< 10	< 1	0.12	10	1.09	597
L25+00E 11+75N	201 238	10	1.87	0.2	10	150	1.0	< 2	1.20	< 0.5	13	40	91	3.06	< 10	1	0.12	10	0.90	984
L25+00E 12+00N	201 238	< 5	1.25	< 0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	5	20	10	1.81	< 10	< 1	0.07	< 10	0.32	281
L25+00E 12+25N	201 238	< 5	1.67	< 0.2	< 5	80	0.5	< 2	0.36	< 0.5	6	30	17	2.09	< 10	< 1	0.04	< 10	0.37	238
L25+00E 12+50N	201 238	< 5	1.35	0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	5	18	10	1.79	< 10	< 1	0.03	< 10	0.21	260
L25+00E 12+75N	201 238	< 5	1.53	0.2	5	40	< 0.5	< 2	0.24	< 0.5	5	27	12	2.16	< 10	< 1	0.03	< 10	0.29	201
L25+00E 13+00N	201 238	5	1.50	0.2	< 5	50	< 0.5	< 2	0.34	< 0.5	6	36	14	2.26	< 10	< 1	0.04	< 10	0.35	294
L25+00E 13+25N	201 238	< 5	1.70	0.2	< 5	70	0.5	< 2	0.33	< 0.5	6	33	18	2.29	< 10	< 1	0.05	< 10	0.39	191
L25+00E 13+50N	201 238	< 5	1.89	0.2	5	90	< 0.5	< 2	0.35	< 0.5	6	41	20	2.49	< 10	< 1	0.05	< 10	0.34	180
L25+00E 13+75N	201 238	< 5	1.70	0.2	5	70	0.5	< 2	0.37	< 0.5	6	43	22	2.50	< 10	< 1	0.09	< 10	0.39	194
L25+00E 14+00N	201 238	< 5	1.76	0.4	5	60	0.5	< 2	0.32	< 0.5	7	33	16	2.44	< 10	< 1	0.04	< 10	0.35	151
L25+00E 14+25N	201 238	< 5	2.08	0.6	5	100	0.5	< 2	0.24	< 0.5	7	31	34	2.42	< 10	< 1	0.07	< 10	0.38	317
L25+00E 14+50N	201 238	< 5	1.48	0.2	10	60	< 0.5	< 2	0.28	< 0.5	6	33	16	2.15	< 10	< 1	0.05	< 10	0.35	291
L25+00E 14+75N	201 238	< 5	1.72	0.6	5	60	0.5	< 2	0.24	< 0.5	6	28	17	1.89	10	< 1	0.05	< 10	0.30	233
L25+00E 15+00N	201 238	< 5	2.06	0.6	5	100	0.5	< 2	0.36	< 0.5	7	39	28	2.42	< 10	< 1	0.06	< 10	0.42	281
L25+00E 15+25N	201 238	< 5	1.55	0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	6	26	18	2.31	< 10	< 1	0.05	< 10	0.42	213
L25+00E 15+50N	201 238	< 5	1.69	< 0.2	< 5	70	< 0.5	< 2	0.38	< 0.5	6	26	23	2.37	< 10	< 1	0.06	< 10	0.44	379
L25+00E 15+75N	201 238	< 5	1.96	< 0.2	5	110	< 0.5	< 2	0.31	< 0.5	6	20	26	2.23	< 10	< 1	0.07	< 10	0.41	254
L25+00E 16+00N	201 238	< 5	1.59	< 0.2	5	100	0.5	< 2	0.36	< 0.5	5	23	21	2.11	< 10	< 1	0.06	< 10	0.40	305
L25+00E 16+25N	201 238	< 5	1.54	0.2	10	90	< 0.5	< 2	0.34	< 0.5	7	25	22	2.25	< 10	< 1	0.06	< 10	0.41	294
L25+00E 16+50N	201 238	< 5	1.36	< 0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	6	25	19	2.10	< 10	< 1	0.06	< 10	0.41	285
L25+00E 16+75N	201 238	< 5	1.42	0.2	< 5	80	< 0.5	2	0.36	< 0.5	6	25	16	2.20	< 10	< 1	0.05	< 10	0.43	320
L25+00E 17+00N	201 238	< 5	1.25	0.4	< 5	60	< 0.5	< 2	0.25	< 0.5	5	16	14	1.75	< 10	< 1	0.09	< 10	0.33	234
L25+00E 17+25N	201 238	15	2.39	0.8	< 5	160	< 0.5	< 2	0.66	< 0.5	12	25	265	3.06	10	< 1	0.05	10	0.81	631
L25+00E 17+50N	201 238	10	2.17	0.6	< 5	190	< 0.5	< 2	1.01	< 0.5	19	31	153	3.76	10	< 1	0.20	10	1.06	1185
L25+00E 17+75N	201 238	10	1.97	< 0.2	< 5	190	< 0.5	< 2	1.33	< 0.5	21	36	187	3.96	< 10	< 1	0.17	10	1.24	1430
L25+00E 18+00N	201 238	< 5	1.01	< 0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	5	21	9	1.69	< 10	< 1	0.11	< 10	0.32	244
L25+00E 18+25N	201 238	< 5	1.26	< 0.2	< 5	100	< 0.5	< 2	0.35	< 0.5	6	21	12	1.80	< 10	< 1	0.12	< 10	0.33	204
L25+00E 18+50N	201 238	< 5	1.12	< 0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	5	22	12	1.90	< 10	< 1	0.13	< 10	0.36	206
L25+00E 18+75N	201 238	< 5	1.30	0.4	< 5	190	< 0.5	2	0.37	< 0.5	9	21	33	2.20	< 10	< 1	0.10	< 10	0.35	736
L25+00E 19+00N	201 238	< 5	1.50	0.6	< 5	130	< 0.5	< 2	0.29	< 0.5	7	21	19	2.13	< 10	< 1	0.08	< 10	0.36	291
L25+00E 19+25N	201 238	< 5	1.04	0.4	< 5	70	< 0.5	< 2	0.33	< 0.5	5	19	13	1.59	< 10	< 1	0.09	< 10	0.32	248

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KEHR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 2-B
Tot. Pages: 3
Date: 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L24+00E 19+75N	201 238	< 1	0.01	10	580	4	< 5	2	26	0.14	10	10	49	5	36
L24+00E 20+00N	201 238	< 1	0.01	8	860	2	< 5	2	16	0.10	< 10	< 10	39	5	32
L25+00E 10+00N	201 238	< 1	0.01	14	1420	< 2	< 5	3	18	0.09	10	10	65	5	50
L25+00E 10+25N	201 238	1	0.01	19	760	6	< 5	5	26	0.11	< 10	< 10	69	5	46
L25+00E 10+50N	201 238	1	0.01	21	1030	< 2	< 5	8	35	0.11	< 10	< 10	67	5	55
L25+00E 10+75N	201 238	1	0.01	17	1170	2	< 5	6	46	0.08	< 10	< 10	64	< 5	72
L25+00E 11+00N	201 238	1	0.01	20	1210	4	< 5	7	49	0.09	10	< 10	70	5	58
L25+00E 11+25N	201 238	1	0.01	20	1180	2	< 5	8	48	0.11	10	< 10	74	5	55
L25+00E 11+50N	201 238	2	0.01	21	1220	4	< 5	7	45	0.13	< 10	< 10	91	5	62
L25+00E 11+75N	201 238	2	0.01	21	1000	4	< 5	8	54	0.12	< 10	< 10	78	5	52
L25+00E 12+00N	201 238	< 1	0.01	10	780	2	< 5	2	16	0.11	< 10	< 10	46	< 5	41
L25+00E 12+25N	201 238	< 1	0.02	15	1100	2	< 5	3	15	0.11	10	< 10	55	< 5	42
L25+00E 12+50N	201 238	< 1	0.01	12	950	< 2	< 5	2	8	0.10	< 10	< 10	45	< 5	43
L25+00E 12+75N	201 238	< 1	0.01	13	930	2	< 5	2	10	0.11	10	< 10	57	< 5	35
L25+00E 13+00N	201 238	< 1	0.01	15	1000	2	< 5	2	14	0.12	10	< 10	62	< 5	42
L25+00E 13+25N	201 238	< 1	0.01	13	770	< 2	< 5	2	16	0.14	10	10	62	5	35
L25+00E 13+50N	201 238	1	0.02	15	1140	2	< 5	3	17	0.14	< 10	< 10	65	< 5	35
L25+00E 13+75N	201 238	< 1	0.01	18	1190	2	< 5	4	18	0.13	10	10	66	< 5	35
L25+00E 14+00N	201 238	< 1	0.01	15	1040	< 2	< 5	3	14	0.13	10	10	63	< 5	35
L25+00E 14+25N	201 238	1	0.01	18	1440	4	< 5	3	11	0.12	10	10	55	< 5	51
L25+00E 14+50N	201 238	< 1	0.01	15	1030	2	< 5	2	11	0.10	10	10	55	< 5	42
L25+00E 14+75N	201 238	1	0.01	13	1340	< 2	< 5	2	11	0.11	10	10	46	5	48
L25+00E 15+00N	201 238	1	0.02	17	1420	6	< 5	4	17	0.14	10	10	62	5	51
L25+00E 15+25N	201 238	< 1	0.01	14	710	4	< 5	3	19	0.15	< 10	< 10	64	5	39
L25+00E 15+50N	201 238	< 1	0.01	16	880	2	< 5	3	18	0.14	< 10	< 10	63	< 5	46
L25+00E 15+75N	201 238	< 1	0.02	14	1290	2	< 5	3	16	0.12	< 10	< 10	52	< 5	51
L25+00E 16+00N	201 238	< 1	0.02	13	770	4	< 5	3	18	0.12	< 10	< 10	52	< 5	49
L25+00E 16+25N	201 238	< 1	0.01	14	1150	4	< 5	3	14	0.10	< 10	< 10	55	< 5	48
L25+00E 16+50N	201 238	1	0.01	14	1130	4	< 5	3	13	0.10	< 10	< 10	53	< 5	39
L25+00E 16+75N	201 238	< 1	0.01	12	900	6	< 5	2	14	0.11	< 10	< 10	57	< 5	37
L25+00E 17+00N	201 238	< 1	0.01	11	1090	6	< 5	2	14	0.10	< 10	< 10	41	< 5	39
L25+00E 17+25N	201 238	1	0.02	14	600	6	< 5	7	45	0.14	< 10	< 10	77	< 5	91
L25+00E 17+50N	201 238	1	0.01	15	1290	2	< 5	9	63	0.11	< 10	< 10	89	5	83
L25+00E 17+75N	201 238	2	0.01	14	1380	4	< 5	9	74	0.12	< 10	< 10	102	10	81
L25+00E 18+00N	201 238	< 1	0.01	8	460	< 2	< 5	2	22	0.14	< 10	< 10	48	5	27
L25+00E 18+25N	201 238	< 1	0.01	9	820	< 2	< 5	2	24	0.13	< 10	< 10	44	5	36
L25+00E 18+50N	201 238	1	0.02	9	410	2	< 5	2	20	0.14	< 10	< 10	48	5	33
L25+00E 18+75N	201 238	1	0.01	14	810	2	< 5	5	18	0.08	< 10	< 10	46	5	102
L25+00E 19+00N	201 238	< 1	0.01	14	930	2	< 5	3	14	0.09	< 10	< 10	45	5	83
L25+00E 19+25N	201 238	< 1	0.01	8	160	2	< 5	2	17	0.12	< 10	< 10	40	< 5	34

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 3-A
Tot. Pages: 3
Date: 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
L25+00E 19+50N	201	238	< 5	1.91	0.2	5	120	< 0.5	< 2	0.39	< 0.5	10	38	33	2.54	< 10	< 1	0.10	< 10	0.58	497
L25+00E 19+75N	201	238	5	2.08	< 0.2	10	130	< 0.5	< 2	0.37	< 0.5	8	26	25	2.25	< 10	< 1	0.07	< 10	0.45	572
L25+00E 20+00N	201	238	< 5	1.78	< 0.2	10	120	< 0.5	< 2	0.35	< 0.5	6	28	16	2.21	< 10	< 1	0.08	< 10	0.42	326

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 3-B
Tot. Pages: 3
Date: 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS - A8822039

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L25+00E 19+50N	201	238	1	0.02	20	780	< 2	< 5	4	19	0.12	< 10	< 10	61	< 5	67
L25+00E 19+75N	201	238	1	0.02	17	1180	< 2	< 5	3	19	0.13	< 10	< 10	53	< 5	86
L25+00E 20+00N	201	238	< 1	0.01	16	1020	2	< 5	3	17	0.13	< 10	< 10	54	< 5	54

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: GC: JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 6
Date : 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L10+00E 10+00N	201 238	< 5	1.66	0.2	< 5	100	< 0.5	< 2	0.62	< 0.5	7	35	13	2.55	10	< 1	0.07	< 10	0.56	365
L10+00E 10+25N	201 238	5	2.92	0.2	5	180	< 0.5	< 2	0.44	< 0.5	9	39	22	3.09	10	1	0.07	< 10	0.68	925
L10+00E 10+50N	201 238	< 5	2.65	0.2	5	200	< 0.5	< 2	0.57	< 0.5	9	44	21	3.31	10	< 1	0.07	10	0.69	1145
L10+00E 10+75N	201 238	< 5	1.76	0.2	5	110	< 0.5	< 2	0.53	< 0.5	8	41	15	2.92	< 10	< 1	0.08	< 10	0.63	400
L10+00E 11+00N	201 238	< 5	1.63	0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	7	37	15	2.84	10	< 1	0.06	< 10	0.60	316
L10+00E 11+25N	201 238	< 5	2.24	0.2	< 5	170	< 0.5	< 2	0.48	< 0.5	9	44	22	3.15	10	< 1	0.09	< 10	0.64	744
L10+00E 11+50N	201 238	< 5	2.64	0.2	5	360	< 0.5	< 2	0.63	< 0.5	10	46	31	3.67	10	1	0.07	10	0.71	770
L10+00E 11+75N	201 238	< 5	1.90	0.2	< 5	130	< 0.5	< 2	0.51	< 0.5	7	38	15	2.68	< 10	< 1	0.06	< 10	0.55	540
L10+00E 12+00N	201 238	< 5	2.31	0.2	< 5	120	< 0.5	< 2	0.54	< 0.5	7	32	12	2.48	10	< 1	0.04	< 10	0.50	802
L10+00E 12+25N	201 238	5	3.14	0.2	< 5	180	< 0.5	< 2	0.60	< 0.5	9	49	24	3.54	< 10	< 1	0.10	10	0.79	689
L10+00E 12+50N	201 238	< 5	2.96	0.2	10	180	< 0.5	< 2	0.41	< 0.5	9	37	31	3.25	10	< 1	0.05	< 10	0.73	902
L10+00E 12+75N	201 238	< 5	3.02	0.2	< 5	150	< 0.5	< 2	0.63	< 0.5	10	55	24	3.66	10	< 1	0.07	10	0.81	548
L10+00E 13+00N	201 238	< 5	3.46	0.2	5	170	< 0.5	< 2	0.43	< 0.5	9	37	47	3.28	< 10	1	0.05	10	0.78	496
L10+00E 13+25N	201 238	< 5	2.44	0.2	< 5	120	< 0.5	< 2	0.42	< 0.5	8	38	31	2.98	< 10	< 1	0.05	< 10	0.70	361
L10+00E 13+50N	201 238	< 5	2.64	0.2	< 5	200	< 0.5	< 2	0.73	< 0.5	7	36	43	2.64	10	< 1	0.04	10	0.60	292
L10+00E 13+75N	201 238	< 5	2.85	0.2	10	250	< 0.5	< 2	1.01	< 0.5	5	24	44	1.91	10	< 1	0.03	10	0.54	126
L10+00E 14+00N	201 238	< 5	2.18	0.2	< 5	100	< 0.5	< 2	0.59	< 0.5	8	35	26	2.78	10	< 1	0.08	10	0.63	513
L10+00E 14+25N	201 238	< 5	2.28	0.2	5	120	< 0.5	< 2	0.41	< 0.5	10	25	40	2.85	10	1	0.03	< 10	0.60	918
L10+00E 14+50N	201 238	< 5	3.35	0.2	15	80	< 0.5	< 2	0.32	< 0.5	8	37	115	3.38	10	1	0.03	< 10	0.71	541
L10+00E 14+75N	201 238	< 5	3.24	0.2	< 5	160	< 0.5	< 2	0.47	< 0.5	10	38	49	3.33	10	< 1	0.06	< 10	0.73	948
L10+00E 15+00N	201 238	< 5	3.05	0.2	< 5	140	< 0.5	< 2	0.45	< 0.5	10	47	44	3.33	10	< 1	0.04	< 10	0.82	480
L10+00E 15+25N	201 238	< 5	2.83	0.4	< 5	120	< 0.5	< 2	0.36	< 0.5	9	31	36	3.08	10	< 1	0.03	< 10	0.60	439
L10+00E 15+50N	201 238	< 5	1.91	0.2	5	80	< 0.5	< 2	0.39	< 0.5	8	26	37	2.52	10	< 1	0.04	< 10	0.50	415
L10+00E 15+75N	201 238	< 5	1.83	0.2	< 5	70	< 0.5	2	0.66	< 0.5	9	63	26	3.53	10	1	0.06	10	0.73	361
L10+00E 16+00N	201 238	< 5	1.21	0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	7	36	25	2.73	10	< 1	0.04	< 10	0.31	487
L10+00E 16+25N	201 238	< 5	2.36	0.2	5	100	< 0.5	< 2	0.53	< 0.5	8	34	28	2.81	10	< 1	0.06	10	0.54	283
L10+00E 16+50N	201 238	30	1.70	0.2	5	70	< 0.5	< 2	0.60	< 0.5	9	53	25	3.04	10	< 1	0.05	10	0.65	364
L10+00E 16+75N	201 238	5	3.00	1.0	< 5	330	< 0.5	< 2	1.81	1.0	10	52	218	3.84	10	< 1	0.14	20	0.85	1845
L10+00E 17+00N	201 238	10	1.87	0.2	< 5	100	0.5	< 2	0.50	< 0.5	8	48	19	2.91	10	< 1	0.07	< 10	0.57	532
L10+00E 17+25N	201 238	< 5	1.64	0.2	5	90	< 0.5	< 2	0.50	< 0.5	8	52	16	2.88	< 10	< 1	0.09	< 10	0.53	554
L10+00E 17+50N	201 238	< 5	1.56	0.2	< 5	80	< 0.5	< 2	0.53	< 0.5	7	48	14	2.80	10	< 1	0.10	< 10	0.54	495
L10+00E 17+75N	201 238	< 5	1.64	0.2	< 5	80	< 0.5	< 2	0.50	< 0.5	7	48	13	2.68	10	< 1	0.07	< 10	0.56	319
L10+00E 18+00N	201 238	< 5	1.82	0.2	< 5	90	< 0.5	< 2	0.53	< 0.5	7	67	15	2.53	10	< 1	0.07	< 10	0.54	353
L10+00E 18+25N	201 238	< 5	1.69	0.2	< 5	70	< 0.5	< 2	0.47	< 0.5	6	32	13	2.39	< 10	1	0.09	< 10	0.48	248
L10+00E 18+50N	201 238	< 5	1.85	0.2	< 5	80	< 0.5	< 2	0.42	< 0.5	7	39	14	2.49	10	< 1	0.08	< 10	0.48	312
L10+00E 18+75N	201 238	< 5	1.88	0.2	5	100	0.5	< 2	0.43	< 0.5	7	34	15	2.49	< 10	< 1	0.07	< 10	0.48	490
L10+00E 19+00N	201 238	< 5	2.05	0.2	< 5	90	0.5	< 2	0.43	< 0.5	8	40	19	2.72	10	< 1	0.11	< 10	0.59	378
L10+00E 19+25N	201 238	< 5	1.92	0.2	< 5	80	< 0.5	< 2	0.48	< 0.5	7	40	17	2.65	10	< 1	0.08	< 10	0.56	479
L10+00E 19+50N	201 238	< 5	2.17	0.2	< 5	110	0.5	< 2	0.48	< 0.5	9	40	20	2.90	10	< 1	0.08	< 10	0.60	486
L10+00E 19+75N	201 238	15	1.81	0.2	< 5	80	< 0.5	< 2	0.46	< 0.5	7	31	14	2.42	10	< 1	0.07	< 10	0.49	502

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10+00E 10+00N	201 238	< 1	0.02	14	330	< 2	< 5	4	32	0.16	< 10	< 10	70	< 5	50
L10+00E 10+25N	201 238	< 1	0.02	21	560	< 2	< 5	5	30	0.17	< 10	< 10	78	< 5	100
L10+00E 10+50N	201 238	1	0.02	22	540	< 2	< 5	5	29	0.18	< 10	< 10	85	< 5	96
L10+00E 10+75N	201 238	1	0.02	17	450	< 2	< 5	4	28	0.17	< 10	< 10	80	< 5	54
L10+00E 11+00N	201 238	< 1	0.01	16	280	< 2	< 5	4	28	0.18	< 10	< 10	80	< 5	46
L10+00E 11+25N	201 238	1	0.01	19	460	< 2	< 5	5	26	0.16	< 10	< 10	77	< 5	75
L10+00E 11+50N	201 238	2	0.02	21	410	2	< 5	6	31	0.12	< 10	< 10	92	< 5	88
L10+00E 11+75N	201 238	1	0.02	18	520	< 2	< 5	4	27	0.17	< 10	< 10	70	< 5	71
L10+00E 12+00N	201 238	1	0.02	16	310	< 2	< 5	3	29	0.16	< 10	< 10	64	< 5	71
L10+00E 12+25N	201 238	1	0.02	26	620	< 2	< 5	6	40	0.20	< 10	< 10	91	< 5	79
L10+00E 12+50N	201 238	1	0.02	22	330	< 2	< 5	5	42	0.17	< 10	< 10	80	< 5	72
L10+00E 12+75N	201 238	2	0.02	26	450	< 2	< 5	5	42	0.20	< 10	< 10	95	< 5	71
L10+00E 13+00N	201 238	< 1	0.03	24	1110	< 2	< 5	8	38	0.18	< 10	< 10	77	< 5	78
L10+00E 13+25N	201 238	1	0.02	21	720	< 2	< 5	4	26	0.15	< 10	< 10	74	< 5	73
L10+00E 13+50N	201 238	1	0.02	21	240	< 2	< 5	6	58	0.13	< 10	< 10	59	< 5	48
L10+00E 13+75N	201 238	< 1	0.04	16	230	4	< 5	5	85	0.13	< 10	< 10	42	< 5	63
L10+00E 14+00N	201 238	2	0.02	16	300	4	< 5	5	33	0.15	< 10	< 10	74	< 5	64
L10+00E 14+25N	201 238	1	0.02	14	740	< 2	< 5	4	41	0.16	< 10	< 10	77	< 5	96
L10+00E 14+50N	201 238	1	0.02	23	650	< 2	< 5	5	26	0.19	< 10	< 10	93	< 5	75
L10+00E 14+75N	201 238	1	0.02	24	930	< 2	< 5	5	33	0.18	< 10	< 10	87	< 5	91
L10+00E 15+00N	201 238	1	0.02	26	760	< 2	< 5	5	28	0.17	< 10	< 10	87	< 5	69
L10+00E 15+25N	201 238	1	0.02	21	560	< 2	< 5	4	23	0.18	< 10	< 10	85	< 5	75
L10+00E 15+50N	201 238	1	0.02	15	1280	< 2	< 5	3	29	0.13	< 10	< 10	66	< 5	60
L10+00E 15+75N	201 238	2	0.02	19	630	2	< 5	5	35	0.19	< 10	< 10	104	< 5	49
L10+00E 16+00N	201 238	1	0.02	8	850	< 2	< 5	3	33	0.15	10	10	76	< 5	68
L10+00E 16+25N	201 238	1	0.03	16	630	< 2	< 5	4	30	0.15	< 10	< 10	70	< 5	68
L10+00E 16+50N	201 238	< 1	0.02	18	610	< 2	< 5	5	33	0.17	< 10	< 10	88	< 5	54
L10+00E 16+75N	201 238	2	0.02	26	770	6	< 5	12	98	0.10	10	< 10	69	< 5	140
L10+00E 17+00N	201 238	1	0.02	17	960	< 2	< 5	4	26	0.15	< 10	< 10	77	< 5	81
L10+00E 17+25N	201 238	1	0.02	15	580	< 2	< 5	4	24	0.16	< 10	< 10	79	< 5	58
L10+00E 17+50N	201 238	1	0.02	14	510	< 2	< 5	4	24	0.16	< 10	< 10	77	< 5	50
L10+00E 17+75N	201 238	1	0.02	18	730	< 2	< 5	4	24	0.14	10	10	73	< 5	53
L10+00E 18+00N	201 238	2	0.02	35	460	< 2	< 5	4	26	0.15	< 10	< 10	69	< 5	73
L10+00E 18+25N	201 238	< 1	0.02	15	590	< 2	< 5	3	23	0.14	< 10	< 10	62	< 5	62
L10+00E 18+50N	201 238	< 1	0.02	17	780	< 2	< 5	3	21	0.14	< 10	< 10	64	< 5	71
L10+00E 18+75N	201 238	< 1	0.02	18	900	< 2	5	3	23	0.14	< 10	< 10	64	< 5	80
L10+00E 19+00N	201 238	1	0.02	19	970	< 2	< 5	4	25	0.15	< 10	< 10	71	< 5	73
L10+00E 19+25N	201 238	< 1	0.02	18	670	< 2	< 5	4	28	0.16	< 10	< 10	73	< 5	75
L10+00E 19+50N	201 238	< 1	0.02	20	780	< 2	5	5	29	0.16	< 10	< 10	76	< 5	78
L10+00E 19+75N	201 238	< 1	0.02	15	640	< 2	< 5	3	27	0.15	< 10	< 10	64	< 5	66

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B16C-07

Comments: CC: JEAN PAUTLER

Page No.: 2-A
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L11+00E 20+00N	201	238	15	1.69	0.2	< 5	80	< 0.5	< 2	0.52	0.5	6	37	18	2.56	10	< 1	0.07	< 10	0.55	593
L11+00E 10+00N	201	238	< 5	2.29	0.2	< 5	100	< 0.5	< 2	0.42	< 0.5	9	41	32	3.02	10	< 1	0.06	< 10	0.63	320
L11+00E 10+25N	201	238	< 5	2.03	0.2	< 5	90	< 0.5	< 2	0.45	< 0.5	8	40	18	3.07	10	< 1	0.05	< 10	0.61	271
L11+00E 10+50N	201	238	< 5	2.55	0.2	< 5	240	< 0.5	< 2	0.70	< 0.5	12	47	48	3.93	10	< 1	0.09	10	0.85	876
L11+00E 10+75N	201	238	< 5	2.73	0.2	< 5	350	< 0.5	< 2	1.37	< 0.5	9	38	117	3.09	10	< 1	0.06	10	0.79	975
L11+00E 11+00N	201	238	< 5	2.02	0.2	5	290	< 0.5	< 2	1.58	< 0.5	10	33	215	2.77	10	1	0.06	20	0.72	806
L11+00E 11+25N	201	238	< 5	2.03	0.2	< 5	110	< 0.5	< 2	0.45	< 0.5	9	38	59	3.08	10	< 1	0.06	< 10	0.70	335
L11+00E 11+50N	201	238	< 5	1.98	0.2	5	120	< 0.5	< 2	0.57	< 0.5	9	51	24	3.05	< 10	1	0.09	< 10	0.68	482
L11+00E 11+75N	201	238	< 5	1.87	0.2	< 5	170	< 0.5	< 2	0.39	0.5	9	29	44	2.61	10	< 1	0.08	< 10	0.49	801
L11+00E 12+00N	201	238	< 5	2.18	0.2	< 5	240	< 0.5	< 2	0.43	< 0.5	11	23	101	3.24	10	< 1	0.08	< 10	0.54	883
L11+00E 12+25N	201	238	< 5	2.15	0.2	< 5	280	< 0.5	< 2	1.58	< 0.5	5	20	224	1.73	10	< 1	0.04	10	0.41	1170
L11+00E 12+50N	201	238	< 5	2.21	0.2	< 5	280	< 0.5	< 2	1.68	0.5	4	28	192	1.80	10	< 1	0.04	10	0.50	203
L11+00E 12+75N	203	238	< 5	0.57	0.4	< 5	410	< 0.5	< 2	4.74	1.0	2	17	153	0.43	< 10	< 1	0.02	< 10	0.36	1385
L11+00E 13+00N	201	238	< 5	1.92	0.2	< 5	160	< 0.5	< 2	0.41	0.5	8	25	20	2.50	10	< 1	0.04	< 10	0.51	551
L11+00E 13+25N	201	238	< 5	2.15	0.4	5	150	< 0.5	< 2	0.47	< 0.5	9	36	22	2.98	10	1	0.07	< 10	0.65	482
L11+00E 13+50N	201	238	< 5	2.77	0.2	< 5	270	< 0.5	< 2	0.55	< 0.5	9	44	46	3.31	10	< 1	0.10	10	0.78	490
L11+00E 13+75N	201	238	< 5	2.29	0.2	< 5	230	< 0.5	< 2	0.53	< 0.5	8	34	30	3.00	10	1	0.12	< 10	0.63	655
L11+00E 14+00N	201	238	< 5	1.80	0.2	< 5	210	< 0.5	< 2	0.52	< 0.5	8	33	31	2.83	10	< 1	0.11	10	0.59	630
L11+00E 14+25N	201	238	< 5	2.05	0.2	< 5	280	< 0.5	< 2	0.57	< 0.5	10	34	31	2.92	10	< 1	0.11	10	0.56	1075
L11+00E 14+50N	201	238	< 5	3.00	0.2	< 5	340	< 0.5	< 2	0.89	< 0.5	8	40	47	2.92	10	< 1	0.06	10	0.67	867
L11+00E 14+75N	201	238	< 5	2.23	0.6	< 5	150	< 0.5	< 2	0.56	0.5	8	35	20	2.70	10	< 1	0.07	10	0.54	456
L11+00E 15+00N	201	238	5	2.08	0.2	< 5	100	< 0.5	< 2	0.55	< 0.5	7	40	21	2.90	10	< 1	0.07	10	0.58	433
L11+00E 15+25N	201	238	< 5	2.14	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	8	45	20	2.96	10	< 1	0.06	10	0.63	400
L11+00E 15+50N	201	238	< 5	3.07	0.2	< 5	150	< 0.5	< 2	1.15	< 0.5	6	44	50	2.67	10	< 1	0.04	10	0.71	309
L11+00E 15+75N	201	238	< 5	1.82	0.2	< 5	100	< 0.5	< 2	0.48	< 0.5	7	44	18	2.57	< 10	< 1	0.06	< 10	0.63	277
L11+00E 16+00N	201	238	< 5	1.90	0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	6	29	18	2.30	10	< 1	0.05	< 10	0.40	376
L11+00E 16+25N	201	238	25	2.10	0.2	< 5	80	< 0.5	< 2	0.92	< 0.5	9	79	69	4.29	< 10	< 1	0.11	10	1.10	381
L11+00E 16+50N	201	238	< 5	2.14	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	7	46	15	2.86	< 10	< 1	0.08	< 10	0.56	357
L11+00E 16+75N	201	238	< 5	1.77	0.2	< 5	70	< 0.5	< 2	0.52	< 0.5	7	48	14	2.84	< 10	< 1	0.07	< 10	0.57	356
L11+00E 17+00N	201	238	15	2.09	0.2	< 5	90	< 0.5	< 2	0.64	< 0.5	9	55	23	3.35	< 10	< 1	0.06	10	0.72	345
L11+00E 17+25N	201	238	5	1.68	0.2	5	60	< 0.5	< 2	0.76	< 0.5	7	57	14	3.15	< 10	< 1	0.06	10	0.64	239
L11+00E 17+50N	201	238	< 5	1.63	0.2	< 5	70	< 0.5	< 2	0.67	< 0.5	9	46	35	3.26	< 10	< 1	0.13	10	0.86	383
L11+00E 17+75N	201	238	< 5	1.54	0.2	< 5	70	< 0.5	< 2	0.54	< 0.5	9	34	34	2.96	< 10	< 1	0.09	10	0.73	469
L11+00E 18+00N	201	238	5	1.58	0.4	< 5	70	< 0.5	< 2	0.82	< 0.5	9	38	36	2.93	10	< 1	0.05	10	0.86	379
L11+00E 18+25N	201	238	20	1.48	0.2	< 5	100	< 0.5	< 2	0.40	< 0.5	8	30	20	2.48	10	< 1	0.06	< 10	0.63	523
L11+00E 18+50N	201	238	15	1.54	0.2	10	90	< 0.5	< 2	0.56	< 0.5	10	41	17	3.11	< 10	< 1	0.15	< 10	0.74	579
L11+00E 18+75N	201	238	20	1.90	0.2	10	80	< 0.5	< 2	0.70	< 0.5	11	53	25	3.93	< 10	< 1	0.12	10	0.96	484
L11+00E 19+00N	201	238	5	1.96	0.2	< 5	100	< 0.5	< 2	0.61	< 0.5	9	54	15	3.26	< 10	< 1	0.09	10	0.74	545
L11+00E 19+25N	201	238	< 5	2.23	0.2	5	110	< 0.5	< 2	0.52	< 0.5	10	56	25	3.18	10	< 1	0.08	10	0.75	530
L11+00E 19+50N	201	238	20	2.28	0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	10	60	26	3.27	< 10	< 1	0.09	10	0.75	543

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No. : 2-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L11+00E 20+00N	201 238	1	0.02	14	440	< 2	< 5	4	32	0.16	< 10	< 10	73	< 5	62
L11+00E 10+00N	201 238	< 1	0.02	17	630	< 2	< 5	5	32	0.16	< 10	< 10	80	< 5	67
L11+00E 10+25N	201 238	< 1	0.02	15	260	< 2	< 5	5	31	0.16	10	10	89	< 5	58
L11+00E 10+50N	201 238	< 1	0.02	23	570	< 2	< 5	8	41	0.16	< 10	< 10	98	< 5	103
L11+00E 10+75N	201 238	< 1	0.03	19	330	< 2	< 5	7	86	0.13	< 10	< 10	69	< 5	74
L11+00E 11+00N	201 238	1	0.02	16	690	2	< 5	9	91	0.10	< 10	< 10	70	< 5	74
L11+00E 11+25N	201 238	< 1	0.01	16	450	< 2	< 5	5	25	0.13	< 10	< 10	81	< 5	64
L11+00E 11+50N	201 238	1	0.02	22	640	2	< 5	4	29	0.17	< 10	< 10	78	< 5	73
L11+00E 11+75N	201 238	< 1	0.02	15	720	< 2	< 5	4	24	0.09	< 10	< 10	59	< 5	99
L11+00E 12+00N	201 238	1	0.02	16	430	< 2	< 5	6	27	0.07	< 10	< 10	78	< 5	84
L11+00E 12+25N	201 238	< 1	0.04	13	600	< 2	< 5	6	89	0.08	< 10	< 10	32	< 5	60
L11+00E 12+50N	201 238	< 1	0.04	14	590	4	< 5	5	103	0.10	< 10	< 10	38	< 5	63
L11+00E 12+75N	203 238	< 1	0.01	6	1140	2	< 5	1	306	0.01	< 10	< 10	13	< 5	49
L11+00E 13+00N	201 238	< 1	0.02	16	330	6	< 5	3	31	0.13	< 10	< 10	63	< 5	165
L11+00E 13+25N	201 238	2	0.02	18	460	< 2	< 5	4	27	0.15	< 10	< 10	77	< 5	100
L11+00E 13+50N	201 238	1	0.02	21	210	< 2	< 5	7	37	0.14	< 10	< 10	80	< 5	76
L11+00E 13+75N	201 238	1	0.02	19	440	< 2	< 5	5	30	0.14	< 10	< 10	73	< 5	110
L11+00E 14+00N	201 238	< 1	0.02	16	400	< 2	< 5	5	31	0.12	< 10	< 10	69	< 5	84
L11+00E 14+25N	201 238	1	0.02	18	830	< 2	< 5	5	35	0.14	< 10	< 10	70	< 5	128
L11+00E 14+50N	201 238	1	0.02	23	190	< 2	< 5	6	69	0.17	< 10	< 10	66	< 5	119
L11+00E 14+75N	201 238	1	0.02	21	820	< 2	< 5	4	38	0.15	< 10	< 10	63	< 5	104
L11+00E 15+00N	201 238	1	0.02	19	860	< 2	< 5	5	34	0.17	< 10	< 10	76	< 5	86
L11+00E 15+25N	201 238	2	0.02	20	830	< 2	< 5	5	30	0.17	< 10	< 10	79	< 5	67
L11+00E 15+50N	201 238	1	0.03	23	310	< 2	< 5	7	71	0.15	< 10	< 10	58	< 5	64
L11+00E 15+75N	201 238	< 1	0.02	20	360	< 2	< 5	4	27	0.18	< 10	< 10	67	< 5	55
L11+00E 16+00N	201 238	< 1	0.02	15	1120	< 2	< 5	3	18	0.12	< 10	< 10	53	< 5	73
L11+00E 16+25N	201 238	1	0.02	25	600	< 2	< 5	11	67	0.23	< 10	< 10	132	< 5	55
L11+00E 16+50N	201 238	1	0.02	22	770	< 2	< 5	4	32	0.19	< 10	< 10	76	< 5	62
L11+00E 16+75N	201 238	< 1	0.02	19	560	< 2	< 5	4	32	0.19	10	10	78	< 5	56
L11+00E 17+00N	201 238	1	0.02	18	700	< 2	< 5	5	41	0.19	< 10	< 10	98	< 5	56
L11+00E 17+25N	201 238	< 1	0.02	14	350	< 2	< 5	5	54	0.22	< 10	< 10	103	< 5	39
L11+00E 17+50N	201 238	< 1	0.02	15	370	2	< 5	6	49	0.19	< 10	< 10	98	< 5	48
L11+00E 17+75N	201 238	1	0.02	12	820	2	< 5	5	37	0.14	< 10	< 10	80	< 5	58
L11+00E 18+00N	201 238	1	0.01	15	390	< 2	< 5	5	43	0.13	< 10	< 10	90	< 5	60
L11+00E 18+25N	201 238	< 1	0.01	18	1130	< 2	< 5	4	25	0.09	< 10	< 10	65	< 5	85
L11+00E 18+50N	201 238	< 1	0.01	13	400	2	< 5	5	38	0.16	< 10	< 10	92	< 5	56
L11+00E 18+75N	201 238	1	0.02	17	350	< 2	< 5	8	48	0.20	< 10	< 10	125	< 5	56
L11+00E 19+00N	201 238	2	0.02	18	610	< 2	< 5	5	38	0.19	< 10	< 10	93	< 5	66
L11+00E 19+25N	201 238	< 1	0.02	19	1070	< 2	< 5	6	34	0.16	< 10	< 10	86	< 5	86
L11+00E 19+50N	201 238	1	0.02	20	1020	< 2	< 5	6	36	0.16	< 10	< 10	88	< 5	84

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No.: 3-A
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L11+00E 19+75N	201 238	< 5	2.57	0.2	10	140	< 0.5	4	0.64	< 0.5	10	59	31	3.56	< 10	< 1	0.12	10	0.83	775
L11+00E 20+00N	201 238	15	2.23	0.4	15	110	< 0.5	2	0.63	< 0.5	10	56	25	3.45	10	< 1	0.10	10	0.80	667
L12+00E 10+00N	201 238	< 5	2.53	0.2	< 5	130	< 0.5	2	0.72	< 0.5	11	41	129	3.14	10	< 1	0.06	10	0.67	402
L12+00E 10+25N	201 238	20	2.29	0.4	15	170	< 0.5	2	0.43	< 0.5	11	31	313	4.67	< 10	< 1	0.08	10	0.70	482
L12+00E 10+50N	201 238	< 5	3.31	0.2	< 5	230	< 0.5	< 2	0.75	0.5	17	49	102	4.48	10	< 1	0.13	10	1.06	853
L12+00E 10+75N	201 238	< 5	3.45	0.2	10	230	< 0.5	< 2	0.79	< 0.5	19	58	77	4.34	10	< 1	0.19	20	0.99	1050
L12+00E 11+00N	201 238	< 5	2.94	0.2	5	230	< 0.5	4	0.68	< 0.5	15	54	56	3.77	10	< 1	0.14	10	0.91	879
L12+00E 11+25N	201 238	< 5	2.71	0.2	< 5	200	< 0.5	2	0.75	0.5	10	55	56	3.61	< 10	< 1	0.12	10	0.75	702
L12+00E 11+50N	201 238	< 5	2.92	0.4	< 5	260	< 0.5	2	0.69	1.0	17	39	94	4.55	< 10	3	0.15	10	0.83	1220
L12+00E 11+75N	201 238	< 5	2.92	0.2	15	220	0.5	2	0.50	< 0.5	18	18	312	4.21	< 10	3	0.11	10	0.75	1250
L12+00E 12+00N	201 238	< 5	3.01	0.2	< 5	220	< 0.5	< 2	0.41	< 0.5	12	31	114	3.75	< 10	1	0.09	10	0.79	515
L12+00E 12+25N	201 238	< 5	2.62	0.2	5	200	< 0.5	2	0.57	< 0.5	12	33	57	3.14	< 10	1	0.10	10	0.66	907
L12+00E 12+50N	201 238	< 5	1.90	0.2	< 5	150	< 0.5	2	0.32	< 0.5	10	22	31	2.40	< 10	2	0.09	10	0.40	692
L12+00E 12+75N	201 238	< 5	2.11	0.2	< 5	140	< 0.5	< 2	0.61	< 0.5	10	46	47	3.58	< 10	< 1	0.09	10	0.75	745
L12+00E 13+00N	201 238	< 5	2.33	0.2	20	140	0.5	< 2	0.62	< 0.5	10	48	32	3.54	10	1	0.10	10	0.75	497
L12+00E 13+25N	201 238	< 5	2.87	0.6	20	270	0.5	< 2	1.08	< 0.5	8	26	171	2.47	< 10	2	0.07	20	0.57	485
L12+00E 13+50N	201 238	< 5	3.02	0.4	15	300	0.5	2	1.06	< 0.5	11	37	53	2.86	10	< 1	0.07	20	0.75	797
L12+00E 13+75N	201 238	< 5	2.51	0.2	10	150	0.5	< 2	0.67	< 0.5	10	52	32	3.36	10	2	0.10	10	0.70	665
L12+00E 14+00N	201 238	< 5	2.20	0.4	< 5	110	< 0.5	2	0.59	< 0.5	11	49	29	3.17	10	< 1	0.11	10	0.62	704
L12+00E 14+25N	201 238	< 5	2.05	0.4	20	120	< 0.5	< 2	0.55	< 0.5	11	42	33	2.88	10	< 1	0.11	10	0.58	663
L12+00E 14+50N	201 238	< 5	2.05	0.2	< 5	100	< 0.5	< 2	0.65	< 0.5	10	47	23	2.96	< 10	< 1	0.12	10	0.57	588
L12+00E 14+75N	201 238	< 5	2.03	0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	11	48	24	3.10	< 10	< 1	0.09	10	0.62	447
L12+00E 15+00N	201 238	< 5	2.81	0.2	15	120	< 0.5	< 2	0.67	< 0.5	11	45	31	3.18	10	< 1	0.07	10	0.65	342
L12+00E 15+25N	201 238	10	3.95	0.6	< 5	200	0.5	< 2	1.00	0.5	8	52	66	3.08	10	1	0.08	20	0.76	346
L12+00E 15+50N	201 238	< 5	2.43	0.4	5	90	< 0.5	< 2	0.53	< 0.5	9	46	19	3.04	< 10	< 1	0.10	10	0.60	496
L12+00E 15+75N	201 238	< 5	2.58	0.2	< 5	100	< 0.5	2	0.56	< 0.5	10	53	22	3.27	< 10	< 1	0.09	10	0.64	570
L12+00E 16+00N	201 238	< 5	2.32	0.4	5	100	< 0.5	2	0.59	< 0.5	11	48	26	3.34	< 10	1	0.10	10	0.70	574
L12+00E 16+25N	201 238	10	2.35	0.4	< 5	90	< 0.5	< 2	0.63	< 0.5	10	55	25	3.50	< 10	< 1	0.10	10	0.72	455
L12+00E 16+50N	201 238	< 5	2.44	0.4	< 5	90	< 0.5	< 2	0.69	< 0.5	10	58	24	3.65	10	< 1	0.07	10	0.77	476
L12+00E 16+75N	201 238	10	2.31	0.4	10	90	0.5	2	0.66	< 0.5	9	59	27	3.95	10	< 1	0.07	10	0.79	391
L12+00E 17+00N	201 238	35	1.65	0.2	10	60	< 0.5	< 2	0.67	< 0.5	11	50	18	3.25	< 10	< 1	0.09	10	0.64	369
L12+00E 17+25N	201 238	5	2.41	0.4	5	100	< 0.5	2	0.69	< 0.5	9	63	27	3.78	10	< 1	0.07	10	0.88	391
L12+00E 17+50N	201 238	< 5	2.16	0.4	< 5	100	< 0.5	< 2	0.62	< 0.5	11	51	27	3.28	< 10	< 1	0.08	10	0.72	445
L12+00E 17+75N	201 238	< 5	2.18	0.4	15	90	< 0.5	< 2	0.57	< 0.5	10	50	17	3.06	< 10	1	0.09	10	0.65	555
L12+00E 18+00N	201 238	10	2.08	0.2	< 5	80	< 0.5	< 2	0.73	< 0.5	9	54	24	3.81	< 10	< 1	0.05	10	0.86	354
L12+00E 18+25N	201 238	< 5	1.79	0.4	10	90	0.5	< 2	0.65	< 0.5	11	42	33	3.38	< 10	< 1	0.12	10	0.76	479
L12+00E 18+50N	201 238	< 5	1.78	0.2	5	110	< 0.5	< 2	0.54	< 0.5	12	36	27	3.12	< 10	< 1	0.07	10	0.64	606
L12+00E 18+75N	201 238	< 5	2.16	0.4	5	150	< 0.5	4	1.52	< 0.5	10	43	97	3.03	10	< 1	0.09	20	0.90	478
L12+00E 19+00N	201 238	< 5	2.10	0.4	< 5	100	< 0.5	< 2	0.55	< 0.5	11	38	28	3.21	< 10	< 1	0.08	10	0.72	541
L12+00E 19+25N	201 238	< 5	2.54	< 0.2	35	170	< 0.5	2	0.63	< 0.5	17	34	51	3.33	< 10	< 1	0.20	10	0.71	1085

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No. : 3-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice #: I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L11+00E 19+75N	201 238	< 1	0.03	28	1470	4	< 5	8	47	0.18	< 10	< 10	110	10	96
L11+00E 20+00N	201 238	< 1	0.02	25	1160	< 2	< 5	6	42	0.18	< 10	< 10	107	5	82
L12+00E 10+00N	201 238	< 1	0.03	23	220	2	< 5	6	45	0.19	< 10	< 10	97	5	51
L12+00E 10+25N	201 238	1	0.03	16	480	< 2	< 5	13	35	0.07	< 10	< 10	162	5	75
L12+00E 10+50N	201 238	1	0.02	26	380	4	< 5	11	59	0.18	< 10	< 10	142	10	84
L12+00E 10+75N	201 238	< 1	0.02	32	540	< 2	< 5	11	54	0.20	< 10	< 10	132	5	88
L12+00E 11+00N	201 238	< 1	0.02	28	460	10	< 5	10	49	0.20	< 10	< 10	112	5	71
L12+00E 11+25N	201 238	< 1	0.02	27	320	4	< 5	8	51	0.18	< 10	< 10	106	< 5	67
L12+00E 11+50N	201 238	1	0.02	20	590	12	< 5	10	45	0.10	< 10	< 10	127	< 5	136
L12+00E 11+75N	201 238	1	0.03	16	1780	6	< 5	13	38	0.12	< 10	< 10	130	10	122
L12+00E 12+00N	201 238	1	0.03	20	560	< 2	< 5	8	33	0.10	< 10	< 10	101	< 5	88
L12+00E 12+25N	201 238	< 1	0.03	20	960	6	< 5	5	35	0.12	< 10	< 10	84	5	91
L12+00E 12+50N	201 238	< 1	0.03	13	1130	2	< 5	4	23	0.10	< 10	< 10	61	5	89
L12+00E 12+75N	201 238	< 1	0.03	19	760	2	< 5	6	40	0.17	< 10	< 10	115	< 5	81
L12+00E 13+00N	201 238	< 1	0.03	22	710	10	< 5	6	41	0.18	< 10	< 10	108	5	89
L12+00E 13+25N	201 238	< 1	0.07	17	460	14	< 5	7	82	0.15	< 10	< 10	53	5	98
L12+00E 13+50N	201 238	< 1	0.06	22	280	10	< 5	7	85	0.17	< 10	< 10	70	5	139
L12+00E 13+75N	201 238	< 1	0.03	23	1210	4	< 5	6	49	0.21	< 10	< 10	105	< 5	114
L12+00E 14+00N	201 238	1	0.03	23	1120	12	< 5	6	41	0.17	< 10	< 10	98	5	79
L12+00E 14+25N	201 238	< 1	0.04	22	1340	< 2	< 5	5	36	0.16	< 10	< 10	86	< 5	87
L12+00E 14+50N	201 238	< 1	0.03	21	1050	< 2	< 5	5	41	0.19	< 10	< 10	92	5	67
L12+00E 14+75N	201 238	< 1	0.03	21	1360	< 2	< 5	6	37	0.18	< 10	< 10	96	< 5	67
L12+00E 15+00N	201 238	< 1	0.04	23	620	< 2	< 5	5	52	0.20	< 10	< 10	95	< 5	69
L12+00E 15+25N	201 238	< 1	0.05	32	460	4	< 5	12	71	0.18	< 10	< 10	76	< 5	69
L12+00E 15+50N	201 238	< 1	0.03	25	1170	2	< 5	5	35	0.19	< 10	< 10	91	5	69
L12+00E 15+75N	201 238	< 1	0.03	26	1340	8	< 5	6	38	0.20	< 10	< 10	98	5	80
L12+00E 16+00N	201 238	< 1	0.03	22	1210	2	< 5	6	45	0.18	< 10	< 10	109	5	74
L12+00E 16+75N	201 238	< 1	0.03	24	1170	< 2	< 5	6	51	0.20	< 10	< 10	118	< 5	69
L12+00E 16+50N	201 238	< 1	0.03	25	1210	4	< 5	6	58	0.21	< 10	< 10	123	5	70
L12+00E 16+75N	201 238	< 1	0.03	22	960	6	< 5	7	53	0.21	< 10	< 10	138	< 5	65
L12+00E 17+00N	201 238	< 1	0.03	17	860	4	< 5	6	55	0.19	< 10	< 10	118	< 5	49
L12+00E 17+25N	201 238	< 1	0.03	26	1160	< 2	< 5	7	57	0.21	< 10	< 10	128	5	69
L12+00E 17+50N	201 238	< 1	0.03	21	1430	< 2	< 5	7	44	0.18	< 10	< 10	105	5	73
L12+00E 17+75N	201 238	< 1	0.03	23	1090	< 2	< 5	5	38	0.19	< 10	< 10	93	5	73
L12+00E 18+00N	201 238	< 1	0.02	24	780	6	< 5	7	60	0.20	< 10	< 10	136	< 5	52
L12+00E 18+25N	201 238	< 1	0.03	18	890	8	< 5	6	54	0.17	< 10	< 10	110	5	62
L12+00E 18+50N	201 238	< 1	0.03	14	1650	2	< 5	6	45	0.14	< 10	< 10	99	< 5	96
L12+00E 18+75N	201 238	< 1	0.03	20	570	4	< 5	9	95	0.15	< 10	< 10	98	< 5	69
L12+00E 19+00N	201 238	< 1	0.04	15	1900	2	< 5	6	46	0.16	< 10	< 10	101	5	105
L12+00E 19+25N	201 238	< 1	0.06	16	930	2	< 5	7	61	0.18	< 10	< 10	108	< 5	106

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 4-A
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L12+00E 19+50N	201 238	< 5	2.37	0.2	< 5	80	< 0.5	2	0.88	0.5	18	53	37	4.32	10	< 1	0.16	10	1.20	565
L12+00E 19+75N	201 238	< 5	3.53	0.4	25	190	0.5	6	0.96	< 0.5	19	71	81	4.72	10	3	0.22	20	1.32	724
L13+00E 10+00N	201 238	< 5	2.43	0.2	30	190	< 0.5	< 2	0.85	< 0.5	9	53	37	3.54	10	< 1	0.22	10	0.81	794
L13+00E 10+25N	201 238	< 5	2.81	0.2	15	160	< 0.5	< 2	0.53	< 0.5	11	29	112	3.83	< 10	< 1	0.10	10	0.81	840
L13+00E 10+50N	201 238	< 5	3.23	0.4	40	170	< 0.5	4	1.07	< 0.5	16	39	158	3.93	10	< 1	0.15	20	0.82	651
L13+00E 10+75N	201 238	< 5	3.46	0.4	10	210	0.5	2	1.37	< 0.5	10	37	463	3.91	10	< 1	0.10	30	0.78	991
L13+00E 11+00N	201 238	5	2.68	0.4	15	150	< 0.5	< 2	0.92	< 0.5	17	51	106	4.51	10	1	0.14	20	0.94	500
L13+00E 11+25N	201 238	< 5	2.45	0.4	< 5	170	< 0.5	< 2	0.50	0.5	11	35	53	3.44	10	< 1	0.15	10	0.64	412
L13+00E 11+50N	201 238	15	3.22	0.2	< 5	170	1.0	< 2	0.80	0.5	14	56	82	4.27	10	< 1	0.15	10	0.85	965
L13+00E 11+75N	201 238	< 5	3.71	< 0.2	25	230	< 0.5	< 2	0.80	< 0.5	16	56	234	4.65	10	< 1	0.17	10	1.01	1455
L13+00E 12+00N	201 238	< 5	2.35	< 0.2	< 5	170	0.5	< 2	0.50	0.5	9	37	116	3.04	< 10	< 1	0.11	10	0.68	714
L13+00E 12+25N	201 238	50	2.60	0.2	< 5	80	0.5	< 2	1.06	0.5	22	67	620	6.75	10	< 1	0.05	10	1.98	1275
L13+00E 12+50N	201 238	< 5	2.22	0.2	< 5	120	< 0.5	< 2	0.54	< 0.5	11	46	78	3.43	< 10	< 1	0.10	10	0.81	568
L13+00E 12+75N	201 238	< 5	2.45	0.2	15	170	0.5	2	0.70	< 0.5	11	44	56	3.42	< 10	< 1	0.11	10	0.73	838
L13+00E 13+00N	201 238	< 5	2.59	0.2	5	110	< 0.5	< 2	0.91	< 0.5	16	60	51	4.16	< 10	< 1	0.14	20	0.98	467
L13+00E 13+25N	201 238	< 5	2.82	0.2	20	120	< 0.5	< 2	1.11	< 0.5	10	48	36	3.48	10	< 1	0.11	10	0.73	715
L13+00E 13+50N	201 238	10	2.82	< 0.2	< 5	120	< 0.5	2	0.63	< 0.5	10	48	40	3.37	< 10	< 1	0.13	10	0.73	578
L13+00E 13+75N	201 238	< 5	2.72	0.2	< 5	120	< 0.5	2	0.61	0.5	11	47	39	3.18	< 10	< 1	0.10	10	0.68	478
L13+00E 14+00N	201 238	< 5	2.09	< 0.2	10	110	< 0.5	< 2	1.19	< 0.5	19	64	97	4.69	< 10	< 1	0.11	20	1.34	844
L13+00E 14+25N	201 238	5	2.77	0.4	< 5	200	< 0.5	2	1.53	< 0.5	7	44	302	2.61	< 10	< 1	0.05	20	0.62	400
L13+00E 14+50N	201 238	< 5	2.64	< 0.2	< 5	130	< 0.5	< 2	0.58	< 0.5	10	50	30	3.51	< 10	1	0.12	10	0.71	502
L13+00E 14+75N	201 238	< 5	2.74	< 0.2	< 5	110	< 0.5	4	0.50	< 0.5	10	46	26	3.42	< 10	1	0.09	10	0.66	337
L13+00E 15+00N	201 238	25	2.60	0.2	< 5	110	< 0.5	2	0.47	0.5	11	42	22	3.22	< 10	< 1	0.11	10	0.63	386
L13+00E 15+25N	201 238	< 5	2.59	< 0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	11	41	22	3.17	< 10	1	0.08	10	0.61	534
L13+00E 15+50N	201 238	< 5	2.47	< 0.2	< 5	110	< 0.5	2	0.50	< 0.5	10	49	19	3.29	< 10	< 1	0.10	10	0.64	416
L13+00E 15+75N	201 238	< 5	2.42	0.2	< 5	120	< 0.5	2	0.55	< 0.5	9	49	20	3.12	< 10	< 1	0.11	10	0.65	651
L13+00E 16+00N	201 238	< 5	2.56	< 0.2	20	130	< 0.5	< 2	0.47	< 0.5	10	51	22	3.24	< 10	< 1	0.11	10	0.66	509
L13+00E 16+25N	201 238	< 5	2.10	0.2	< 5	110	< 0.5	4	0.51	0.5	8	45	20	2.76	< 10	< 1	0.10	10	0.59	342
L13+00E 16+50N	201 238	< 5	2.21	0.2	< 5	120	< 0.5	2	0.61	< 0.5	9	51	23	3.05	< 10	< 1	0.12	10	0.65	351
L13+00E 16+75N	201 238	< 5	2.22	0.2	< 5	100	< 0.5	< 2	0.52	< 0.5	10	52	22	3.12	< 10	< 1	0.11	10	0.66	264
L13+00E 17+00N	201 238	< 5	2.27	0.2	15	100	< 0.5	< 2	0.54	< 0.5	10	48	20	3.26	< 10	< 1	0.10	10	0.64	262
L13+00E 17+25N	201 238	< 5	2.46	0.2	< 5	100	< 0.5	4	0.60	0.5	10	47	27	3.37	< 10	< 1	0.14	10	0.72	463
L13+00E 17+50N	201 238	< 5	2.56	0.2	10	110	< 0.5	< 2	0.59	< 0.5	10	45	26	3.46	< 10	< 1	0.10	10	0.75	551
L13+00E 17+75N	201 238	< 5	2.50	< 0.2	5	120	< 0.5	2	0.58	< 0.5	10	44	22	3.36	< 10	< 1	0.10	10	0.72	763
L13+00E 18+00N	201 238	< 5	2.79	0.2	15	130	< 0.5	< 2	0.58	< 0.5	10	46	29	3.59	< 10	< 1	0.10	10	0.80	672
L13+00E 18+25N	201 238	< 5	2.69	0.2	15	110	< 0.5	< 2	0.63	< 0.5	9	43	26	3.74	< 10	< 1	0.10	10	0.82	460
L13+00E 18+50N	201 238	< 5	2.17	< 0.2	< 5	80	< 0.5	< 2	0.79	< 0.5	16	45	37	4.12	< 10	< 1	0.07	10	1.00	549
L13+00E 18+75N	201 238	< 5	2.42	0.2	5	110	< 0.5	2	0.89	0.5	16	49	47	4.32	< 10	< 1	0.14	10	1.02	627
L13+00E 19+00N	201 238	< 5	2.64	0.2	5	90	< 0.5	< 2	0.69	0.5	20	42	38	4.06	< 10	1	0.10	10	0.93	893
L13+00E 19+25N	201 238	< 5	2.48	< 0.2	25	90	< 0.5	< 2	0.80	< 0.5	22	42	75	4.60	< 10	< 1	0.07	10	1.05	755

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN FAUTLER

Page No.: 4-B
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L12+00E 19+50N	201 238	< 1	0.05	20	570	< 2	5	11	78	0.23	< 10	< 10	160	5	64
L12+00E 19+75N	201 238	< 1	0.05	41	700	4	5	16	72	0.27	< 10	< 10	148	10	92
L13+00E 10+00N	201 238	< 1	0.08	27	850	< 2	< 5	7	57	0.22	< 10	< 10	108	< 5	92
L13+00E 10+25N	201 238	< 1	0.04	17	750	6	5	9	42	0.13	< 10	< 10	118	5	107
L13+00E 10+50N	201 238	2	0.04	20	390	< 2	5	10	76	0.16	< 10	< 10	118	10	71
L13+00E 10+75N	201 238	1	0.05	23	360	2	< 5	14	101	0.17	< 10	< 10	106	5	120
L13+00E 11+00N	201 238	1	0.04	20	380	< 2	5	10	78	0.20	< 10	< 10	147	5	75
L13+00E 11+25N	201 238	< 1	0.03	18	540	4	< 5	5	37	0.15	< 10	< 10	97	10	92
L13+00E 11+50N	201 238	< 1	0.03	28	570	10	< 5	9	52	0.21	< 10	< 10	128	5	94
L13+00E 11+75N	201 238	1	0.03	29	470	< 2	5	11	53	0.20	< 10	< 10	139	5	98
L13+00E 12+00N	201 238	< 1	0.03	20	590	< 2	< 5	5	31	0.14	< 10	< 10	86	< 5	75
L13+00E 12+25N	201 238	< 1	0.02	22	990	< 2	< 5	22	62	0.31	< 10	< 10	259	10	103
L13+00E 12+50N	201 238	1	0.02	29	1000	< 2	< 5	5	33	0.16	< 10	< 10	96	5	64
L13+00E 12+75N	201 238	< 1	0.03	27	1230	< 2	5	6	46	0.16	< 10	< 10	94	5	83
L13+00E 13+00N	201 238	< 1	0.03	29	530	< 2	5	9	56	0.21	< 10	< 10	127	5	64
L13+00E 13+25N	201 238	< 1	0.03	27	470	4	< 5	7	66	0.19	< 10	< 10	99	< 5	66
L13+00E 13+50N	201 238	< 1	0.04	25	860	2	< 5	6	45	0.19	< 10	< 10	95	5	93
L13+00E 13+75N	201 238	1	0.05	25	630	< 2	< 5	6	44	0.19	< 10	< 10	91	< 5	102
L13+00E 14+00N	201 238	< 1	0.05	29	1170	4	5	12	83	0.20	< 10	< 10	150	5	72
L13+00E 14+25N	201 238	< 1	0.05	24	880	< 2	< 5	8	108	0.13	< 10	< 10	58	5	61
L13+00E 14+50N	201 238	2	0.08	23	1740	2	< 5	6	45	0.19	< 10	< 10	101	< 5	83
L13+00E 14+75N	201 238	1	0.03	23	1170	< 2	5	6	43	0.20	< 10	< 10	102	< 5	72
L13+00E 15+00N	201 238	< 1	0.04	24	1240	< 2	< 5	5	38	0.18	< 10	< 10	91	< 5	74
L13+00E 15+25N	201 238	1	0.03	23	1320	6	< 5	5	32	0.17	< 10	< 10	89	< 5	81
L13+00E 15+50N	201 238	< 1	0.05	24	1190	4	< 5	5	39	0.20	< 10	< 10	94	< 5	72
L13+00E 15+75N	201 238	< 1	0.04	23	1150	< 2	< 5	5	40	0.20	< 10	< 10	89	< 5	82
L13+00E 16+00N	201 238	1	0.03	26	1100	4	< 5	6	36	0.21	< 10	< 10	90	< 5	79
L13+00E 16+25N	201 238	< 1	0.04	25	330	< 2	< 5	6	38	0.22	< 10	< 10	77	< 5	66
L13+00E 16+50N	201 238	< 1	0.03	27	400	4	< 5	6	44	0.24	< 10	< 10	83	5	64
L13+00E 16+75N	201 238	< 1	0.03	24	720	< 2	< 5	6	43	0.22	< 10	< 10	91	5	70
L13+00E 17+00N	201 238	< 1	0.08	25	790	< 2	< 5	6	49	0.21	< 10	< 10	96	< 5	67
L13+00E 17+25N	201 238	< 1	0.03	25	1030	2	5	6	56	0.20	< 10	< 10	100	< 5	78
L13+00E 17+50N	201 238	< 1	0.03	23	1420	< 2	< 5	7	58	0.19	< 10	< 10	105	5	88
L13+00E 17+75N	201 238	1	0.03	23	1270	< 2	< 5	6	54	0.19	< 10	< 10	99	< 5	103
L13+00E 18+00N	201 238	1	0.03	24	1480	< 2	< 5	6	52	0.20	< 10	< 10	102	< 5	112
L13+00E 18+25N	201 238	< 1	0.04	22	960	2	5	7	64	0.22	< 10	< 10	113	5	105
L13+00E 18+50N	201 238	< 1	0.02	16	970	6	< 5	8	77	0.20	< 10	< 10	133	< 5	84
L13+00E 18+75N	201 238	1	0.03	21	1310	6	5	10	83	0.20	< 10	< 10	133	5	135
L13+00E 19+00N	201 238	< 1	0.02	21	870	12	< 5	8	74	0.20	< 10	< 10	122	5	258
L13+00E 19+25N	201 238	1	0.02	18	1110	4	5	8	85	0.20	< 10	< 10	140	< 5	143

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No.: 5-A
 Tot. Pages: 6
 Date: 2-SEP-88
 Invoice #: I-8821755
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L13+00E 19+50N	201 238	< 5	2.27	0.2	< 5	90	< 0.5	< 2	0.66	0.5	9	40	32	3.90	< 10	< 1	0.05	10	0.82	442
L14+00E 10+00N	201 238	10	2.76	< 0.2	< 5	220	< 0.5	< 2	0.67	0.5	10	31	90	3.84	< 10	< 1	0.15	10	0.85	1025
L14+00E 10+25N	201 238	15	2.43	0.2	< 5	170	< 0.5	< 2	0.47	< 0.5	12	20	92	3.75	< 10	< 1	0.11	10	0.73	874
L14+00E 10+50N	201 238	5	3.04	0.8	10	220	< 0.5	< 2	1.40	0.5	11	34	241	3.88	10	< 1	0.10	20	0.65	664
L14+00E 10+75N	201 238	< 5	2.55	0.4	15	140	< 0.5	2	0.51	< 0.5	10	46	35	3.47	< 10	< 1	0.09	10	0.72	718
L14+00E 11+00N	201 238	< 5	2.80	0.2	< 5	120	< 0.5	< 2	0.49	< 0.5	10	47	38	3.54	< 10	< 1	0.10	10	0.75	675
L14+00E 11+25N	201 238	< 5	2.21	< 0.2	10	170	< 0.5	< 2	0.50	< 0.5	10	19	62	2.95	< 10	< 1	0.18	10	0.59	741
L14+00E 11+50N	201 238	< 5	2.40	< 0.2	< 5	130	< 0.5	< 2	0.54	< 0.5	10	53	37	3.47	< 10	1	0.10	10	0.71	642
L14+00E 11+75N	201 238	< 5	2.11	< 0.2	< 5	110	< 0.5	< 2	0.64	0.5	10	51	43	3.61	< 10	< 1	0.11	10	0.77	998
L14+00E 12+00N	201 238	< 5	2.40	< 0.2	15	110	< 0.5	< 2	0.47	< 0.5	10	50	29	3.51	< 10	< 1	0.08	10	0.76	654
L14+00E 12+25N	201 238	< 5	2.20	< 0.2	< 5	110	< 0.5	< 2	0.54	0.5	11	41	22	3.16	< 10	< 1	0.15	10	0.66	857
L14+00E 12+50N	201 238	< 5	2.07	< 0.2	< 5	100	< 0.5	< 2	0.55	0.5	11	42	30	3.21	< 10	< 1	0.13	10	0.64	802
L14+00E 12+75N	201 238	< 5	2.42	0.2	20	90	< 0.5	< 2	0.49	< 0.5	10	50	26	3.42	< 10	< 1	0.09	10	0.71	514
L14+00E 13+00N	201 238	< 5	2.34	0.2	< 5	110	< 0.5	2	0.51	< 0.5	11	46	28	3.38	< 10	< 1	0.09	10	0.68	607
L14+00E 13+25N	201 238	< 5	2.37	< 0.2	15	120	< 0.5	2	0.59	< 0.5	10	48	30	3.60	< 10	< 1	0.08	10	0.74	695
L14+00E 13+50N	201 238	25	1.95	< 0.2	10	70	< 0.5	2	1.10	< 0.5	19	57	63	4.90	< 10	< 1	0.09	10	1.36	623
L14+00E 13+75N	201 238	< 5	2.56	< 0.2	< 5	110	< 0.5	2	0.68	< 0.5	10	52	28	3.48	< 10	< 1	0.09	10	0.70	425
L14+00E 14+00N	201 238	< 5	3.23	0.2	< 5	140	< 0.5	< 2	1.04	0.5	10	52	77	3.47	< 10	< 1	0.06	20	0.70	447
L14+00E 14+25N	201 238	< 5	2.04	< 0.2	< 5	100	< 0.5	< 2	0.50	< 0.5	9	44	19	2.89	< 10	< 1	0.05	10	0.53	187
L14+00E 14+50N	201 238	< 5	1.97	< 0.2	10	80	< 0.5	< 2	0.50	< 0.5	9	48	15	2.93	< 10	< 1	0.08	10	0.56	206
L14+00E 14+75N	201 238	< 5	2.43	0.2	30	120	< 0.5	< 2	0.54	< 0.5	10	54	21	3.20	< 10	< 1	0.12	10	0.65	463
L14+00E 15+00N	201 238	< 5	2.38	0.2	25	120	< 0.5	< 2	0.49	< 0.5	10	50	18	3.13	< 10	< 1	0.11	10	0.63	550
L14+00E 15+25N	201 238	< 5	2.57	0.2	15	110	< 0.5	< 2	0.45	< 0.5	10	52	19	3.37	< 10	< 1	0.13	10	0.66	450
L14+00E 15+50N	201 238	< 5	2.31	0.2	20	90	< 0.5	< 2	0.57	< 0.5	10	46	26	3.16	< 10	< 1	0.12	10	0.64	282
L14+00E 15+75N	277 238	< 5	3.93	0.6	35	280	0.5	< 2	0.97	< 0.5	9	77	125	4.13	10	< 1	0.14	30	0.99	1220
L14+00E 16+00N	201 238	< 5	2.60	0.2	5	130	< 0.5	< 2	0.75	< 0.5	9	60	57	3.49	< 10	< 1	0.11	20	0.81	389
L14+00E 16+25N	201 238	< 5	2.39	0.4	20	110	< 0.5	2	0.48	< 0.5	11	50	23	3.22	< 10	< 1	0.08	10	0.62	288
L14+00E 16+50N	201 238	< 5	1.92	< 0.2	< 5	70	< 0.5	2	0.40	< 0.5	10	37	21	2.88	< 10	< 1	0.05	< 10	0.57	266
L14+00E 16+75N	201 238	150	2.20	0.2	5	100	< 0.5	< 2	0.52	< 0.5	12	36	26	3.13	< 10	< 1	0.10	10	0.67	526
L14+00E 17+00N	201 238	10	2.33	< 0.2	25	120	< 0.5	< 2	0.53	< 0.5	11	37	29	3.19	< 10	< 1	0.09	10	0.70	756
L14+00E 17+25N	201 238	25	2.38	< 0.2	15	100	< 0.5	< 2	0.56	< 0.5	11	40	32	3.54	< 10	< 1	0.09	10	0.82	526
L14+00E 17+50N	201 238	< 5	2.43	< 0.2	45	110	< 0.5	< 2	0.57	< 0.5	11	42	33	3.54	< 10	< 1	0.10	10	0.82	590
L14+00E 17+75N	201 238	< 5	2.42	< 0.2	< 5	120	< 0.5	4	0.58	< 0.5	11	41	31	3.61	< 10	< 1	0.13	10	0.79	869
L14+00E 18+00N	201 238	< 5	2.96	0.2	5	130	0.5	< 2	0.65	< 0.5	10	45	35	3.83	10	< 1	0.15	10	0.86	811
L14+00E 18+25N	201 238	< 5	2.50	0.2	< 5	130	< 0.5	< 2	0.70	0.5	11	46	24	3.32	10	< 1	0.17	10	0.74	814
L14+00E 18+50N	201 238	< 5	2.37	0.2	30	100	< 0.5	< 2	0.68	< 0.5	10	48	21	3.50	10	< 1	0.17	10	0.76	577
L14+00E 18+75N	201 238	< 5	2.48	0.2	20	120	0.5	< 2	0.59	< 0.5	11	41	22	3.26	< 10	< 1	0.14	10	0.69	692
L14+00E 19+00N	201 238	< 5	2.51	< 0.2	10	120	0.5	2	0.59	< 0.5	11	40	30	3.55	< 10	< 1	0.11	10	0.78	826
L14+00E 19+25N	201 238	< 5	2.28	< 0.2	20	90	< 0.5	< 2	0.80	< 0.5	21	49	45	4.23	< 10	< 1	0.07	10	1.00	838
L14+00E 19+50N	201 238	< 5	2.43	0.2	< 5	100	0.5	4	0.79	< 0.5	18	51	33	3.96	< 10	< 1	0.11	10	0.84	718

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No. : 5-B
 Tot. Pages: 6
 Date : 2-SEP-88
 Invoice # : I-8821755
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L13+00E 19+50N	201 238	1	0.02	15	570	2	< 5	7	69	0.20	< 10	< 10	127	< 5	90
L14+00E 10+00N	201 238	1	0.02	18	730	10	< 5	8	53	0.15	< 10	< 10	100	< 5	104
L14+00E 10+25N	201 238	1	0.03	12	940	8	< 5	6	36	0.11	< 10	< 10	94	5	102
L14+00E 10+50N	201 238	1	0.03	18	510	10	10	9	120	0.13	< 10	< 10	86	< 5	117
L14+00E 10+75N	201 238	< 1	0.02	26	1070	12	< 5	6	38	0.19	< 10	< 10	96	< 5	110
L14+00E 11+00N	201 238	< 1	0.03	30	1220	4	< 5	6	41	0.20	< 10	< 10	98	5	89
L14+00E 11+25N	201 238	< 1	0.03	11	1040	4	10	4	36	0.07	< 10	< 10	79	< 5	90
L14+00E 11+50N	201 238	< 1	0.03	27	1040	< 2	5	5	38	0.20	< 10	< 10	98	< 5	84
L14+00E 11+75N	201 238	< 1	0.02	21	900	4	5	6	44	0.21	< 10	< 10	108	5	74
L14+00E 12+00N	201 238	< 1	0.03	29	1150	6	5	6	36	0.19	< 10	< 10	97	5	81
L14+00E 12+25N	201 238	< 1	0.03	24	1360	2	< 5	5	34	0.16	< 10	< 10	83	< 5	82
L14+00E 12+50N	201 238	1	0.03	22	1490	6	5	5	34	0.16	< 10	< 10	92	< 5	77
L14+00E 12+75N	201 238	< 1	0.02	25	880	< 2	< 5	5	32	0.20	< 10	< 10	97	5	75
L14+00E 13+00N	201 238	< 1	0.04	23	1480	2	< 5	5	35	0.18	< 10	< 10	97	< 5	95
L14+00E 13+25N	201 238	1	0.04	25	1460	< 2	< 5	6	42	0.19	< 10	< 10	105	< 5	97
L14+00E 13+50N	201 238	< 1	0.04	20	1060	< 2	5	13	87	0.21	< 10	< 10	184	< 5	60
L14+00E 13+75N	201 238	< 1	0.04	30	800	< 2	< 5	6	48	0.21	< 10	< 10	94	5	70
L14+00E 14+00N	201 238	< 1	0.04	31	290	2	< 5	9	72	0.18	< 10	< 10	87	< 5	69
L14+00E 14+25N	201 238	1	0.03	20	110	< 2	< 5	5	40	0.20	< 10	< 10	85	< 5	49
L14+00E 14+50N	201 238	1	0.04	21	190	2	< 5	4	38	0.22	< 10	< 10	89	< 5	49
L14+00E 14+75N	201 238	1	0.03	28	1180	4	< 5	5	40	0.22	< 10	< 10	88	5	79
L14+00E 15+00N	201 238	< 1	0.03	28	1060	< 2	< 5	5	39	0.22	< 10	< 10	83	5	78
L14+00E 15+25N	201 238	1	0.03	30	1060	< 2	< 5	5	35	0.23	< 10	< 10	88	< 5	82
L14+00E 15+50N	201 238	1	0.03	23	190	< 2	< 5	6	44	0.21	< 10	< 10	99	< 5	54
L14+00E 15+75N	217 238	< 1	0.05	50	580	< 2	5	14	58	0.19	< 10	< 10	90	< 5	68
L14+00E 16+00N	201 238	1	0.04	30	320	< 2	< 5	11	52	0.22	< 10	< 10	91	5	59
L14+00E 16+25N	201 238	< 1	0.03	26	1380	< 2	< 5	6	36	0.20	< 10	< 10	89	< 5	70
L14+00E 16+50N	201 238	2	0.02	4	970	< 2	< 5	4	25	0.15	< 10	< 10	82	< 5	57
L14+00E 16+75N	201 238	< 1	0.03	15	1310	< 2	< 5	6	44	0.16	< 10	< 10	94	5	73
L14+00E 17+00N	201 238	1	0.03	17	1460	2	< 5	6	46	0.16	< 10	< 10	94	< 5	85
L14+00E 17+25N	201 238	< 1	0.03	18	1410	< 2	< 5	7	49	0.17	< 10	< 10	110	5	93
L14+00E 17+50N	201 238	< 1	0.03	20	1410	4	< 5	7	52	0.17	< 10	< 10	111	5	94
L14+00E 17+75N	201 238	< 1	0.03	19	1710	6	< 5	7	55	0.18	< 10	< 10	107	5	118
L14+00E 18+00N	201 238	< 1	0.03	22	1340	< 2	< 5	8	65	0.21	< 10	< 10	113	5	127
L14+00E 18+25N	201 238	< 1	0.03	22	990	< 2	< 5	6	60	0.20	< 10	< 10	96	10	124
L14+00E 18+50N	201 238	< 1	0.03	22	800	< 2	< 5	6	60	0.21	< 10	< 10	103	< 5	88
L14+00E 18+75N	201 238	< 1	0.03	19	1090	8	5	6	50	0.18	< 10	< 10	93	< 5	102
L14+00E 19+00N	201 238	< 1	0.03	18	1380	6	< 5	6	52	0.18	< 10	< 10	104	5	146
L14+00E 19+25N	201 238	< 1	0.02	19	1250	6	< 5	8	72	0.20	< 10	< 10	134	10	90
L14+00E 19+50N	201 238	< 1	0.03	21	1630	8	< 5	8	65	0.19	< 10	< 10	123	5	97

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No.: 6-A
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L14+00E 19+75N	201	238	< 5	2.39	0.4	< 5	170	< 0.5	< 2	0.69	0.5	11	47	53	3.79	< 10	< 1	0.17	10	0.84	1050
L14+00E 20+00N	201	238	< 5	2.40	0.2	20	170	0.5	< 2	0.57	< 0.5	12	36	46	3.26	< 10	< 1	0.12	10	0.75	992

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER


Page No.: 6-B
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
L14+00E 19+75N	201	238	< 1	0.03	20	1330	10	< 5	8	57	0.15	< 10	< 10	105	5	106
L14+00E 20+00N	201	238	< 1	0.03	21	1400	14	5	6	46	0.13	< 10	< 10	88	< 5	97

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: GC/JEAN PAUTLER

Page No. : 1-A
Tot. Pages: 2
Date : 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L22+00E 10+00N	201 238	25	2.46	0.2	< 5	100	0.5	< 2	0.57	< 0.5	11	34	124	3.61	< 10	2	0.07	10	0.67	702
L22+00E 10+25N	201 238	5	2.08	< 0.2	10	100	0.5	< 2	0.74	< 0.5	10	41	123	3.70	< 10	< 1	0.07	10	0.81	600
L22+00E 10+50N	201 238	25	2.21	0.2	5	80	0.5	< 2	0.56	< 0.5	11	34	155	3.73	< 10	< 1	0.05	10	0.71	647
L22+00E 10+75N	201 238	15	2.66	< 0.2	10	110	0.5	< 2	0.67	< 0.5	10	33	224	3.66	< 10	< 1	0.07	10	0.72	455
L22+00E 11+00N	201 238	25	2.41	0.2	15	110	1.0	< 2	0.57	< 0.5	10	43	133	3.91	< 10	1	0.06	10	0.68	1105
L22+00E 11+25N	201 238	20	2.62	0.2	< 5	130	0.5	2	0.56	< 0.5	10	45	146	4.01	< 10	< 1	0.05	10	0.70	486
L22+00E 11+50N	201 238	5	2.67	0.4	15	130	0.5	< 2	0.87	< 0.5	10	40	88	3.33	10	< 1	0.07	20	0.73	657
L22+00E 11+75N	201 238	15	2.06	< 0.2	< 5	100	0.5	< 2	0.41	< 0.5	11	33	61	3.35	< 10	< 1	0.05	10	0.53	557
L22+00E 12+00N	201 238	15	2.14	< 0.2	10	70	1.0	< 2	0.34	< 0.5	11	31	57	3.52	< 10	< 1	0.04	10	0.45	315
L22+00E 12+25N	201 238	15	2.23	0.2	5	120	0.5	< 2	0.74	< 0.5	11	33	101	3.43	< 10	< 1	0.04	10	0.52	272
L22+00E 12+50N	201 238	35	1.94	< 0.2	10	70	0.5	< 2	0.56	< 0.5	10	47	107	3.91	< 10	< 1	0.04	10	0.74	297
L22+00E 13+00N	201 238	10	2.19	< 0.2	< 5	120	< 0.5	< 2	1.65	0.5	9	34	141	2.69	< 10	< 1	0.05	20	0.52	317
L22+00E 13+25N	201 238	not/see	1.12	< 0.2	< 5	100	< 0.5	< 2	4.14	0.5	5	17	275	1.41	10	3	0.03	< 10	0.37	221
L22+00E 13+50N	201 238	15	2.42	< 0.2	< 5	90	0.5	< 2	0.38	< 0.5	11	31	102	3.49	< 10	2	0.04	10	0.46	539
L22+00E 13+75N	201 238	25	2.81	< 0.2	15	110	1.5	< 2	0.39	< 0.5	18	35	132	3.89	< 10	2	0.05	10	0.59	309
L22+00E 14+00N	201 238	45	2.27	< 0.2	20	60	1.5	< 2	0.40	< 0.5	10	36	121	3.87	< 10	1	0.03	10	0.56	409
L22+00E 14+25N	201 238	75	2.46	< 0.2	15	70	2.0	< 2	0.28	< 0.5	26	27	215	5.14	< 10	< 1	0.04	10	0.45	411
L22+00E 14+50N	201 238	25	2.60	< 0.2	5	80	0.5	< 2	0.32	< 0.5	16	37	83	3.74	< 10	2	0.04	< 10	0.51	271
L22+00E 14+75N	201 238	< 5	2.16	< 0.2	5	70	1.0	< 2	0.35	< 0.5	10	43	44	3.31	< 10	< 1	0.04	< 10	0.49	231
L22+00E 15+00N	201 238	15	2.00	< 0.2	< 5	70	0.5	< 2	0.32	0.5	10	40	46	3.00	< 10	2	0.04	< 10	0.40	416
L22+00E 15+25N	201 238	95	2.27	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	10	43	80	3.57	< 10	< 1	0.04	< 10	0.51	467
L22+00E 15+50N	201 238	< 5	2.13	< 0.2	10	100	< 0.5	< 2	0.36	< 0.5	12	31	49	2.92	< 10	2	0.05	10	0.63	442
L22+00E 15+75N	201 238	< 5	1.76	< 0.2	5	70	< 0.5	< 2	0.29	< 0.5	7	31	25	2.82	< 10	< 1	0.04	< 10	0.43	326
L22+00E 16+00N	201 238	5	1.95	< 0.2	< 5	110	< 0.5	< 2	1.48	< 0.5	9	32	390	2.56	< 10	< 1	0.04	20	0.57	434
L22+00E 16+25N	201 238	5	2.41	< 0.2	10	200	< 0.5	< 2	1.30	< 0.5	6	26	91	1.87	< 10	< 1	0.03	10	0.49	133
L22+00E 16+50N	201 238	< 5	2.85	0.2	10	80	< 0.5	< 2	0.27	< 0.5	9	31	35	2.63	< 10	2	0.04	< 10	0.41	610
L22+00E 16+75N	201 238	< 5	2.35	< 0.2	5	70	< 0.5	< 2	0.40	< 0.5	11	45	83	3.35	< 10	1	0.05	10	0.66	507
L22+00E 17+00N	201 238	< 5	1.70	0.2	15	70	< 0.5	< 2	0.21	< 0.5	6	23	11	1.90	< 10	< 1	0.03	< 10	0.22	654
L22+00E 17+25N	201 238	100	2.17	< 0.2	5	100	< 0.5	< 2	0.29	< 0.5	8	34	27	2.60	< 10	2	0.04	< 10	0.37	389
L22+00E 17+50N	201 238	25	1.87	< 0.2	10	150	< 0.5	< 2	1.15	< 0.5	11	44	99	3.33	< 10	2	0.13	20	0.95	961
L22+00E 17+75N	201 238	< 5	2.31	< 0.2	10	190	< 0.5	< 2	0.95	< 0.5	11	45	119	3.30	< 10	< 1	0.25	20	0.89	958
L22+00E 18+00N	201 238	< 5	2.68	< 0.2	< 5	180	< 0.5	< 2	0.59	0.5	11	46	76	3.21	< 10	< 1	0.32	10	0.81	518
L22+00E 18+25N	201 238	< 5	1.35	< 0.2	5	110	< 0.5	< 2	0.37	< 0.5	7	24	18	1.96	< 10	1	0.12	10	0.45	382
L22+00E 18+50N	201 238	< 5	1.12	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	5	27	15	1.93	< 10	< 1	0.11	10	0.45	189
L22+00E 18+75N	201 238	10	1.06	< 0.2	5	70	< 0.5	< 2	0.40	< 0.5	7	29	14	1.99	< 10	< 1	0.06	10	0.44	312
L22+00E 19+00N	201 238	< 5	1.28	< 0.2	10	80	< 0.5	< 2	0.38	< 0.5	7	34	19	2.22	< 10	< 1	0.05	10	0.42	268
L22+00E 19+25N	201 238	35	1.03	< 0.2	5	60	< 0.5	< 2	0.38	< 0.5	6	33	18	2.06	< 10	< 1	0.04	< 10	0.43	262
L22+00E 19+50N	201 238	< 5	1.27	< 0.2	5	70	< 0.5	< 2	0.38	< 0.5	7	37	20	2.35	< 10	< 1	0.03	10	0.45	512
L22+00E 19+75N	201 238	55	1.66	< 0.2	25	100	< 0.5	< 2	0.46	< 0.5	9	46	27	2.75	< 10	< 1	0.06	10	0.50	429
L22+00E 20+00N	201 238	5	1.51	< 0.2	5	90	< 0.5	< 2	0.55	< 0.5	8	49	21	2.80	< 10	1	0.07	10	0.50	358

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 2
Date : 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L22+00E 10+00N	201 238	< 1	0.02	18	1270	6	< 5	6	37	0.14	< 10	< 10	101	< 5	82
L22+00E 10+2.5N	201 238	1	0.02	20	970	2	< 5	6	49	0.16	< 10	< 10	109	< 5	66
L22+00E 10+5.0N	201 238	1	0.02	16	1000	6	< 5	5	55	0.14	< 10	< 10	108	< 5	74
L22+00E 10+7.5N	201 238	1	0.02	17	510	14	< 5	6	64	0.16	< 10	< 10	103	< 5	71
L22+00E 11+00N	201 238	< 1	0.02	19	1290	8	< 5	6	43	0.17	< 10	< 10	110	< 5	85
L22+00E 11+2.5N	201 238	1	0.02	24	970	< 2	< 5	6	46	0.17	< 10	< 10	108	< 5	68
L22+00E 11+5.0N	201 238	< 1	0.04	21	510	2	< 5	7	61	0.19	< 10	< 10	83	< 5	64
L22+00E 11+7.5N	201 238	2	0.02	16	1400	2	< 5	4	26	0.14	< 10	< 10	83	< 5	67
L22+00E 12+00N	201 238	1	0.02	15	1310	< 2	< 5	4	23	0.14	< 10	< 10	83	< 5	67
L22+00E 12+2.5N	201 238	2	0.03	14	470	< 2	< 5	6	41	0.15	< 10	< 10	84	< 5	47
L22+00E 12+5.0N	201 238	1	0.02	16	370	6	< 5	5	42	0.17	< 10	< 10	136	< 5	52
L22+00E 13+00N	201 238	< 1	0.05	16	380	< 2	< 5	5	90	0.14	< 10	< 10	69	< 5	61
L22+00E 13+2.5N	201 238	< 1	0.05	8	790	< 2	< 5	3	175	0.05	< 10	< 10	29	< 5	41
L22+00E 13+5.0N	201 238	1	0.03	17	970	< 2	< 5	4	35	0.16	< 10	< 10	90	< 5	73
L22+00E 13+7.5N	201 238	1	0.03	18	850	< 2	< 5	5	33	0.16	< 10	< 10	100	< 5	64
L22+00E 14+00N	201 238	< 1	0.02	14	980	< 2	< 5	4	33	0.16	< 10	< 10	108	< 5	48
L22+00E 14+2.5N	201 238	1	0.02	16	1250	6	< 5	4	28	0.15	< 10	< 10	103	< 5	68
L22+00E 14+00N	201 238	1	0.02	17	1250	< 2	< 5	4	23	0.16	< 10	< 10	102	< 5	64
L22+00E 14+7.5N	201 238	< 1	0.02	15	1150	8	< 5	4	23	0.17	< 10	< 10	96	< 5	76
L22+00E 15+00N	201 238	1	0.02	14	820	4	< 5	3	21	0.16	< 10	< 10	87	< 5	55
L22+00E 15+2.5N	201 238	1	0.02	20	1140	< 2	< 5	4	19	0.14	< 10	< 10	90	< 5	72
L22+00E 15+5.0N	201 238	1	0.02	22	880	2	< 5	4	21	0.13	< 10	< 10	76	< 5	57
L22+00E 15+7.5N	201 238	1	0.02	16	1230	2	< 5	3	18	0.13	< 10	< 10	75	< 5	57
L22+00E 16+00N	201 238	< 1	0.02	21	510	< 2	< 5	6	65	0.12	< 10	< 10	63	< 5	51
L22+00E 16+2.5N	201 238	< 1	0.02	15	660	6	< 5	3	59	0.13	< 10	< 10	42	< 5	64
L22+00E 16+5.0N	201 238	< 1	0.03	19	1330	< 2	< 5	4	18	0.16	< 10	< 10	66	< 5	78
L22+00E 16+7.5N	201 238	< 1	0.02	22	1290	< 2	< 5	5	28	0.17	< 10	< 10	94	< 5	64
L22+00E 17+00N	201 238	1	0.02	11	1350	< 2	< 5	2	12	0.11	< 10	< 10	50	< 5	93
L22+00E 17+2.5N	201 238	1	0.02	15	2200	< 2	< 5	4	16	0.13	< 10	< 10	65	< 5	105
L22+00E 17+5.0N	201 238	1	0.02	22	1270	< 2	< 5	9	60	0.13	< 10	< 10	95	< 5	63
L22+00E 17+7.5N	201 238	1	0.02	25	960	< 2	< 5	9	49	0.15	< 10	< 10	82	< 5	72
L22+00E 18+00N	201 238	1	0.02	21	560	< 2	< 5	9	34	0.17	< 10	< 10	75	< 5	75
L22+00E 18+2.5N	201 238	< 1	0.02	10	1040	< 2	< 5	3	25	0.11	< 10	< 10	48	< 5	58
L22+00E 18+5.0N	201 238	< 1	0.02	9	300	< 2	< 5	3	25	0.14	< 10	< 10	53	< 5	30
L22+00E 18+7.5N	201 238	1	0.01	13	600	< 2	< 5	2	19	0.10	< 10	< 10	56	< 5	33
L22+00E 19+00N	201 238	< 1	0.01	14	750	< 2	< 5	3	16	0.10	< 10	< 10	59	< 5	34
L22+00E 19+2.5N	201 238	< 1	0.01	14	880	< 2	< 5	3	15	0.09	< 10	< 10	57	< 5	29
L22+00E 19+5.0N	201 238	1	0.01	14	1030	2	< 5	3	16	0.11	< 10	< 10	65	< 5	46
L22+00E 19+7.5N	201 238	1	0.01	19	1210	2	< 5	4	22	0.14	< 10	< 10	76	< 5	54
L22+00E 20+00N	201 238	< 1	0.02	16	650	< 2	< 5	4	28	0.16	< 10	< 10	81	< 5	42

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No.: 2-A
Tot. Pages: 2
Date: 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L23+00E 10+00N	201 238	20	2.62	< 0.2	20	120	< 0.5	< 2	0.59	< 0.5	11	41	145	3.68	< 10	2	0.10	10	0.67	366
L23+00E 10+25N	201 238	20	3.00	0.4	5	70	< 0.5	< 2	1.34	< 0.5	12	32	641	3.60	< 10	< 1	0.06	20	0.73	794
L23+00E 10+50N	201 238	45	2.17	< 0.2	< 5	90	< 0.5	< 2	0.43	< 0.5	12	35	130	3.46	< 10	< 1	0.04	10	0.58	413
L23+00E 10+75N	201 238	35	2.34	< 0.2	5	60	< 0.5	< 2	0.56	< 0.5	11	28	351	3.92	< 10	< 1	0.03	10	0.58	722
L23+00E 11+00N	201 238	20	2.68	< 0.2	20	70	< 0.5	< 2	0.95	< 0.5	16	41	420	4.05	< 10	< 1	0.03	10	0.75	244
L23+00E 11+50N	201 238	< 5	2.01	< 0.2	< 5	120	< 0.5	< 2	1.09	< 0.5	8	31	224	2.34	< 10	< 1	0.07	20	0.57	191
L23+00E 11+75N	201 238	5	2.40	< 0.2	15	220	< 0.5	< 2	0.99	< 0.5	6	30	217	1.96	< 10	< 1	0.05	20	0.55	162
L23+00E 12+00N	201 238	25	2.27	< 0.2	< 5	110	< 0.5	< 2	1.65	< 0.5	11	47	169	3.10	< 10	< 1	0.09	20	0.91	248
L23+00E 12+25N	201 238	< 5	2.16	< 0.2	10	130	< 0.5	< 2	0.69	< 0.5	11	43	66	3.13	< 10	< 1	0.08	10	0.64	337
L23+00E 12+50N	201 238	5	1.88	< 0.2	< 5	100	< 0.5	< 2	0.38	< 0.5	11	38	35	2.74	< 10	< 1	0.05	10	0.49	514
L23+00E 12+75N	201 238	5	1.22	< 0.2	5	70	< 0.5	< 2	0.23	< 0.5	6	21	16	2.07	< 10	< 1	0.03	< 10	0.31	411
L23+00E 13+00N	201 238	< 5	1.98	< 0.2	10	80	< 0.5	< 2	0.27	< 0.5	10	33	41	2.77	< 10	< 1	0.04	< 10	0.45	546
L23+00E 13+25N	201 238	< 5	1.86	< 0.2	5	130	< 0.5	< 2	1.25	< 0.5	10	28	211	2.42	< 10	< 1	0.05	20	0.52	1520
L23+00E 13+50N	201 238	< 5	3.00	0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	9	33	40	2.83	< 10	< 1	0.05	10	0.45	507
L23+00E 13+75N	201 238	20	2.63	< 0.2	< 5	80	< 0.5	< 2	0.28	< 0.5	9	34	44	2.85	< 10	1	0.04	< 10	0.45	1000
L23+00E 14+00N	201 238	10	2.75	0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	8	42	42	2.90	< 10	< 1	0.05	10	0.49	444
L23+00E 14+25N	201 238	< 5	2.30	0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	7	29	22	2.41	< 10	< 1	0.05	< 10	0.35	373
L23+00E 14+50N	201 238	< 5	3.30	< 0.2	15	180	< 0.5	< 2	0.68	< 0.5	11	40	51	3.09	< 10	< 1	0.07	10	0.62	1280
L23+00E 14+75N	201 238	10	2.06	< 0.2	< 5	90	< 0.5	< 2	0.39	< 0.5	9	48	30	3.06	< 10	< 1	0.05	10	0.46	533
L23+00E 15+00N	201 238	10	2.85	< 0.2	10	130	< 0.5	< 2	0.43	< 0.5	10	44	46	3.41	< 10	< 1	0.07	10	0.57	508
L23+00E 15+25N	201 238	40	2.47	0.2	10	70	< 0.5	< 2	0.22	< 0.5	12	18	247	3.45	< 10	< 1	0.04	< 10	0.55	477
L23+00E 15+50N	201 238	320	2.49	< 0.2	15	130	< 0.5	< 2	0.92	< 0.5	10	25	162	2.58	< 10	< 1	0.04	10	0.48	369
L23+00E 15+75N	201 238	10	1.68	< 0.2	5	120	< 0.5	< 2	2.42	< 0.5	11	27	399	2.75	< 10	< 1	0.05	20	0.62	582
L23+00E 16+00N	201 238	50	1.46	< 0.2	< 5	100	< 0.5	< 2	0.96	< 0.5	11	51	55	3.56	< 10	< 1	0.08	20	0.94	911
L23+00E 16+25N	201 238	< 5	2.11	< 0.2	20	170	< 0.5	< 2	1.33	< 0.5	16	47	120	3.68	< 10	< 1	0.17	20	1.05	1230
L23+00E 16+75N	201 238	< 5	1.87	< 0.2	30	150	< 0.5	< 2	1.10	< 0.5	11	43	81	3.43	< 10	< 1	0.11	20	1.01	1585
L23+00E 17+00N	201 238	10	2.82	< 0.2	5	260	< 0.5	< 2	1.93	< 0.5	25	45	223	5.06	10	< 1	0.12	20	1.57	2040
L23+00E 17+25N	201 238	< 5	1.35	< 0.2	< 5	70	< 0.5	< 2	0.65	< 0.5	9	38	37	2.55	< 10	< 1	0.20	10	0.68	391
L23+00E 17+50N	201 238	< 5	1.47	< 0.2	< 5	120	< 0.5	< 2	0.44	< 0.5	8	26	12	2.02	< 10	< 1	0.10	10	0.45	342
L23+00E 17+75N	201 238	< 5	1.14	< 0.2	< 5	80	< 0.5	< 2	0.51	< 0.5	9	32	19	2.24	< 10	< 1	0.12	10	0.56	376
L23+00E 18+00N	201 238	< 5	1.80	< 0.2	< 5	150	< 0.5	< 2	0.46	< 0.5	8	30	29	2.35	< 10	< 1	0.08	10	0.50	472
L23+00E 18+25N	201 238	< 5	1.66	< 0.2	5	110	< 0.5	< 2	0.51	< 0.5	8	36	23	2.56	< 10	< 1	0.06	10	0.52	421
L23+00E 18+50N	201 238	< 5	1.68	< 0.2	< 5	100	< 0.5	< 2	0.65	< 0.5	8	50	26	2.93	< 10	1	0.06	10	0.59	361
L23+00E 18+75N	201 238	< 5	2.01	< 0.2	10	120	< 0.5	< 2	0.45	< 0.5	9	36	21	2.51	< 10	< 1	0.08	10	0.50	572
L23+00E 19+00N	201 238	< 5	2.05	0.2	< 5	110	0.5	< 2	0.44	< 0.5	8	35	22	2.57	< 10	< 1	0.09	10	0.54	386
L23+00E 19+25N	201 238	< 5	1.64	< 0.2	< 5	90	0.5	< 2	0.50	< 0.5	7	41	28	2.64	< 10	< 1	0.07	10	0.55	343
L23+00E 19+50N	201 238	< 5	1.75	< 0.2	< 5	100	0.5	< 2	0.48	< 0.5	8	40	33	2.58	< 10	2	0.05	10	0.49	250
L23+00E 19+75N	201 238	< 5	2.06	< 0.2	< 5	100	0.5	< 2	0.41	< 0.5	8	41	33	2.80	< 10	3	0.06	10	0.49	514
L23+00E 20+00N	201 238	< 5	2.42	< 0.2	< 5	150	0.5	< 2	0.35	< 0.5	8	35	42	2.58	< 10	1	0.07	10	0.49	453
L24+00E 12+75N	201 238	< 5	1.97	< 0.2	5	120	< 0.5	< 2	0.73	< 0.5	11	46	83	2.93	< 10	< 1	0.10	10	0.90	515

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 2-B
Tot. Pages: 2
Date: 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L23+00E 10+00N	201 238	< 1	0.02	21	790	2	< 5	6	52	0.17	< 10	< 10	102	< 5	75
L23+00E 10+2.5N	201 238	1	0.03	15	440	6	< 5	11	83	0.13	< 10	< 10	95	< 5	88
L23+00E 10+50N	201 238	< 1	0.02	16	980	< 2	< 5	4	26	0.14	< 10	< 10	89	< 5	73
L23+00E 10+7.5N	201 238	1	0.02	10	1210	4	< 5	5	55	0.13	< 10	< 10	105	< 5	87
L23+00E 11+00N	201 238	3	0.02	17	270	< 2	5	6	68	0.18	< 10	< 10	122	< 5	55
L23+00E 11+50N	201 238	< 1	0.04	14	700	6	< 5	6	65	0.14	< 10	< 10	54	< 5	44
L23+00E 11+7.5N	201 238	< 1	0.03	14	910	6	< 5	6	71	0.14	< 10	< 10	54	< 5	43
L23+00E 12+00N	201 238	2	0.03	19	770	< 2	< 5	9	86	0.16	< 10	< 10	92	< 5	69
L23+00E 12+2.5N	201 238	1	0.02	21	350	4	< 5	7	42	0.16	< 10	< 10	82	< 5	59
L23+00E 12+50N	201 238	< 1	0.01	18	900	4	< 5	4	20	0.14	< 10	< 10	73	< 5	64
L23+00E 12+7.5N	201 238	2	0.01	11	640	< 2	< 5	2	14	0.10	< 10	< 10	58	< 5	45
L23+00E 13+00N	201 238	< 1	0.01	13	1430	2	< 5	3	15	0.12	< 10	< 10	70	< 5	64
L23+00E 13+2.5N	201 238	1	0.04	19	380	2	< 5	5	88	0.11	< 10	< 10	56	< 5	66
L23+00E 13+50N	201 238	< 1	0.02	19	1640	4	< 5	4	17	0.15	< 10	< 10	66	< 5	111
L23+00E 13+7.5N	201 238	1	0.02	24	1530	4	< 5	4	17	0.15	< 10	< 10	72	< 5	96
L23+00E 14+00N	201 238	1	0.02	21	1180	< 2	< 5	4	20	0.16	< 10	< 10	76	< 5	87
L23+00E 14+2.5N	201 238	< 1	0.02	13	1630	< 2	< 5	3	17	0.13	< 10	< 10	61	< 5	101
L23+00E 14+00N	201 238	2	0.02	22	440	2	< 5	6	52	0.17	< 10	< 10	81	< 5	122
L23+00E 14+7.5N	201 238	< 1	0.02	18	2310	6	< 5	4	21	0.13	< 10	< 10	83	< 5	79
L23+00E 15+00N	201 238	< 1	0.02	22	820	6	< 5	5	30	0.18	< 10	< 10	89	< 5	63
L23+00E 15+2.5N	201 238	2	0.03	13	830	4	< 5	6	17	0.09	< 10	< 10	92	< 5	54
L23+00E 15+50N	201 238	< 1	0.04	15	400	< 2	5	5	52	0.13	< 10	< 10	52	< 5	48
L23+00E 15+7.5N	201 238	1	0.03	15	1000	2	< 5	5	98	0.08	< 10	< 10	57	< 5	60
L23+00E 16+00N	201 238	1	0.02	19	1250	4	< 5	6	48	0.14	< 10	< 10	105	< 5	57
L23+00E 16+2.5N	201 238	2	0.02	24	1180	< 2	< 5	10	69	0.16	< 10	< 10	101	< 5	70
L23+00E 16+7.5N	201 238	< 1	0.02	22	1390	< 2	< 5	9	55	0.13	< 10	< 10	91	< 5	65
L23+00E 17+00N	201 238	2	0.02	18	1440	< 2	5	14	108	0.17	< 10	< 10	136	< 5	95
L23+00E 17+2.5N	201 238	< 1	0.02	16	770	< 2	< 5	5	35	0.16	< 10	< 10	75	< 5	44
L23+00E 17+50N	201 238	< 1	0.02	11	1060	< 2	< 5	3	24	0.11	< 10	< 10	52	< 5	55
L23+00E 17+7.5N	201 238	1	0.02	13	440	< 2	< 5	4	26	0.13	< 10	< 10	67	< 5	35
L23+00E 18+00N	201 238	1	0.02	15	920	2	< 5	4	24	0.13	< 10	< 10	61	< 5	74
L23+00E 18+2.5N	201 238	< 1	0.02	16	1050	< 2	5	4	26	0.14	< 10	< 10	72	< 5	61
L23+00E 18+50N	201 238	< 1	0.02	16	1020	< 2	< 5	5	33	0.16	< 10	< 10	88	< 5	52
L23+00E 18+7.5N	201 238	< 1	0.02	17	1300	6	< 5	4	25	0.14	< 10	< 10	68	< 5	71
L23+00E 19+00N	201 238	< 1	0.02	15	1340	< 2	< 5	4	24	0.14	< 10	< 10	65	< 5	63
L23+00E 19+2.5N	201 238	1	0.02	17	490	4	< 5	4	28	0.17	< 10	< 10	74	< 5	50
L23+00E 19+50N	201 238	1	0.02	15	650	4	< 5	4	25	0.15	< 10	< 10	70	< 5	49
L23+00E 19+7.5N	201 238	1	0.02	18	1400	6	< 5	4	20	0.14	< 10	< 10	71	< 5	69
L23+00E 20+00N	201 238	< 1	0.02	17	1320	2	< 5	4	19	0.13	< 10	< 10	58	< 5	64
L24+00E 12+7.5N	201 238	1	0.02	20	940	6	< 5	8	36	0.13	< 10	< 10	76	< 5	60

CERTIFICATION :

B. Coughlin