



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

2120 Brocksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Aug 25 1986
KERR AL Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8616677-001-A
INVOICE # : I8616677
DATE : 24-AUG-86
P.O. # : NONE
B-19 C-07

plotted on maps Bluechip
92H/5E 826761

ATTN: ART CLENDENAN

Sample description	Prep code	Au ppb FA+AA					
6505 5225N	202	5	--	--	--	--	--
6506	202	<5	--	--	--	--	--
L 5100E 6507	202	<5	--	--	--	--	--
6508	202	<5	--	--	--	--	--
6509	202	15	--	--	--	--	--
6510	202	<5	--	--	--	--	--
6511	202	<5	--	--	--	--	--
6512	202	<5	--	--	--	--	--
6513 5025N	202	<5	--	--	--	--	--
6604 5250N	202	<5	--	--	--	--	--
6605	202	<5	--	--	--	--	--
6606	202	10	--	--	--	--	--
L 5150E 6607	202	<5	--	--	--	--	--
6608	202	<5	--	--	--	--	--
6609	202	<5	--	--	--	--	--
6610	202	<5	--	--	--	--	--
6611	202	20	--	--	--	--	--
6612	202	10	--	--	--	--	--
6613 5025N	202	15	--	--	--	--	--
6704 5250N	202	5	--	--	--	--	--
6705	202	15	--	--	--	--	--
6706	202	<5	--	--	--	--	--
6707	202	<5	--	--	--	--	--
6708	202	15	--	--	--	--	--
6709	202	15	--	--	--	--	--
L 5200E 6710	202	5	--	--	--	--	--
6711	202	<5	--	--	--	--	--
6712	202	<5	--	--	--	--	--
6713 5025N	202	<5	--	--	--	--	--
6804 5250N	202	<5	--	--	--	--	--
6805	202	<5	--	--	--	--	--
6806	202	<5	--	--	--	--	--
L 5250E 6807	202	<5	--	--	--	--	--
6808	202	<5	--	--	--	--	--
6809	202	10	--	--	--	--	--
6810	202	25	--	--	--	--	--
6811	202	<5	--	--	--	--	--
6812	202	<5	--	--	--	--	--
6813 5025N	202	<5	--	--	--	--	--
L 5300E 6901 5325N	202	5	--	--	--	--	--

Hart Buchler

Certified by



Chemex Labs Ltd.

RECEIVED
 212 Brooksbank Ave.
 North Vancouver, B.C.
 V7J 2C1
AUG 25 1986
 KERR ADDISON MINES LTD.
 Phone: 604-221-4021
 Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

plotted on map

CERT. # : A8616677-002-A
 INVOICE # : I8616677
 DATE : 24-AUG-86
 P.O. # : NONE
 B-19 C-07

ATTN: ART CLENDENAN

Sample description	Prep code	Au ppb FA+AA						
6902 <i>5300N</i>	202	5	--	--	--	--	--	--
6903	202	<5	--	--	--	--	--	--
6904	202	<5	--	--	--	--	--	--
6905	202	<5	--	--	--	--	--	--
6906	202	40	--	--	--	--	--	--
6907	202	<5	--	--	--	--	--	--
6908	202	10	--	--	--	--	--	--
6909	202	15	--	--	--	--	--	--
6910	202	5	--	--	--	--	--	--
6911	202	40	--	--	--	--	--	--
6912	202	<5	--	--	--	--	--	--
6913 <i>5025N</i>	202	<5	--	--	--	--	--	--
7000 <i>5350N</i>	202	<5	--	--	--	--	--	--
7001	202	<5	--	--	--	--	--	--
7002	202	<5	--	--	--	--	--	--
7003	202	<5	--	--	--	--	--	--
7004	202	<5	--	--	--	--	--	--
7005	202	<5	--	--	--	--	--	--
7006	202	<5	--	--	--	--	--	--
7007	202	<5	--	--	--	--	--	--
7008	202	5	--	--	--	--	--	--
7009	202	<5	--	--	--	--	--	--
7010	202	<5	--	--	--	--	--	--
7011	202	<5	--	--	--	--	--	--
7012	202	<5	--	--	--	--	--	--
7013 <i>5025N</i>	202	<5	--	--	--	--	--	--
7100 <i>5350N</i>	202	<5	--	--	--	--	--	--
7101	202	<5	--	--	--	--	--	--
7102	202	<5	--	--	--	--	--	--
7103	202	<5	--	--	--	--	--	--
7104	202	<5	--	--	--	--	--	--
7105	202	<5	--	--	--	--	--	--
7106	202	<5	--	--	--	--	--	--
7107	202	35	--	--	--	--	--	--
7108	202	<5	--	--	--	--	--	--
7109	202	<5	--	--	--	--	--	--
7110	202	<5	--	--	--	--	--	--
7111	202	<5	--	--	--	--	--	--
7112	202	<5	--	--	--	--	--	--
7113 <i>5025N</i>	202	<5	--	--	--	--	--	--

5300E

5025E

5400E

Hart Bichler

Certified by



Chemex Labs Ltd.

212 Brooksbank Ave.
North Vancouver, B.C.
V7J 2C1

AUG 25 1986

Analytical Chemists • Geochemists • Registered Assayers

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

plotted on map

CERT. # : A8616677-003-A
INVOICE # : I8616677
DATE : 24-AUG-86
P.O. # : NONE
B-19 C-07

ATTN: ART CLENDENAN

Sample description	Prep code	Au ppb FA+AA					
7200 5350N	202	<5	--	--	--	--	--
7201	202	<5	--	--	--	--	--
7202	202	<5	--	--	--	--	--
7203	202	<5	--	--	--	--	--
7204	202	<5	--	--	--	--	--
7205	202	<5	--	--	--	--	--
7206	202	<5	--	--	--	--	--
7207	202	<5	--	--	--	--	--
7208	202	<5	--	--	--	--	--
7209	202	<5	--	--	--	--	--
7210	202	<5	--	--	--	--	--
7211	202	<5	--	--	--	--	--
7212	202	<5	--	--	--	--	--
7213 5025N	202	<5	--	--	--	--	--
7300 5350N	202	<5	--	--	--	--	--
7301	202	<5	--	--	--	--	--
7302	202	<5	--	--	--	--	--
7303	202	<5	--	--	--	--	--
7304	202	<5	--	--	--	--	--
7305	202	<5	--	--	--	--	--
7306	202	<5	--	--	--	--	--
7307	202	<5	--	--	--	--	--
7308	202	<5	--	--	--	--	--
7309	202	<5	--	--	--	--	--
7310	202	<5	--	--	--	--	--
7311	202	<5	--	--	--	--	--
7312	202	<5	--	--	--	--	--
7313 5025N	202	<5	--	--	--	--	--

L 5450 E

L 5500 E

Certified by *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

RECEIVED

AUG 2 11 1986

2122 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

BLUECHIP
plotted on map
FILE COPY DO NOT REMOVE

CERT. # : A8616356-001-A
INVOICE # : I8616356
DATE : 19-AUG-86
P.C. # : 24554
B-02C-07

ATTN: ART CLENDENAN

Sample description	Prep code	Au ppb FA+AA					
6108 <i>5150N</i>	202	<5	--	--			
6109	202	25	--	--			
6110	202	<5	--	--			
6111	202	30	--	--			
6112	202	<5	--	--			
<i>L 4900 E</i> 6113	202	<5	--	--			
6114	202	<5	--	--			
6115	202	<5	--	--			
6116	202	<5	--	--			
6117	202	<5	--	--			
6118	202	<5	--	--			
6119 <i>4875N</i>	202	<5	--	--			
6205 <i>5225W</i>	202	<5	--	--			
6206	202	<5	--	--			
6207	202	<5	--	--			
6208	202	<5	--	--			
6209	202	<5	--	--			
6210	202	<5	--	--			
<i>L 4950 E</i> 6211	202	<5	--	--			
6212	202	<5	--	--			
6213	202	<5	--	--			
6214	202	55	--	--			
6215	202	<5	--	--			
6216	202	<5	--	--			
6217	202	<5	--	--			
6218	202	<5	--	--			
6219	202	<5	--	--			
6220 <i>4850N</i>	202	<5	--	--			
6306 <i>5200N</i>	202	<5	--	--			
6307	202	<5	--	--			
6308	202	<5	--	--			
6309	202	<5	--	--			
<i>L 5000 E</i> 6310	202	<5	--	--			
6311	202	<5	--	--			
6312	202	<5	--	--			
6313	202	<5	--	--			
6314	202	<5	--	--			
6315	202	<5	--	--			
6316	202	<5	--	--			
6317 <i>4925N</i>	202	<5	--	--			

*2 samples ~
sample sheet's
#id - 6414.
Lynn double
sampling
or error on
filling out
assay sheets*

Certified by *Hart Bichler*



Chemex Labs Ltd. RECEIVED

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Analytical Chemists • Geochemists • Registered Assayers

AUG 2 11 1986 Phone: (604) 984-0221

KERR ADDISON MINES LTD. Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

plotted on map

COPY DO NOT REMOVE
CERT. # : A8616356-002-A
INVOICE # : I8616356
DATE : 19-AUG-86
P.O. # : 24554
B-02C-07

ATTN: ART CLENDENAN

Sample description	Prep code	Au ppb FA+AA						
L500E 6318 4900N	202	<5	--	--	--	--	--	--
6319	202	<5	--	--	--	--	--	--
6320 4850N	202	<5	--	--	--	--	--	--
6407 5175N	202	<5	--	--	--	--	--	--
6408	202	<5	--	--	--	--	--	--
6409	202	<5	--	--	--	--	--	--
6410	202	<5	--	--	--	--	--	--
6411	202	<5	--	--	--	--	--	--
L5050E 6412	202	<5	--	--	--	--	--	--
6413	202	<5	--	--	--	--	--	--
6414	202	<5	--	--	--	--	--	--
6415	202	<5	--	--	--	--	--	--
6416	202	<5	--	--	--	--	--	--
6417	202	<5	--	--	--	--	--	--
6418	202	<5	--	--	--	--	--	--
6419	202	<5	--	--	--	--	--	--
6420 4850N	202	<5	--	--	--	--	--	--
6514 5000N	202	<5	--	--	--	--	--	--
6515	202	20	--	--	--	--	--	--
L5100E 6516	202	<5	--	--	--	--	--	--
6517	202	<5	--	--	--	--	--	--
6518	202	<5	--	--	--	--	--	--
6519	202	<5	--	--	--	--	--	--
6520 4850N	202	25	--	--	--	--	--	--
6614 5000N	202	<5	--	--	--	--	--	--
L5150E 6615	202	<5	--	--	--	--	--	--
6616	202	<5	--	--	--	--	--	--
6617	202	<5	--	--	--	--	--	--
6618	202	<5	--	--	--	--	--	--
6619	202	<5	--	--	--	--	--	--
6620 4850N	202	<5	--	--	--	--	--	--
6714 5000N	202	<5	--	--	--	--	--	--
L5200E 6715	202	<5	--	--	--	--	--	--
6716	202	<5	--	--	--	--	--	--
6717	202	<5	--	--	--	--	--	--
6718	202	10	--	--	--	--	--	--
6719	202	<5	--	--	--	--	--	--
6720 4850N	202	<5	--	--	--	--	--	--
L5250E 6814 5000N	202	<5	--	--	--	--	--	--
6815 4975N	202	<5	--	--	--	--	--	--

VOI rev. 4/85

Certified by Hartwichler



Chemex Labs Ltd

AUG 2 11 1986

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

CERTIFICATE OF ANALYSIS

FILE

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

*plotted
on map*

**COPY
DO NOT
REMOVE**

CERT. # : A8616356-003-A
INVOICE # : I8616356
DATE : 19-AUG-86
P.O. # : 24554
B-02C-07

ATTN: ART CLENDENAN

	Sample description	Prep code	Au ppb FA+AA						
L5250E	6816 4950N	202	10	--	--	--	--	--	--
	6817	202	<5	--	--	--	--	--	--
	6818	202	<5	--	--	--	--	--	--
	6819	202	<5	--	--	--	--	--	--
	6820 4850N	202	<5	--	--	--	--	--	--
L5300E	6914 5000N	202	<5	--	--	--	--	--	--
	6915	202	<5	--	--	--	--	--	--
	6916	202	<5	--	--	--	--	--	--
	6917	202	<5	--	--	--	--	--	--
	6918	202	<5	--	--	--	--	--	--
	6919	202	<5	--	--	--	--	--	--
	6920 4850N	202	5	--	--	--	--	--	--
L5350E	7014 5000N	202	<5	--	--	--	--	--	--
	7015	202	<5	--	--	--	--	--	--
	7016	202	<5	--	--	--	--	--	--
	7017	202	<5	--	--	--	--	--	--
	7018	202	<5	--	--	--	--	--	--
	7019 4875N	202	<5	--	--	--	--	--	--
L5400E	7114 5000N	202	<5	--	--	--	--	--	--
	7115	202	<5	--	--	--	--	--	--
	7116	202	<5	--	--	--	--	--	--
	7117	202	<5	--	--	--	--	--	--
	7118	202	<5	--	--	--	--	--	--
	7119	202	<5	--	--	--	--	--	--
	7120 4850N	202	<5	--	--	--	--	--	--
L5450E	7214 5000N	202	<5	--	--	--	--	--	--
	7215	202	<5	--	--	--	--	--	--
	7216	202	<5	--	--	--	--	--	--
	7217	202	<5	--	--	--	--	--	--
	7218	202	<5	--	--	--	--	--	--
	7219	202	<5	--	--	--	--	--	--
	7220 4850N	202	<5	--	--	--	--	--	--
L5500E	7314 5000N	202	<5	--	--	--	--	--	--
	7315	202	<5	--	--	--	--	--	--
	7316	202	<5	--	--	--	--	--	--
	7317	202	<5	--	--	--	--	--	--
	7318	202	<5	--	--	--	--	--	--
	7319	202	<5	--	--	--	--	--	--
	7320 4850N	202	<5	--	--	--	--	--	--

VOI rev. 4/85

Certified by Haut Bichler