



**MIN-EN LABORATORIES LTD.**

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

826942

Last chance  
(L.C.)

92I/15

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

**TIMMINS OFFICE:**  
33 EAST IROQUOIS ROAD  
P.O. BOX 867  
TIMMINS, ONTARIO CANADA P4N 7G7  
TELEPHONE: (705) 264-9996

*Certificate of GEOCHEM*

Company: MINNOVA INC.  
Project: 328  
Attention: I. PIRIE/G. EVANS

File: B-2012/P1  
Date: NOV 21/88  
Type: HEAVY MINERALS

We hereby certify the following results for samples submitted.

Sample Number	AU-FIRE PPB	HG PPB	TL PPB	BA-TOT PPM	HM %
HM09-20+40HM	1	165	20	200	4.83
HM11-20+40HM	14	66000	20	1400	1.27
HM12-20+40HM	2	14500	<20	620	.95
HM13-20+40HM	2	265	<20	1800	1.40
HM14-20+40HM	12	284	20	220	1.54
-----					
HM15-20+40HM	495	140	20	2850	2.33
HM16-20+40HM	3	1860	<20	800	.94
HM17-20+40HM	3	70	20	240	3.61
HM18-20+40HM	3	75	20	740	4.79
HM19-20+40HM	5	70	<20	250	3.87
-----					
HM09-40+100HM	13	180	<20	280	9.92
HM11-40+100HM	5	1700	20	960	3.15
HM12-40+100HM	3	385	<20	420	2.12
HM13-40+100HM	1	1850	20	440	2.57
HM14-40+100HM	2	390	<20	230	3.17
-----					
HM15-40+100HM	3	120	20	1300	3.09
HM16-40+100HM	2	2500	20	240	1.84
HM17-40+100HM	2	75	20	820	6.63
HM18-40+100HM	446	60	20	1000	12.31
HM19-40+100HM	2	45	<20	1200	11.21
-----					
HM09-100HM	4	25	<20	780	19.03
HM11-100HM	109	130	<20	600	8.18
HM12-100HM	2	2800	20	400	7.66
HM13-100HM	3	1950	<20	460	6.78
HM14-100HM	2	610	20	540	7.17
-----					
HM15-100HM	7	140	20	700	5.51
HM16-100HM	3	336	20	980	7.63
HM17-100HM	2	25	20	800	7.16
HM18-100HM	538	135	<20	810	28.53
HM19-100HM	2	35	<20	760	16.73

**RECEIVED**  
  
NOV 28 1988

Certified by *[Signature]*

MIN-EN LABORATORIES LTD.

COMPANY: MINNOVA INC.

PROJECT NO: 328

ATTENTION: I. PIRIE/G. EVANS

MIN-EN LABS ICP REPORT  
 70 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604) 980-5814 OR (604) 988-4524 \* TYPE HEAVY MINERAL \*

(ACT:F31) PAGE 1 OF 1

FILE NO: 8-2012HM


DATE: NOVEMBER 21, 1988

(VALUES IN PPM )	AG	AS	BI	CU	PB	SB	ZN
HM09-20+40HM	1.6	8	4	8	9	5	43
HM11-20+40HM	.6	5	3	25	10	3	66
HM12-20+40HM	.8	6	1	7	10	3	62
HM13-20+40HM	.8	8	1	7	13	6	49
HM14-20+40HM	.7	12	1	8	6	5	57
HM15-20+40HM	1.2	8	2	7	6	1	50
HM16-20+40HM	1.1	14	3	7	4	1	70
HM17-20+40HM	1.4	21	3	9	10	3	52
HM18-20+40HM	1.6	11	4	8	6	2	42
HM19-20+40HM	1.0	7	1	8	9	3	45
HM09-40+100HM	1.5	11	7	8	3	1	74
HM11-40+100HM	.6	9	4	13	10	7	71
HM12-40+100HM	.8	6	8	9	13	5	65
HM13-40+100HM	.5	6	4	6	20	4	60
HM14-40+100HM	.7	13	4	7	8	5	59
HM15-40+100HM	1.0	12	4	8	5	1	56
HM16-40+100HM	.6	9	8	6	9	7	76
HM17-40+100HM	1.4	17	4	6	10	5	45
HM18-40+100HM	1.5	7	12	6	8	3	66
HM19-40+100HM	.8	7	6	8	8	2	53
HM09-100HM	4.1	6	49	5	5	4	119
HM11-100HM	1.1	11	15	6	8	2	81
HM12-100HM	1.6	10	20	8	10	2	76
HM13-100HM	1.3	7	13	11	11	5	72
HM14-100HM	1.7	6	18	7	7	1	87
HM15-100HM	1.8	13	22	7	13	1	104
HM16-100HM	2.2	12	23	7	12	3	90
HM17-100HM	1.7	12	9	6	11	5	56
HM18-100HM	4.1	6	50	8	14	3	122
HM19-100HM	.5	9	6	7	5	5	94

**RECEIVED**

NOV 28 1988

Ans'd .....



**MINERAL ENVIRONMENTS LABORATORIES LTD.**

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

**TIMMINS OFFICE:**  
33 EAST IROQUOIS ROAD  
P.O. BOX 867  
TIMMINS, ONTARIO CANADA P4N 7G7  
TELEPHONE: (705) 264-9996

Analytical Report

Company: MINNOVA INC.  
Project: 328  
Attention: G. EVANS / I. PIRIE

File: 8-2012  
Date: NOV 16/88  
Type: ROCK GEOCHEM

Date Samples Received : NOV 3/88  
Samples Submitted by : G. EVANS

Report on ..... 95 ROCKS ..... Geochem Samples  
.....  
..... Assay Samples  
.....

Copies sent to:  
1. MINNOVA INC., VANCOUVER, B.C.  
2.  
3.

Samples: Sieved to mesh ..... Ground to mesh ..... -100....

Prepared samples stored: ..... X ..... discarded: .....  
rejects stored: ..... discarded: ..... X .....

Methods of analysis:

MINNOVA STANDARD LITHO PACKAGE  
HG ACID DIGESTION FLAMELESS A.A.

Remarks

**RECEIVED**  
NOV 21 1988  
Ans'd .....

COMPANY: MINNOVA INC.  
 PROJECT NO: 328  
 ATTENTION: G. EVANS/I. PIRIE

MIN-EN LABS ICP REPORT  
 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T1  
 (604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1  
 FILE NO: B-2012R/P1+2  
 DATE: NOVEMBER 16, 1988

(VALUES IN PPM)	AG	AS	BA	CU	PB	SB	ZN	AU-PPB	HG-PPB
BCS12377	.7	17	37	19	16	4	38	15	650
BCS12378	2.2	8	118	60	21	1	26	5	70
BCS12379	.8	4	39	28	18	2	62	5	300
BCS12380	1.1	6	180	24	28	1	74	5	5
BCS12381	.9	8	27	210	18	1	25	10	10
BCS12382	.6	9	53	18	6	2	12	5	20
BCS12383	1.6	9	147	28	19	2	63	5	20
BCS12384	1.8	7	85	11	22	1	74	5	15
BCS12385	2.1	6	85	35	19	1	35	5	15
BCS12386	2.0	11	65	38	21	1	33	5	10
BCS12387	.7	11	11	27	15	1	84	5	65
BCS12388	1.5	3	227	20	22	1	74	10	10
BCS12389	2.2	7	71	40	25	1	93	5	5
BCS12390	1.3	8	170	23	21	1	85	5	10
BCS12391	1.1	5	281	14	24	6	77	5	15
BCS12392	1.6	1	108	385	122	5	289	5	10
BCS12393	.5	9	113	33	32	3	65	10	25
BCS12501	1.3	6	325	49	28	1	64	5	385
BCS12502	.6	1	250	18	20	1	68	5	140
BCS12503	.5	7	1306	9	15	2	61	5	390
BCS12504	.5	3	527	9	14	2	63	5	670
BCS12505	.3	6	14	11	20	1	21	5	105
BCS12506	.6	3	133	8	22	1	89	5	35
BCS12507	.7	9	275	9	19	2	90	5	170
BCS12508	.7	2	127	8	10	4	73	5	30
BCS12509	.8	19	203	8	23	1	28	5	120
BCS12510	.6	5	4949	18	41	1	12	5	55
BCS12511	.4	8	373	7	27	1	47	5	290
BCS12512	.5	15	126	8	28	1	69	5	335
BCS12513	1.7	6	125	18	14	3	20	5	530
BCS12514	.8	16	1268	50	7	2	48	5	21375
BCS12515	.4	12	53	8	17	1	98	5	895
BCS12516	.3	4	70	7	16	1	64	5	870
BCS12517	.6	8	66	39	23	3	86	5	430
BCS12518	.4	16	690	8	14	2	62	5	10000
BCS12519	.4	4	161	7	20	4	109	5	3000
BCS12520	1.1	9	661	50	16	12	48	15	2250
BCS12521	.6	5	475	20	18	15	65	5	1875
BCS12522	.5	3	41	43	19	6	78	5	410
BCS12523	1.1	11	142	35	18	1	60	5	355
BCS12524	.4	20	101	70	13	1	46	10	230
BCS12525	1.1	6	56	57	18	1	62	5	70
BCS12526	1.6	10	494	8	16	1	35	5	75
BCS12527	.9	4	80	45	10	1	43	5	115
BCS12528	.7	6	18	21	12	1	34	5	80
BCS12529	.8	5	23	59	15	1	56	5	45
BCS12530	.4	22	47	15	13	1	47	5	630
BCS12531	.5	12	1	7	14	1	41	5	330
BCS12532	.3	19	51	35	20	1	44	5	150
BCS12533	.4	12	33	19	23	6	85	5	1185
BCS12534	.6	62	63	8	16	1	24	10	5250
BCS12535	.5	4	174	13	14	2	22	5	115
BCS12536	1.4	5	78	8	8	1	66	5	55
BCS12537	1.2	6	53	9	12	1	71	5	25
BCS12538	.8	16	238	7	18	7	56	175	1195
BCS12539	2.3	14	53	17	15	2	28	5	90
BCS12540	1.2	13	310	20	18	3	17	10	875
BCS12541	1.8	12	51	8	14	1	21	5	155
BCS12542	.8	9	1011	68	10	1	61	15	390
BCS12543	.7	5	618	18	15	6	69	5	685

**RECEIVED**  
 NOV 21 1988  
 Ans'd .....

(VALUES IN PPM )	AG	AS	BA	CU	PB	SB	ZN	AU-PPB	HG-PPB
BCS12544	.2	12	93	13	15	2	49	5	190
BCS12545	.4	7	269	27	19	5	59	15	1975
BCS12546	.5	6	117	10	13	2	81	5	40
BCS12547	.4	3	83	11	25	6	70	5	50
BCS12548	.4	15	205	11	25	1	70	5	100
BCS12549	.4	6	241	30	16	1	45	10	1375
BCS12550	2.4	11	63	30	17	5	11	5	150
BCS12551	.8	12	275	7	15	1	18	5	130
BCS12552	1.7	10	242	12	19	3	11	5	320
BCS12553	.5	9	45	7	16	3	31	5	405
BCS12554	.6	5	82	8	15	2	19	5	45
BCS12555	1.2	14	212	22	21	3	22	10	1345
BCS12556	.6	10	1	18	7	1	21	5	1040
BCS12557	.5	52	614	8	21	2	44	5	2125
BCS12558	.2	10	209	10	20	1	49	15	425
BCS12559	.5	15	497	25	17	1	57	5	385
BCS12560	.7	3	940	25	20	1	81	5	1835
BCS12561	.6	14	50	56	13	1	54	10	375
BCS12562	.5	6	196	8	17	2	55	5	85
BCS12563	.5	10	72	7	7	2	69	5	2000
BCS12564	.4	11	88	7	23	2	54	5	140
BCS12565	1.9	10	109	53	15	2	16	5	35
BCS12566	.9	4	36	115	8	6	54	10	25
BCS12567	.9	6	20	128	14	1	58	15	75
BCS12568	1.4	4	144	14	16	1	64	5	25
BCS12569	.8	10	62	28	14	1	65	5	5
BCS12570	1.1	14	183	14	17	1	67	5	5
BCS12571	.8	6	47	8	20	1	26	5	25
BCS12572	1.0	11	49	9	20	1	73	5	55
BCS12573	1.3	8	71	13	20	1	37	10	200
BCS12574	1.5	7	90	13	18	2	19	5	120
BCS12575	1.1	3	21	96	16	3	31	5	95
HAND SAMPLE386	.7	20	239	104	14	6	57	5	50
H.S.33+34LC	1.6	8	86	29	18	1	30	10	40
12526	.4	21	230	100	22	5	59	20	55

PROJECT NO: 328

7 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2


FILE NO: 8-2012/P1+2

ATTENTION: G.EVANS/I.PIRIE

(604)980-5814 DR (604)988-4524 \* TYPE ROCK GEOCHEM \* DATE: NOVEMBER 16, 1988

(VALUES IN %)	AL2O3	BA	CAO	FE2O3	K2O	MGO	MNO2	NA2O	P2O5	SiO2	SR	TiO2
BCS12377	6.36	.009	11.27	3.50	.30	.32	.22	.09	.10	62.65	.01	.32
BCS12378	15.34	.123	4.80	5.88	2.19	3.41	.15	2.24	.30	56.00	.10	.87
BCS12379	15.23	.030	7.58	6.37	1.04	1.70	.25	3.22	.36	47.98	.04	.80
BCS12380	16.35	.161	6.03	6.90	2.29	2.23	.18	3.35	.40	46.50	.13	.99
BCS12381	3.66	.026	40.71	2.93	.58	4.73	1.34	.78	.11	16.85	.03	.22
BCS12382	1.10	.013	32.24	1.92	.10	17.21	.28	.18	.10	12.76	.01	.07
BCS12383	14.47	.108	4.83	5.70	1.74	2.14	.12	3.00	.32	48.04	.07	.90
BCS12384	14.89	.090	4.14	7.03	2.22	1.05	.04	3.20	.33	48.74	.07	1.08
BCS12385	10.65	.093	2.97	3.31	1.96	.90	.10	2.34	.27	73.41	.05	.53
BCS12386	7.95	.069	1.88	2.84	1.47	.55	.08	1.65	.18	79.34	.04	.40
BCS12387	13.95	.015	8.40	7.80	.54	3.23	.39	.25	.18	53.27	.02	.85
BCS12388	17.62	.253	6.31	8.95	2.57	3.69	.24	2.97	.52	48.99	.12	1.23
BCS12389	15.91	.150	7.56	7.87	2.20	3.72	.21	3.57	.57	51.75	.14	1.30
BCS12390	16.38	.187	7.31	8.90	2.33	3.96	.24	3.37	.55	50.03	.14	1.31
BCS12391	17.45	.256	5.84	8.83	2.70	4.04	.26	3.04	.48	50.40	.11	1.12
BCS12392	16.88	.332	5.36	7.43	6.90	3.92	.27	1.27	.64	48.16	.08	1.14
BCS12393	13.73	.068	10.01	6.91	1.97	.97	.29	.09	.17	55.08	.02	.83
BCS12501	10.44	.065	2.59	5.33	1.39	1.28	.16	1.39	.15	71.85	.02	.51
BCS12502	15.08	.042	4.24	4.60	1.12	1.53	.16	1.69	.18	64.23	.05	.64
BCS12503	12.08	.167	7.34	6.74	.69	4.00	.20	2.37	.16	56.33	.06	.51
BCS12504	12.13	.075	10.66	6.45	.94	4.78	.26	1.61	.18	50.51	.06	.52
BCS12505	1.19	.005	53.34	2.11	.15	1.14	.45	.12	.07	5.01	.25	.07
BCS12506	16.18	.058	3.04	8.31	1.16	2.56	.32	3.12	.18	58.81	.04	.89
BCS12507	16.84	.053	3.90	7.82	1.34	1.29	.18	2.74	.20	59.51	.04	.85
BCS12508	2.48	.017	28.37	7.90	.12	11.58	.32	.22	.09	14.74	.04	.10
BCS12509	18.78	.063	6.08	9.15	1.27	1.92	.22	3.08	.31	52.82	.06	.80
BCS12510	3.29	.643	45.40	1.65	.22	.75	2.40	.23	.06	14.55	.08	.16
BCS12511	12.72	.069	9.38	9.31	1.40	3.00	.55	.05	.23	47.79	.03	1.00
BCS12512	17.84	.030	3.95	11.99	.87	1.77	.36	.03	.28	55.93	.05	1.42
BCS12513	18.54	.027	2.30	3.00	1.05	.89	.08	2.78	.29	65.24	.09	.57
BCS12514	2.14	.186	30.33	9.56	.09	14.19	.90	.03	.12	10.25	.01	.11
BCS12515	17.76	.024	10.21	9.11	.55	3.41	.43	.02	.22	46.32	.02	.94
BCS12516	15.95	.012	6.26	7.54	.30	2.49	.32	.28	.24	57.54	.04	1.18
BCS12517	15.36	.016	3.14	6.99	.67	.78	.36	2.66	.30	63.82	.04	1.26
BCS12518	15.98	.099	9.21	7.76	1.08	3.97	.43	.77	.20	48.94	.06	.60
BCS12519	17.30	.045	2.36	9.40	.90	1.40	.42	.32	.39	61.08	.30	1.55
BCS12520	13.30	.099	2.58	3.32	.66	1.24	.17	.01	.22	72.91	.12	.84
BCS12521	9.54	.067	3.54	6.50	.28	1.42	.25	.01	.18	72.58	.03	.40
BCS12522	13.87	.044	5.90	9.54	.98	3.50	.33	3.25	.33	52.92	.03	1.55
BCS12523	14.83	.098	3.05	6.23	1.91	2.72	.19	3.12	.23	61.64	.05	.84
BCS12524	17.46	.057	8.72	8.75	1.34	3.42	.25	2.96	.22	47.40	.05	.83
BCS12525	17.93	.055	5.01	7.70	1.23	2.77	.22	3.65	.24	53.41	.07	.97
BCS12526	13.51	.071	3.43	2.96	1.46	.46	.14	3.83	.12	68.90	.02	.45
BCS12527	14.34	.039	20.21	7.75	.89	3.36	.32	2.00	.26	35.15	.04	.91
BCS12528	9.41	.005	27.88	4.55	.26	.58	.34	1.91	.26	36.77	.02	.61
BCS12529	16.83	.015	7.65	8.47	.43	3.19	.29	3.11	.25	50.69	.03	.93
BCS12530	17.88	.013	10.49	10.61	.27	3.95	.38	2.11	.18	44.31	.04	.94
BCS12531	4.55	.005	33.73	9.15	.01	6.74	.71	.04	.09	20.90	.01	.06
BCS12532	17.24	.012	11.97	9.25	.35	3.37	.36	2.12	.17	44.84	.03	.91
BCS12533	17.07	.006	3.61	8.43	.15	1.45	.18	.01	.28	62.56	.02	.91
BCS12534	5.58	.010	28.23	10.68	.16	8.63	.56	.02	.11	23.10	.01	.28
BCS12535	19.75	.089	6.69	11.73	2.08	3.03	.18	2.52	.34	47.34	.07	.97
BCS12536	14.41	.031	7.65	11.68	.99	7.50	.28	2.58	.33	45.73	.05	2.10
BCS12537	14.11	.028	7.69	11.63	.95	7.86	.27	2.44	.34	45.67	.06	2.13
BCS12538	13.92	.038	8.93	19.40	1.35	4.10	.57	1.28	.27	38.71	.02	.78
BCS12539	18.25	.146	3.27	5.48	3.07	1.71	.15	3.81	.23	59.13	.04	.69
BCS12540	15.33	.108	6.14	10.94	1.17	2.68	.25	1.30	.25	54.57	.04	1.20
BCS12541	17.18	.050	4.94	5.21	.57	2.03	.11	4.09	.17	60.39	.07	.53
BCS12542	6.79	.157	26.19	9.01	.17	9.74	.55	.50	.13	28.07	.07	.39
BCS12543	15.96	.121	7.02	8.32	.73	4.98	.24	2.89	.40	48.68	.08	1.17

(VALUES IN % )	ZR	S	TOT(%)
BCS12377	.005	.04	85.20
BCS12378	.005	.01	91.43
BCS12379	.005	.03	84.64
BCS12380	.005	.02	85.55
BCS12381	.005	.02	72.00
BCS12382	.005	.01	65.98
BCS12383	.008	.01	81.45
BCS12384	.009	.01	82.90
BCS12385	.005	.03	96.62
BCS12386	.005	.05	96.50
BCS12387	.005	.02	88.90
BCS12388	.005	.01	93.47
BCS12389	.008	.04	94.99
BCS12390	.005	.02	94.74
BCS12391	.005	.02	94.54
BCS12392	.005	.02	92.42
BCS12393	.005	.06	90.19
BCS12501	.005	.02	95.20
BCS12502	.005	.01	93.56
BCS12503	.005	.05	90.69
BCS12504	.005	.04	88.21
BCS12505	.005	.02	63.92
BCS12506	.005	.06	94.74
BCS12507	.005	.03	94.80
BCS12508	.005	.02	65.98
BCS12509	.005	.32	94.86
BCS12510	.005	.10	69.54
BCS12511	.005	.02	85.55
BCS12512	.005	.03	94.55
BCS12513	.005	.05	95.92
BCS12514	.005	.02	67.92
BCS12515	.005	.04	89.05
BCS12516	.006	.07	92.22
BCS12517	.005	.01	95.40
BCS12518	.005	.06	89.15
BCS12519	.008	.03	95.51
BCS12520	.005	.02	95.48
BCS12521	.005	.01	94.81
BCS12522	.006	.01	92.24
BCS12523	.005	.08	94.99
BCS12524	.005	.03	91.49
BCS12525	.005	.02	93.29
BCS12526	.020	.04	95.41
BCS12527	.005	.03	85.30
BCS12528	.005	.07	82.66
BCS12529	.005	.02	91.91
BCS12530	.005	.01	91.19
BCS12531	.005	.02	73.01
BCS12532	.005	.02	90.64
BCS12533	.005	.03	94.71
BCS12534	.005	.02	77.40
BCS12535	.005	.05	94.84
BCS12536	.005	.02	93.35
BCS12537	.005	.04	93.21
BCS12538	.005	.07	89.45
BCS12539	.005	.06	96.04
BCS12540	.005	1.04	95.03
BCS12541	.005	.01	95.35
BCS12542	.005	.09	81.86
BCS12543	.005	.08	90.65



PROJECT NO: 328

7 EST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 8-2012L/P3+4

ATTENTION: G.EVANS/I.PIRIE

(604)980-5814 OR (604)988-4524 \* TYPE ROCK GEOCHEM \* DATE:NOVEMBER 16, 1988

(VALUES IN % )	AL2O3	BA	CAO	FE2O3	K2O	MGO	MNO2	NA2O	P2O5	SI02	SR	TIO2
BCS12544	14.37	.060	2.05	7.37	1.29	1.38	.17	3.28	.18	65.51	.03	.53
BCS12545	14.62	.065	7.49	8.99	1.46	3.52	.28	2.76	.24	51.50	.03	.80
BCS12546	17.03	.059	2.38	6.83	1.38	2.54	.17	3.72	.15	60.40	.04	.73
BCS12547	16.06	.021	1.74	12.28	.22	2.28	.35	4.89	.27	55.77	.03	1.46
BCS12548	15.37	.038	3.04	11.85	.76	2.16	.45	3.89	.26	55.87	.04	1.39
BCS12549	16.80	.080	5.16	5.38	2.01	2.18	.28	2.49	.21	58.60	.03	.64
BCS12550	17.57	.027	8.72	8.62	.86	3.21	.19	2.24	.23	52.98	.05	.87
BCS12551	16.57	.045	5.28	6.71	.69	1.33	.15	3.98	.26	59.23	.04	1.01
BCS12552	15.70	.035	2.18	1.64	.85	.22	.04	5.33	.12	69.27	.03	.22
BCS12553	16.77	.007	1.17	10.42	.16	.79	.07	6.79	.30	58.82	.02	1.44
BCS12554	18.30	.021	7.36	11.71	1.21	4.52	.21	3.13	.25	46.75	.05	1.42
BCS12555	17.42	.038	3.88	6.27	.56	1.66	.11	4.65	.24	60.15	.07	.83
BCS12556	2.29	.005	54.75	1.12	.30	.77	.16	.07	.32	6.22	.01	.15
BCS12557	10.38	.094	.35	10.98	.98	.37	.51	.03	.14	73.05	.06	.40
BCS12558	13.72	.043	.26	7.83	.54	.30	.35	.01	.16	73.68	.03	.46
BCS12559	13.88	.080	.58	4.32	.71	.35	.31	.01	.18	76.30	.02	.53
BCS12560	15.96	.152	5.71	7.32	2.14	3.02	.19	3.34	.39	54.17	.06	1.09
BCS12561	17.26	.039	9.17	10.58	.73	4.86	.41	.82	.13	45.43	.02	.77
BCS12562	15.58	.029	8.16	6.44	.64	3.08	.29	.02	.22	56.36	.06	.82
BCS12563	10.44	.012	14.44	7.04	.20	5.54	.41	.02	.12	48.64	.02	.44
BCS12564	16.27	.076	4.22	8.73	2.26	2.41	.23	4.05	.34	54.42	.05	1.19
BCS12565	16.42	.150	5.40	6.26	2.72	3.66	.19	2.58	.32	58.17	.11	.94
BCS12566	18.95	.048	6.31	8.55	1.92	4.23	.25	3.56	.40	46.81	.03	1.36
BCS12567	18.56	.047	7.90	8.10	2.57	3.24	.23	3.74	.46	45.87	.05	1.40
BCS12568	16.50	.153	6.37	8.02	2.40	4.02	.19	3.65	.48	51.78	.11	1.14
BCS12569	16.70	.151	6.34	7.43	2.48	3.85	.14	3.81	.46	52.56	.11	1.14
BCS12570	18.56	.171	7.78	7.88	1.47	2.30	.19	3.41	.43	51.98	.11	1.26
BCS12571	14.78	.041	19.07	7.90	1.31	2.43	.46	2.86	.29	36.20	.04	1.05
BCS12572	17.71	.085	1.22	5.11	4.03	.90	.18	5.53	.21	60.71	.02	.94
BCS12573	17.20	.057	2.92	4.05	2.82	.61	.13	4.90	.24	61.53	.04	.91
BCS12574	16.62	.075	2.56	3.61	3.27	.53	.11	4.14	.25	64.17	.03	.73
BCS12575	14.98	.035	14.94	7.10	1.69	4.54	.32	2.61	.24	42.63	.04	1.11
HANDSAMPLE386	17.89	.060	4.00	8.29	2.94	4.42	.29	5.33	.45	47.53	.02	1.31
H.S.33+34LC	8.40	.076	1.94	3.20	1.57	.50	.14	1.86	.18	78.73	.04	.42
12526	17.88	.110	4.14	8.51	2.86	4.30	.30	5.13	.43	47.66	.02	1.32



(VALUES IN % )	ZR	S	TOT(%)
BCS12544	.005	.03	96.25
BCS12545	.005	.04	91.79
BCS12546	.005	.01	95.44
BCS12547	.005	.02	95.40
BCS12548	.005	.02	95.15
BCS12549	.006	.05	93.92
BCS12550	.005	.01	95.59
BCS12551	.006	.01	95.33
BCS12552	.005	.06	96.71
BCS12553	.005	.02	96.78
BCS12554	.005	.04	94.96
BCS12555	.005	.01	95.88
BCS12556	.005	.07	66.23
BCS12557	.005	.05	97.40
BCS12558	.005	.02	97.40
BCS12559	.005	.02	97.30
BCS12560	.006	.09	93.64
BCS12561	.005	.03	90.25
BCS12562	.025	.02	91.75
BCS12563	.010	.01	87.36
BCS12564	.011	.05	94.30
BCS12565	.005	.06	96.99
BCS12566	.007	.04	92.48
BCS12567	.009	.04	92.22
BCS12568	.005	.02	94.84
BCS12569	.005	.03	95.20
BCS12570	.005	.01	95.57
BCS12571	.005	.02	86.44
BCS12572	.024	.01	96.69
BCS12573	.023	.01	95.45
BCS12574	.016	.01	96.12
BCS12575	.005	.02	90.24
HANDSAMPLE386	.008	.04	92.57
H.S.33+34LC	.005	.03	97.09
12526	.007	.02	92.70