

Cherts / IAsh - 262 Zone. W of Silver Creek

hole	from	to	Cu ppm	Zn ppm	Ba ppm	interval m
79 ✓	59.55	62.3	27	72	902	2.75
	63.95	65.95	11	72	1250	2.0
109 ✓	6.92	11.95	42	38	1653	5.03
107 ✓	6.7	12.0	56	32		5.3
80 ✓	17.95	26.12	99	45	1544	8.17
	40.74	45.7	436	62	1503	4.96
81 ✓	20.6	27.28	89	42		6.68
	44.7	50.9	88	53		6.20
84	12.26	28.34	525	91		16.08
159 ✓	33.98	41.74	161	28	1785	7.76
	53.3	57.0	621	46		3.73
	68.8	73.7	51	43		4.82
188 ✓	19.55	23.65	951	75	2140	4.10
190 ✓	9.95	13.95	29	80	2400	4.0
191 ✓	31.90	38.28	288	134	1314	6.38
	52.19	55.08	107	121	1986	2.89
	76.52	80.77	283	124	1178	4.25
192 ✓	55.8	60.3	435	104	1213	4.50

Cherts / I Ash - 262 Zone.

hole		from to	Cu ppm	Zn ppm	Ba ppm	interval m	
193 ✓		3.66 - 13.25	58	106	2629	9.59	
		15.52 - 23.13	5	88	2598	7.61	
		21.15 - 36.93	8	26	4113	5.78	
205 ✓		86.26 - 92.16	273	341	1274	5.90	
234 ✓	CHT + sul.	12.5 - 18.1	435	448		5.60	335 ppm Pb
		34.45 - 39.9	18	96	3230	5.45	
		64.10 - 68.60	195	82		4.50	
247 ✓		36.6 - 40.9	293	175		4.3	
262	cht/rs	111.6 - 115.25	5736	448		3.65	
272	cht/rs	56.99 - 64.97	2684	149		7.98	includes 2.37% Cu / 0.71m

Stringers - 262 Zone.

hole.		from to	Cu ppm	Zn ppm	Ba ppm	interval m
78 ✓	HW	29.65-35.39	.03%	.12%	.33%	5.74
	HW	41.7-46.8	244	570	1249	5.1
79 ✓	HW	27.39-33.39	614	623		6.0
	FW?	94.60-101.2	3517	69		6.6
101 ✓		34.0-38.7	.20%	.02%		4.7
		14.57-19.14	635	42		4.57
109 ✓	FW	16.82-20.26	210	37		3.44
	FW	24.86-26.37	1153	41		1.51
	FW	42.1-47.57	235	70		5.47
107 ✓	FW	41.45-57.85	82	68		16.4
112 ✓		32.61-35.76	36	103		3.15
80 ✓	FW	50.06-60.6	260	56		10.54
81 ✓	FW	50.9-67.6	105	38		16.7
84 ✓	FW	28.34-34.3	19	30		5.96
159 ✓	HW	10.97-20.12	140	128	2934	9.15
184 ✓		71.99-76.3	1594	93	1460	4.31
188 ✓	HW	9.95-12.96	14	87		3.01
	FW	31.4-41.17	10	20	^{min.} 2197	9.77

Stringers 262 Zone

hole		from to	Cu ppm	Zn ppm	Ba ppm	interval m.	
190 ✓	FW	36.0 - 45.32	189	49	2100	9.32	
191 ✓	HW	4.42 - 14.68	670	323	2518	10.26	
192 ✓	HW	12.52 - 21.5	627	1834		8.98	
195 ✓	FW	103.82 - 115.26	156	1298	1082	11.44	526 ppm Pb
	FW	143.4 - 164.7	49	188	3287	21.30	
204 ✓	FW	43.2 - 47.19	307	691	1622	3.99	
	FW	67.08 - 76.21	75	121	2399	9.13	
	FW	87.97 - 94.14	112	504	1007	6.17	
205	HW	17.27 - 25.6	445	408	1689	8.33	
✓	HW	31.82 - 37.10	549	100	2539	5.28	
	HW	64.87 - 71.01	629	597	3595	6.14	
	HW	80.57 - 86.26	222	1342	2088	5.69	
183 ✓	HW	13.91 - 15.85	138	7677	4211	1.94	- highest grade section. rest of zone < 100 ppm Cu, Zn.
207	HW	7.47 - 15.18	34	93	1966	7.71	
247 ✓	HW	25.3 - 36.6	308	1657		11.3	106 ppm Pb
262	FW	118.1 - 121.0	3305	90		2.90	
87 ✓		161.98 - 165.15	649	18		3.17	
272	FW and?	95.5 - 99.88	2736	130		4.38	