

8:25

LINE

49E

(492)

827648

March 5/86

86030302

Mt. Sicker 092B/13

Sta.	n	Vp	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
9753 C = 22 cycles = 6	1	35.0	5	12.9	10.8	9.1	8.6	6.8	5.3	4.5	3.8	3.1	2.6
	2	15	-29	17.2	13.9	11.3	10.8	7.9	5.5	3.9	2.4	1.4	0.9
	3	8.8	-11	23.9	19.4	16	15.8	11.9	9.0	7.1	5.6	4.3	3.3
	4	6.3	88	28.4	23.8	19.8	15.2	11.6	9.1	7.3	5.7	4.8	3.4
	5	4.8	-15	36.2	29.9	24.8	19.1	14.4	11.7	9.4	7.3	5.7	4.9
9503 C = 24 cycles = 6	1	31.4	-12	8.5	7.1	6.3	5.9	4.7	3.6	2.9	2.2	1.9	1.1
	2	13.6	11	21.6	17.5	15	13.6	9.9	7.3	6.0	4.7	3.4	3.0
	3	8.97	0	24.2	20.4	17.7	16.8	12.3	9.3	7.1	5.9	4.6	3.5
	4	6.7	50	30.4	26	22.7	21.7	16.1	12.1	10.0	7.9	6.2	4.9
	5	5.0	-10	35.8	30.8	26.9	25.5	18.2	13.3	10.8	8.7	6.7	5.1
9253 C = 29 CY = 6	1	37	0	8.5	6.3	5.5	4.9	3.9	2.8	2.4	1.9	1.5	1.2
	2	16.3	0	18.3	15.1	13.6	12.2	9.5	6.8	5.5	4.4	3.3	2.8
	3	11.2	-11	27.1	21.8	19.4	17.3	13.5	9.9	8.1	6.2	4.5	3.6
	4	8.09	53	31.4	25.7	23.2	21.2	16.8	12.4	10.4	8.7	7.1	6.3
	5	5.4	-1	37.7	30.5	27.3	24.8	19.2	14.2	11.7	9.5	7.3	5.9
9003 C = 36 CY = 6	1	36	10	4.9	4.0	3.7	3.5	3.0	2.7	2.3	1.9	1.6	1.3
	2	20.3	13	28.3	23.3	20.0	17.7	13.4	9.3	7.0	5.4	3.8	3.0
	3	14	-28	26.6	21.8	18.8	16.7	13.1	10.0	8.0	6.2	4.5	3.7
	4	8.9	58	32.6	27.5	23.7	21.4	17.3	12.4	10.0	7.7	5.8	4.5
	5	6.1	0	37.2	32.0	28.5	25.6	19.6	15.7	12.0	9.1	7.1	5.8
8753 C = 33 CY = 6	1	40	16	9.7	6.8	5.9	5.3	4.0	2.3	1.9	2.4	1.5	1.2
	2	21	-30	25.1	20.4	18.1	16.2	13.0	10.3	8.1	5.1	4.4	3.6
	3	12.1	-3	28.5	22.8	20.3	18.2	14.3	11.2	9.2	6.7	5.2	3.9
	4	8.0	67	32.0	25.0	22.1	19.8	15.9	11.2	9.1	7.7	6.1	5.3
	5	6.0	1	39.8	30.8	27.4	24.6	19.9	14.7	11.7	9.6	7.1	5.9
8503 C = 34 CY = 6	1	40	-17	11.1	8.5	7.1	5.2	3.9	3.2	2.5	1.9	-1.5	-1.0
	2	18.2	16	25.2	20.9	18.0	16.8	13.1	9.4	7.6	6.0	4.7	3.8
	3	11.2	-16	29.4	24.2	20.6	19.5	15.1	11.1	9.0	7.1	5.7	4.6
	4	8.2	68	32.8	27.5	23.4	22.6	17.8	13.2	10.7	8.4	6.7	5.3
	5	5.8	-1	38.8	33.0	28.0	27.4	21.6	16.2	13.2	10.5	8.5	6.9

8:58

LINE 49E (492)

March 5

STA	N	VP	SP	M0	M1	M2	M3	M4	M5	M6	M7	M8	M9
	1	38.1	8	16.6	8.4	7.6	6.6	5.4	4.2	3.6	3.0	2.4	2.0
8253	2	18	-21	26.2	21.4	19.1	16.6	12.7	9.0	7.1	5.3	3.9	3.2
	3	12.0	8	27.4	22.4	20.4	17.7	14.1	10.5	8.3	6.5	4.8	4.0
C=35	4	8.1	65	31.8	26.0	24.1	20.9	16.7	12.7	10.6	8.7	7.0	5.8
CY=6	5	5.03	-5	38.3	31.4	29.4	25.1	20.0	15.5	12.5	10.1	7.8	6.8
8003	1	17	-9	10.5	7.8	6.7	5.8	4.7	3.5	3.0	2.3	1.9	-0.3
	2	8.5	33	23.1	19.0	17.0	14.9	11.5	8.1	6.4	4.9	3.3	0.6
C=16	3	5.4	-17	29.5	24.4	21.7	19.3	13.5	9.8	8.5	7.2	4.2	1.1
CY=6	4	3.24	58	33.8	28.4	25.6	23.5	17.6	12.3	10.0	7.3	7.1	4.7
	5	2.1	-5	40.8	35.5	32.7	29.2	20.1	12.4	11.3	11.0	8.0	5.5
7753	1	26	23	7.8	6.2	5.4	4.8	3.7	2.8	2.4	1.9	1.8	-0.1
	2	12.3	-22	22.1	18.8	16.4	15.2	11.5	8.1	6.5	5.2	3.3	0.9
C=22	3	6.6	-2	24.6	20.9	18.5	16.7	12.4	8.6	7.0	5.4	3.7	1.6
CY=6	4	4.1	61	26.2	23.2	20.6	18.7	14.3	10.1	8.5	6.3	5.2	2.0
	5	3.2	-5	31.4	27.8	24.4	22.7	16.7	12.0	10.6	8.0	6.4	3.7
7503	1	25.3	-6	9.2	7.6	6.2	5.9	4.4	3.3	2.7	2.5	1.7	-1.1
	2	11	16	25.3	20.8	17.4	16.3	12.0	9.1	7.0	5.3	4.2	1.3
C=20	3	6.0	-23	25.7	22.0	18.3	17.3	13.1	10.1	8.2	6.7	4.9	2.0
CY=6	4	4.5	59	28.2	23.9	19.5	19.4	14.1	10.8	8.3	7.0	5.4	2.1
	5	3.0	9	31.0	26.9	21.4	21.2	15.3	11.5	8.8	7.7	5.1	1.3
7253	1	21	7	9.6	7.5	6.2	5.4	4.3	3.1	2.5	2.0	1.6	-0.4
	2	9.1	-25	21.7	18.9	16.3	14.3	11.4	8.3	6.8	5.1	4.3	1.3
C=19	3	6.2	1	21.8	19.6	16.5	14.2	11.8	8.4	6.9	5.2	4.1	1.6
CY=6	4	4.0	72	24.0	22.7	19.2	16.4	14.4	10.8	9.5	7.4	6.6	3.6
	5	3.2	-3	23.2	22.4	18.6	15.9	13.5	9.3	7.7	5.4	4.7	2.1
7003	1	20	-10	9.0	6.7	5.6	5.1	4.2	3.7	3.0	2.2	1.8	-0.5
	2	10.2	22	14.7	15.9	13.7	12.7	10.2	6.8	6.0	5.3	4.5	1.5
C=17	3	5.8	-10	22.2	18.7	15.6	14.2	11.8	8.7	7.8	6.2	5.0	2.3
CY=6	4	4.45	66	21.9	18.0	15.3	16.0	14.1	11.2	7.9	6.5	7.2	7.1
	5	3.4	0	26.7	23.7	18.8	16.8	14.8	11.4	13.5	9.2	8.6	3.4

Line 49E (492)

March 5, 1986

STA	N	VP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
6753	1	24	15	7.8	5.6	5.2	4.5	3.5	3.0	3.1	2.7	1.9	-0.4
C=17	2	10.1	-14	20.8	16.9	15.3	13.4	10.3	7.4	6.2	4.7	3.7	0.8
CY=6	3	6.95	9	16.2	13.1	12.1	10.7	8.1	7.4	5.8	5.0	4.4	1.8
	4	5.1	63	17.0	13.8	12.7	11.7	8.6	6.6	5.8	5.0	4.9	3.0
	5	4.8	-6	31.1	24.4	23.6	20.0	15.8	13.5	11.4	10.0	8.8	6.1
6503	1	46	-2	8.8	6.8	5.8	5.4	4.3	3.1	2.0	0.4	0.3	-0.8
C=34	2	23	31	11.5	8.8	7.4	6.8	5.0	3.7	3.6	4.4	3.5	0.8
CY=6	3	15.1	-22	12.0	9.4	7.9	7.5	5.8	4.5	3.7	3.3	2.6	0.4
	4	14	67	22.2	18.0	15.7	14.8	11.7	9.1	7.1	5.4	4.3	2.3
	5	18.2	-10	38.5	31.6	27.5	25.4	19.7	15.0	11.8	9.6	7.5	4.4
6253	1	31	22	6.2	5.0	5.0	3.2	2.8	2.0	1.7	1.3	1.0	-0.8
	2	14.1	-24	9.2	5.9	5.9	5.2	3.8	3.0	2.2	1.7	1.3	-0.6
C=20	3	12	8	16.9	12.2	12.2	9.9	8.0	6.1	4.7	3.7	2.6	0.3
CY=6	4	15	52	32.7	26.9	26.3	20.4	17.0	12.6	10.2	8.1	6.2	3.6
	5	19	5	56.3	46.3	43.7	37.0	30.2	22.9	18.6	14.6	11.2	7.7
6003	1	31	-10	5.9	4.8	4.3	3.9	4.1	3.8	3.4	2.9	1.9	-0.2
	2	19	27	16.2	13.7	12.0	10.1	7.8	5.5	4.3	3.3	2.5	0.1
C=19	3	20.4	-32	29.7	25.0	21.5	18.7	14.6	10.8	8.6	6.6	5.0	1.2
CY=8	4	26	68	50.9	43.3	38.4	33.8	27.0	20.1	16.1	12.8	9.7	6.5
	5	22	11	27.5	24.0	21.1	18.0	14.8	11.1	9.0	7.0	5.4	2.2
5753	1	44	21	4.1	2.8	2.2	2.1	1.8	1.5	1.5	1.3	1.0	-0.8
	2	34.3	-33	30.8	24.9	21.7	19.3	14.4	9.8	7.4	5.5	4.0	1.5
C=20	3	39	2	48.3	40.3	36.1	32.9	25.7	18.8	15.3	11.9	9.0	5.5
CY=6	4	31	79	23.3	19.4	17.4	15.8	12.3	8.9	7.3	5.7	4.3	1.8
	5	21	-8	19.1	15.7	13.4	11.8	9.1	6.4	5.4	4.0	3.2	1.2
5503	1	98	-20	16.1	12.3	10.4	9.2	7.2	5.3	4.3	3.4	2.5	0.4
	2	83	23	49.9	41.4	36.6	33.1	25.9	19.0	15.1	11.7	8.8	5.3
C=23	3	60	-10	23.4	19.2	16.9	15.5	12.1	8.9	7.1	5.6	4.2	1.7
CY=6	4	36	61	15.6	11.5	10.3	9.3	7.5	5.9	4.6	3.6	2.7	0.4
	5	25	1	17.2	12.9	11.5	10.5	8.2	6.0	4.5	4.0	3.0	0.5

Line 49100 E (492) March 5/86

STA	N	UP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
5253 C=28 CY=6	1	242	13	40.9	34.0	29.9	27.0	21.3	15.8	12.7	9.9	7.6	4.1
	2	136	-11	23.7	19.7	17.3	15.8	12.3	9.1	7.3	5.6	4.2	1.1
	3	65	0	14.3	11.9	10.3	9.0	7.1	5.4	4.4	3.6	2.8	0.1
	4	43	61	14.2	10.9	8.4	7.5	6.1	4.0	5.2	4.3	3.4	0.9
	5	25	0	25.0	22.8	21.2	18.8	14.4	12.0	6.6	5.2	4.5	1.1
5003 C=31 CY=6	1	531	3	28.7	23.4	20.6	18.5	14.4	10.5	8.4	6.6	5.0	3.5
	2	146	18	19.1	15.5	13.8	12.4	9.5	6.9	5.5	4.2	3.2	2.1
	3	82	-22	21.7	17.7	15.9	14.1	10.7	7.9	6.1	4.8	3.6	2.4
	4	44	62	24.5	19.4	17.4	15.0	11.4	8.2	6.5	4.9	3.7	2.3
4753 C=16 CY=6	1	205	8	19.9	16.3	14.6	13.1	10.5	8.0	6.6	5.2	4.1	1.4
	2	80	-23	37.9	30.8	27.7	24.9	19.0	13.6	10.7	8.2	6.1	2.8
	3	36	-1	33.6	27.5	25.2	22.6	17.1	12.8	10.1	7.9	5.8	3.0
4503 C=17 CY=4	1	202	-7	20.8	16.8	15.2	13.5	10.7	7.9	6.5	5.1	3.9	1.4
	2	67	-1	25.8	20.5	19.1	16.7	13.5	9.8	7.9	6.0	4.8	2.0
4253 C=19 CY=4	1	187	-1	23.5	18.7	16.5	14.8	11.5	8.6	7.0	5.5	4.2	2.2

LINE 48 E (482) MARCH 5/86

STA	N	VP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
9753	1	42	1	62.1	52.4	46.4	42.5	34.0	25.8	21.2	16.9	13.2	9.3
I = C = 17	2	17.2	-24	72.1	62.0	54.7	50.1	40.2	30.6	25.2	19.8	15.7	11.1
H _z = CY = 6	3	5.9	15	75.9	66.2	57.7	53.3	43.7	33.6	28.5	22.7	18.4	13.8
	4	4.6	60	63.5	56.6	48.4	45.5	36.4	27.6	23.4	18.1	14.3	10.1
	5	2.9	-19	64.3	55.6	49.3	47.9	36.8	28.7	25.4	19.5	16.0	11.0
9503	1	59	-37	71.5	60.2	53.9	48.7	39.1	29.6	24.0	19.5	15.2	10.7
C = 17	2	13	21	76.8	64.8	58.5	52.0	41.8	31.6	25.7	20.3	16.5	11.3
C _Y = 6	3	8.4	-11	65.2	55.0	50.9	44.9	37.1	28.1	23.1	18.6	14.7	10.1
	4	4.8	44	65.6	55.4	52.7	44.5	37.5	28.4	23.0	18.9	14.8	10.4
	5	2.34	15	61.2	52.2	52.0	39.7	36.7	28.4	23.3	19.7	16.2	11.2
9253	1	58	-2	49.7	41.6	36.6	32.9	26.0	19.5	15.9	12.6	9.8	6.9
C = 22	2	24.4	-14	55.9	47.2	41.7	37.6	30.6	23.0	18.7	14.8	11.6	8.4
C _Y = 6	3	12	-11	54.5	46.5	40.7	36.3	30.3	23.0	18.8	15.0	12.1	8.9
	4	5.3	76	56.2	44.1	38.8	33.8	27.9	21.0	17.5	14.1	11.6	8.5
	5	1.73	-12	52.0	44.5	37.6	33.4	29.6	22.5	19.1	15.8	13.0	9.9
9003	1	86	-28	45.6	37.7	33.4	30.2	23.9	18.3	14.9	11.8	9.2	7.2
C = 21	2	30	-6	45.8	38.8	34.8	31.6	25.2	18.3	15.1	11.9	9.4	7.4
C _Y = 6	3	11	4	41.4	35.1	31.5	28.4	22.3	17.2	14.0	11.3	8.8	7.0
	4	3.3	54	41.7	35.6	32.1	29.2	21.9	16.7	14.3	11.2	9.1	7.9
	5	2.4	-4	43.2	37.7	34.2	31.3	23.4	18.9	17.1	12.7	9.4	8.1
8753	1	75	-33	53.9	45.1	40.0	36.1	28.6	21.3	17.5	13.8	10.8	6.1
C = 17	2	17.4	-3	52.0	43.8	39.4	35.2	28.2	21.5	16.8	13.1	10.2	8.4
C _Y = 6	3	4.2	3	42.4	35.4	31.6	27.7	22.1	16.2	13.2	11.1	9.0	5.8
	4	2.9	56	42.6	36.4	34.6	29.8	23.4	17.3	14.4	11.6	8.6	4.0
	5	2.22	-2	45.7	39.0	36.8	30.1	24.7	19.6	15.7	13.1	9.9	5.3
8503	1	77	-20	49.5	41.3	36.6	33.0	25.6	17.8	14.9	11.6	7.8	5.3
	2	12	6	44.6	37.6	33.2	30.0	24.2	18.4	15.1	11.8	11.3	6.0
C = 19	3	6.4	-10	40.7	34.8	30.8	27.7	22.1	17.1	13.6	10.6	8.9	6.0
C _Y =	4	4.6	59	45.1	38.7	34.2	30.4	24.7	17.8	14.8	11.6	8.0	4.7
	5	3.1	-18	43.0	38.2	32.4	29.0	24.7	17.9	10.4	8.6	7.0	4.0

LINE 48 E (482) MARCH 5/86

STA	N	VP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
8253 I = C = 40 C _i = 6	1	94	-15	36.9	30.8	27.0	24.5	19.5	14.6	11.8	9.4	7.9	5.4
	2	31	-19	38.9	32.7	28.7	25.9	20.7	15.6	12.6	10.0	6.6	3.3
	3	19.4	2	42.8	36.2	32.0	29.0	23.4	17.8	14.6	11.8	9.3	6.2
	4	12.3	43	41.5	34.8	30.6	27.4	22.1	16.4	13.0	10.2	7.8	4.8
	5	8.3	6	44.1	36.8	32.9	29.4	24.0	18.2	14.8	12.0	9.8	6.9
8003 C = 30 C _i = 6	1	76.2	-25	30.0	24.9	21.7	19.6	15.5	11.8	9.6	7.7	6.0	3.4
	2	32.8	8	43.3	36.1	31.6	28.9	22.6	16.5	13.1	10.1	7.6	4.6
	3	18.2	-20	39.6	32.9	28.9	25.8	20.6	15.4	12.4	9.8	7.6	4.7
	4	11.2	63	40.9	33.8	29.5	26.2	21.3	15.7	12.7	10.1	7.6	4.8
	5	7.2	2	51.4	42.5	37.5	33.1	27.4	20.6	16.9	13.5	10.8	7.7
7753 C = 34 C _i = 2	1	73	-16	29.3	24.0	21.1	19.0	15.0	11.2	9.2	7.1	5.6	2.9
	2	35	-28	33.8	27.7	24.4	22.0	17.4	12.8	10.2	8.0	6.1	3.3
	3	19	9	35.5	29.0	25.7	23.2	18.3	13.7	10.8	8.4	6.5	3.6
	4	11.8	66	45.6	37.4	33.5	30.0	24.0	18.0	14.5	11.5	9.1	5.8
	5	7.2	4	53.0	43.4	39.0	34.8	27.8	20.3	14.1	12.2	9.0	4.9
7503 C = 33 C _i = 4	1	69	-32	17.5	13.8	11.8	10.1	7.3	5.4	4.2	3.1	2.8	1.1
	2	32	16	27.7	22.9	20.2	18.0	14.5	10.8	8.9	7.2	5.5	2.7
	3	18	-3	38.6	32.4	28.7	25.3	20.4	15.3	12.2	9.9	7.8	4.6
	4	10.1	68	49.1	41.5	37.4	32.5	26.4	19.9	16.0	12.5	10.0	6.1
	5	5.8	-6	50.0	42.3	38.2	33.1	27.7	20.4	16.4	13.4	10.0	6.8
7253 C = 28 C _i = 6	1	56	-8	16.9	13.8	12.2	11.1	8.7	6.5	5.1	4.1	3.3	1.5
	2	25	-10	33.1	26.6	23.7	21.6	16.8	12.6	10.4	8.1	5.8	3.4
	3	13	10	44.9	36.7	33.4	30.5	23.9	18.0	14.8	11.6	9.3	7.9
	4	7.1	57	49.4	39.4	36.8	33.6	26.3	20.0	16.4	12.8	9.7	3.9
	5	4.6	6	56.6	43.4	41.1	37.2	29.1	21.7	17.8	14.0	11.0	7.4
7003 C = 28 C _i = 6	1	62	-20	21.7	17.4	14.5	13.3	10.7	8.1	6.6	5.6	4.0	1.9
	2	27	17	41.8	35.0	32.2	29.8	22.3	16.3	13.1	9.8	8.2	5.1
	3	12.7	-13	45.2	37.7	33.8	31.0	24.1	17.8	14.7	11.8	9.3	6.1
	4	7.8	8.4	52.9	43.4	37.8	36.0	27.8	20.6	17.0	14.2	10.8	7.8
	5	4.5	-26	53.3	43.7	38.6	37.4	27.9	20.4	16.9	13.9	10.3	7.1

Line 48 E (482) March 5, 1986

STA	N	UP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
6753 I = C = 28 CYLES = CY = 4	1	55	-4	30.8	25.6	22.7	20.7	17.2	13.8	9.5	7.1	4.7	2.5
	2	21.3	-17	42.6	35.9	31.9	28.8	22.2	16.4	13.3	10.2	7.9	4.8
	3	12.	25	48.5	41.0	36.2	32.9	25.2	18.8	15.2	12.4	9.9	6.6
	4	6.6	36	51.1	43.7	38.9	35.7	27.3	21.0	17.3	13.1	10.2	7.0
	5	5.2	3	43.1	37.9	33.7	31.2	23.3	18.1	14.9	12.3	10.2	7.4
6503 C = 29 CY = 6	1	58	-26	27.4	22.3	19.4	17.1	13.5	10.3	8.2	5.4	3.5	0.1
	2	25	32	46.7	38.1	33.5	30.7	23.6	17.2	13.6	10.7	8.1	4.9
	3	12.1	-33	47.3	38.6	34.1	31.6	24.3	18.0	14.0	11.3	8.6	5.4
	4	8.5	66	42.3	39.0	30.3	28.8	22.1	16.8	13.5	11.2	10.3	7.8
	5	16.8	-18	40.4	32.4	28.7	27.8	20.6	15.2	11.1	9.2	5.4	2.7
6253 C = 29 CY = 6	1	63	10	27.7	22.7	19.7	17.7	14.0	9.6	7.2	5.6	3.9	3.2
	2	24.3	-35	38.3	31.7	27.5	25.0	19.4	14.3	11.4	9.0	7.3	5.1
	3	13.1	1	34.7	29.2	25.2	23.1	18.4	13.8	11.2	9.1	7.5	5.4
	4	17.	50	31.2	26.4	22.4	20.5	16.2	12.3	9.9	7.9	6.3	4.4
	5	20	13	61.3	51.7	44.5	40.6	32.1	24.0	19.4	15.3	12.3	9.4
6003 C = 29 CY = 6	1	59	-49	24.6	20.4	15.9	14.5	12.0	9.2	6.1	5.6	4.5	4.7
	2	27	7	30.5	25.5	21.8	19.6	15.4	11.6	9.5	7.3	5.9	3.0
	3	26	-14	25.2	21.6	18.1	16.5	13.3	9.8	8.1	6.1	4.5	2.3
	4	28	69	54.9	46.4	39.9	36.5	29.1	21.3	17.4	13.6	10.5	7.0
	5	25	2	56.4	48.0	41.3	37.6	30.3	22.3	18.3	14.2	10.9	7.1
5753 C = 30 CY = 6	1	70	-13	17.8	14.2	12.4	10.9	8.6	6.3	5.3	4.2	3.4	1.6
	2	48.6	-21	19.7	15.7	13.8	12.2	9.8	7.2	5.7	4.4	3.3	0.7
	3	45	14	47.1	38.7	34.0	30.5	24.2	17.9	14.4	11.1	8.5	5.3
	4	37	66	50.6	41.5	36.6	32.9	26.1	19.3	15.6	13.3	10.2	6.6
	5	19	-1	40.5	32.9	29.0	25.8	21.1	15.9	12.5	8.1	6.4	4.1
5503 C = 30 CY = 8	1	109	-31	6.3	4.9	3.8	3.5	2.8	2.2	1.9	1.6	1.4	-0.5
	2	76	17	44.4	36.9	31.9	29.0	22.3	16.1	12.8	9.8	7.3	4.2
	3	57	2	44.1	37.4	32.4	30.0	23.3	17.3	14.0	10.8	8.3	5.0
	4	28	58	34.0	29.2	25.0	23.3	17.8	14.2	12.2	9.1	7.3	4.9
	5	31	?	25.8	21.3	17.1	16.8	12.8	8.5	6.5	5.4	3.9	1.0

WRITTEN AND PERFORMED BY KM AND BG

Line 48 E (482) March 5 / 86

STA	N	VP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
5253 I = C = 29 CY = 6	1	213	-4	27.1	21.8	18.9	17.1	13.4	10.0	8.1	6.4	4.9	1.9
	2	116	-3	43.5	36.2	31.8	28.8	22.2	16.1	12.6	9.7	7.2	3.6
	3	49	2	30.0	25.2	22.3	20.2	15.6	11.6	9.2	7.2	5.3	2.2
	4	4.7	7.1	19.7	16.1	14.3	13.2	10.4	8.0	6.5	5.2	4.2	1.4
	5	38	-3	16.6	13.3	12.2	11.2	8.5	6.5	5.1	4.2	2.7	0.2
5003 C = 29 CY = 6	1	452	-17	38.3	31.7	27.7	25.2	19.6	14.5	11.6	9.0	6.8	3.5
	2	133	15	32.7	27.3	23.8	21.7	17.1	12.7	10.2	7.9	6.0	2.8
	3	107	3	22.7	19.3	16.9	15.5	12.3	9.3	7.5	5.9	4.5	1.5
	4	69	53	15.8	13.4	11.2	10.1	8.2	6.2	5.1	4.2	3.2	0.6
	5	23	19	18.6	15.6	12.3	10.8	9.2	6.9	5.3	4.1	3.3	0.7
4753 C = 26 CY = 6	1	630	-13	37.6	31.0	27.2	24.7	19.4	14.3	11.7	9.3	7.2	3.0
	2	297	0	46.2	38.6	33.8	30.5	23.6	17.0	13.3	10.2	7.6	3.3
	3	140	-2	30.9	26.3	23.1	21.3	16.8	12.4	10.0	7.8	6.0	1.9
	4	40	77	29.7	25.0	21.6	19.7	15.5	11.6	9.3	7.3	5.8	1.9
	5	8.2	2	28.4	22.9	19.7	16.6	12.9	10.2	7.4	5.7	4.5	1.2
4503 C = 29 CY = 6	1	488	0	30.3	24.9	21.9	19.7	15.4	11.3	9.1	7.0	5.3	2.0
	2	261	4	31.6	26.4	23.3	21.1	16.6	12.3	9.9	7.7	5.9	2.5
	3	42	11	28.3	24.2	21.5	19.6	15.5	11.5	9.3	7.2	5.5	2.1
	4	11	66	25.0	20.6	18.0	16.0	13.0	9.8	7.7	6.1	4.7	1.5
	5	7.2	1	25.7	21.4	18.9	16.7	13.6	10.3	7.9	6.1	4.8	1.7
4253 C = 28 CY = 6	1	331	-10	19.1	15.4	13.8	12.3	9.7	7.3	5.9	4.8	3.5	0.1
	2	56	7	28.1	23.1	20.5	18.5	14.4	10.4	8.1	6.1	4.7	1.4
	3	14	6	23.7	20.2	18.2	16.7	13.3	9.9	7.9	6.1	5.0	1.2
	4	9.0	64	21.5	17.5	15.8	14.3	11.2	8.2	6.7	5.4	4.0	0.9
	5	9.3	17	20.8	16.6	15.0	13.6	10.6	7.7	6.2	5.2	3.9	0.7
4003 C = 30 CY = 6	1	142	-2	14.2	11.6	10.6	9.9	7.7	5.5	4.3	2.9	2.6	0.3
	2	28	8	20.1	16.6	14.9	13.0	10.2	7.4	5.8	4.4	3.3	0.3
	3	16	-4	14.3	11.9	10.7	8.7	7.4	5.4	4.3	3.2	2.4	-0.3
	4	16	79	14.4	11.9	10.6	9.4	7.4	5.4	4.4	3.5	2.7	0.0
	5	18	-15	16.5	13.7	12.3	10.7	8.5	6.1	4.8	3.6	2.9	0.0

Line 48E (482) March 5, 1986

STA	N	UP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
3753 I = C = 31 CYCLES = C _i = 6	1	74	-3	13.3	10.9	9.6	8.7	6.8	5.1	4.1	3.2	2.6	0.4
	2	34	-9	13.3	11.0	9.8	8.8	6.7	4.7	3.9	3.1	2.3	0.1
	3	28	13	10.0	8.8	8.0	7.2	5.5	4.2	3.4	2.8	2.1	0.0
	4	28	54	13.1	11.2	10.2	9.1	7.0	5.3	4.3	3.5	2.7	0.5
	5	27	-14	17.6	15.2	13.2	12.3	9.5	7.2	5.9	4.7	3.6	1.3
3503 C = 31 C _i = 4	1	64	-19	7.2	5.7	4.8	4.4	3.1	2.3	1.7	1.3	1.0	-0.4
	2	40	18	11.9	9.8	8.7	8.1	6.1	4.5	3.8	2.9	2.1	0.0
	3	37	-18	12.0	9.8	8.8	8.0	4.7	3.7	3.1	2.5	1.8	1.0
	4	34	59	16.7	13.7	12.4	11.3	8.5	6.6	5.4	4.2	3.3	1.4
	5	31	1	21.5	17.7	16.2	14.9	11.3	8.9	7.4	5.9	4.6	2.5
3253 C = 38 C _i = 6	1	85	-1	6.7	5.0	4.4	4.2	3.1	2.3	1.8	1.5	1.2	0.5
	2	60	-18	11.5	9.2	8.2	7.5	5.6	4.0	3.2	2.5	1.8	0.9
	3	51	1	15.1	12.5	11.2	10.3	8.0	5.9	4.8	3.8	3.0	$\frac{2}{3} 2.1$
	4	44	62	19.3	16.0	14.4	13.3	10.3	7.8	6.5	5.1	3.7	2.6
	5	25	0	22.5	19.1	17.2	15.8	12.6	9.3	7.8	6.5	5.4	3.9
3003 C = 34 C _i = 4	1	101	-28	8.6	7.0	6.1	5.2	4.2	3.0	2.3	1.8	1.3	0.1
	2	67	8	15.4	12.7	11.2	9.7	7.8	5.8	4.5	3.5	2.6	1.4
	3	51	-8	18.2	15.4	13.5	12.0	9.8	7.2	5.7	4.6	3.5	2.3
	4	27	64	21.4	18.1	16.3	14.1	11.9	8.9	7.2	5.8	4.5	2.5
	5	19	-9	32.3	27.0	24.1	20.6	16.9	12.5	10.1	7.7	6.6	4.2
2753 C = 35 C _i = 6	1	172	-6	13.2	10.8	9.5	8.7	6.8	5.1	4.2	3.4	2.6	1.5
	2	84	-12	20.8	17.2	15.1	13.6	10.7	8.0	6.5	5.2	4.1	3.0
	3	37	5	19.6	16.8	14.7	13.1	11.0	8.5	6.8	5.6	4.4	2.9
	4	24	52	31.4	26.0	22.6	20.2	16.5	12.7	10.0	8.4	6.6	4.8
2503 C = 37 C _i = 6	1	255	-24	20.6	17.0	15.2	13.7	10.9	8.1	6.7	5.4	4.1	2.7
	2	70	10	22.5	18.5	16.7	15.1	12.0	9.0	7.1	5.7	4.5	3.2
	3	39	-15	28.4	23.8	21.3	19.3	15.1	11.5	9.3	7.4	5.8	4.2
2253 C = 36 C _i = 4	1	161	-21	20.7	17.5	15.4	13.9	11.0	8.4	6.8	5.4	4.4	2.3
	2	68	-3	28.8	23.9	20.7	18.5	14.6	10.6	8.4	6.7	5.3	2.8
2003 C = 36 C _i = 4	1	215	-3	29.6	24.3	21.1	19.3	14.6	10.6	8.3	6.4	4.8	2.7

Line 47E (472) March 5, 1986

STA	N	UP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
9753	1	313	-13	65.3	54.6	48.5	44.3	35.4	26.7	21.8	17.3	13.6	11.2
I = C = 39	2	62	16	66.2	55.2	49.1	44.9	36.1	27.3	22.2	17.6	13.7	9.7
Circles = CY = 4	3	33	-7	66.2	55.9	48.6	45.6	37.2	28.5	23.3	18.5	14.5	11.6
	4	12	47	74.5	62.8	53.6	51.1	42.6	33.1	27.6	22.3	17.9	15.0
	5	11	3	67.8	56.1	45.3	44.8	37.5	28.6	22.8	17.9	13.9	10.5
9503	1	186	-9	63.3	53.5	47.4	42.9	34.3	25.8	20.7	16.5	8.7	8.7
C = 40	2	60	-15	75.3	63.9	56.9	51.7	46.4	31.8	26.6	21.1	17.0	12.1
C ₁ = 6	3	24	-8	79.1	68.2	61.5	55.6	45.0	34.2	28.1	22.4	17.6	12.6
	4	17	67	70.8	60.1	54.5	48.8	40.0	30.5	25.0	20.4	16.0	11.5
	5	5.9	-2	76.1	65.2	59.0	52.9	42.9	32.6	26.6	22.0	17.1	12.7
9253	1	157	-28	69.6	58.6	52.1	47.4	37.9	28.6	23.3	18.5	14.5	9.9
C = 40	2	51	-3	86.1	73.2	65.3	59.6	47.6	36.1	29.5	23.4	18.3	13.3
C ₁ = 6	3	28	-1	72.0	62.0	55.8	50.9	41.2	31.4	25.7	20.6	16.0	11.3
	4	9.1	58	76.8	66.0	59.2	53.9	43.7	32.6	26.1	20.8	16.0	12.4
	5	6.6	0	70.4	61.0	54.3	49.9	40.8	31.9	27.1	22.4	17.6	13.0
9003	1	315	-29	70.0	58.9	52.2	47.5	37.9	28.6	23.3	18.5	14.4	10.3
C = 44	2	82	-5	70.8	59.7	53.0	48.2	38.6	29.1	23.7	18.8	14.6	10.4
C ₁ = 6	3	22	10	71.8	61.5	55.2	50.1	40.4	30.4	24.7	19.6	15.2	10.9
	4	14	63	67.3	56.9	51.1	46.3	38.0	29.2	24.4	19.9	16.2	12.0
	5	7.8	6	66.9	56.2	50.0	44.5	36.7	27.7	22.8	17.8	13.9	9.3
8753	1	288	-15	48.7	40.6	36.0	32.6	25.8	19.3	15.7	12.2	9.5	6.1
C = 38	2	51	6	63.9	53.6	47.6	43.0	34.0	25.4	20.3	16.3	12.6	8.6
C ₁ = 6	3	25	-6	61.1	51.7	46.4	41.9	33.9	25.6	20.7	16.6	12.8	8.9
	4	12	71	62.5	52.7	47.2	42.3	34.8	26.2	21.2	16.7	13.2	9.3
	5	9.6	-12	70.5	58.8	52.8	46.5	38.4	28.8	23.4	18.4	14.2	10.2
8503	1	171	-13	32.9	27.3	24.1	21.9	17.2	12.8	10.3	7.4	5.3	2.3
	2	42	-12	49.7	41.4	36.5	33.4	26.2	19.2	15.5	12.1	9.7	5.6
C = 28	3	17	11	49.9	42.6	37.7	34.9	27.9	20.9	17.3	13.7	10.7	6.7
C ₁ = 6	4	12	51	62.2	52.1	45.6	42.5	33.7	24.9	20.6	15.9	12.2	8.3
	5	3.2	1	50.0	41.1	35.4	33.4	26.5	19.6	16.2	13.4	12.0	6.1

Line 47E (472) March 5, 1986

STA	N	VP	SP	M ₀	M ₁	M ₂	M ₃	M ₄	M ₅	M ₆	M ₇	M ₈	M ₉
8253	1	212	-9	27.9	23.2	20.1	18.3	14.3	10.5	8.5	6.6	5.0	1.6
I = C = 27	2	50	17	36.2	30.7	26.1	24.4	19.0	14.0	11.4	9.0	7.1	3.4
CYCLES = CY = 6	3	28	-18	46.9	40.3	33.6	32.6	25.4	18.8	15.3	12.0	9.2	5.1
	4	6.5	62	37.7	33.3	26.3	26.8	20.5	14.9	12.4	9.7	7.5	3.8
	5	4.3	-8	43.5	39.7	30.8	31.1	24.6	17.5	14.7	11.2	8.0	4.5
8003	1	171	-3	25.8	21.4	18.6	16.9	13.3	9.9	8.0	6.3	4.9	1.8
C = 46	2	73	-19	44.7	37.2	32.6	29.6	23.1	17.2	13.8	10.8	8.4	5.0
CY = 8	3	16	1	33.4	28.5	25.0	23.1	18.1	13.7	11.1	8.7	6.8	3.5
	4	9.6	55	40.7	34.2	29.9	27.6	21.8	16.6	13.3	10.4	8.1	4.6
	5	9.3	-6	60.1	50.7	44.5	40.6	32.0	24.3	20.0	15.9	12.6	8.2
7753	1	268	-30	35.7	29.6	26.1	23.7	18.6	13.9	11.3	8.9	6.9	5.0
C = 42	2	33	7	34.8	28.8	25.4	23.2	18.1	13.7	10.9	8.6	6.5	4.5
CY = 6	3	16	-9	31.0	26.3	23.3	21.7	16.6	12.2	9.7	8.9	7.7	5.9
	4	14	53	57.3	47.9	42.5	39.6	31.5	24.2	19.9	14.4	10.5	7.7
	5	14	19	64.4	53.5	47.3	44.5	34.7	26.0	21.1	16.8	13.2	10.2
7503	1	153	-11	36.2	29.8	26.0	23.7	18.5	14.0	11.0	8.8	6.8	4.3
C = 58	2	44	-5	35.2	29.4	26.0	23.6	18.7	13.5	11.6	8.6	4.0	4.0
CY = 6	3	34	-2	52.4	43.9	38.8	35.3	27.9	20.7	16.9	13.5	10.5	7.4
	4	32	78	61.6	51.4	45.7	41.5	33.2	25.1	20.6	16.4	12.9	9.5
	5	16	-13	53.3	47.8	43.3	35.1	26.8	22.3	17.7	14.1	10.6	← ?