



937.0383

PETER WILCOX



CRONE GEOPHYSICS LTD.	
DEEPEM LOOP LOCATIONS	
KERR-ADDISON MINES	
HOODOO PROJECT	
DISCOVERY GRID	
SCALE 1:5000	AUGUST 1984

827808

104B/14

VERTICAL COMPONENT
 HORIZONTAL COMPONENT

PROJECT HOODS

Date/time 40/8 31:5
 Line # 50E
 Tx LOOP: 1
 Gain: 700
 Ramp time: 1.5MS
 ZTS: 623
 Grid: DISCOVERY
 Time base: 10MS

STATION	Ch. 1	Ch. 2	Ch. 3	Ch. 4	Ch. 5	Ch. 6	Ch. 7	Ch. 8
250S	-24.4	-19.6	-13.3	-8.8	-5.9	-3.9	-1.1	1.2
	23.0	11.0	4.5	2.3	1.9	-0.1	0.6	3.1
225S	-25.0	-19.1	-13.3	-8.9	-5.8	-3.7	-1.3	1.6
	21.7	10.4	5.8	1.4	0.9	0.5	1.5	1.7
200S	-24.7	-19.7	-13.2	-9.3	-5.8	-3.6	-1.1	1.0
	22.2	9.8	4.2	2.1	0.9	-0.8	0.1	2.5
175S	-25.7	-20.4	-13.3	-9.2	-5.3	-3.1	-0.5	1.6
	20.2	10.8	3.7	2.3	1.7	-0.2	1.1	2.3
150S	-27.9	-20.7	-13.3	-9.1	-5.9	-3.6	-0.8	1.0
	22.0	10.4	3.9	1.7	0.5	0.5	-0.1	1.3
125S	-28.3	-21.2	-13.1	-9.2	-5.6	-3.7	-0.8	1.0
	25.1	8.8	3.2	0.4	0.9	-0.4	0.5	1.8
100S	-29.6	-21.1	-13.3	-9.1	-5.6	-3.9	-1.4	0.5
	22.1	8.7	3.7	1.5	0.9	-0.2	-0.4	0.2
75S	-30.9	-21.7	-13.8	-9.2	-5.8	-3.5	-1.8	0.7
	23.5	8.6	3.1	0.7	0.4	-0.5	-0.5	1.8
50S	-33.3	-22.4	-13.9	-9.7	-6.1	-4.2	-2.2	-0.8
	25.4	7.8	3.2	0.2	-0.2	0.2	-0.1	2.6
25S	-36.3	-23.2	-14.1	-9.5	-6.2	-4.9	-2.8	-1.1
	23.2	7.3	2.6	0.4	0.5	-0.2	-0.2	0.8
BL	-36.9	-21.5	-12.2	-8.6	-5.3	-3.9	-1.7	0.9
	21.4	6.9	1.8	-0.1	-0.5	-0.4	0.2	-3.2
25N	-37.5	-21.8	-12.7	-8.8	-5.3	-3.6	-2.0	0.5
	19.1	6.2	2.2	0.8	0.4	-0.5	-0.3	0.3
50N	-38.4	-21.6	-12.2	-7.9	-4.0	-2.9	-1.1	0.5
	17.2	4.8	1.6	-0.3	-0.7	-2.6	-2.4	-2.5
75N	-32.9	-20.7	-11.8	-8.3	-4.7	-3.5	-1.5	0.5
	13.3	4.1	1.6	0.0	1.1	-1.5	0.0	0.6
100N	-36.4	-22.0	-12.6	-8.5	-5.2	-3.8	-2.4	-0.6
	13.2	3.5	0.8	-0.4	-0.7	-1.6	-1.4	-0.8
125N	-36.2	-21.1	-11.9	-7.9	-4.5	-2.9	-1.4	0.0
	11.6	3.6	0.7	-0.1	0.2	-1.7	-0.1	0.1
150N	-35.1	-21.7	-11.9	-8.0	-4.3	-2.8	-1.6	-0.2
	7.6	2.3	-0.2	-1.2	-1.0	-2.0	-2.4	-1.8
175N	-32.5	-21.6	-12.2	-8.5	-4.9	-3.1	-1.8	-0.2
	4.4	1.5	-0.5	-1.5	-1.5	-1.4	-1.1	-0.2
200N	-26.4	-20.0	-10.9	-7.2	-3.8	-2.5	-1.1	0.1
	-0.4	1.4	-0.8	-1.4	-0.9	-1.4	-1.9	-1.2

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 31:5
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS


Project: HOODOO
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 50E

First station: 250S
Last station: 200N
Scale: 1: 2500

VERTICAL component

-1000 -100 -10 +10 +100 +1000



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 31:5
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS


Project: HOODOO
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 50E

First station: 250S
Last station: 200N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +



x

CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L50WKA1

Client: KERR
Date/time 40/8 42:3
Line # 50W
Tx LOOP: 1
Gain: 700

Project: HOODOO
ZTS: 623
Grid: DISCOVERY
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-20.6	-17.2	-11.6	-8.9	-5.0	-3.4	-1.9	-1.1
	21.4	9.6	3.9	2.0	1.5	0.4	-1.0	-2.1
225S	-22.4	-17.6	-12.2	-8.2	-5.5	-3.2	-2.0	-1.2
	22.7	10.0	5.7	1.7	2.9	-1.2	-1.0	-0.2
200S	-23.2	-18.1	-12.3	-8.5	-5.5	-3.4	-2.2	-0.8
	21.3	9.6	3.7	2.4	1.3	0.3	-0.5	0.2
175S	-24.1	-18.4	-12.3	-8.1	-5.1	-3.1	-1.9	-0.8
	20.0	8.6	3.5	1.6	1.5	0.0	-0.7	0.2
150S	-25.8	-19.3	-12.4	-8.4	-5.1	-3.2	-1.4	-0.7
	20.2	8.4	3.6	1.1	0.5	-0.2	-1.4	-0.5
125S	-26.7	-19.3	-12.7	-8.6	-4.9	-2.9	-2.0	-0.6
	18.0	8.6	3.2	1.7	1.1	-0.1	-0.2	0.2
100S	-28.0	-20.1	-12.9	-8.2	-5.0	-2.9	-2.2	-1.3
	19.5	8.4	3.9	1.4	0.4	0.3	-0.2	-0.4
75S	-27.7	-20.6	-13.1	-9.1	-5.1	-3.0	-1.7	-1.7
	20.7	7.9	4.0	0.8	0.5	-0.2	-0.9	0.2
50S	-30.4	-21.3	-13.4	-8.8	-5.3	-2.8	-2.3	-0.6
	21.1	7.4	2.3	0.7	-0.5	-0.5	-1.9	0.3
25S	-31.0	-20.1	-12.4	-8.3	-4.9	-2.7	-2.2	-1.1
	17.8	6.8	2.3	0.3	0.3	0.0	0.0	0.2
BL	-31.8	-20.1	-12.0	-8.1	-4.9	-2.6	-1.7	-0.6
	18.6	6.0	1.5	-0.1	0.3	-0.3	-0.3	0.5
25N	-33.4	-20.5	-11.9	-8.2	-4.7	-2.7	-1.0	0.2
	16.4	5.7	2.2	1.0	0.4	-0.3	-0.5	0.1
50N	-33.9	-20.5	-11.6	-7.8	-4.8	-2.6	-1.7	-0.5
	14.8	5.3	2.0	2.1	-1.1	-1.4	0.7	0.8
75N	-32.9	-20.0	-12.5	-7.7	-5.0	-2.3	-1.1	0.2
	12.9	4.7	1.1	0.2	0.0	0.6	-1.9	0.8
100N	-34.5	-20.7	-12.2	-7.7	-4.7	-2.5	-0.9	0.4
	10.8	4.4	1.8	-0.3	-1.7	1.3	-0.6	0.7
125N	-32.8	-20.7	-11.6	-7.4	-4.1	-2.1	-0.5	1.4
	10.2	3.7	0.7	-0.1	-0.2	-0.7	-0.2	1.8
150N	-31.5	-20.3	-11.4	-7.7	-4.1	-1.8	-0.4	0.9
	7.4	2.2	-0.5	0.6	1.0	-0.9	-0.3	0.8
175N	-25.8	-19.3	-10.5	-6.8	-3.5	-1.6	-0.8	0.7
	4.4	3.0	1.6	-0.5	-0.2	-1.4	-1.3	-2.2
200N	-15.8	-16.5	-8.3	-4.4	-2.1	-0.2	1.3	3.1
	-5.0	2.6	-1.5	0.2	-1.6	-0.1	-1.7	-0.8

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 42:3
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 50W

First station: 250S
Last station: 200N
Scale: 1: 2500



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 42:3
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS

Project: H00000
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 50W

First station: 250S
Last station: 200N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1

BL0700

x

CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L150WKA1

Client: KERR
Date/time 40/8 65:7
Line # 150W
Tx LOOP: 1
Gain: 700

Project: HOODOO
ZTS: 623
Grid: DISCOVERY
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-18.4	-16.0	-11.9	-8.1	-5.4	-3.0	-0.5	0.7
	17.9	10.6	4.0	6.7	2.3	0.8	0.0	1.9
225S	-19.5	-16.3	-10.8	-7.8	-4.5	-2.8	0.4	1.5
	17.0	10.4	3.9	1.2	-0.1	2.9	-1.4	2.6
200S	-21.4	-17.2	-11.8	-8.0	-5.1	-3.0	-1.3	0.8
	20.1	9.3	5.9	-0.8	-1.4	-1.6	-1.2	1.1
175S	-21.4	-17.6	-11.9	-8.7	-5.1	-3.4	-1.3	0.9
	20.6	9.8	2.3	2.9	0.6	0.3	1.7	2.3
150S	-23.6	-17.8	-12.1	-8.2	-4.8	-3.3	-1.1	1.1
	21.4	7.0	2.6	2.3	1.1	-0.1	-0.2	1.5
125S	-25.3	-19.2	-12.7	-8.6	-5.5	-3.3	-1.2	1.3
	23.2	8.1	2.6	3.9	2.8	-1.5	-0.6	0.5
100S	-27.2	-19.1	-12.6	-7.9	-5.8	-3.6	-1.1	0.3
	20.9	7.4	1.1	1.7	-0.7	-0.2	0.6	-1.5
75S	-28.7	-19.8	-12.5	-8.3	-5.1	-2.6	-1.6	0.1
	22.6	6.3	2.8	2.7	-0.4	-0.2	0.6	2.4
50S	-30.5	-20.8	-13.1	-8.5	-5.3	-2.8	-0.8	0.7
	19.8	7.0	3.3	3.8	1.1	0.8	1.5	-2.4
25S	-31.6	-20.5	-12.4	-8.3	-5.1	-2.7	-1.4	0.4
	20.4	6.4	0.2	-0.7	1.1	-0.8	0.3	1.2
BL	-32.8	-20.5	-12.2	-8.1	-4.7	-2.4	-1.7	0.2
	20.4	6.5	2.0	1.0	1.0	0.7	-0.9	-0.3
25N	-32.9	-20.2	-12.2	-7.8	-4.6	-2.4	-1.1	0.3
	20.2	5.8	3.5	1.8	-0.2	-0.2	-1.9	0.1
50N	-33.2	-20.2	-12.0	-7.5	-4.8	-2.6	-0.8	0.3
	15.3	5.5	-0.3	0.2	1.0	0.1	-1.1	-0.1
75N	-33.2	-20.3	-12.2	-8.1	-5.4	-3.0	-1.7	0.0
	15.2	3.9	2.3	1.2	-1.3	-1.0	-0.8	-1.7
100N	-33.2	-20.4	-12.0	-7.6	-4.7	-2.3	-0.9	0.3
	13.5	3.4	2.3	-0.2	-0.8	-1.7	-0.1	2.9
125N	-32.1	-20.1	-11.7	-7.7	-4.2	-1.4	-0.8	0.5
	12.1	2.6	2.7	-2.4	0.5	-2.0	-2.4	1.8
150N	-30.8	-19.5	-10.8	-7.2	-3.9	-1.4	-0.8	0.5
	10.8	1.7	1.3	-1.7	-2.0	-0.1	-0.8	0.1
175N	-29.2	-20.6	-11.4	-7.4	-4.4	-2.3	-0.5	1.1
	10.2	2.5	-0.7	-1.6	0.8	0.8	-0.5	0.2
200N	-17.6	-18.0	-9.0	-5.1	-2.2	-0.6	1.2	1.6
	10.3	3.2	2.0	0.1	0.6	0.9	0.8	-0.3

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 65:7
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS


Project: H00D00
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 150W

First station: 250S
Last station: 200N
Scale: 1: 2500

VERTICAL component

-1000 -100 -10 +10 +100 +1000



x

CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 65:7
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 150W

First station: 250S
Last station: 200N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1

210700

x

CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L250WKA1

Client: KERR
Date/time 40/8 71:6
Line # 250W
Tx LOOP: 1
Gain: 700

Ramp time: 1.5MS

Project: HOODOO
ZTS: 623
Grid: DISCOVERY
Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-18.8	-15.9	-11.2	-7.8	-4.7	-2.8	-1.2	0.6
	18.8	10.0	6.8	3.5	0.6	0.6	1.0	1.3
225S	-20.4	-16.4	-11.9	-7.5	-5.0	-2.8	-0.8	0.5
	22.3	9.9	3.9	2.6	3.3	-2.4	0.3	2.3
200S	-21.2	-16.7	-11.5	-7.8	-5.1	-3.2	-0.6	0.7
	20.2	7.2	3.5	1.1	0.2	-1.8	-0.6	2.1
175S	-21.3	-17.9	-12.8	-7.4	-4.0	-2.9	-1.0	1.0
	21.2	8.1	3.6	4.1	-2.9	1.4	1.1	4.0
150S	-21.4	-17.2	-11.9	-7.8	-5.2	-3.2	-0.6	1.4
	17.1	8.3	3.5	0.4	0.3	0.2	5.1	3.2
125S	-23.1	-17.8	-11.7	-7.7	-5.3	-2.7	-0.5	1.4
	18.6	8.2	3.8	0.2	0.7	-0.2	1.5	0.5
100S	-25.3	-18.4	-12.1	-8.1	-5.2	-1.9	0.2	1.3
	22.4	8.4	3.0	1.6	-0.2	-2.0	1.1	0.1
75S	-27.3	-19.4	-12.2	-7.9	-4.8	-2.7	-0.6	1.1
	17.4	6.5	2.3	0.2	0.5	0.1	-0.2	1.8
50S	-26.7	-19.4	-11.9	-7.7	-4.5	-3.3	-0.3	1.1
	16.2	6.9	2.4	0.2	1.4	-1.3	0.8	0.4
25S	-29.1	-19.7	-12.2	-7.4	-4.6	-2.3	-1.4	1.4
	20.2	6.7	1.5	1.7	2.0	-0.5	0.8	2.4
BL	-29.3	-18.6	-10.8	-7.4	-5.9	-2.0	-0.2	0.7
	15.8	6.1	1.4	-1.1	-2.5	0.2	6.3	1.4
25N	-30.3	-20.0	-11.9	-7.3	-4.3	-2.0	-0.2	1.1
	17.4	5.7	1.6	1.3	-0.1	-2.3	0.5	0.8
50N	-30.6	-18.6	-11.2	-7.3	-4.8	-2.2	-0.1	1.7
	12.3	3.5	0.6	1.1	-1.1	1.3	1.4	1.6
75N	-29.8	-19.8	-11.4	-7.1	-4.2	-2.1	-0.4	1.8
	13.9	2.9	3.0	0.7	-1.9	-0.5	1.0	2.3
100N	-32.9	-19.1	-11.9	-7.3	-4.3	-2.9	-0.8	1.5
	15.1	5.1	2.1	1.9	-1.1	0.2	0.2	2.4
125N	-32.9	-19.4	-12.1	-7.7	-4.6	-1.8	0.5	2.2
	15.7	4.8	3.7	0.1	0.8	-2.4	1.7	3.2
150N	-27.0	-18.9	-11.7	-7.9	-4.8	-3.5	-0.8	1.7
	7.0	1.6	-0.8	-0.5	-1.2	0.7	0.3	4.5
175N	-31.0	-20.3	-11.6	-7.8	-4.7	-2.7	-0.2	2.3
	14.9	4.5	1.1	0.2	-0.3	2.9	1.1	3.0
200N	-31.3	-21.2	-12.7	-7.7	-4.6	-1.8	1.2	3.5
	7.8	0.4	-0.8	-1.7	-1.2	-1.0	-1.7	0.7

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 71:6
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 1
Time Base: 10MS
ZTS: 623

LINE# 250W

First station: 250S
Last station: 200N
Scale: 1: 2500



x

CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 40/8 71:6
Grid: DISCOVERY
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 1
Time Base: 10MS
ZTS: 623


LINE# 250W


First station: 250S
Last station: 200N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1

310100-





CRONE GEOPHYSICS LTD.	
DEEPEM LOOP LOCATIONS	
KERR-ADDISON MINES	
HOODOO PROJECT	
NORTH GRID	
SCALE 1:5000	AUGUST 1984

CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L400WKA2

Client: KERR Project: HOODOO
Date/time 80/9 11:43
Line # 440W ZTS: 623
Tx LOOP: 2 Grid: NORTH
Gain: 700 Ramp time: 1.5MS Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-55.8	-37.4	-22.0	-14.7	-8.6	-4.8	-2.8	-1.9
	8.5	3.0	1.4	0.6	0.3	-0.4	-0.7	-1.7
225S	-57.4	-37.2	-21.8	-14.3	-8.0	-5.1	-2.6	-2.2
	10.5	3.8	2.0	0.4	0.8	-0.8	-0.4	-1.1
200S	-73.2	-40.8	-23.3	-14.5	-8.5	-5.1	-2.8	-1.8
	7.9	2.1	0.7	-0.5	0.1	-0.5	-0.8	-0.3
175S	-70.7	-40.2	-22.5	-13.8	-6.5	-3.7	-3.5	-2.3
	20.7	7.8	3.8	1.9	1.9	-0.9	-0.5	-0.9
150S	-64.4	-38.5	-22.5	-14.7	-8.6	-5.5	-2.8	2.2
	9.0	3.0	1.4	-0.2	0.3	-0.6	0.0	-1.2
125S	-73.3	-41.8	-23.7	-15.3	-8.2	-5.3	-2.6	-1.4
	15.1	4.9	2.0	0.4	0.9	-0.6	-0.6	-0.2
100S	-75.2	-41.3	-24.0	-15.0	-8.7	-5.4	-3.0	-2.0
	24.9	7.8	3.5	1.4	1.3	-0.5	-0.2	-2.0
75S	-69.6	-41.1	-23.4	-15.0	-8.8	-5.6	-3.3	-2.2
	28.4	9.1	3.9	1.7	1.2	-0.2	-0.5	-0.3
50S	-71.0	-40.5	-23.6	-14.9	-8.8	-5.5	-3.2	-2.6
	31.2	10.7	4.9	2.6	1.5	-0.4	-0.6	-2.6
25S	-66.6	-39.2	-23.1	-14.7	-8.7	-5.5	-3.0	-2.3
	33.5	11.2	4.1	1.9	1.1	-0.6	-0.4	-1.7
BL	-63.3	-38.4	-22.8	-14.8	-8.3	-5.5	-2.9	-2.3
	30.9	11.2	5.0	2.1	1.2	-0.4	-0.8	-1.9

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 11:43
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H00D00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 400W

First station: 250S
Last station: BL
Scale: 1: 2500

VERTICAL component



CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 11:43
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H0000
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 400W

First station: 250S
Last station: BL
Scale: 1: 2500

HORIZONTAL component



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L300WKA2

Client: KERR
Date/time 80/9 12:34
Line # 300W
Tx LOOP: 2
Gain: 700

Project: HOODOO
ZTS: 623
Grid: NORTH
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-12.0	-24.1	-10.5	-4.6	0.5	2.3	5.1	5.9
	19.3	4.8	2.5	0.4	1.1	-0.5	-0.5	-1.9
225S	-53.9	-35.1	-19.2	-11.7	-6.3	-3.0	-1.2	-1.4
	18.6	4.7	1.9	1.2	1.7	0.2	0.6	0.2
200S	-62.0	-36.7	-21.0	-13.6	-8.0	-5.3	-2.4	-0.8
	16.6	4.6	2.5	0.5	0.9	-0.1	-0.6	-0.2
175S	-65.9	-38.6	-22.9	-15.4	-9.7	-6.8	-4.0	-3.1
	16.5	5.4	2.0	0.1	0.8	-0.5	0.5	-1.3
150S	-68.4	-38.6	-21.9	-13.8	-8.4	-4.8	-2.3	-1.4
	22.3	7.3	3.2	1.6	2.0	-1.1	-0.5	-1.1
125S	-68.8	-38.8	-22.3	-14.3	-8.0	-4.9	-2.4	-2.1
	23.6	8.0	3.2	1.0	0.8	-0.3	0.2	-1.3
100S	-68.9	-38.8	-22.6	-14.5	-8.4	-4.8	-2.6	-2.0
	23.2	8.1	3.7	1.0	1.3	0.2	0.4	-1.6
75S	-67.5	-39.7	-23.0	-14.7	-8.1	-5.3	-2.9	-2.4
	29.0	9.5	3.9	1.4	1.5	-0.2	0.4	-1.1
50S	-66.5	-38.7	-22.7	-15.0	-9.0	-5.2	-3.1	-1.5
	30.8	10.9	4.1	2.0	1.1	-0.3	0.1	-1.3
25S	-64.3	-38.0	-22.8	-14.9	-8.6	-5.4	-3.4	-3.0
	31.9	10.9	5.3	1.7	1.3	-0.8	-1.0	-0.6
BL	-58.2	-30.2	-12.0	-0.1	10.0	9.1	5.7	-19.1
	32.4	12.3	5.5	2.3	2.0	0.5	-0.6	-1.3
25N	-63.3	-38.2	-22.9	-15.2	-8.9	-5.9	-2.8	-2.2
	35.5	12.5	6.0	2.4	1.4	-0.7	-1.1	-2.0
50N	-61.0	-38.0	-23.1	-15.1	-8.8	-5.6	-2.7	-2.6
	39.7	13.8	6.5	3.2	2.3	-0.4	-0.3	-1.7
75N	-57.4	-36.9	-23.4	-15.2	-9.1	-6.0	-2.8	-2.3
	39.8	14.8	6.0	2.2	1.7	0.0	0.0	-1.0
100N	-56.1	-37.4	-23.3	-15.3	-9.1	-6.2	-3.4	-2.4
	41.4	16.0	7.7	3.7	2.4	0.2	-0.2	-0.9
125N	-54.4	-36.9	-23.0	-15.3	-8.8	-6.0	-3.2	-3.0
	41.6	16.6	8.2	3.2	2.6	0.2	-0.3	-1.1
150N	-51.4	-35.5	-22.9	-15.3	-9.1	-6.0	-3.2	-3.2
	41.3	16.8	8.5	3.6	2.9	-0.3	-1.6	-1.6
175N	-50.9	-35.8	-22.8	-15.3	-8.8	-6.0	-2.9	-2.6
	42.5	18.1	8.5	4.3	3.1	-0.7	-1.4	-0.3
200N	-48.9	-34.8	-22.3	-15.3	-9.5	-6.4	-3.0	-3.0
	42.1	18.3	8.6	3.8	2.3	-0.4	-0.2	-0.5
225N	-45.9	-34.0	-22.5	-15.1	-9.2	-6.0	-3.3	-3.2
	42.5	18.9	9.5	4.2	2.9	0.0	-0.4	-0.6
250N	-42.2	-33.1	-22.7	-14.6	-8.9	-6.3	-3.3	-2.5
	45.1	20.2	10.3	4.6	3.2	0.3	-0.3	-1.6
275N	-39.9	-32.6	-22.3	-15.3	-9.3	-6.0	-2.9	-2.4
	45.9	21.3	11.5	5.2	3.2	-0.2	-1.4	-0.9
300N	-34.2	-30.6	-21.3	-14.9	-9.1	-5.8	-2.8	-2.3
	45.3	21.9	11.2	5.1	3.1	0.5	-0.7	-1.6

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 12:34
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H00D00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 300W

First station: 250S
Last station: 300N
Scale: 1: 2500

VERTICAL component



CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 12:34
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 300W

First station: 250S
Last station: 300N
Scale: 1: 2500

HORIZONTAL component



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L200WKA2

Client: KERR
Date/time 80/9 14:05
Line # 200W
Tx LOOP: 2
Gain: 700

Ramp time: 1.5MS

Project: HOODOO

ZTS: 623
Grid: NORTH
Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-44.8	-33.0	-17.3	-10.8	-5.2	-2.3	-0.2	0.2
	11.4	2.6	0.6	-0.7	0.2	-0.5	-0.7	-1.3
225S	-55.1	-35.1	-19.9	-12.7	-7.4	-4.2	-1.7	-1.1
	16.7	3.9	2.2	0.9	1.2	-0.6	-0.3	-1.7
200S	-74.8	-38.5	-21.2	-13.0	-7.2	-3.7	-0.7	-0.5
	24.0	7.1	2.0	0.2	1.0	-0.4	-0.3	-0.9
175S	-72.2	-38.8	-22.2	-14.0	-7.8	-4.2	-1.8	-1.4
	22.4	6.2	2.8	1.4	0.2	-0.6	0.3	-0.1
150S	-66.1	-37.6	-22.0	-13.6	-7.6	-4.8	-1.7	-1.7
	22.6	7.4	2.7	1.4	1.3	-0.5	-1.0	-1.7
125S	-67.8	-38.3	-22.2	-14.4	-8.3	-4.8	-2.0	-1.9
	26.2	8.0	4.4	1.1	1.4	0.0	-0.7	-0.5
100S	-66.9	-38.3	-22.7	-14.6	-8.6	-5.1	-2.5	-1.9
	26.4	8.4	3.9	1.3	1.2	-0.2	-0.2	-1.3
75S	-66.6	-38.7	-22.7	-15.0	-8.8	-5.4	-2.5	-2.1
	28.6	9.1	4.3	2.0	1.2	-1.2	0.1	-1.4
50S	-63.9	-38.3	-22.9	-15.0	-8.5	-5.4	-2.7	-2.3
	31.3	10.7	5.1	1.3	0.8	-0.4	-0.6	-0.5
25S	-63.4	-37.9	-23.1	-14.7	-8.4	-5.4	-3.3	-3.2
	33.8	11.8	5.3	2.0	1.4	-0.4	-0.4	-1.0
BL	-63.0	-38.7	-23.4	-15.2	-9.6	-5.7	-2.9	-2.7
	39.0	12.6	5.8	2.2	2.0	-0.4	-0.8	-1.7
25N	-60.3	-39.1	-24.0	-16.4	-9.4	-6.6	-2.9	-2.9
	37.4	13.3	6.3	2.0	1.8	0.2	0.3	-1.1
50N	-58.8	-38.5	-24.2	-15.7	-9.4	-6.1	-3.1	-1.9
	35.5	12.3	5.7	3.1	2.3	-0.3	0.3	-0.8
75N	-55.5	-38.2	-23.6	-15.7	-9.4	-5.8	-3.1	-3.1
	38.4	14.1	6.5	2.8	2.0	-0.2	-0.5	-1.0
100N	-53.5	-37.6	-23.9	-15.9	-9.7	-6.1	-2.2	-2.9
	42.8	16.2	7.8	3.4	1.8	-0.4	-0.4	-0.9
125N	-54.1	-37.8	-24.2	-16.4	-9.6	-6.4	-3.1	-3.4
	43.4	16.2	8.2	3.5	2.9	0.5	0.5	-2.0
150N	-52.9	-37.6	-24.0	-15.9	-9.6	-6.2	-3.2	-2.6
	44.2	18.2	8.6	3.9	3.0	0.3	-0.5	-1.3
175N	-48.5	-35.9	-23.3	-15.3	-9.7	-6.0	-3.4	-2.6
	45.8	19.6	9.2	3.8	2.7	0.0	0.4	-1.4
200N	-46.4	-34.9	-23.0	-15.3	-9.5	-6.3	-3.3	-2.9
	42.5	18.9	9.3	4.5	2.6	0.4	-0.2	-1.6
225N	-44.0	-34.1	-22.4	-15.3	-9.7	-6.5	-2.4	-2.5
	41.7	19.1	10.2	4.9	3.2	0.6	0.2	-1.1
250N	-40.0	-32.2	-22.1	-15.2	-9.2	-6.2	-2.6	-2.8
	43.9	19.9	9.8	4.8	2.5	0.3	-0.5	-1.4
275N	-37.9	-31.5	-21.5	-15.0	-9.0	-6.1	-3.0	-2.2
	42.5	21.2	11.2	5.9	3.4	0.5	-0.5	-1.0
300N	-36.2	-30.9	-21.1	-15.0	-8.9	-6.1	-3.1	-2.6
	44.5	21.5	11.4	5.5	3.2	1.1	-0.1	-1.0

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 14:05
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 200W

First station: 250S
Last station: 300N
Scale: 1: 2500

VERTICAL component



CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 14:05
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 200W

First station: 250S
Last station: 300N
Scale: 1: 2500

HORIZONTAL component



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L100WKA2

Client: KERR
Date/time 81/0 13:59
Line # 1+00W
Tx LOOP: 2
Gain: 700

Project: HOODOO

ZTS: 623
Grid: NORTH
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-46.5	-21.2	-6.5	-0.5	1.3	5.1	2.3	-3.6
	18.9	7.6	5.9	5.6	2.9	3.7	0.4	-4.9
225S	-39.5	-24.7	-11.3	-4.6	-3.5	3.0	-0.1	-4.6
	16.6	5.8	4.5	3.0	-0.1	3.2	-1.1	-6.4
200S	-47.6	-28.4	-15.1	-8.0	-6.4	1.2	-4.4	-6.5
	19.7	6.7	4.2	3.4	-0.3	3.9	-2.3	-5.8
175S	-48.6	-29.8	-16.2	-9.3	-8.4	0.2	-3.7	-7.8
	19.6	8.0	4.7	3.7	-0.8	3.7	-1.8	-6.6
150S	-47.7	-30.0	-17.1	-10.8	-10.2	-0.8	-5.0	-7.3
	20.0	7.2	3.9	3.4	-2.1	3.5	-3.2	-6.6
125S	-51.8	-32.6	-19.0	-12.1	-10.8	-0.1	-4.2	-5.0
	18.4	7.4	4.3	2.5	-1.7	3.5	-3.7	-6.3
100S	-53.5	-33.5	-20.1	-11.7	-12.1	-1.1	-5.8	-5.3
	21.9	8.3	3.4	3.1	-2.8	3.3	-3.4	-5.6
75S	-55.1	-34.8	-20.7	-12.8	-13.4	-3.9	-10.6	-8.2
	26.7	10.2	4.5	2.2	-3.7	2.6	-3.5	-5.2
50S	-54.4	-35.1	-20.8	-12.5	-12.4	-1.6	-6.3	-5.6
	24.3	9.2	2.9	2.0	-3.1	2.5	-4.0	-4.2
25S	-51.6	-34.3	-21.8	-13.0	-12.8	-2.1	-6.9	-6.3
	28.5	10.9	4.6	3.5	-2.7	3.3	-3.6	-4.5
BL	-49.4	-35.5	-21.9	-13.4	-12.4	-1.6	-6.3	-5.4
	27.8	10.3	4.8	3.6	-3.1	2.9	-4.1	-2.9
25N	-50.6	-34.6	-21.9	-13.7	-13.0	-2.6	-6.7	-5.3
	28.3	12.2	5.7	4.0	-1.9	3.2	-2.7	-4.4
50N	-48.1	-34.6	-22.2	-13.8	-13.0	-2.7	-6.8	-4.6
	31.8	12.7	7.0	4.1	-2.1	3.6	-3.9	-4.2
75N	-47.2	-34.5	-22.7	-14.1	-13.8	-2.6	-7.7	-6.4
	32.7	13.4	6.7	4.0	-2.1	3.5	-3.7	-3.7
100N	-47.2	-34.2	-21.9	-13.9	-13.5	-3.3	-6.5	-4.8
	33.5	13.0	7.4	4.6	-1.9	3.4	-3.2	-3.2
125N	-46.5	-34.0	-22.4	-13.6	-13.5	-3.2	-6.2	-4.3
	34.8	15.4	8.1	5.3	-2.6	3.2	-3.5	-2.9
150N	-41.8	-32.7	-21.9	-13.7	-13.1	-3.1	-6.2	-3.9
	36.8	16.2	8.9	5.6	-1.4	3.3	-3.8	-2.7
175N	-40.4	-32.2	-21.4	-13.8	-12.8	-2.9	-5.6	-3.6
	37.0	17.2	9.7	5.6	-1.1	3.7	-3.0	-3.2
200N	-35.4	-31.5	-21.4	-13.2	-13.2	-3.2	-5.8	-3.4
	39.0	18.1	10.2	6.0	-0.9	2.6	-2.5	-2.8
225N	-34.8	-30.6	-21.3	-13.4	-12.5	-3.6	-6.7	-3.9
	35.6	17.4	9.2	6.1	-0.8	2.9	-2.5	-2.1
250N	-34.4	-29.7	-20.9	-13.4	-12.2	-3.2	-6.6	-3.0
	38.5	18.6	10.3	6.3	-0.7	3.4	-2.9	-1.4
275N	-32.0	-29.2	-20.9	-13.2	-12.6	-3.6	-6.3	-3.2
	36.3	18.6	10.5	6.8	-0.2	2.3	-2.1	-2.5
300N	-32.4	-28.6	-20.3	-13.4	-11.9	-3.9	-6.9	-5.7
	37.9	18.9	11.3	7.5	-0.4	2.5	-3.5	-1.9

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 81/0 13:59
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 1+00W

First station: 250S
Last station: 300N
Scale: 1: 2500

VERTICAL component



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 81/0 13:59
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H00000


Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 1+00W

First station: 250S
Last station: 300N
Scale: 1: 2500

HORIZONTAL component
-1000 -100 -10 +10 +100

210+00



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L00KA2

Client: KERR
Date/time 81/0 15:20
Line # 0+00
Tx LOOP: 2
Gain: 700

Project: H00D00
ZTS: 623
Grid: NORTH
Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-29.0	-14.1	0.5	6.8	7.2	9.0	7.4	9.5
	17.1	6.2	4.3	3.2	0.7	1.5	-0.5	1.7
225S	-46.1	-25.0	-10.1	-2.7	-0.6	2.5	3.1	6.0
	18.7	6.2	2.7	1.5	-0.6	-0.8	-1.1	2.6
200S	-51.3	-29.7	-14.7	-6.6	-4.1	-0.5	0.1	4.9
	12.2	3.6	1.5	0.5	-1.6	-1.0	-1.0	1.9
175S	-56.9	-33.5	-18.5	-10.3	-7.4	-3.6	-2.1	3.1
	19.0	4.9	1.4	1.1	-3.1	-3.2	-1.5	2.1
150S	-57.9	-34.2	-19.6	-11.2	-8.2	-3.6	-2.0	3.1
	19.6	7.1	3.2	1.0	-2.1	-2.0	-2.0	1.6
125S	-59.0	-35.8	-20.9	-12.7	-10.1	-5.0	-2.9	2.6
	20.0	5.7	2.1	0.8	-2.4	-1.8	-1.6	2.0
100S	-57.7	-35.5	-20.7	-12.3	-9.5	-4.4	-2.6	1.5
	25.8	8.6	3.6	1.1	-2.5	-1.7	-1.7	1.3
75S	-56.5	-35.8	-21.5	-13.1	-10.4	-6.0	-3.2	1.4
	28.9	9.6	4.3	1.7	-2.6	-1.4	-2.3	0.8
50S	-54.9	-35.8	-22.2	-14.3	-11.0	-5.8	-3.6	1.7
	30.9	9.9	4.5	2.7	-2.0	-2.9	-1.0	2.4
25S	-51.3	-36.8	-23.1	-14.9	-11.8	-6.3	-4.3	1.7
	32.4	12.0	5.7	2.5	-1.9	-1.1	-2.1	1.7
BL	-51.5	-35.8	-23.1	-14.5	-11.8	-5.8	-4.1	1.7
	36.0	14.8	6.9	3.1	-1.6	-0.8	-3.2	3.0
25N	-50.4	-35.6	-23.4	-15.3	-13.9	-6.7	-4.6	4.0
	33.6	13.9	6.3	4.0	-2.1	-1.7	-2.7	1.7
50N	-47.6	-34.7	-22.6	-14.3	-12.3	-5.8	-3.8	1.0
	35.0	14.2	7.7	3.9	-1.7	-0.9	-2.1	1.5
75N	-45.9	-33.9	-22.5	-14.3	-12.3	-5.7	-4.4	-0.1
	37.0	16.1	8.0	5.1	-0.2	0.9	-1.2	0.5
100N	-41.3	-33.2	-22.1	-14.4	-12.7	-5.8	-5.2	-0.8
	30.0	13.0	7.0	4.8	-0.8	1.2	-0.7	0.5
125N	-41.4	-32.1	-22.2	-13.7	-12.5	-5.1	-5.0	0.1
	29.7	13.4	7.5	4.3	-1.1	1.5	-2.5	0.8
150N	-38.8	-31.8	-22.2	-14.0	-12.7	-5.2	-4.8	-0.1
	35.1	16.2	8.5	4.7	-1.2	1.1	-1.4	1.1
175N	-36.0	-30.8	-21.8	-13.8	-12.1	-4.6	-5.0	-0.6
	35.2	16.9	9.3	5.4	0.1	1.8	-2.0	0.2
200N	-34.6	-29.9	-21.3	-13.8	-12.4	-4.4	-5.2	-1.7
	34.9	17.3	9.4	5.8	-0.8	2.6	-1.8	-1.0
225N	-32.1	-29.6	-21.6	-13.5	-12.9	-5.2	-6.2	-2.4
	35.8	17.8	10.1	5.8	-0.7	1.6	-2.6	-1.1
250N	-30.7	-28.8	-21.2	-14.0	-13.2	-4.2	-5.6	-2.3
	35.7	18.6	11.4	6.2	0.2	2.5	-1.9	-0.2
275N	-29.8	-28.5	-21.0	-13.5	-12.5	-4.9	-6.0	-3.0
	35.2	19.2	11.3	6.2	0.4	2.1	-2.6	-0.5
300N	-27.8	-27.2	-20.8	-13.6	-12.5	-5.0	-6.6	-3.8
	33.5	20.5	11.8	7.0	0.4	2.7	-2.6	-2.2

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 81/0 15:20
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 0+00

First station: 250S
Last station: 300N
Scale: 1: 2500



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 81/0 15:20
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623


LINE# 0+00

First station: 250S
Last station: 300N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1000

BLO700



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L50EKA2

Client: KERR
Date/time 80/9 15:18
Line # 50E
Tx LOOP: 2
Gain: 700

Project: HOODOO
ZTS: 623
Grid: NORTH
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-24.7	-15.8	-3.7	1.7	5.1	5.6	5.5	4.2
	36.9	12.7	8.4	5.1	6.1	3.9	2.4	0.4
225S	-47.6	-26.1	-11.3	-5.1	0.1	1.5	2.1	2.2
	30.1	7.8	4.2	1.9	2.3	1.0	1.2	-0.5
200S	-62.2	-34.7	-18.6	-10.6	-5.0	-2.0	-0.2	0.2
	21.4	2.9	0.0	-0.4	-0.8	-0.8	-1.1	-1.2
175S	-70.6	-39.6	-22.2	-13.1	-6.9	-3.5	-0.7	-0.3
	35.5	9.1	2.5	-0.8	-0.7	-1.7	-1.8	-1.8
150S	-71.7	-39.7	-22.8	-14.5	-7.7	-3.8	-1.1	-0.7
	29.1	7.0	2.2	0.2	0.1	-1.3	-0.4	-1.0
125S	-71.7	-40.8	-23.3	-14.8	-7.7	-4.2	-1.1	-1.0
	39.0	10.6	3.7	0.3	0.0	-0.5	-0.5	-1.9
100S	-69.4	-40.9	-24.3	-15.5	-8.5	-5.1	-1.7	-1.3
	38.5	11.2	3.8	0.2	0.7	-0.8	-1.1	-2.3
75S	-68.5	-41.3	-24.9	-16.1	-9.6	-6.3	-3.8	-2.9
	45.8	13.4	5.6	1.7	0.6	-0.6	1.5	-1.6
50S	-61.7	-40.8	-25.5	-16.2	-9.9	-5.7	-2.3	-1.6
	51.9	14.9	6.7	1.6	0.3	0.0	-1.0	-1.0
25S	-54.1	-36.6	-22.4	-14.0	-7.9	-4.7	-1.9	-1.5
	55.0	17.7	6.0	1.1	1.1	-1.4	-0.8	-1.7
BL	-50.8	-36.1	-23.4	-15.0	-8.5	-5.0	-2.6	-1.8
	50.7	16.9	6.3	2.3	0.5	-1.0	-0.5	-1.1
25N	-50.4	-35.7	-23.3	-14.7	-8.5	-4.6	-1.2	-2.3
	47.6	17.0	7.6	2.9	1.7	-0.8	-0.5	-1.1
50N	-47.4	-36.0	-23.4	-15.8	-8.4	-5.1	-2.2	-1.7
	45.4	16.6	7.7	3.2	0.9	-0.5	-0.2	-0.3
75N	-44.4	-34.7	-23.1	-15.2	-9.4	-5.9	-2.6	-1.4
	53.8	20.5	9.0	3.7	1.5	-0.4	-1.0	-0.8
100N	-42.5	-34.8	-24.0	-16.5	-10.1	-6.6	-2.9	-2.6
	52.6	21.4	9.8	5.0	2.7	0.4	0.2	-1.0
125N	-37.4	-33.7	-23.5	-16.2	-10.2	-6.5	-3.0	-2.6
	49.8	21.0	10.5	5.0	2.5	0.8	0.3	0.3
150N	-34.8	-32.3	-23.5	-16.5	-10.0	-6.3	-3.4	-2.6
	46.2	20.8	10.4	4.4	2.9	0.9	-0.6	-1.2
175N	-33.1	-32.3	-22.8	-16.0	-9.7	-6.2	-3.0	-2.0
	42.4	18.9	10.0	4.8	3.2	0.5	0.1	-1.0
200N	-30.4	-31.2	-22.8	-15.8	-9.9	-6.9	-5.2	-4.6
	45.9	21.1	11.2	5.3	2.3	0.2	-0.2	-2.0
225N	-25.3	-30.3	-22.2	-16.1	-10.0	-6.4	-3.5	-3.3
	47.3	22.5	12.1	5.9	3.7	1.4	0.1	-1.4
250N	-25.3	-29.6	-22.0	-15.7	-10.1	-6.1	-3.6	-2.1
	47.3	23.8	12.6	7.3	3.2	0.5	-0.5	-0.8
275N	-24.9	-28.4	-21.8	-16.2	-10.5	-7.4	-4.3	-2.7
	35.6	18.1	8.4	1.8	-1.8	-6.7	-10.3	-14.7
300N	-24.1	-28.0	-21.5	-16.1	-10.6	-6.7	-3.6	-2.4
	46.0	24.3	14.1	6.9	4.4	0.7	-0.1	-1.7

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 80/9 15:18
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H0000
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 50E

First station: 250S
Last station: 300N
Scale: 1: 2500



CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/9 15:18
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 50E

First station: 250S
Last station: 300N
Scale: 1: 2500

HORIZONTAL component



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L100EKA2

Client: KERR
Date/time 80/8 11:23
Line # 100E
Tx LOOP: 2
Gain: 700

Ramp time: 1.5MS

Project: HOODOO

ZTS: 623
Grid: NORTH
Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-40.4	-34.9	-21.1	-13.6	-7.2	-3.0	1.0	3.6
	17.3	6.6	1.3	-0.5	-0.5	-1.3	-1.3	-1.9
225S	-49.9	-36.6	-22.4	-14.6	-9.2	-5.7	-2.9	-0.6
	19.0	5.3	1.1	0.0	0.8	-0.5	-0.8	-0.6
200S	-56.4	-38.8	-24.0	-15.3	-8.9	-4.5	-2.3	-1.8
	21.9	5.9	1.6	0.0	1.0	0.2	0.1	0.6
175S	-63.7	-42.0	-25.8	-16.7	-9.6	-5.4	-2.8	0.3
	25.4	8.9	3.2	0.9	0.8	-0.3	-0.3	-0.2
150S	-61.9	-40.7	-25.8	-17.0	-9.7	-5.3	-2.2	-0.3
	28.7	10.1	3.9	1.7	0.9	-0.3	-0.8	-1.3
125S	-61.3	-40.5	-25.7	-17.2	-10.2	-6.3	-3.5	-3.1
	31.3	10.9	4.7	1.9	1.4	0.2	0.0	-0.3
100S	-60.8	-40.8	-26.4	-18.3	-11.5	-6.7	-2.0	1.2
	36.7	13.4	6.2	2.6	1.7	0.6	0.1	0.1
75S	-58.1	-39.5	-25.5	-17.3	-10.3	-5.7	-1.8	1.1
	31.9	11.2	4.5	1.4	0.5	-1.6	-1.6	-1.8
50S	-55.5	-39.2	-26.2	-17.7	-10.9	-5.7	-1.7	-1.1
	34.6	12.5	5.3	3.1	2.0	-0.9	-1.1	-0.1
25S	-50.9	-37.8	-25.7	-17.4	-10.9	-6.5	-3.7	-1.9
	41.8	16.2	7.2	3.2	2.2	-0.1	-0.8	-0.4
BL	-48.5	-37.6	-25.6	-17.8	-11.1	-6.4	-3.1	-1.5
	42.4	17.5	8.1	3.4	2.2	0.3	0.8	-0.9
25N	-48.3	-37.4	-25.4	-17.6	-10.9	-6.4	-2.7	-0.8
	43.7	18.3	8.7	3.9	2.3	-0.1	-1.4	-1.2
50N	-44.0	-36.0	-25.1	-17.5	-11.0	-6.7	-2.8	-0.5
	45.0	19.3	9.7	4.7	3.1	0.6	0.4	-0.7
75N	-39.1	-33.4	-23.7	-16.8	-10.7	-7.2	-3.8	-0.9
	45.0	20.2	10.2	4.3	2.6	0.7	0.3	-0.5
100N	-37.5	-33.3	-23.9	-16.8	-10.5	-6.5	-3.5	-2.3
	39.4	18.4	9.3	4.4	2.6	0.7	-0.6	-0.6

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 80/8 11:23
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H0000
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 100E

First station: 250S
Last station: 100N
Scale: 1: 2500



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 80/8 11:23
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS


Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 100E

First station: 250S
Last station: 100N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1000



CRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L150EKA2

Client: KERR
Date/time 81/0 17:08
Line # 1+50E
Tx LOOP: 2
Gain: 700

Project: HOODOO
ZTS: 623
Grid: NORTH
Time base: 10MS

Ramp time: 1.5MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-24.7	-14.4	-1.9	4.2	7.0	9.6	8.7	4.9
	6.4	-0.8	-1.4	-2.5	-3.0	-0.2	-1.0	-4.3
225S	-44.0	-26.5	-12.5	-6.0	-1.7	2.7	3.9	1.4
	10.0	-0.4	-1.8	-3.6	-3.8	-1.6	-1.4	-3.9
200S	-51.3	-32.4	-18.7	-11.0	-6.4	-1.7	-0.1	-0.7
	16.8	5.0	-0.3	-0.5	-1.9	-1.0	-1.8	-1.1
175S	-51.0	-33.4	-20.0	-12.2	-7.1	-2.1	0.1	-1.2
	17.4	6.0	1.9	1.3	1.7	-1.7	0.5	-2.7
150S	-52.0	-34.6	-21.2	-13.5	-8.5	-2.9	-0.9	-1.5
	19.6	5.3	3.7	0.9	-0.5	-0.8	0.4	-1.5
125S	-53.1	-35.7	-22.2	-14.4	-8.9	-3.8	-1.4	-1.8
	16.6	6.0	2.4	1.1	0.7	-0.2	-0.1	-2.1
100S	-51.0	-35.6	-22.7	-14.6	-9.2	-4.2	-1.6	-1.9
	26.3	9.5	3.7	1.4	-0.2	-0.1	0.0	-2.9
75S	-50.2	-36.2	-23.3	-15.3	-10.2	-4.8	-2.1	-2.4
	26.5	10.2	4.7	1.5	-0.5	0.0	0.4	-1.1
50S	-49.7	-36.9	-24.4	-16.8	-11.7	-6.0	-2.2	0.4
	33.7	11.5	6.2	2.0	-0.2	0.7	-0.1	-1.4
25S	-45.6	-36.0	-24.3	-16.5	-11.1	-4.6	-1.6	-1.0
	45.2	18.0	8.6	3.1	0.7	1.2	-0.8	-1.9
BL	-42.4	-34.6	-23.7	-16.0	-10.9	-4.8	-2.6	-2.7
	32.2	12.7	6.5	2.3	-0.4	1.0	0.2	-2.4
25N	-40.7	-34.3	-23.6	-16.7	-11.3	-5.7	-2.7	-3.1
	32.7	13.8	7.6	3.5	1.7	-0.1	-0.6	-1.6
50N	-35.3	-32.0	-23.2	-15.0	-11.1	-5.1	-2.3	-3.0
	38.4	18.5	9.5	4.5	0.7	1.7	0.5	-2.1

Station interval in METER.


CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 81/0 17:08
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: H00000
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 1+50E

First station: 250S
Last station: 50N
Scale: 1: 2500



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 81/0 17:08
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS


Project: H00D00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 1+50E

First station: 250S
Last station: 50N
Scale: 1: 2500

HORIZONTAL component

-1000 -100 -10 +10 +100 +1000



CRONE GEOPHYSICS Ltd.
FRASER FILTER

Client: KERR
Date: 80/8 11:23
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOODOO
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 100E


First station: 2129
Scale: 1: 5000

FILTER: 25

VERTICAL component

-100

1



CRONE GEOPHYSICS Ltd.
FRASER FILTER

Client: KERR
Date: 80/8 11:23
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 100E


First station: 212W
Scale: 1: 5000

FILTER: 25

HORIZONTAL component

-100

10



GRONE GEOPHYSICS Ltd.
DEEPEM DATA

File:L200EKA2

Client: KERR Project: HOODOO
Date/time 80/8 10:57
Line # 200E ZTS: 623
Tx LOOP: 2 Grid: NORTH
Gain: 700 Ramp time: 1.5MS Time base: 10MS

STATION	Ch.1	Ch.2	Ch.3	Ch.4	Ch.5	Ch.6	Ch.7	Ch.8
250S	-36.5	-32.8	-21.6	-15.0	-8.6	-4.5	-0.6	0.8
	11.2	2.4	1.1	0.0	0.5	-0.4	-0.2	0.2
225S	-40.5	-34.1	-22.6	-16.0	-9.8	-6.2	-3.0	-1.5
	12.2	2.9	0.8	0.0	0.6	-0.7	-0.3	0.5
200S	-46.0	-36.4	-24.4	-16.7	-9.7	-5.1	-2.0	-0.8
	22.1	6.8	2.4	0.7	1.1	0.0	-0.2	-0.5
175S	-44.6	-36.7	-24.6	-16.8	-10.2	-5.7	-2.6	-0.5
	27.5	9.5	3.0	1.1	0.4	-0.6	-0.2	-0.1
150S	-42.1	-35.6	-25.1	-18.0	-11.7	-7.7	-3.9	0.8
	24.5	9.3	3.9	2.0	1.3	-0.1	-0.6	0.5
125S	-40.6	-34.9	-24.3	-16.9	-10.4	-6.3	-2.9	-1.6
	24.5	9.6	5.0	2.6	1.1	0.0	-0.2	-1.0
100S	-42.6	-36.0	-25.4	-17.5	-10.7	-6.7	-3.4	-1.4
	24.0	9.4	4.6	1.9	1.8	0.1	-0.3	-0.7
75S	-40.7	-35.9	-25.1	-17.7	-10.8	-6.4	-2.9	-0.8
	33.9	14.0	6.7	2.8	2.0	0.2	-0.5	-0.4
50S	-39.1	-35.4	-25.1	-17.6	-11.0	-6.4	-3.5	-2.0
	38.8	16.0	7.2	2.7	1.6	-0.5	-0.5	-1.4

Station interval in METER.

CRONE GEOPHYSICS Ltd.
DEEPEM


Client: KERR
Date: 80/8 10:57
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 200E

First station: 250S
Last station: 50S
Scale: 1: 2500

VERTICAL component



CRONE GEOPHYSICS Ltd.
DEEPEM

Client: KERR
Date: 80/8 10:57
Grid: NORTH
Gain: 700
Ramp Time: 1.5MS

Project: HOOD00
Tx Loop: 2
Time Base: 10MS
ZTS: 623

LINE# 200E

First station: 250S
Last station: 50S
Scale: 1: 2500

HORIZONTAL component

